

Course Management API v1 OAS 3.0

<https://localhost:7215/swagger/v1/swagger.json>

Authorize



Authentication



POST

/api/Authentication/login



Parameters

Try it out

No parameters

Request body

application/json



Example Value | Schema

```
{
  "username": "string",
  "password": "string"
}
```

Responses

Code

Description

Links

200

OK

No links

Media type

text/plain



Controls Accept header.

Example Value | Schema

Code	Description	Links
	<pre>{ "token": "string", "expires": "2026-04-01T22:54:58.542Z", "refreshToken": "string", "refreshTokenExpires": "2026-04-01T22:54:58.542Z" }</pre>	

POST

/api/Authentication/refresh

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "refreshToken": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

text/plain

Controls Accept header.

Example Value

Schema

```
{
  "token": "string",
  "expires": "2026-04-01T22:54:58.544Z",
  "refreshToken": "string",
  "refreshTokenExpires": "2026-04-01T22:54:58.544Z"
}
```

POST

/api/Authentication/revoke

Parameters

Try it out

No parameters

Request body

application/json



Example Value | Schema

```
{
  "refreshToken": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Courses



GET

/api/Courses



Parameters

Try it out

Name	Description
PageNumber integer(\$int32) (query)	PageNumber
PageSize integer(\$int32) (query)	PageSize

Responses

Code	Description	Links
200	OK	No links

Code

Description

Links

Media type

text/plain



Controls Accept header.

Example Value | Schema

```
"title": "string",
"credits": 0,
"instructorId": 0,
"instructor": {
  "id": 0,
  "name": "string",
  "email": "string"
},
"enrollments": [
  {
    "studentId": 0,
    "courseId": 0,
    "enrollmentDate": "2026-04-01T22:54:58.548Z",
    "student": {
      "id": 0,
      "fullName": "string",
      "email": "string"
    },
    "course": {
      "id": 0,
      "title": "string",
      "credits": 0,
      "instructorId": 0
    }
  }
]
}
```

POST

/api/Courses



Parameters

Try it out

No parameters

Request body

application/json



Example Value | Schema

```
{
  "title": "string",
  "credits": 10,
  "instructorId": 0
}
```

Responses

Code	Description	Links
200	OK Media type text/plain Controls Accept header. Example Value Schema <pre>{ "id": 0, "title": "string", "credits": 0, "instructorId": 0, "instructor": { "id": 0, "name": "string", "email": "string" }, "enrollments": [{ "studentId": 0, "courseId": 0, "enrollmentDate": "2026-04-01T22:54:58.551Z", "student": { "id": 0, "fullName": "string", "email": "string" }, "course": { "id": 0, "title": "string", "credits": 0, "instructorId": 0 } }] }</pre>	No links

GET	/api/Courses/{id}	
Parameters		Try it out
Name	Description	
id * required		
integer(\$int32)	id	
(path)		
Responses		

Code**Description****Links**

200

OK

No links

Media type

text/plain



Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "title": "string",
  "credits": 0,
  "instructorId": 0,
  "instructor": {
    "id": 0,
    "name": "string",
    "email": "string"
  },
  "enrollments": [
    {
      "studentId": 0,
      "courseId": 0,
      "enrollmentDate": "2026-04-01T22:54:58.555Z",
      "student": {
        "id": 0,
        "fullName": "string",
        "email": "string"
      },
      "course": {
        "id": 0,
        "title": "string",
        "credits": 0,
        "instructorId": 0
      }
    }
  ]
}
```

PUT

/api/Courses/{id}

**Parameters**

Try it out

Name**Description****id** * requiredinteger(\$int32)
(path)

id

Request body

application/json



Example Value | Schema

```
{
  "title": "string",
  "credits": 10,
```

```
"instructorId": 0
}
```

Responses

Code	Description	Links
200	OK	No links

DELETE`/api/Courses/{id}`

Parameters

[Try it out](#)

Name	Description
------	-------------

id * required

integer(\$int32)
(path)

Responses

Code	Description	Links
200	OK	No links

Enrollments

**GET**`/api/Enrollments`

Parameters

[Try it out](#)

Name	Description
------	-------------

PageNumber
integer(\$int32)
(query)

Name	Description
PageSize	PageSize
integer(\$int32)	
(query)	

Responses		
Code	Description	Links
200	OK	No links
Media type		
text/plain		
Controls Accept header.		
Example Value Schema		
<pre>[{ "studentId": 0, "courseId": 0, "enrollmentDate": "2026-04-01T22:54:58.565Z", "student": { "id": 0, "fullName": "string", "email": "string" }, "course": { "id": 0, "title": "string", "credits": 0, "instructorId": 0 } }]</pre>		

POST	/api/Enrollments	
Parameters		Try it out
No parameters		
Request body		application/json
Example Value Schema		
<pre>{ "studentId": 2147483647, "courseId": 2147483647 }</pre>		

Responses

Code	Description	Links
200	OK	No links

GET

/api/Enrollments/student/{studentId}



Parameters

Try it out

Name	Description
studentId * required integer(\$int32) (path)	studentId
PageNumber integer(\$int32) (query)	PageNumber
PageSize integer(\$int32) (query)	PageSize

Responses

Code	Description	Links
200	OK	No links

Media type

text/plain

▼

Controls Accept header.

Example Value | Schema

```
[
  {
    "studentId": 0,
    "courseId": 0,
    "enrollmentDate": "2026-04-01T22:54:58.570Z",
    "student": {
```

Code	Description	Links
	<pre>"id": 0, "fullName": "string", "email": "string" }, "course": { "id": 0, "title": "string", "credits": 0, "instructorId": 0 } }]</pre>	

GET

/api/Enrollments/course/{courseId}

^

Parameters

Try it out

Name	Description
courseId * required integer(\$int32) (path)	courseId
PageNumber integer(\$int32) (query)	PageNumber
PageSize integer(\$int32) (query)	PageSize

Responses

Code	Description	Links
200	OK	No links

Media type

text/plain

▼

Controls Accept header.

Example Value | Schema

```
[
{
  "studentId": 0,
  "courseId": 0,
  "enrollmentDate": "2026-04-01T22:54:58.575Z",
  "student": {
```

Code	Description	Links
	<pre>"id": 0, "fullName": "string", "email": "string" }, "course": { "id": 0, "title": "string", "credits": 0, "instructorId": 0 } }]</pre>	

DELETE

/api/Enrollments/{studentId}/{courseId}

Parameters

Try it out

Name	Description
studentId * required integer(\$int32) (path)	studentId
courseId * required integer(\$int32) (path)	courseId

Responses

Code	Description	Links
200	OK	No links

Instructors

GET

/api/Instructors

Parameters

Try it out

Name	Description
PageNumber integer(\$int32) (query)	PageNumber
PageSize integer(\$int32) (query)	PageSize

Responses

Code	Description	Links
200	OK	No links
Media type text/plain Controls Accept header. Example Value Schema <pre>[{ "id": 0, "name": "string", "email": "string", "profile": { "bio": "string", "officeLocation": "string" }, "courses": [{ "id": 0, "title": "string", "credits": 0 }] }]</pre>		

POST

/api/Instructors

Parameters

Try it out

No parameters

Request body

application/json

Example Value | Schema

```
{
  "name": "string",
  "email": "user@example.com",
  "bio": "string",
  "officeLocation": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

text/plain ▾

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "name": "string",
  "email": "string",
  "profile": {
    "bio": "string",
    "officeLocation": "string"
  },
  "courses": [
    {
      "id": 0,
      "title": "string",
      "credits": 0
    }
  ]
}
```

GET

/api/Instructors/{id}



Parameters

Try it out

Name	Description
------	-------------

id * required

integer(\$int32)
(path)

id

Responses

Code	Description	Links
200	OK	No links

Media type

text/plain

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "name": "string",
  "email": "string",
  "profile": {
    "bio": "string",
    "officeLocation": "string"
  },
  "courses": [
    {
      "id": 0,
      "title": "string",
      "credits": 0
    }
  ]
}
```

PUT

/api/Instructors/{id}



Parameters

Try it out

Name	Description
------	-------------

id * required

integer(\$int32)
(path)

id

Request body

application/json

Example Value | Schema

```
{
  "name": "string",
  "email": "user@example.com",
  "bio": "string",
  "officeLocation": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

DELETE /api/Instructors/{id}



Parameters

Try it out

Name	Description
------	-------------

id * required

integer(\$int32)
(path)

id

Responses

Code	Description	Links
200	OK	No links

Students



GET /api/Students



Parameters

Try it out

Name	Description
------	-------------

PageNumber

integer(\$int32)
(query)

PageNumber

PageSize

integer(\$int32)
(query)

PageSize

Responses

Code	Description	Links
200	OK	No links

Media type

text/plain

Controls Accept header.

Example Value | Schema

```
[
  {
    "id": 0,
    "fullName": "string",
    "email": "string",
    "enrollments": [
      {
        "studentId": 0,
        "courseId": 0,
        "enrollmentDate": "2026-04-01T22:54:58.586Z",
        "student": {
          "id": 0,
          "fullName": "string",
          "email": "string"
        },
        "course": {
          "id": 0,
          "title": "string",
          "credits": 0,
          "instructorId": 0
        }
      }
    ]
  }
]
```

POST /api/Students

Parameters

Try it out

No parameters

Request body

application/json

Example Value | Schema

```
{
  "fullName": "string",
  "email": "user@example.com"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

text/plain

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "fullName": "string",
  "email": "string",
  "enrollments": [
    {
      "studentId": 0,
      "courseId": 0,
      "enrollmentDate": "2026-04-01T22:54:58.590Z",
      "student": {
        "id": 0,
        "fullName": "string",
        "email": "string"
      },
      "course": {
        "id": 0,
        "title": "string",
        "credits": 0,
        "instructorId": 0
      }
    }
  ]
}
```

GET /api/Students/{id}

Parameters

Try it out

Name Description

id * required

integer(\$int32)

(path)

id

Responses

Code	Description	Links
200	OK	No links

Code

Description

Links

Media type

text/plain



Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "fullName": "string",
  "email": "string",
  "enrollments": [
    {
      "studentId": 0,
      "courseId": 0,
      "enrollmentDate": "2026-04-01T22:54:58.592Z",
      "student": {
        "id": 0,
        "fullName": "string",
        "email": "string"
      },
      "course": {
        "id": 0,
        "title": "string",
        "credits": 0,
        "instructorId": 0
      }
    }
  ]
}
```

PUT

/api/Students/{id}



Parameters

Try it out

Name

Description

id * required

integer(\$int32)

(path)

id

Request body

application/json



Example Value | Schema

```
{
  "fullName": "string",
  "email": "user@example.com"
}
```

Responses

Code	Description	Links
200	OK	No links

DELETE

/api/Students/{id}

^

Parameters

Try it out

Name	Description
id * required integer(\$int32) (path)	id

Responses

Code	Description	Links
200	OK	No links

Schemas

^

CourseResponseDTO

id

> [...]

title

> [...]

credits

> [...]

instructorId

> [...]

instructor

InstructorInfoDTO > {...}

enrollments

> [...]

}

CreateCourseDTO ▾ {
 title* > [...]
 credits* > [...]
 instructorId* > [...]
}

CreateEnrollmentDTO >

CreateInstructorDTO ▾ {
 name* > [...]
 email* > [...]
 bio > [...]
 officeLocation > [...]
}

CreateStudentDTO ▾ {
 fullName* > [...]
 email* > [...]
}

EnrollmentCourseDTO ▾ {
 id > [...]
 title > [...]
 credits > [...]
 instructorId > [...]
}

EnrollmentResponseDTO ▾ {
 studentId > [...]
 courseId > [...]
 enrollmentDate > [...]
 student **StudentBasicDTO** > {...}
 course **EnrollmentCourseDTO** > {...}
}

```
InstructorCourseDTO ▾ {  
  id  
  title > [...]  
  credits > [...]  
}
```

```
InstructorInfoDTO ▾ {  
  id > [...]  
  name > [...]  
  email > [...]  
}
```

```
InstructorProfileDTO ▾ {  
  bio > [...]  
  officeLocation > [...]  
}
```

```
InstructorResponseDTO ▾ {  
  id > [...]  
  name > [...]  
  email > [...]  
  profile InstructorProfileDTO > {...}  
  courses > [...]  
}
```

```
LoginDTO ▾ {  
  username* > [...]  
  password* > [...]  
}
```

```
LoginResponseDTO ▾ {  
  token > [...]  
  expires > [...]  
  refreshToken > [...]  
  refreshTokenExpires > [...]  
}
```

```
RefreshTokenRequestDTO ▾ {  
  refreshToken* > [...]  
}
```

```
RevokeTokenRequestDTO ▾ {  
  refreshToken* > [...]  
}
```

```
StudentBasicDTO ▾ {  
  id > [...]  
  fullName > [...]  
  email > [...]  
}
```

```
StudentResponseDTO ▾ {  
  id > [...]  
  fullName > [...]  
  email > [...]  
  enrollments > [...]  
}
```

```
UpdateCourseDTO ▾ {  
  title* > [...]  
  credits* > [...]  
  instructorId* > [...]  
}
```

```
UpdateInstructorDTO ▾ {  
  name* > [...]  
  email* > [...]  
  bio > [...]  
  officeLocation > [...]  
}
```

UpdateStudentDTO ▾ {

fullName* > [...]

email* > [...]

}