



System Requirements

Mechtron 4TB6 • Prof. Alan Wassyng

Group 34

Authors:

Ahmed Afifi

Abdulrahman Elgendy

Mina Ghaly

Omar Mouftah

| | |
|---|-----------|
| 1. Table Of Revisions | 2 |
| 2. Purpose | 3 |
| 3. Scope | 3 |
| 4. Context Diagram | 4 |
| 5. Behaviour Overview | 4 |
| 6. Required Behaviour Description | 6 |
| 7. Variables and Constants | 8 |
| 7.1. Monitored Variables | 8 |
| 7.2. Controlled Variables | 8 |
| 7.3. Constants | 9 |
| 8. Functional Decomposition Diagram | 9 |
| 8.1. System-level FDD | 9 |
| 8.2. Auto-Mode FDD | 10 |
| 8.3. Manual-Mode FDD | 10 |
| AFA9. Functional Requirements | 11 |
| 9.1. Intellux App Functional Requirements | 11 |
| 9.2. Intellux Apparatus Functional Requirements | 12 |
| 10. Non-functional Requirements | 13 |
| 11. Normal Operation | 14 |
| 11.1. Description | 14 |
| 11.2. Normal Use Cases | 14 |
| 11.2.1. Auto Mode | 14 |
| 11.2.2. Manual Mode | 15 |
| 12. Undesired Event Handling | 15 |
| 12.1. Application failure to send preferences | 15 |
| 12.2. Intellux apparatus not responding | 15 |
| 12.3. Unable to find/pair application to the device | 16 |
| 12.4. Beads slip out of the actuator | 16 |
| 13. Requirements Likelihood to Change | 16 |
| 13.1. Intellux App Functional Requirements | 16 |
| 13.2. Intellux Apparatus Functional Requirements | 16 |
| 13.3. Non-functional Requirements | 17 |

1. Table Of Revisions

| Version | Date | Authors | Description Of Revision |
|---------|------------|--|---|
| 0 | 21/10/2021 | Abdulrahman Elgendy Ahmed Afifi Mina Ghaly Omar Mouftah | Initial revision of the system requirements document |
| 1 | 08/02/2022 | Abdulrahman Elgendy Ahmed Afifi Mina Ghaly Omar Mouftah | <ul style="list-style-type: none">- Addition of extra functional requirements relating to the mechanical, sensor, and control modules- Quantifying some non-functional requirements to be more measurable- editing scope to encompass the document scope instead of the project scope |

2. Purpose

The purpose of this project is to create a system that enables users to control their blinds remotely and automate them based on their personal preferences. Users will have the option of choosing a brightness level that they prefer and the system will continue to adjust the blinds in order to maintain the desired brightness level. Users will also have the option of manually adjusting the blinds through their smart device by increasing/decreasing the blind angle until they reach their desired brightness. Currently in the market, all automated blinds must be purchased as a full set. Moreover, any accessory that tries to automate traditional blinds lacks many features when it comes to customization and truly smart features. Being able to automate a user's pre-owned traditional blinds will save users money and supply them with many automation features that provide convenience on a daily basis.

Users will interact with Intellux through a user interface that is wirelessly connected to an apparatus. The apparatus will be able to automatically adjust the blinds to reach the desired inputs of the user in the user interface. Users will also be able to adjust the blinds manually through the application. More details will be provided throughout the rest of this document.

3. Scope

The scope of this document is to provide insight into the minimum requirements needed for a blind automating device (Intellux) whose main function is to maintain a certain level of brightness (desired by the user) inside a room. The document will discuss the variables and constraints of the Intellux device as well as undesired event handling and a short behaviour overview. These items will then be used to design the complete system, which will be documented in a separate deliverable.

4. Context Diagram




Figure 1: Intellux Context Diagram

5. Behaviour Overview

Typically, the user would open their Intellux application and connect to the Intellux apparatus they wish to operate. Once the devices are paired, the user is now free to select the mode of operation, the two available options are Auto mode and Manual mode. In Auto Mode, the user would simply select the level of brightness they wish to have in their room and Intellux would handle the rest. By measuring the brightness of the room and the external brightness, Intellux would be able to determine if the desired level is possible. Once it determines that it is possible, the blinds will automatically be rotated to match the actual measured indoor brightness with the user's desired selection. The blinds should also automatically maintain this level of brightness throughout the day until it is no longer possible to do so. At night, Intellux would switch to

Manual mode. If the user selects to operate the device in Manual mode, the application will only require an angle input from the user and the blinds will be rotated to match the user's selection.

6. Required Behaviour Description




Figure 2: State Machine Diagram

There are two modes of operation for Intellux: Auto mode and Manual mode. These describe the different functionalities of Intellux where in Auto mode, Intellux is required to automatically adjust the angle of the blinds to match the user's brightness preferences. In Manual mode, the user would open and close the blinds to the angle they desire. The following is a table describing the behavioural diagram above.

Table 1: Behaviour block diagram description

| Step | Behaviour | Mode | Description |
|------|---------------------------------------|--------|---|
| 1 | User opens app | N/A | The user will open the app to see the blinds paired with the device to begin interacting with Intellux. Proceed to Step 2. |
| 2 | If auto-mode | N/A | The system will check if the user has selected to operate in Auto or Manual mode. If Auto mode, proceed to Step 3. Otherwise, go to Step 10. |
| 3 | User sets desired brightness | Auto | In Auto Mode, the user will set the brightness they wish to have in the room. Proceed to Step 4. |
| 4 | Measure indoor and outdoor brightness | Auto | Intellux must measure the current brightness of the room as well as the external brightness to know the maximum currently attainable brightness level. Proceed to Step 5. |
| 5 | If desired < outdoor | Auto | If the user has set a brightness level higher than is currently attainable, go to Step 8. Otherwise, proceed to Step 6. |
| 6 | If desired - indoor $\neq 0$ | Auto | If the indoor brightness is still not matching the user's desired brightness, proceed to Step 7. |
| 7 | Rotate blinds | Auto | Rotate the blinds to match the desired brightness. Proceed to Step 4 to automatically repeat the process. |
| 8 | Set blinds to max brightness | Auto | Set the blinds to the currently maximum attainable brightness. Proceed to Step 9. |
| 9 | Notify user | Auto | Notify the user that the desired brightness is currently unattainable and that the blinds were set to the current maximum attainable brightness. Proceed to Step 4. |
| 10 | User sets blinds angle | Manual | In Manual mode, the user will set the blinds to the angle they desire. Proceed to Step 11. |
| 11 | Rotate blinds | Manual | Rotate the blinds to match the given angle in Step 10. |

7. Variables and Constants

7.1. Monitored Variables

Table 2: Intellux monitored variables

| Variable | Unit | Description |
|----------------------|---------|--|
| m_brightnessIn | lux | Measurement of brightness <u>inside</u> the living space |
| m_brightnessExt | lux | Measurement of brightness <u>outside</u> the living space |
| m_desiredBrightness | lux | The desired lux value |
| m_blindsAngle | degrees | The current angle at which the blinds are placed |
| m_isAutoMode | Boolean | Check if the system is running in Auto mode |
| m_desiredBlindsAngle | degrees | The desired angle the blinds should be placed at - Manual Mode Only |

7.2. Controlled Variables

Table 3: Intellux controlled variables

| Variable | Unit | Description |
|---------------|---------|--|
| c_blindsAngle | degrees | The angle at which the system can place the blinds |

7.3. Constants

Table 4: Intellux constants

| Variable | Unit | Description |
|--------------|-------------|---|
| k_motorSpeed | degrees/sec | The speed at which motor will rotate the blinds |
| k_maxAngle | degrees | Maximum Angle the blinds will reach |
| k_minAngle | degrees | Minimum Angle the blinds will reach |

8. Functional Decomposition Diagram

8.1. System-level FDD




Figure 3: System-Level FDD

8.2. Auto-Mode FDD




Figure 4: Auto-Mode FDD

8.3. Manual-Mode FDD




Figure 5: Manual-Mode FDD

AFA9. Functional Requirements

9.1. Intellux App Functional Requirements

Table 5: Application functional requirements and rationale

| | |
|------------------|--|
| AFR1 | The Intellux app must allow the user to input the desired brightness level during the day |
| Rationale | Intellux should automatically rotate the blinds to match the user's brightness selection throughout the day without any further interaction. |
| AFR2 | The Intellux app should be able to communicate with the Intellux apparatus within a 5m range |
| Rationale | Wireless operation via the application within a reasonable range is expected. |
| AFR3 | The Intellux app should be able to notify the user when the external brightness level is below the desired brightness level |
| Rationale | The user should be informed if the desired brightness is no longer possible. |
| AFR4 | The Intellux app should prevent the user from accessing Auto-mode during night time |
| Rationale | Intellux auto-mode would not be able to operate at night and must prevent the user from a redundant setting. |
| AFR5 | The Intellux Database should be able to store a minimum of 10 users |
| Rationale | Most households are likely to have less than 10 users and Intellux should be able to store all their preferences. |
| AFR6 | The Intellux Database updates in real time when a new user is created |
| Rationale | The information regarding the users should be updated in real time and displayed to the users. |
| AFR7 | The Intellux Database updates in real time when a new user is deleted |
| Rationale | The information regarding the users should be updated in real time and displayed to the users. |
| AFR8 | The Intellux Database updates in real time when a new user's preferences are edited |
| Rationale | The information regarding the users should be updated in real time and displayed to the users. |

9.2. Intellux Apparatus Functional Requirements

Table 6: Intellux apparatus functional requirements and rationale

| | |
|------------------|---|
| IFR1 | The Intellux apparatus should be able to measure the brightness levels internally and externally |
| Rationale | This information will be used to set the indoor brightness given the external and internal measurements. |
| IFR2 | The Intellux apparatus should be able to determine when the brightness level in the room is not at the desired brightness level |
| Rationale | This is to automatically rotate the blinds to adjust for the mismatch in brightness levels. |
| IFR3 | The Intellux apparatus must be able to adjust the blinds angle to reach the (desired brightness levels $\pm 5\%$) in the room |
| Rationale | A margin of error should be allowed as it'll be difficult to reach an exact desired brightness level and to prevent frequent/infrequent rotation. |
| IFR4 | When a new desired brightness level is received from the Intellux App, the Intellux apparatus must be able to reach the desired brightness level within 6 seconds |
| Rationale | This is to prevent Intellux from taking too much time to adjust the brightness in the room and to ensure a smooth operating speed. |
| IFR5 | The Intellux apparatus must keep the internal brightness within the range until a new desired brightness level is received |
| Rationale | This is to prevent Intellux from lagging the brightness differential outside the 5% margin. |
| IFR6 | Intellux should be able to rotate the blinds with a range of motion of 0° to 180° |
| Rationale | A full range of motion is necessary for a complete application of the system in both ON and OFF states. |
| IFR7 | Intellux must be able to adjust the blinds angle with a maximum angular speed of 30 degrees/second |
| Rationale | This is to prevent excessive speeds from being reached, as they may damage the blinds |
| IFR8 | The Intellux apparatus should communicate with the Intellux app when the |

| | |
|------------------|--|
| | external brightness level is below the received desired brightness level |
| Rationale | By communicating with the app, the user can be notified of the apparatus' state. |
| IFR9 | The Intellux apparatus must turn to manual operation when its night time outside |
| Rationale | The manual operation would allow the user to override the automated rotation and set a desired angle for the blinds. |
| IFR10 | The Intellux apparatus should be aware of its current position and the maximum rotation available |
| Rationale | This is to avoid over-rotation for the minimum and maximum edge cases. |
| IFR11 | The sensors must be able to detect the Lux light levels within the manufacturing margin of error |
| Rationale | This is to ensure the sensor operates as expected. |
| IFR12 | The Intellux apparatus should be able to achieve the desired angle from manual and auto mode within 5° of accuracy. |
| Rationale | This is to maintain the accuracy of the desired brightness in auto mode and ensure manual mode is reliable. |
| IFR13 | The Intellux apparatus should be calibrated before allowing manual mode or auto mode features to be launched. |
| Rationale | To get the full steps range and positive turning direction parameters |

10. Non-functional Requirements

Table 7: Intellux system non-functional requirements

| | |
|------------------|--|
| NFR1 | Intellux should be able to attach to existing bead-chain blinds with bead size of 4.5mm |
| Rationale | Intellux should need as little alterations to the existing blinds as possible to attach. |
| NFR2 | There should be no exposed wiring from Intellux's casing |
| Rationale | This is to avoid any electrical safety issues. |
| NFR3 | Pairing the application to the apparatus should be a simple process and should |

| | |
|------------------|--|
| | take less than 5 minutes |
| Rationale | This process should only include the time it takes to connect to a user's WiFi and informing them of their local IP address so they could visit the Intellux UI. |
| NFR4 | The casing should have a maximum volume of 1500 cm cubed to avoid being too bulky |
| Rationale | This is to avoid excess protrusion causing an eyesore. |
| NFR5 | Intellux should be visually appealing and not take more than 10% of the window surface area |
| Rationale | The installation will be near a window so Intellux should not stand out for being an ugly apparatus. |
| NFR6 | Intellux should operate quietly with a noise level < 30 dB |
| Rationale | The operation of the actuator should not be unpleasantly loud. |

11. Normal Operation

11.1. Description

When operating under normal conditions, Intellux constantly measures the brightness inside the living space and compares it to the desired brightness inputted by the user. The goal is to always keep the `m_brightnessIn` variable equal to the `m_desiredBrightness` variable with a 5% tolerance. Intellux also measures the brightness outside the living space to inform itself on how much it should turn the blinds in order to match the desired brightness with the indoor brightness.

11.2. Normal Use Cases

11.2.1. Auto Mode

During the daytime, Intellux constantly measures the brightness inside the room and compares it to the desired brightness fetched from the application. If the two values do not match then Intellux will adjust the blind angles and repeat the process until the two values (`m_brightnessIn` & `m_desiredBrightness`) match within a certain tolerance.

- **Cloudy Day:**
 - Intellux should compare the desired brightness level inputted by the user to the level of brightness outside the living space. If the level of brightness outside the living space is lower than the one desired by the user, then Intellux opens the blinds at full brightness and notifies the user that the inputted level of brightness cannot be achieved.

11.2.2. Manual Mode

Intellux could be turned into manual mode through the Intellux phone application. In manual mode, Intellux stops measuring brightnesses and simply opens the blinds to the angle inputted by the user on the app.

- **Night Time:**
 - Intellux should be able to detect when the sun is down based on the local time of day and stop measuring the outside/inside brightnesses. It will then turn into manual mode where the user can select if the blinds should be open or closed. As a default case, once nighttime is detected, Intellux will keep the blinds fully open unless instructed otherwise by the user.

12. Undesired Event Handling

12.1. Application failure to send preferences

If the Intellux app fails to send the user preferences to the Intellux device, it would prompt the user to re-pair the device and allow the user to control the blinds by hand.

12.2. Intellux apparatus not responding

If the Intellux device is not responding to the signals sent by the application, then the app will inform the user to make sure the device is paired and that the user is within the Bluetooth range. Intellux will let the user control the blinds by hand until the issue is resolved.

12.3. Unable to find/pair application to the device

If the Intellux app fails to detect the device via Bluetooth, the user can instead scan the QR code on the side of the device to automatically pair the apparatus to the application.

12.4. Beads slip out of the actuator

If Intellux is not able to detect the beads passing through the stepper motor then the application automatically notifies the user to reinstall the beads by hand.

13. Requirements Likelihood to Change

13.1. Intellux App Functional Requirements

Table 8: Application functional requirements likelihood to change

| Requirement | Likely/Unlikely to Change | Rationale |
|-------------|---------------------------|---|
| AFR1 | Unlikely | It's a core component of the project. |
| AFR2 | Likely | Depending on the range of the wireless communication system chosen. |
| AFR3 | Unlikely | It's a core component of the project. |
| AFR4 | Unlikely | Auto mode will not be operational at night time. |

13.2. Intellux Apparatus Functional Requirements

Table 9: Intellux Apparatus functional requirements likelihood to change

| Requirement | Likely/Unlikely to Change | Rationale |
|-------------|---------------------------|---|
| IFR1 | Unlikely | It's a core component of the project. |
| IFR2 | Unlikely | It's a core component of the project. |
| IFR3 | Likely | Tolerance might change based on further research but the functionality will not. |
| IFR4 | Likely | Tolerance and time constraints might change based on further research but the functionality |

| | | |
|--------------|----------|---|
| | | will not. |
| IFR5 | Unlikely | It's a core component of the project. |
| IFR6 | Unlikely | It's a core component of the project. |
| IFR7 | Likely | Angular speed constraints might change based on further research. |
| IFR8 | Unlikely | It's needed to notify the user (AFR3). |
| IFR9 | Unlikely | It's a core component of the project. |
| IFR10 | Unlikely | It's a core component of the project. |

13.3. Non-functional Requirements

Table 10: Intellux non-functional requirements likelihood to change

| Requirement | Likely/Unlikely to Change | Rationale |
|-------------|---------------------------|---------------------------------------|
| NFR1 | Unlikely | It's a core component of the project. |
| NFR2 | Unlikely | Due to the safety of the user. |
| NFR3 | Likely | Requires further research. |
| NFR4 | Likely | Requires further research. |
| NFR5 | Likely | Requires further research. |
| NFR6 | Likely | Requires further research. |