

Wiremock Task List

7 BUILD PHASES	16 HTML PAGES	38 COMPONENTS	58 TASKS	4 SHARED LAYOUTS	1 DESIGN TOKEN FILE
----------------------	---------------------	------------------	-------------	------------------------	------------------------------

BUILD CONVENTION

All pages are standalone HTML files using shadcn/ui components loaded via CDN (React + Tailwind CDN build). Each file is self-contained with embedded dummy data. Navigation links between pages use relative `href` paths. No build step required — open any file in a browser. shadcn/ui components are referenced as React JSX within a `<script type="text/babel">` block using the shadcn CDN bundle.

0

PHASE 0

Foundation — Design Tokens, Shared Layout & Dummy Data

Set up the design system, shared layout shell, navigation structure, and dummy JSON data before any page is built. Every subsequent page imports from these.



Design Tokens & Global Styles

2 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-0.1	Design Token & Theme File	theme.css	UTIL	P1 - CRITICAL

	Define all CSS custom properties: brand colors (warm cream bg, deep forest green primary, terracotta accent, gold highlight), typography scale (Lora display / DM Sans body), spacing scale, border-radius, shadow tokens. Also configure Tailwind theme extensions. This file is imported by every page. theme.css CSS Variables Tailwind Config shadcn Theme			
T-0.2	Dummy Data Module Single JS file exporting all mock data objects used across all pages: MENU_CATEGORIES, PRODUCTS[], ORDERS[], RESERVATIONS[], CUSTOMERS[], ADMIN_STATS, OPERATING_HOURS, TIME_SLOTS[]. Use realistic Thai dish names, MVR prices in 100–250 range, Maldivian phone numbers (+960 7XX XXXX), Malé delivery addresses. dummy-data.js JSON Mock Data	dummy-data.js	DATA	P1 – CRITICAL



Shared Layout Components

4 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-0.3	Customer Navigation Bar — Desktop Top nav with Som Tam Thai wordmark (left), links: Menu / Reservations / Orders / Account (center), Cart icon with item count badge (right). Active link indicator. shadcn NavigationMenu. Shows open/closed pill status badge based on dummy operating hours state. components/navbar-customer.html NavigationMenu Badge Button OpenStatusPill	components/	LAYOUT	P1 – CRITICAL
T-0.4	Customer Bottom	components/	LAYOUT	P1 – CRITICAL

	Navigation Bar — Mobile Fixed bottom nav for mobile viewport ($\leq 768\text{px}$). Four tabs: Menu (home icon), Reservations (calendar icon), Cart (bag icon + count badge), Account (user icon). Active tab highlighted with brand color. Hides on desktop. components/bottomnav-customer.html BadgeBottomTab			
T-0.5	Admin Sidebar Navigation Fixed left sidebar (240px). Som Tam Thai logo + "Admin" label at top. Nav items: Dashboard, Orders (with live order count badge), Reservations (today's count), Menu, Schedule, Customers, Settings. Role label at bottom (Restaurant Admin). Collapsible on mobile to icon-only mode. components/sidebar-admin.html SheetBadgeSeparatorAvatarSidebarNavItem	components/	LAYOUT	P1 — CRITICAL
T-0.6	Global Footer — Customer Footer present on all customer pages. Phone: +960 789 2616 (clickable tel:), address: Izzudhdheen Magu, Maafannu, Malé, Maldives. Operating hours: Lunch 11:30–15:30 / Dinner by reservation. Foodie app delivery link. Copyright notice. components/footer-customer.html SeparatorContactRow	components/	LAYOUT	P2 — HIGH

PHASE 1

1 Menu Browsing & Product Discovery

The primary customer entry point. The menu page must communicate the restaurant's artisanal identity while being highly functional for browsing and quick-add.



TASK ID	TASK	FILE	TYPE	PRIORITY
T-1.1	Menu Hero Banner Full-width hero at top of home page. Restaurant name in display font. Tagline: "Authentic Thai, Scratch-Cooked — Maafannu, Malé." Dynamic open/closed status banner: green pill "Open Now · Closes 15:30" or amber pill "Closed · Preorder for next service." Background: warm textured pattern or muted food photography placeholder. components/menu-hero.html BadgeAlert StatusPill	components/	COMPONENT	P1 - CRITICAL
T-1.2	Category Filter Tab Bar Sticky horizontal scrollable tab bar below hero. Tabs for all 9 categories: Salads, Soups, Curries, Wok & Stir-fry, Specialty, Noodles, Rice, Desserts, Beverages. Active tab underline style. Clicking a tab smoothly scrolls the product grid to that category section. On mobile: horizontally scrollable with no wrapping. components/category-tabs.html TabbsScrollArea CategoryTab	components/	COMPONENT	P1 - CRITICAL
T-1.3	Product Card Component Reusable card used in the grid. Shows: product image (placeholder colored div with emoji or gradient), product name, short description (2 lines, truncated), price in MVR (e.g., "MVR 160"). "Sold Out" overlay for unavailable items. Quick-add button (+)	components/	COMPONENT	P1 - CRITICAL

	increments cart. Tap card navigates to product detail. Used across all category sections. components/product-card.html CardCardContent BadgeButtonPriceTag SoldOutOverlay			
T-1.4	Home / Menu Page — Full Assembly Assemble the full home page: NavBar + Hero Banner + Category Tabs + 9 category sections each with a section heading and 2–4 product cards rendered from dummy data. Includes preorder alert banner (shadcn Alert) shown when restaurant is "closed" in dummy state. Responsive 2-col mobile / 3-col tablet / 4-col desktop grid layout. index.html AlertAlertDescription NavBarCategoryTabs ProductCardFooter	index.html	PAGE	P1 – CRITICAL



Product Detail Page

2 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-1.5	Product Customization Controls Reusable sub-components for the detail page: (a) Variant Selector — radio-button style pills for spice level (Mild / Medium / Hot) using shadcn RadioGroup; (b) Add-on Checkboxes — checkbox list for extras (e.g., Extra Jasmine Rice +MVR 25, Extra Tom Kha Broth +MVR 30) using shadcn Checkbox; (c) Quantity Stepper — minus/number/plus with min=1.	components/	COMPONENT	P1 – CRITICAL

	components/product-customization.html RadioGroup Checkbox Label Button QuantityStepper			
T-1.6	Product Detail Page — Full Assembly Two-column layout (desktop): left = large product image placeholder; right = product name, description (detailed, authentic technique notes e.g. "pounded with mortar and pestle"), price, variant selector, add-on checkboxes, quantity stepper, "Add to Cart" CTA button (full-width on mobile). Breadcrumb: Home → Salads → Som Tam. Allergen note section. Running subtotal updates live as qty/add-ons change. product.html Breadcrumb Separator Button Badge ProductCustomization NavBar Footer	product.html	PAGE	P1 – CRITICAL

PHASE 2

2 Authentication — OTP Login Flow

Two-state login page. State 1: phone number entry. State 2: OTP code entry. Toggle between states using dummy JS logic with no backend required.



OTP Login Page

2 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-2.1	Phone Entry State Step 1 view of login page. Centered card layout. Som Tam Thai mark above. "Enter your mobile number to	login.html	PAGE	P1 – CRITICAL

	continue" label. Phone input with fixed +960 country code prefix (non-editable) and 7-digit number field. "Send OTP" button (shadcn Button, primary). Note: "We'll send a one-time code to verify your number." Rate-limit note: "Max 5 attempts per hour." login.html (State 1) Card CardHeader Input Button Label PhoneInputGroup			
T-2.2	OTP Verification State + Success Redirect Step 2 view (shown after "Send OTP" click in dummy flow). Shows masked phone "+960 - 2616". 6-cell OTP input (individual digit boxes using shadcn InputOTP). Countdown timer "Code expires in 4:32." "Resend OTP" link (greyed until timer expires). Verify button. On dummy code "123456" → redirect to previous page URL param or /index.html. "Change number" back link. login.html (State 2) InputOTP InputOTPGroup InputOTPSlot Button CountdownTimer	login.html	PAGE	P1 - CRITICAL

PHASE 3

3 Cart & Checkout Flow

Cart page with full item management and a multi-step checkout with dummy payment options. Shows both "restaurant open" and "preorder" states.



Shopping Cart Page

2 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-3.1	Cart Line Item Component Reusable row for cart items. Shows: product image	components/	COMPONENT	P1 - CRITICAL

	thumbnail (placeholder), product name, variant/add-on summary ("Spice: Hot · Extra Rice"), unit price in MVR, quantity stepper (-/+), line total, remove (x) button. Updates running total on qty change via dummy JS. components/cart-item.html Button Separator QuantityStepper PriceTag			
T-3.2	Cart Page — Full Assembly Two-column desktop layout: left = cart items list (CartItem rows, order notes textarea), right = sticky order summary card (subtotal, delivery fee line, GST line, grand total, Proceed to Checkout CTA). Empty cart state: illustrated empty bowl + "Your cart is empty" + "Browse Menu" CTA. Preorder alert: shadow Alert with amber styling when restaurant is closed. Responsive single-column on mobile. cart.html Alert AlertDescription Card Separator Textarea Button CartItem NavBar	cart.html	PAGE	P1 — CRITICAL



Checkout Page — 3-Step Flow

4 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-3.3	Checkout Step Indicator Three-step horizontal progress indicator at top of checkout page. Steps: 1 · Delivery → 2 · Schedule → 3 · Payment. Active step filled circle + label. Completed	components/	COMPONENT	P2 — HIGH

	steps show checkmark. Inactive steps show number outline. shadcn no native stepper — build with custom CSS and shadcn Separator. components/checkout-stepper.html SeparatorStepCircle			
T-3.4	Checkout Step 1 — Delivery Details Delivery address form: Full name (pre-filled from dummy account), Delivery address textarea (Malé address placeholder), Island/Ward (Maafannu / Galolhu / Henvairu / etc. — shadcn Select), Special delivery instructions (textarea). "Continue to Schedule" button. Sticky order mini-summary on right (desktop). checkout.html (Step 1) InputTextarea SelectLabelCard Button	checkout.html	PAGE	P1 – CRITICAL
T-3.5	Checkout Step 2 — Schedule / Timing When restaurant is OPEN: "Deliver as soon as possible" option pre- selected (radio). Estimated time: "~30–45 minutes." When CLOSED (preorder state): shadcn DatePicker for desired delivery date + TimeSlot selector grid (available slots as clickable pills, past/unavailable greyed). Clear preorder label: "You are placing a preorder — your order will be prepared for your selected time." checkout.html (Step 2)	checkout.html	PAGE	P2 – HIGH

	RadioGroupCalendar PopoverButton TimeSlotGrid			
T-3.6	Checkout Step 3 — Payment + Confirmation Screen Payment method selection: three shadow RadioGroup cards — "Cash on Delivery" (default), "Bank Transfer" (shows BML account details on select), "Online Payment — BML Gateway" (shows placeholder card form). Full order summary below. "Place Order" CTA. On click → show Order Confirmation screen (same page state): order ID (e.g., #STT-20260401-0042), summary, "SMS sent to +960-2616", track order button → links to orders.html. checkout.html (Step 3 + Confirm) RadioGroupCard AlertSeparator ButtonBadge OrderConfirmBanner	checkout.html	PAGE	P1 - CRITICAL

PHASE 4

4 Reservations, Orders & Account

The table reservation booking flow — the platform's most distinctive feature. Plus order tracking and the customer account dashboard.

 Table Reservation Page

3 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-4.1	Table Availability Visualizer	components/	COMPONENT	P1 - CRITICAL

	Component Visual component showing the 3-table capacity at a selected time slot. Three table icons (🍴) with labels Table 1 / 2 / 3. Green = Available, Amber = Reserved (by someone else), Red = Full / Unavailable. Updates when a time slot is selected. Small note: "Max. 3 tables — advance reservation required." components/table-availability.html Badge Tooltip TableSlot			
T-4.2	Time Slot Selector Component Grid of clickable time slot pills for selected date. Two sections: "Lunch Service" (11:30, 12:00, 12:30, 13:00, 13:30, 14:00, 14:30, 15:00) and "Dinner Service" (18:00, 18:30, 19:00, 19:30, 20:00, 20:30). Slots with 3/3 tables taken shown as greyed-out with "Full" label. Selected slot highlighted. Unavailable (past time) greyed with strikethrough. components/time-slot-selector.html Badge Separator SlotPill	components/	COMPONENT	P1 – CRITICAL
T-4.3	Reservations Page — Full Assembly Page header: "Book a Table." Two-column desktop layout: left = booking form (shadcn Calendar date picker, TimeSlotSelector, party size Select 1–8, special requests Textarea, pre-	reservations.html	PAGE	P1 – CRITICAL

filled name Input, Confirm Booking button), right = TableAvailabilityVisualizer + upcoming reservation card (if customer already has one — with cancel option). Booking confirmation toast/dialog with reservation ID (e.g., #RES-2026-0417). List of customer's past reservations at bottom (dummy data, 3 rows).

- reservations.html
- CalendarSelect
- TextareaInput
- ButtonDialog
- CardTableBadge
- Toast
- TimeSlotSelector
- TableAvailability
- NavBar



Orders History & Tracking Page

2 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-4.4	Order Status Tracker Component Vertical step tracker for a single active order. Six steps: Received → Confirmed → Preparing → Out for Delivery → Completed. Active step pulsing green dot. Completed steps solid green. Future steps hollow grey. Shows elapsed time at each step. Used in both the orders page and potentially a modal. components/order-status-tracker.html BadgeSeparator StatusStepPulsingDot	components/	COMPONENT	P2 - HIGH
T-4.5	Orders Page — Full	orders.html	PAGE	P1 - CRITICAL

Assembly

Two sections: "Active Orders" (top — shows 1 dummy order with OrderStatusTracker, order ID, items summary, total, estimated delivery time), "Order History" (table below: order ID, date, items summary, total, status badge, "View Details" accordion expand showing full line items). Empty state for no orders. Reorder button on past orders (links back to cart with dummy items).

orders.html

TableTableRow

AccordionBadge

ButtonCard

OrderStatusTracker

NavBar



Account Dashboard Page

1 task

TASK ID	TASK	FILE	TYPE	PRIORITY
T-4.6	Account Dashboard Page — Full Assembly Customer account hub. Top: greeting "Welcome back, Ahmed" + phone number. Quick-action card grid: "Active Orders (1)" linking to orders.html, "Upcoming Reservations (1)" linking to reservations.html. Profile section: name input (editable inline), phone (read-only). Recent order history mini-table (3 rows). Upcoming reservation card: date, time, table, party size, cancel button (shadcn AlertDialog confirmation). Logout button at bottom. account.html CardInputButton AlertDialogSeparatorAvatar TableBadgeNavBarFooter	account.html	PAGE	P2 - HIGH

5

Admin Panel — Core Pages

All 7 admin panel pages with the shared admin sidebar layout. Dense data tables, real-time order queue, and reservation calendar — all with dummy data.



Admin Dashboard

2 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-5.1	KPI Metric Cards Component Reusable KPI card grid (4 cards): Today's Revenue (MVR 2,840), Orders Today (18), Avg. Order Value (MVR 158), Tables Occupied Today (2/3). Each card: icon, metric value in large type, label, % change vs yesterday (green up / red down arrow). shadcn Card + custom styling. components/admin-kpi-cards.html CardCardContent Badge TrendIndicator	components/	COMPONENT	P1 - CRITICAL
T-5.2	Admin Dashboard Page — Full Assembly Sidebar + main content. KPI cards row. Live order queue widget (mini kanban: 3 Received, 2 Confirming, 1 Preparing — cards with order ID, customer name, total, time elapsed). Today's reservations list (time, name, party, table, status badge). Top-selling items list (Som Tam #1, Green Curry #2, Tom Kha #3 — with count). Revenue chart placeholder (shadcn-compatible bar chart area as styled div	admin/dashboard.html	PAGE	P1 - CRITICAL

blocks). Export button.			
<code>admin/dashboard.html</code>			
Card Table Badge			
Button Separator			
Progress			
AdminSidebar			
KPICards			

	Admin Orders Management	2 tasks		
TASK ID	TASK	FILE	TYPE	PRIORITY
T-5.3	Order Kanban Card Component Card displayed in the orders kanban pipeline. Shows: order ID, customer name + phone, ordered items summary (2-line truncation), total in MVR, time since order placed (e.g., "12 min ago"), current status badge, action button ("Confirm" / "Start Preparing" / "Mark Ready" depending on status). Urgent highlight (red border) if order has been in a status >15 min. <code>components/order-kanban-card.html</code> Card Badge Button TimeSince	components/	COMPONENT	P1 - CRITICAL
T-5.4	Admin Orders Page — Full Assembly Top: filter bar (date range picker, status Select, search input by order ID or phone). Live order Kanban: 6 columns (Received / Confirmed / Preparing / Ready / Out for Delivery /	admin/orders.html	PAGE	P1 - CRITICAL

	Completed). Each column shows OrderKanbanCards. Completed orders collapse to a table below. Cancel/Refund order: shadcn AlertDialog with reason textarea. Manual order creation: shadcn Dialog form (phone, items, address, payment). <code>admin/orders.html</code> AlertDialog DialogSelect InputTable BadgeButton AdminSidebar OrderKanbanCard			
--	---	--	--	--

17

Admin Reservations Management

2 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-5.5	Admin Reservation Calendar View Component Daily calendar grid showing time slots (rows: 11:30–15:30 lunch, 18:00–21:00 dinner) × tables (columns: Table 1, Table 2, Table 3). Each cell either empty or filled with a reservation card (name, party size, status badge). Color coded: green=Confirmed, amber=Pending, red=No-Show, grey=Cancelled. Click cell to open reservation detail dialog. <code>components/admin-reservation-calendar.html</code> TableBadgeDialog TooltipCalendarCell	components/	COMPONENT	P1 – CRITICAL

T-5.6	Admin Reservations Page — Full Assembly Date navigator (prev/today/next day). Toggle: Calendar View / List View. Calendar view shows AdminReservationCalendar component. List view shows sortable table (time, name, phone, party, table, status, actions). Action buttons: Confirm / Modify / Cancel / No-Show. Create Manual Reservation: shadcn Dialog with full form (name, phone, date, time slot, party, notes, admin override toggle for capacity bypass). Today's stats: X/3 tables utilised, X bookings total. admin/reservations.html Dialog AlertDialog Table Badge Button Select Tabs AdminSidebar ReservationCalendar	admin/reservations.html	PAGE	P1 — CRITICAL
-------	---	-------------------------	------	---------------



Admin Menu Management

1 task

TASK ID	TASK	FILE	TYPE	PRIORITY
T-5.7	Admin Menu Management Page — Full Assembly Product list table: product image (placeholder), name, category, price (MVR), available toggle (shadcn Switch), sort order, edit/delete actions. Grouped by category with collapsible shadcn Accordion sections. Top bar: "Add Product" button + category filter Select. Create/Edit Product: shadcn Dialog with full form (name, description textarea, price input, category Select, image upload area placeholder, variant builder, add-on builder, availability toggle). Bulk availability toggle button. Category management tab (create/edit/reorder categories).	admin/menu.html	PAGE	P2 — HIGH

admin/menu.html			
Accordion	Dialog	Switch	
Table	Select	Input	
Textarea	Button	Tabs	
AdminSidebar			



Admin Schedule, Customers & Settings

3 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-5.8	Admin Schedule Page — Full Assembly Weekly operating hours matrix: 7 rows (Sun–Sat) × 2 service columns (Lunch / Dinner). Each cell has open/close time inputs (shadcn Input) + enabled toggle (shadcn Switch). Special closures section: date list with shadcn DatePicker + add reason. Override section: set a one-off open/close time for a specific date. Live preview card: "Customers currently see: OPEN / CLOSED." Reservation slot settings: slot interval (30min Select), last booking cutoff (e.g., 30 min before close). admin/schedule.html SwitchInput SelectCalendar CardBadgeButton AdminSidebar	admin/schedule.html	PAGE	P2 – HIGH
T-5.9	Admin Customers Page — Full Assembly Customer registry table: phone number, name, registered date, last active date, order count, lifetime value (MVR). Search input by phone or name. Row expand: shows order history (3	admin/customers.html	PAGE	P3 – MEDIUM

	rows) + reservation history (2 rows). Account status toggle: Active / Suspended (shadown AlertDialog confirm before suspending). Pagination (dummy 3 pages). Export CSV button. admin/customers.html TableInputBadge ButtonAlertDialog Accordion Pagination AdminSidebar			
T-5.10	Admin Settings Page — Full Assembly Tabbed layout (shadown Tabs): (1) Delivery — service area zones multi-select (Maafannu, Galolhu, Henveiru, Machangolhi, Vilimalé), min order value Input, delivery fee Input; (2) Payments — enable/disable toggles per method (Cash / Bank Transfer / BML Online); (3) Tax — GST toggle, GST rate Input; (4) Notifications — SMS gateway config inputs, test OTP button; (5) Admin Users — table of admin accounts, add admin Dialog with role Select (Admin / Kitchen Staff); (6) Reservation Rules — max party size, cancellation window, reminder timing. admin/settings.html TabsSwitchInput SelectDialog ButtonTable SeparatorCard AdminSidebar	admin/settings.html	PAGE	P3 — MEDIUM

6

PHASE 6

Shared Utility Components & States

Global UI primitives used across multiple pages: loading states, error states, empty states, notification toasts, and the mobile cart drawer.



Global UI Utilities

5 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-6.1	Toast Notification System Wrapper around shadcn Toast/Toaster for site-wide notifications. Three variants with Som Tam Thai styling: Success (green — "Order placed! #STT-0042"), Error (red — "This time slot is fully booked"), Info (amber — "Restaurant closed — your order is a preorder"). Used on: add to cart, reservation confirmed, OTP sent, order status change. <code>components/toast-system.html</code> Toast Toaster useToast	components/	COMPONENT	P2 — HIGH
T-6.2	Mobile Cart Drawer Slide-up shadcn Sheet from the bottom triggered by cart icon tap on mobile. Shows cart item count header, scrollable list of CartItem rows, subtotal, and "Go to Cart" + "Checkout" buttons. Closes on backdrop tap or swipe down. Replaces needing to navigate to full cart.html for quick cart preview on mobile. <code>components/cart-drawer.html</code> Sheet SheetContent SheetHeader ScrollArea Button CartItem	components/	COMPONENT	P2 — HIGH
T-6.3	Empty State Illustrations Reusable empty state component used across: empty cart (bowl illustration), no orders yet, no reservations, no search	components/	COMPONENT	P3 — MEDIUM

	results. Each variant has: SVG/emoji illustration, heading, sub-text, CTA button. Styled to match brand tone (warm, food-themed). components/empty-state.html Card Button EmptyIllustration			
T-6.4	Loading Skeleton Components shadcn Skeleton-based loading states for: ProductCard skeleton (image rect + 3 text lines), OrderRow skeleton (5 cells), ReservationRow skeleton, KPI Card skeleton. Used to show before dummy data "loads" (simulate with 500ms timeout in JS). components/skeletons.html Skeleton ProductCardSkeleton TableRowSkeleton	components/	COMPONENT	P4 - LOW
T-6.5	Admin New Order Audio + Visual Alert Component used on admin/orders.html and admin/dashboard.html. Simulates new order arrival: pulsing red badge on Orders nav item, "New Order!" banner (shadcn Alert) appearing at top of admin page, and plays a soft chime (Web Audio API tone). Triggered by dummy setTimeout in JS after 5 seconds on page load to demonstrate the behaviour. components/admin-order-alert.html Alert Badge ChimePlayer PulsingBadge	components/	COMPONENT	P3 - MEDIUM

7

QA Checklist & Navigation Index Page

A master index.html that links to every page as a wiremock navigation hub. Plus a QA checklist to verify all screens and states are covered before handoff.



Master Index & QA

2 tasks

TASK ID	TASK	FILE	TYPE	PRIORITY
T-7.1	Wiremock Navigation Index Page A styled index page (not part of the app) linking to every HTML file. Grouped by: Customer Pages, Admin Pages, Component Library. Each link shows: page name, route, access level badge (Public / Auth / Admin), status badge (Done / In Progress / Not Started). Useful as the starting point when demoing the wiremock to stakeholders. <code>_index.html</code> LinkCard Badge	<code>_index.html</code>	UTIL	P2 - HIGH
T-7.2	Cross-Page QA & State Coverage Check Verify the following states exist across the wiremock: (1) Menu page — open state, (2) Menu page — closed/preorder state, (3) Cart — items present, (4) Cart — empty state, (5) Login — phone entry, (6) Login — OTP entry, (7) Checkout — open/immediate, (8) Checkout — preorder/scheduled, (9) Checkout — order confirmation screen, (10) Reservations — slots available, (11) Reservations — slot full/greyed, (12) Reservations — booking confirmed dialog, (13) Orders — active order with tracker, (14) Orders — empty state, (15) Admin orders — new order alert fires, (16) Admin reservations — calendar and list view both present, (17) All admin pages — sidebar active state correct per page, (18) Mobile responsive check on all customer pages. QA checklist (manual) Manual QA	Manual	UTIL	P2 - HIGH

COMPLETE FILE STRUCTURE

som-tam-thai-wiremock/ |— theme.css — design tokens, CSS vars, Tailwind config |— dummy-data.js — all mock JSON (menu, orders, reservations, customers) |— index.html — Home / Menu page [PUBLIC] |— product.html — Product Detail page [PUBLIC] |— login.html — OTP Authentication (2 states) [PUBLIC] |— cart.html — Shopping Cart [PUBLIC] |— checkout.html — Checkout 3-step + Confirmation [AUTH] |— reservations.html — Table Reservation Booking [AUTH] |— orders.html — Order History & Tracking [AUTH] |— account.html — Account Dashboard [AUTH] |— _index.html — Wiremock Navigation Hub (not app page) | |— admin/ | |— dashboard.html — Analytics Dashboard [ADMIN] | |— orders.html — Order Queue Kanban [ADMIN] | |— reservations.html — Reservation Calendar + List [ADMIN] | |— menu.html — Menu CRUD [ADMIN] | |— schedule.html — Operating Hours Config [ADMIN] | |— customers.html — Customer Registry [ADMIN] | |— settings.html — System Settings [ADMIN] | |— components/ | |— navbar-customer.html — Top nav (desktop) | |— bottomnav-customer.html — Bottom nav (mobile) | |— sidebar-admin.html — Admin sidebar | |— footer-customer.html — Global footer | |— menu-hero.html — Hero banner + status | |— category-tabs.html — Sticky category filter | |— product-card.html — Menu product card | |— product-customization.html — Variants + add-ons + stepper | |— cart-item.html — Cart line item row | |— cart-drawer.html — Mobile slide-up cart | |— checkout-stepper.html — 3-step progress indicator | |— table-availability.html — 3-table visual capacity view | |— time-slot-selector.html — Slot picker grid | |— order-status-tracker.html — Vertical status pipeline | |— order-kanban-card.html — Admin kanban order card | |— admin-kpi-cards.html — Dashboard KPI metric cards | |— admin-reservation-calendar.html — Admin daily reservation grid | |— admin-order-alert.html — New order audio+visual alert | |— toast-system.html — Global toast notifications | |— empty-state.html — Empty state illustrations |— skeletons.html — Loading skeleton variants

SOM TAM THAI – WIREMOCK TASK LIST V1.0
BASED ON SRS V1.0 & SITEMAP V1.0 | APRIL 2026
PREPARED BY VORTXLAB SOFTWARE AGENCY | CONFIDENTIAL

58 tasks · 16 pages · 20 components