

Table of Contents

- 1. Overview
- 2. Quick Reference
- 3. Endpoint — Get Company Overview
 - Query Parameters
 - Response Schema
 - orderStats Fields
 - CompanyKpiDto Fields
- 4. KPI Keys Reference
- 5. Enums Reference — Period & KpiStatus
- 6. Status Thresholds
- 7. Notes

1. Overview

The Company Overview endpoint returns company-wide operational KPIs and order statistics for a configurable time period. It is designed to power the **Company Reports** dashboard page — including the top stat cards, the five KPI metric cards with status badges, and the operational summary table.

Base Path

```
{{BaseUrl}}/api/v1/reports
```

Authentication

Every request must include a valid Bearer token. Requests without a valid token receive **401 Unauthorized**.

```
Authorization: Bearer <your-token>
```

Tenant Isolation

All data is automatically scoped to the company of the authenticated user. A token from Company A will never return data belonging to Company B.

2. Quick Reference

#	Method	Endpoint	Description
1	GET	/api/v1/reports/company-overview	Company-wide KPIs + order stats, scoped by period

3. Endpoint — Get Company Overview

Returns aggregated order statistics and five operational KPI metrics for the authenticated company, filtered by the requested time period.

GET	{{BaseUrl}}/api/v1/reports/company-overview?period=monthly
-----	--

Request Headers

Authorization: Bearer <token>

Query Parameters

Parameter	Type	Required	Default	Description
period	string	No	monthly	Time window for aggregation. See Period enum.

Response

200 OK

```

{
  "period": "monthly",
  "dateFrom": "2026-04-01",
  "dateTo": "2026-04-28",
  "orderStats": {
    "totalCompleted": 2847,
    "totalCancelled": 5,
    "totalRejected": 6
  },
  "kpis": [
    {
      "key": "onTimeDeliveryRate",
      "value": 97.30,
      "unit": "%",
      "status": "BelowTarget"
    },
    {
      "key": "cancellationRate",
      "value": 0.18,
      "unit": "%",
      "status": "WithinTarget"
    },
    {
      "key": "rejectionRate",
      "value": 0.20,
      "unit": "%",
      "status": "ExceededLimit"
    },
    {
      "key": "attendanceRate",
      "value": 96.20,
      "unit": "%",
      "status": "BelowTarget"
    },
    {
      "key": "operationalEfficiency",
      "value": 23.40,
      "unit": null,
      "status": "WithinTarget"
    }
  ]
}

```

Response Fields — Top Level

Field	Type	Nullable	Description
period	string	No	Resolved period: monthly weekly daily all
dateFrom	string (YYYY-MM-DD)	Yes	Start date of the range. null when period = all
dateTo	string (YYYY-MM-DD)	Yes	End date of the range. null when period = all
orderStats	object	No	Aggregated order counts — see orderStats fields

Field	Type	Nullable	Description
kpis	CompanyKpiDto[]	No	Array of 5 KPI objects, always in fixed order — see KPI keys

orderStats Object

Field	Type	Description
totalCompleted	integer	Sum of delivered orders (TaskDelivered) for the period
totalCancelled	integer	Estimated cancelled orders: SUM(TaskAccepted x TaskCancellationRate)
totalRejected	integer	Sum of courier-rejected orders (TaskRejectedCourier) for the period

CompanyKpiDto Object

Field	Type	Nullable	Description
key	string	No	Unique identifier for this KPI — see KPI Keys Reference
value	decimal	Yes	Computed metric value. null if no data exists for the period
unit	string	Yes	Unit of the value. "%" for rate KPIs, null for operationalEfficiency
status	string	No	Threshold evaluation result — see KpiStatus enum

4. KPI Keys Reference

The **kpis** array always contains exactly 5 items in the order listed below. Use the **key** field to identify each KPI when rendering cards or table rows.

key	Display Name (AR)	Unit	Data Source
onTimeDeliveryRate		%	AVG(BranchDailyReport.DeliveryOnTimeRate) x 100
cancellationRate		%	AVG(BranchDailyReport.TaskCancellationRate) x 100
rejectionRate		%	SUM(TaskRejectedCourier) / SUM(TaskAccepted) x 100
attendanceRate		%	AVG(ShiftSummary.AttendanceRate) x 100
operationalEfficiency		—	AVG(BranchDailyReport.CapacityEfficiency)

5. Enums Reference — Period & KpiStatus

Period

Passed as the **period** query parameter. Controls the date range applied to all queries.

Value	Date Range Applied
monthly	From the 1st of the current UTC month to today (default)
weekly	Last 7 days including today (today - 6 days to today)
daily	Today only
all	All available data — no date filter applied. dateFrom and dateTo will be null

KpiStatus

Returned in the **status** field of each KPI object.

Value	Meaning	Suggested UI Color
WithinTarget	Value is within the acceptable target range	Green #16A34A
BelowTarget	Value falls short of the target but is not critical	Amber #B45309
ExceededLimit	Value has exceeded the acceptable limit — action needed	Red #B91C1C

6. Status Thresholds

The server evaluates each KPI value against the thresholds below and sets the **status** field accordingly. These thresholds are currently fixed in the backend.

KPI Key	WithinTarget	BelowTarget	ExceededLimit
onTimeDeliveryRate	value >= 98%	value >= 90%	value < 90%
cancellationRate	value <= 0.5%	value <= 1.0%	value > 1.0%
rejectionRate	value <= 0.10%	value <= 0.18%	value > 0.18%
attendanceRate	value >= 98%	value >= 90%	value < 90%
operationalEfficiency	value >= 20	value >= 15	value < 15

7. Notes

- Dates (**dateFrom**, **dateTo**) use the format **YYYY-MM-DD** and represent UTC dates.
- When **period** = **all**, both **dateFrom** and **dateTo** will be **null** in the response.
- The **monthly** period always starts on the **1st of the current UTC month**, not the last 30 days.

- If no data has been imported for the requested date range, all KPI **value** fields will be **null** and all **status** fields will be **ExceededLimit**.
- **totalCancelled** is an **estimate** derived from the cancellation rate; no direct cancelled-order count is stored in the system.
- The **kpis** array always returns exactly **5 items** in a fixed order regardless of available data.
- Data is sourced from two Keeta import files: **Report Details (Data Report)** for most KPIs and **Shift Details (Live Monitoring)** for attendanceRate.
- Both **dateFrom** and **dateTo** are inclusive — a **daily** period returns data where ShiftDate = today.
- Tenant isolation is enforced — the token's company ID is applied automatically to all queries.