

Analyzing Blockchain Transactions

Jiri Kremser, Red Hat, Inc.

#Exp6SAIS


Outline

- Blockchain 101
- Blockchain to graph
- Graph data in Spark
- DEMO



What is Blockchain


- Distributed ledger
- Linked list of blocks
- Trust stems from Merkle trees and proof of work (aka mining)
- Cryptography





What is Block


- Set of transactions approved at once
- Metadata
- Hard limit 1 MB (*)





What is Transaction


- (INs, OUTs)
- sum of INs ≥ sum of OUTs
- confirming ~ including it to a new block and finding the "nonce"








What is Transaction (more general case)







Transaction to Graph

- M:N transactions produces a lot of edges
- Apache Parquet
- blockchain binary data -> parquet converter










Transaction to Graph

- # of Satoshis sent on the edges of type $[T \rightarrow A]$ and $[A \rightarrow T]$
- timestamp on the block nodes
- more suitable for querying the graph





Graphs and Spark

- GraphX
- GraphFrames
- built-ins (label propagation, pagerank, triangles, bfs, etc.)
- motif ~ cypher
- Pregel




Talk is Cheap

Demo time



Page Rank





Takeways

- Blockchain is out there
- GraphFrames vs GraphX
- Reproducible experiments with notebooks and containers











How to get started

More projects, tutorials and examples can be found at





Thank You!

This presentation



http://bit.ly/sais18

Jiri-Kremser/bitcoin-insights

