

Bolt: Building a distributed ndarray


Jason Wittenbach
Janelia Research Campus (HHMI)
Freeman Lab





Spark





t, (x, y, z)

time $\sim 10^4$

space $\sim 10^7$


~ 10¹¹ elements


~ 1 TB





```
(n, k)
   (x, y, t)
 (x, y, z, t)
(x, y, z, c, t)
```



















Spark³

X





Spark **SPARK SUMMIT 2016**

neuroscience

astronomy

geospatial

climate science





- a distributed ndarray
- built on PySpark
- conforms to NumPy API



data.mean(axis=0)
 data.T
 data[2, 4:10]










(V, W, X, Y, Z)






(V, W, X, Y, Z)

(v,w,x) y



(V, W, X, Y, Z)





indexing slicing apply-along-axis



indexing slicing apply-along-axis

transpose

reshape



indexing slicing apply-along-axis


transpose reshape

map reduce filter chunking padding




indexing -->

filter map





apply-along-axis t map reduceByKey






transpose -- map






transpose -- map






transpose --> shuffle



Spark






~~/\	المملا	Munm
الممالية الممالية	Mmv	MM Mm
Mv	MM	MANM
Mm.	المملا	Mv.
WVV	Mun	MAN MAN


(x,y,z|t)








(t x, y, z)






(t x, y, z)


































chunking + transpose

shuffle optimization







thanks

Freeman Lab

Jeremy Freeman
Nicholas Sofroniew
Andrew Osheroff

Janelia Scientific Computing

Ken Carlile Robert Lines

join us!

GitHub

bolt-project
thunder-project

Twitter

@jsonWittenbach



