
BOMB DEFUSAL MANUAL

OPERATION: THREE WISE MONKEYS // FIELD SPECIFICATION v3.4

STRICT COMMUNICATIONS PROTOCOL:
1. MUTE OPERATOR: ZERO VOCAL SOUNDS, NO SIGN LANGUAGE (ASL), NO AIR-SPELLING.
2. NO FINGER COUNTING FOR SLOTS: YOU MUST MIME ACTUAL TEXTURES & SHAPES!

SECTION 0: EXTERIOR CASING & MYSTERY CHAMBER

Before attempting to disarm any module, cross-reference the four casing features below. Some features are only visible to the Deaf observer; others can only be felt by the Blind technician.



CASING FEATURE	INSPECTION SPECIFICATION
SERIAL NUMBER	A 6-character alphanumeric code on the casing exterior. • Check whether it contains a **VOWEL (A, E, I, O, U)**. • Check whether the **FINAL DIGIT** is **ODD (1, 3, 5, 7, 9)** or **EVEN (0, 2, 4, 6, 8)**.
BATTERY MOUNT	Count the total number of AA battery cells mounted to the side of the chassis (**0, 1, or 2 Batteries**).
INDICATOR TAG	Inspect the status label affixed to the chassis: either **LIT: FRK** or **UNLIT: CAR**.
MYSTERY CHAMBER	A curtained side access port containing **one** concealed object: • **METAL KEY** (flat, notched teeth) • **AA BATTERY** (smooth cylinder, raised terminal nub) • **SPIKY BALL** (round, prickly rubber nubs) • **WOOD BLOCK** (smooth flat faces, sharp corners) • **PADLOCK** (heavy metal body with curved shackle loop)

DISARMING REQUIREMENTS & STRIKE PENALTIES

The bomb is armed with a **5:00 MINUTE** timer and three active modules: **Module 1 (Tactile Wires)**, **Module 2 (Shape Dials)**, and **Module 3 (Toggle Switches)**.

Modules may be disarmed in any sequence, provided all cross-referenced dependencies are satisfied. Any incorrect wire disconnection, dial alignment, switch state, or communication violation triggers a **STRIKE** and accelerates the timer. **Three Strikes result in immediate detonation.**

MODULE 1: ON THE SUBJECT OF TACTILE WIRES

Five horizontal colored wires are clipped across the chassis from **Slot 1 (Top)** to **Slot 5 (Bottom)**. Each wire slot is paired with a tactile texture badge on the left edge. Note that texture badges may be shuffled between slots on different bombs.

```
SLOT 1 (TOP)    ──► [ TEXTURE BADGE ]  ═══════( WIRE COLOR )═══════
SLOT 2          ──► [ TEXTURE BADGE ]  ═══════( WIRE COLOR )═══════
SLOT 3 (MIDDLE) ──► [ TEXTURE BADGE ]  ═══════( WIRE COLOR )═══════
SLOT 4          ──► [ TEXTURE BADGE ]  ═══════( WIRE COLOR )═══════
SLOT 5 (BOTTOM) ──► [ TEXTURE BADGE ]  ═══════( WIRE COLOR )═══════

POSSIBLE TEXTURES: [SANDPAPER] · [BUBBLE WRAP] · [METAL COIN] · [SOFT FELT] · [RIBBED CARD]
```

ONLY ONE WIRE MAY BE DISCONNECTED.
EVALUATE CONDITIONS 1 THROUGH 6 IN STRICT TOP-TO-BOTTOM ORDER.
EXECUTE ONLY THE FIRST CONDITION THAT IS TRUE!


WIRE DISCONNECTION TABLE

PRIORITY	CONDITION	DISCONNECT TARGET
CONDITION 1	If the Mystery Chamber contains a **PADLOCK** AND there is **NO Black wire** on the bomb:	Disconnect the wire beside the **METAL COIN** badge.
CONDITION 2	Otherwise, if the Serial Number contains a **VOWEL** AND a **RED wire** is present anywhere on the bomb:	Disconnect the wire beside the **SANDPAPER** badge.
CONDITION 3	Otherwise, if there are **2 BATTERIES** on the casing AND a **YELLOW wire** is present anywhere on the bomb:	Disconnect the wire beside the **SOFT FELT** badge.
CONDITION 4	Otherwise, if a **WHITE wire** is mounted in an **ODD slot** (Slot 1, Slot 3, or Slot 5):	Disconnect the wire beside the **BUBBLE WRAP** badge.
CONDITION 5	Otherwise, if the Mystery Chamber contains a **METAL KEY**:	Disconnect the wire beside the **RIBBED CARD** badge.
CONDITION 6	Otherwise, if **none** of Conditions 1–5 apply:	Disconnect the wire in **SLOT 3 (Middle Slot)**, regardless of its texture badge.

> **ANTI-CHEAT NOTICE:** The Mute operator may **NOT** hold up 1–5 fingers to indicate wire slot numbers. To identify a target wire, the Mute operator must pantomime the physical sensation of the target **Texture Badge** (or point to the middle for Condition 6).

MODULE 2: ON THE SUBJECT OF SHAPE DIALS

Three rotary dials are mounted on the upper casing, each marked with a raised 3D geometric shape: **Triangle (▲)**, **Square (■)**, and **Circle (●)**. Each dial must be rotated to one of four cardinal directions: **UP**, **DOWN**, **LEFT**, **or RIGHT**.



Align **Dial 1 (Triangle)** and **Dial 2 (Square)** first, as **Dial 3 (Circle)** depends on their final alignments.

DIAL 1: TRIANGLE ROTOR (▲)

EVALUATE TOP-TO-BOTTOM (FIRST TRUE CONDITION):	TARGET DIRECTION
1. If the Mystery Chamber contains a **SPIKY BALL:**	Rotate **UP (▲)**
2. Else, if the Indicator Tag displays **LIT: FRK:**	Rotate **RIGHT (►)**
3. Else, if the Serial Number ends in an **ODD DIGIT (1, 3, 5, 7, 9):**	Rotate **LEFT (◄)**
4. Otherwise:	Rotate **DOWN (▼)**

DIAL 2: SQUARE ROTOR (■)


EVALUATE TOP-TO-BOTTOM (FIRST TRUE CONDITION):	TARGET DIRECTION
1. If there is **at least 1 BATTERY** (1 or 2 Batteries) on the casing:	Rotate **UP (▲)**
2. Else, if the Mystery Chamber contains a **WOOD BLOCK:**	Rotate **LEFT (◄)**
3. Otherwise:	Rotate **RIGHT (►)**

DIAL 3: CIRCLE ROTOR (●)

EVALUATE BASED ON DIAL 1 & DIAL 2 FINAL POSITIONS:	TARGET DIRECTION
1. If the **TRIANGLE DIAL** is set to **UP (▲):**	Rotate **UP (▲)**
2. Else, if the **SQUARE DIAL** is set to **UP (▲):**	Rotate **LEFT (◄)**
3. Otherwise (neither Triangle nor Square points UP):	Rotate **DOWN (▼)**

MODULE 3: ON THE SUBJECT OF TOGGLE SWITCHES

Four vertical toggle switches are arranged in a horizontal bank, numbered **Switch 1, Switch 2, Switch 3, and Switch 4** from left to right. All four switches must be set to their correct final polarity (**UP** or **DOWN**).



SWITCH POLARITY RULES (EVALUATE ALL FOUR SWITCHES)

SWITCH	SET TO "UP (▲)" IF...	SET TO "DOWN (▼)" IF...
SWITCH 1	The Serial Number contains at least one **VOWEL (A, E, I, O, U).**	The Serial Number contains **no vowels.**
SWITCH 2	The Mystery Chamber contains a **METAL KEY** or an **AA BATTERY.**	The Mystery Chamber contains a **Spiky Ball, Wood Block, or Padlock.**
SWITCH 3	There are **0 BATTERIES** on the casing OR the Indicator Tag reads **UNLIT: CAR.**	There is **1 or 2 Batteries** AND the Indicator Tag reads **LIT: FRK.**
SWITCH 4	**SWITCH 1** is in the **UP (▲)** position.	**SWITCH 1** is in the **DOWN (▼)** position.

FINAL ORDNANCE DISARMAMENT PROTOCOL:
Once the team is confident that:
- The **single correct wire** has been detached (Module 1)
- All **three shape dials** are aligned to their target directions (Module 2)
- All **four toggle switches** are set to their target polarities (Module 3)

The Deaf observer must call out: **"BOMB DEFUSED!"** so the Game Master can halt the countdown and verify the board.

CONFIDENTIAL // GM ONLY

SEPARATE FROM PLAYER MANUAL!
NEVER HAND PAGE 5 TO PLAYERS

GAME MASTER SEED SETUP & SOLUTION KEY (SEEDS #01–#12)

DETACH THIS SHEET! KEEP IT AT THE LAPTOP STATION.
ONLY GIVE PAGES 1–4 TO THE MUTE PLAYER!

SEED	SETUP: CLUES ON BOX	SETUP: WIRES (SLOTS 1 TO 5)	SOLUTION: WIRE	SOLUTION: DIALS & SW
#01 ALPHA	SN: A34-E9 | 2 Batt LIT:FRK | Box: **KEY**	1:Red/Sand, 2:Blue/Bub, 3:Yel/Coin, 4:Grn/Felt, 5:Wht/Card	**Sandpaper** (Slot 1 – Cond 2)	**▲:R ■:U ●:L** SW: **U, U, D, U**
#02 BRAVO	SN: B82-K4 | 1 Batt UNLIT:CAR | Box: **BATTERY**	1:Blue/Felt, 2:Grn/Sand, 3:Wht/Bub, 4:Red/Card, 5:Yel/Coin	**Bubble Wrap** (Slot 3 – Cond 4)	**▲:D ■:U ●:L** SW: **D, U, U, D**
#03 CHARLIE	SN: Z91-U3 | 0 Batt LIT:FRK | Box: **PADLOCK**	1:Yel/Card, 2:Red/Coin, 3:Grn/Sand, 4:Blue/Bub, 5:Wht/Felt	**Metal Coin** (Slot 2 – Cond 1)	**▲:R ■:R ●:D** SW: **U, D, U, U**
#04 DELTA	SN: H45-T8 | 2 Batt UNLIT:CAR | Box: **WOOD BLOCK**	1:Grn/Bub, 2:Blk/Felt, 3:Red/Sand, 4:Yel/Coin, 5:Blue/Card	**Soft Felt** (Slot 2 – Cond 3)	**▲:D ■:U ●:L** SW: **D, D, U, D**
#05 ECHO	SN: E12-O7 | 1 Batt LIT:FRK | Box: **SPIKY BALL**	1:Wht/Coin, 2:Blue/Sand, 3:Grn/Card, 4:Red/Bub, 5:Blk/Felt	**Sandpaper** (Slot 2 – Cond 2)	**▲:U ■:U ●:U** SW: **U, D, D, U**
#06 FOXTROT	SN: R77-X2 | 2 Batt UNLIT:CAR | Box: **KEY**	1:Blk/Sand, 2:Yel/Bub, 3:Blue/Felt, 4:Grn/Coin, 5:Red/Card	**Soft Felt** (Slot 3 – Cond 3)	**▲:D ■:U ●:L** SW: **D, U, U, D**
#07 GOLF	SN: I83-V5 | 0 Batt UNLIT:CAR | Box: **BATTERY**	1:Red/Card, 2:Red/Bub, 3:Blue/Coin, 4:Yel/Sand, 5:Wht/Felt	**Sandpaper** (Slot 4 – Cond 2)	**▲:L ■:R ●:D** SW: **U, U, U, U**
#08 HOTEL	SN: M52-W6 | 1 Batt LIT:FRK | Box: **PADLOCK**	1:Blue/Coin, 2:Wht/Felt, 3:Red/Sand, 4:Grn/Bub, 5:Yel/Card	**Metal Coin** (Slot 1 – Cond 1)	**▲:R ■:U ●:L** SW: **D, D, D, D**
#09 INDIA	SN: U99-Y1 | 2 Batt LIT:FRK | Box: **WOOD BLOCK**	1:Grn/Card, 2:Yel/Sand, 3:Blue/Bub, 4:Wht/Coin, 5:Red/Felt	**Sandpaper** (Slot 2 – Cond 2)	**▲:R ■:U ●:L** SW: **U, D, D, U**

SEED	SETUP: CLUES ON BOX	SETUP: WIRES (SLOTS 1 TO 5)	SOLUTION: WIRE	SOLUTION: DIALS & SW
#10 JULIET	SN: C31-D4 | 0 Batt UNLIT:CAR | Box: **SPIKY BALL**	1:Blk/Bub, 2:Red/Felt, 3:Grn/Sand, 4:Blue/Coin, 5:Yel/Card	**Slot 3 (Grn)** (Cond 6 Default)	**▲:U ■:R ●:U** SW: **D, D, U, D**
#11 KILO	SN: O48-P7 | 1 Batt UNLIT:CAR | Box: **KEY**	1:Wht/Sand, 2:Blue/Card, 3:Yel/Felt, 4:Red/Coin, 5:Grn/Bub	**Sandpaper** (Slot 1 - Cond 2)	**▲:L ■:U ●:L** SW: **U, U, U, U**
#12 LIMA	SN: N66-Q0 | 2 Batt LIT:FRK | Box: **BATTERY**	1:Yel/Coin, 2:Grn/Felt, 3:Wht/Sand, 4:Blk/Bub, 5:Blue/Card	**Soft Felt** (Slot 2 - Cond 3)	**▲:R ■:U ●:L** SW: **D, U, D, D**