



HTTP Server




Requirements




- Implement part of the HTTP protocol.
 - Threaded (multiple clients)
 - GET only.
 - Error handling
 - Page Not found
 - Bad Request
 - Redirection
 - Internal Server Error

Starting the Server




- Accept multiple clients by starting a thread for each accepted connection.
- Keep on accepting requests from the remote client until the client closes the socket (sends a zero length message)
- For each received **request**, the server must reply with a **response**.

Receiving Request




- The received request must be a valid HTTP request, else return **400 Bad Request**
 - Check single space separating the request line parameters.
 - Method URI HTTPVersion
 - Check blank line separating the header lines and the content, even if the content is empty
 - Check valid URI
 - Check at least request line and host header and blank lines exist.

Response Headers




- The response should include the following headers:
 - Content-Type:
 - We will use only text/html
 - Content-Length:
 - The length of the content
 - Date:
 - Current DateTime of the server
 - Location:
 - Only if there is redirection.

Handling Request




- Using Configuration.RootPath, map the URI to the physical path
 - Example: configuration.RootPath=“c:\intepub\wwwroot\fcis1” and URI = “/aboutus.html” then physical path= “c:\intepub\wwwroot\fcis1\aboutus.html”

Redirection




- If the URI exists in the configuration.RedirectionRules, then return **301 Redirection Error** and add location header with the new redirected URI.
- The content should be the content of the static page “redirect.html”

Not Found




- If the physical file is not found return **404 Not Found error**.
- The content should be the content of the static page “Notfound.html”

Bad Request




- If there is any parsing error in the request, return **400 Bad Request Error**.
- The content should be loaded with the content of the static page “BadRequest.html”

Internal Server Error



- If there is any unknown exception, return **500 Internal Server Error**.
- The content should be the content of the static page “InternalError.html”



- Run the server
- Try the following URIs in the web browser:

<http://localhost:1000/aboutus2.html>

should display aboutus2.html page

<http://localhost:1000/aboutus.html>

should display aboutus2.html (redirection)

<http://localhost:1000/main.html>

should display main page

<http://localhost:1000/blabla.html>

should display 404 page.