



Cairo University

**AN ADAPTIVE INPUT IMPEDANCE RESHAPING
STRATEGY FOR SURFACE PERMANENT MAGNET
SYNCHRONOUS MOTOR WITH TIGHT SPEED
REGULATION**

By

Hossam Mohammed Mahmoud Mohammed Ibrahim

A Thesis Submitted to the
Faculty of Engineering at Cairo University
in Partial Fulfillment of the
Requirements for the Degree of
MASTER OF SCIENCE
in
ELECTRICAL POWER ENGINEERING

FACULTY OF ENGINEERING, CAIRO UNIVERSITY
GIZA, EGYPT
2025

**AN ADAPTIVE INPUT IMPEDANCE RESHAPING
STRATEGY FOR SURFACE PERMANENT MAGNET
SYNCHRONOUS MOTOR WITH TIGHT SPEED
REGULATION**

By
Hossam Mohammed Mahmoud Mohammed Ibrahim

A Thesis Submitted to the
Faculty of Engineering at Cairo University
in Partial Fulfillment of the
Requirements for the Degree of
MASTER OF SCIENCE
in
ELECTRICAL POWER ENGINEERING

Under the Supervision of

Assoc. Prof. Abdelmomen Osama
Mahgoub

Assoc. Prof. Mahmoud Mohamed
Elnaggar

.....

.....

Associate Professor
Electrical Power Engineering Department
Faculty of Engineering, Cairo University

Associate Professor
Electrical Power Engineering Department
Faculty of Engineering, Cairo University

FACULTY OF ENGINEERING, CAIRO UNIVERSITY
GIZA, EGYPT
2025

**AN ADAPTIVE INPUT IMPEDANCE RESHAPING
STRATEGY FOR SURFACE PERMANENT MAGNET
SYNCHRONOUS MOTOR WITH TIGHT SPEED
REGULATION**

By
Hossam Mohammed Mahmoud Mohammed

A Thesis Submitted to the
Faculty of Engineering at Cairo University
in Partial Fulfillment of the
Requirements for the Degree of
MASTER OF SCIENCE
in
ELECTRICAL POWER ENGINEERING

Approved by the Examining Committee

Assoc. Prof. Abdelmomen Osama Mahgoub (Thesis Main Advisor)

Assoc. Prof. Mohamed Taha Elsayed (Internal Examiner)

Prof. Mahmoud Mohamed Ahmed Salem (External Examiner),
- Professor at Electronics Research Institute

FACULTY OF ENGINEERING, CAIRO UNIVERSITY
GIZA, EGYPT
2025

Engineer's Name: Hossam Mohammed Mahmoud Mohammed
Date of Birth: 1/1/1997
Nationality: Egyptian
E-mail: husammouhmad@eng.cu.edu.eg
Phone: +201099339763
Address: B.18, 199 Street, Maadi, Cairo
Registration Date: 1/10/2021
Awarding Date:/....../2025
Degree: (Master of Science)
Department: Electrical Power Engineering



Supervisors:

Assoc. Prof. Abdelmomen Osama Mahgoub
Assoc. Prof. Mahmoud Mohamed ElNaggar

Examiners:

Assoc. Prof. Abdelmomen Osama Mahgoub (**Thesis Main Advisor**)
Assoc. Prof. Mohamed Taha Elsayed (**Internal Examiner**)
Prof. Mahmoud Mohamed Ahmed Salem (**External Examiner**)
(**Professor at Electronics Research Institute**)

Title of Thesis:

An Adaptive Input Reshaping Strategy for Surface Permanent Magnet Synchronous Motor with Tight Speed Regulation

Key Words:

SPMSM; Inverter; CPL; Impedance Shaping; Adaptive

Summary:

This thesis investigates instability in cascaded systems, particularly SPMSM drives, due to the low-frequency negative impedance of CPLs. It proposes an adaptive parallel virtual impedance control to stabilize the system across varying power and voltage levels.

A compensatory controller adjusts dynamic impedance, suppressing unstable frequencies while maintaining robust performance. Unlike conventional methods, this approach eliminates excessive reliance on Bode plots and complex tuning, simplifying stability analysis and implementation.

The research validates the proposed method through simulations and experiments on a 150W prototype, demonstrating stability under different voltage and power conditions. The system effectively damps oscillations within one resonance cycle, ensuring improved dynamic response.

This work introduces a simplified, adaptive control strategy for SPMSM, making it ideal for various motor drive applications. The approach enhances stability, reduces implementation complexity, and improves efficiency, making it suitable for real-world applications requiring high reliability and performance.

Disclaimer

I hereby declare that this thesis is my own original work and that no part of it has been submitted for a degree qualification at any other university or institute.

I further declare that I have appropriately acknowledged all sources used and have cited them in the references section.

Name: Hossam Mohammed Mahmoud Mohamed Ibrahim

Date: / /

Signature:

Dedication

To my mother, whose endless love and prayers have been my source of strength and inspiration.

To my father, for being my guiding light and teaching me the value of hard work and integrity.

To my brother, for always being there with unwavering support and encouragement.

To my beloved wife, whose patience, love, and belief in me made this journey possible.

And to my precious daughter, who fills my life with joy and reminds me of the beauty of dreams.

This thesis is a tribute to all of you, with my deepest love and gratitude.

Acknowledgments

I would like to express my heartfelt gratitude to my advisors, Dr. Abdelmomen and Dr. Mahmoud, for their unwavering support, guidance, and encouragement throughout this thesis. Their readiness to assist me and answer my endless questions has been invaluable.

My deepest thanks go to Dr. Osama Mahgoub for his constant advice and support in the laboratory, offering his expertise and guidance whenever needed. I am also immensely grateful to Dr Mohamed Taha, Dr. Ahmed Lotfy, Dr. Mohamed Rabah, and Dr. Abdallah Hussien for generously sharing their knowledge and providing insightful advice throughout this journey.

Special thanks to Eng. Mostafa El-Sayed for his exceptional hardware expertise, invaluable insights, and dedication in debugging and resolving any technical challenges I faced.

I am especially thankful to my colleague and dear friend, Eng. Sherif Fathalla, for standing by me every step of the way, offering both professional and personal support that made this journey much smoother.

Finally, I extend my sincere appreciation to my family, friends, professors, and students for their unwavering encouragement, heartfelt wishes, and all forms of support, which have been a constant source of motivation and strength.

Table of Contents

LIST OF TABLES	IX
LIST OF FIGURES	XI
NOMENCLATURE	XI
ABSTRACT	XII
CHAPTER 1 : INTRODUCTION	1
1.1. FIRST SECTION	1
1.2. SECOND SECTION	1
1.3. HEADING LEVEL 1	1
1.3.1. Heading level 2.....	1
1.3.1.1. Heading level 3.....	1
1.4. ORGANIZATION OF THE THESIS.....	1
CHAPTER 2 : LITERATURE REVIEW	2
2.1. INTRODUCTION	2
2.2. RELATED WORK	2
2.3. SUMMARY	2
CHAPTER 3 : FIGURES AND TABLES.....	3
3.1. LOCATION AND CITATION	3
3.2. ADDITIONAL SECTION	6
DISCUSSION AND CONCLUSIONS	7
REFERENCES	8
APPENDIX A: ONE APPENDIX.....	9
APPENDIX B: ANOTHER APPENDIX	ERROR! BOOKMARK NOT DEFINED.

List of Tables

You can create the list of tables by going to the “References” tab and click on the “Options...” button, then select “FECU Thesis Table Caption” style and click “Ok”.

Table 3.1: Example table for demonstration	4
Table 3.2: Another example wide table for demonstration	5
Table A.1: Sample table in the appendix.....	Error! Bookmark not defined.

List of Figures

Similarly, you can create the list of figures.

Figure 3.1: Example figure for demonstration	3
--	---

Nomenclature

You may include a list of alphabetically ordered symbols and abbreviations here.

Abstract

This file is provided to help graduate students at the Faculty of Engineering, Cairo University in preparing their theses according to the regulations and format guidelines defined by the graduate committee. Students are required to consult the regulations for thesis preparation available at the department of graduate studies besides using this template.

In this template, different styles are defined which start with “FECU Thesis” phrase. You may use these styles to quickly format your text throughout the thesis. You may also change these styles as long as they comply with the regulations for thesis preparation.

Chapter 1 : Introduction

Usually, the first chapter of the thesis provides an introduction to the research work. Each chapter may start with an introductory paragraph right after its title to provide some information about its content.

1.1. First section

Use body text style (FECU Thesis Body Text) for writing text throughout the thesis.

Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Body text.Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Bodytext.

Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bo
dytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.B
odytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.
Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Body text.

1.2. Second section

There are three levels of headings in this template. Using the heading styles allows for automatic numbering of all sections and helps in automatically generating the table of contents.

1.3. Heading level 1

1.3.1. Heading level 2

1.3.1.1. Heading level 3

1.4. Organization of the thesis

The remainder of this thesis organized as follows.Chapter 2provides a detailed survey of the previous studies....

Chapter 2 : Literature Review

2.1. Introduction

References throughout the thesis are cited using a number between square brackets [#], where the number of the cited reference is assigned in the list of references provided at the end of the thesis. If you refer to two documents, use the following format [6, 7]. If you refer to more than three documents listed consecutively, use the format [5-8]. You may use “Cross-reference” tool in MS Word for citing the reference number. For example:

Bouwkamp and Bolhom [1] stated that...
..... as found in [3].

You may otherwise use the “References” tab in MS Word to manage your references and their citations.

2.2. Related work

Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Body text.Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Bodytext.Body text.

Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Body text.Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Bodytext.Body text.

2.3. Summary

Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Body text.Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Bodytext.Body text.

Chapter 3 : Figures and Tables

You are free to use any font type and size within your figures and tables provided that they are clear enough to the reader. For large size tables, you may separate them into several pages. For large size figures that cannot be resized to fit an A4 size paper without the loss of clarity, you may use larger size papers provided that they are properly folded to the A4 size and firmly bonded with the rest of the thesis.

3.1. Location and citation

Figures and tables should be included in the main text as close to the point of their introduction as possible. For figure captions use 12 point Times New Roman, bold, centered; place below the figure, use spacing of 12 points above and 24 points below. Leave two blank lines between the figure and the text above it.




Figure 3.1: Example figure for demonstration

Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Body text text.Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Bodytext.Body text text.Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Body text text.< Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Bodytext.Body text
Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Body text text.Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Bodytext.Body text text.Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod

Table 3.2: Another example wide table for demonstration

[illegible]

3.2. Additional section

Body

text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Body text.Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Bodytext.Body text.Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Body text. Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Bodytext.Body text

Body

text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Bodytext.Bodytext.Body text.Body
text.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bodytext.Bod
ytext.Bodytext.Body text.

Page 6

Discussion and Conclusions

In this research, the common industrial problem of As extension to this work, the following points are recommended for the future work;

References

1. Bouwkamp, J.G., and Bolhom, J.K., 1963, "Dynamic Response of a Two-Story Steel Frame Structure", Bulletin of the Seismological Society of America, Vol. 56, No. 6, pp. 1289-1303.
2. Newmark, N.M., and Resenblueth, E., 1971, Fundamentals of Earthquake Engineering, Vol. xx, 2nd edition, Prentice Hall Inc., Englewood cliffs, N.J., USA.
3. Caravani, P., and Thomson, W.T., 1973, "Identification of Damping Coefficients from System Response", Proceedings of the Fifth World Conference on Earthquake Engineering, Rome, Italy.
4. Ruiz, P., and Penzien, J., 1969, "Probabilistic Study on the Behavior of Structures During Earthquake", Earthquake Engineering Research Center Report No. EERC 69-3, University of California, Berkeley, Calif., USA.
5. INFORMS web site, January 2012, <http://www.informs.org>.
6. Ibrahim, M., 2012, "A parametric study on ...", M.Sc. Thesis, Faculty of Engineering, Cairo University, Giza, Egypt.

Appendix A: Filter Board




Figure A.1: Filter Schematic




Figure A.2: Filter Layout

Comment	Description	Designator	Footprint	LibRef	Quantity
C4AQJLW5220M36J	Capacitor	C1, C2	C4AQJLW5220M36J	C4AQJLW5220M36J	2
RCER72A104K1K1H03 B	Capacitor	C3, C4, C5, C6, C7, C10, C11, C12, C15, C16, C17, C18, C19, C20, C21	RCER72A104K1K1H03 B	RCER72A104K1K1H03 B	15
50RXA1100MEFC16X2 5	Capacitor Polarised	C8, C9, C13, C14	CAPPRD750W80D162 5H2700	50RXA1100MEFC16X2 5	4
22uF	Cap Film 22uF 700V PP 5% Molded 37.5mm Solder Pin 105°C Bulk	C?	CapC4AQ	C4AQJLW5220M36J	1
BZX79C5V1	BZX79C5V1 Diode Zener Single 5.1V 5% 500mW 2-Pin DO-35 Bulk	D1, D2, D4	FP-017AG-MFG	CMP-00278-20848389-1	3
Bridge 3A 1KV	3A, 1000V, Standard Bridge Rectifier	D3	DiodeBridge	KBP307G	1
Connector300V20A	Terminal Blocks Connector	DC INPUT, DC OUTPUT, T3, T4	EdgeConnector3T	1-1776897-9	4
TVS VBD 86.5	Diode TVS Single Uni-Dir 77.8V 600W 2-Pin DO-204AC Paper T/R	Dz1, Dz2, Dz3	DO-15 (DO-204AC)	P6KE91A-E3/73	3
1759020	1759020 3 Position Terminal Block Header 2 Side Shrouded Right Angle 5.08mm Through Hole	J1	FP-1759020-MFG	CMP-00298-00037186-1	1
0.56mF	Inductor, Power, 560UH, 7A, 10% ; Rohs Compliant: Yes	L1, L3, L4	Inductor0.56mH	PCV-2-564-08L	3
2.2mH	TJ9-2U 2.2K 15% Eb E2	L2	Inductor2.2mH	TJ92UEB222L	1
E2A-T220-25E	BLACK ANODIZED HEATSINK	MP1, MP2	FP-E2A-T220-25E-MFG	CMP-33535-000011-1	2
61300411121		P1, P2	61300411121	CMP-1502-01064-3	2
1Meg	Through Hole Metal Film Resistor, Ccf50 Series, 1 Mohm, 330 Mw, - 1%, 200 V, Axial Leaded	R1	Axial 0.3	RES1Meg	1
12K 2W	Res Metal Oxide 12K Ohm 5% 2W Conformal AXL Thru-Hole	R2	Axial 0.8	RES12K	1
13R		R3, R4, R5, R8	Axial 0.3	RES13	4
82K	Res Metal Film 82kOhm 0.5W	R6, R7	Axial 0.3	RES82K	2
LV 25-P	Voltage Transducer, 15 V, 10 mA IPN, 0 to 70 degC, 5-Pin THD, RoHS	U1	LEM-LV25-P-5_V	CMP-2000-05187-1	1
L7815CV	Positive Voltage Regulator, 12V, 3-Pin TO-220	U2	TO220	CMP-0244-00450-1	1
L7915CV	Negative Voltage Regulator, -12V, 3-Pin TO-220	U3	TO-220	CMP-0244-00457-1	1
3296X-1-102LF	Variable Resistor	VR1	3296X1103RLF	3296X-1-102LF	1

Figure A.3: Filter Components

الملخص

عدم الاستقرار في الأنظمة المتسلسلة، خصوصاً في أنظمة المحرك المتزامن ذو المغناطيس ، ينجم في الغالب عن المعاوقة السالبة منخفضة التردد للأحمال ذات القدرة (SPMSM) الدائم ، يصبح هذا عدم الاستقرار أكثر وضوحاً عند مستويات طاقة أعلى وجهود (CPLs) المستمرة دخل أقل، مما يبرز الحاجة الملحة إلى آليات تثبيت فعالة وقابلة للتكيف. تقدم هذه الرسالة استراتيجية جديدة للتحكم في المعاوقة الافتراضية المتوازية المتكيفة مع القدرة، والتي تضمن استقرار النظام عبر نطاق واسع من مستويات الطاقة والجهد

تبدأ الدراسة باستخدام مبرهنة التغذية الراجعة لميدلبروك لاشتقاق دوال المعاوقة الداخلة والحساسية، مما يمهّد الطريق للاستراتيجية المقترحة. تم تطوير معاوقة متوازية متكيفة لإعادة تشكيل معاوقة النظام الديناميكية، مما يكبح عدم الاستقرار المتعلق بترددات معينة مع الحفاظ على أداء قوي. لتنفيذ هذه المعاوقة الافتراضية، تم تصميم دالة تحويل لجهاز التحكم التعويضي تتميز بقدرتها على التكيف مع ظروف التشغيل المختلفة. وبمعالجة القصور في أدوات التحكم الحالية—مثل اعتمادها الكبير على تحليل مخططات بود والجهود المعقدة للضبط—يقدم هذا العمل نهجاً مبسطاً. من خلال الاستفادة من خصائص الدائرة المفتوحة للأحمال ذات القدرة ، يلغي جهاز التحكم المقترح الاعتماد على الأجهزة أو الحساسية SPMSM المستمرة في أنظمة تجاه المعاملات، مع ضمان الأداء الديناميكي. تؤكد التحليلات المتعلقة بالاستقرار أن المكونات السالبة للمعاوقة الداخلة تم إلغاؤها بشكل فعال، مما يضمن الاستقرار تحت جميع ظروف الجهد والطاقة التي تم اختبارها

SPMSM تم التحقق من فعالية الاستراتيجية المقترحة من خلال تجارب حقيقية على نموذج بقدرة ١٥٠ وات، حيث أظهرت قدرتها على تحقيق استقرار النظام في ظل تغييرات جهد وصلات التيار المستمر (٥٥ فولت، ٤٨ فولت، ٤٠ فولت) ومستويات طاقة مختلفة. تم تحقيق قمع التذبذب خلال دورة واحدة من الرنين، مما يبرز قدرة جهاز التحكم على التكيف وفعاليته. وعلى عكس النهج السابقة، تقدم هذه الطريقة آلية تثبيت عالمية قابلة للتطبيق عبر مستويات طاقة وجهود متنوعة، مما يلغي الحاجة إلى ضبط واسع للمعاملات

تقدم هذه الرسالة إسهامات مهمة من خلال تقديم معادلات مبسطة لتحسين التطبيق العملي، وضمان استقرار قوي من خلال القدرة على التكيف الفوري. تؤكد النتائج إمكانيات هذه الطريقة لتطبيقات أوسع في أنظمة تشغيل المحركات، مثل المحركات التي تعمل بدون مكثفات، مما يوفر أساساً قوياً للتشغيل الموثوق في ظروف متنوعة. من خلال نظريات مبتكرة وتحقيق تجريبي SPMSM. صارم، يضع هذا العمل معياراً جديداً لاستراتيجيات تثبيت أنظمة



مهندس: حسام محمد محمود محمد ابراهيم

تاريخ الميلاد: ١٩٩٧ \ ١ \ ١

الجنسية: مصري

تاريخ التسجيل: ٢٠٢١ \ ١٠ \ ١١

تاريخ المنح: ٢٠٢٥ \ \

القسم: هندسة القوي الكهربائية

الدرجة: ماجستير العلوم

المشرفون:

أ.م.د. عبد المؤمن أسامة محجوب

أ.م.د. محمود محمد النجار

الممتحنون:

أ.م.د. عبد المؤمن أسامة محجوب (المشرف الرئيسي)

أ.م.د. محمد طه السيد (الممتحن الداخلي)

أ.د. محمود محمد أحمد سالم (الممتحن الخارجي)

أستاذ معهد بحوث الإلكترونيات

عنوان الرسالة:

استراتيجية إعادة تشكيل مقاومة الدخل التكيفية للمحرك المتزامن
ذو المغناطيس الدائم السطحي مع تنظيم محكم للسرعة

الكلمات الدالة: المحرك الالمتزامن ذو المغناطيس الدائم؛ العاكس الكهربائي؛ الحمل ذو القدرة
المستمرة؛ تشكيل المعاوقة؛ التكيفي

ملخص الرسالة:

تناقش هذه الرسالة مشكلة عدم الاستقرار في الأنظمة المتسلسلة، خاصة في أنظمة المحرك المتزامن ، الناتج عن المعاوقة السالبة منخفضة التردد للأحمال ذات القدرة (SPMSM) ذو المغناطيس الدائم يقترح البحث استراتيجية جديدة للتحكم في المعاوقة الافتراضية المتوازية المتكيفة (CPLs) المستمرة مع القدرة، والتي تضمن استقرار النظام عبر نطاق واسع من مستويات الطاقة والجهد

تم تطوير جهاز تحكم تعويضي لتعديل المعاوقة الديناميكية، مما يعالج الترددات غير المستقرة مع الحفاظ على أداء قوي. تميز النهج المقترح ببساطته مقارنة بالطرق التقليدية، حيث استغنى عن التحليل المفرط لمخططات بود وضبط المعاملات المعقدة. أكدت التجارب على نموذج بقدرة ١٥٠ وات فعالية الاستراتيجية، حيث أظهرت استقرارًا تحت ظروف جهد وطاقة مختلفة، وقمعت التذبذبات خلال دورة واحدة من الرنين

تقدم الرسالة حلاً مبتكرة لتثبيت أنظمة SPMSM عبر معادلات مبسطة وقدرة على التكيف الفوري، مما يجعلها مناسبة لتطبيقات متعددة في تشغيل المحركات، مع تحقيق نتائج عملية تدعم الاستقرار والكفاءة

استراتيجية إعادة تشكيل مقاومة الدخل التكميلية للمحرك المتزامن ذو المغناطيس
الدائم السطحي مع تنظيم محكم للسرعة

اعداد

حسام محمد محمود محمد ابراهيم

رسالة مقدمة إلى كلية الهندسة – جامعة القاهرة
كجزء من متطلبات الحصول على درجة
ماجستير العلوم
في
هندسة القوى الكهربائية

يعتمد من لجنة الممتحنين:

المشرف الرئيسي

أ.م.د: عبد المؤمن أسامة محجوب

الممتحن الداخلي

أ.م.د: محمد طه السيد

الممتحن الخارجي

أ.د: محمود محمد أحمد سالم

- أستاذ معهد بحوث الإلكترونيات

كلية الهندسة - جامعة القاهرة
الجيزة - جمهورية مصر العربية
٢٠٢٥

استراتيجية إعادة تشكيل مقاومة الدخل التكميلية للمحرك المتزامن ذو المغناطيس
الدائم السطحي مع تنظيم محكم للسرعة

اعداد

حسام محمد محمود محمد ابراهيم

رسالة مقدمة إلى كلية الهندسة – جامعة القاهرة
كجزء من متطلبات الحصول على درجة
ماجستير العلوم
في
هندسة القوى الكهربائية

تحت اشراف

أ.م.د. عبد المؤمن أسامة محجوب أ.م.د. محمود محمد النجار

.....
أستاذ مساعد
قسم هندسة القوى الكهربائية
كلية هندسة جامعة القاهرة

.....
أستاذ مساعد
قسم هندسة القوى الكهربائية
كلية الهندسة جامعة القاهرة

كلية الهندسة - جامعة القاهرة
الجيزة - جمهورية مصر العربية
٢٠٢٥



استراتيجية إعادة تشكيل مقاومة الدخل التكميلية للمحرك المتزامن ذو المغناطيس الدائم السطحي مع تنظيم محكم للسرعة

اعداد

حسام محمد محمود محمد ابراهيم

رسالة مقدمة إلى كلية الهندسة – جامعة القاهرة
كجزء من متطلبات الحصول على درجة
ماجستير العلوم
في
هندسة القوى الكهربائية

كلية الهندسة - جامعة القاهرة
الجيزة - جمهورية مصر العربية

٢٠٢٥