

TP: Clickjacking – The Button You Didn't Click

Ahmed Khalil EL ATRI

September 15, 2026

1 HTML Basics (hello.html)

Creation of the initial test page containing a button that displays an alert message when clicked.




Figure 1: Source code and rendered result for hello.html.

2 Student Portal (portal.html)

Implementation of the target authentication form with username, password inputs, and a Login button that confirms user login via an alert.




Figure 2: Source code and rendered result for portal.html.

3 Decoy Game (game.html)

Initial game interface with absolute positioning, score tracking, and dynamic movement using JavaScript.

3.1 Static & Manual Positioning




Figure 3: Base layout and manual coordinate modification.

3.2 Random Movement

Updating button coordinates dynamically on each click using `Math.random()`.




Figure 4: Random positioning logic and in-game movement.

4 Embedding the Portal via Iframe

Embedding `portal.html` inside `game.html` using a visible iframe to test coordinate layout.




Figure 5: Iframe inclusion and layout testing.

5 Hiding the Portal (Opacity Tests)

Progressively decreasing the iframe opacity to make the embedded portal invisible while retaining click interactivity.




Figure 6: Portal with 50% transparency and fully hidden (0% opacity).

6 The Clickjacking Attack

Configuring the game button to move underneath the portal's Login button at score 4 with stacking priority managed by **z-index**.




Figure 7: Attack implementation at score 4 triggering the portal’s login action.

7 Revealing the Attack

Implementation of the `revealAttack()` function to restore opacity and demonstrate the overlay alignment.




Figure 8: Attack disclosure function and visual confirmation.