Theory of Evidence Based Practice

Prepared By
Dr/ Baghdad Hussein
Assist. Prof. of Medical Surgical Nursing
Faculty of Nursing
Helwan University

Outlines:

1- Overview of Evidence-Based Practice theory.
2- Component of EBP.
3- Importance of Evidence-Based Practice models.
4- Models of Evidence Based Practice.
5-Barriers to Adoption of Evidence Based Practice.
6-Strategies to promote implementing evidence based practice to overcome these barriers.

❖ **Overview of Evidence-Based Practice theory:**

❖ **Theory:** is a set of concepts linked through propositions to provide an explanation of phenomena.

❖ **Component of EBP: Evidence can be thought of as coming from three different sources:**

1.Scientific research.

2.Clinical expertise.

3.Patient values and circumstances.

1.Scientific research: The scientific research evidence is empirical evidence acquired through systematic testing of a hypothesis.

2- Clinical expertise: It refers to implicit and explicit knowledge about physical therapy diagnosis, treatment, prevention, and prognosis gained from cumulative years of caring for patients.

3- Patient Values and Circumstances: The patient and his or her caregivers create the most important pillar of evidence to the decision-making process.



- **Importance of Evidence-Based Practice models :**

• Ensures that health professionals are delivering patient care that is innovative and that guaranteeing better outcomes for patients.

• EBP contributes to the science of nursing and increases the confidence in decision-making, resulting in ideal outcomes.

• Maintains nursing health practices relevant and current.

• Reduce costs.

Models of Evidence Based Practice:

- Stetler model.
- Johns Hopkins model.
- Iowa model.
- Ross worman dlarrabee model Practice.
- D. Censo model of evidence based practice.

1- Stetler Model:

▪Developed as practitioner oriented‘modelin1994.

▪ De emphasized unsystematic clinical experiences.

▪ Raised awareness about the importance of applying research findings in nursing practice.

Meaning of Evidence ‟As Stetler Model:

Evidence ‘is defined as information or facts that are obtained systematically.

· Evidence comes from two different sources external and internal evidence.

Five Progressive Categories of Stetler Model:-

1. Preparation:

- Identify a priority need.

- Organize the work.

- Initiate the research systematically.

2. Validation:

· Critique each study systematically. · Choose and summarize the collected research that relates to the identified need.

3. **Decision making:**

· Make decisions about use after synthesizing body of summarized evidence.

4. Translation:

· Converting findings, planning their application, putting the plan to use and then implementing use with an evidence based practice.

5. Evaluation:

· Evaluate the plan in terms of goals.

2- Johns Hopkins Nursing EBP Model:

➢ The JHNEBP Model is a powerful problem-solving approach to clinical decision-making.

➢ It is designed specifically to meet the needs of the practicing nurse and uses a three-step process called **PET:** practice question, evidence, and translation..



The PET Process:



Evidence-Based Practice is an explicit three step process.

· Identify the practice question.
· Identify the best evidence to answer question.
· Translate the evidence to practice.

3- Iowa Model What is the Iowa model for evidence based practice?

➢ This model takes a problem-solving approach, which starts with a trigger, followed by identification of the problem,

➢ Then forming of the research pilot-study question,

➢ Guiding the clinicians through a process of creating a sustainable evidence-based practice (EBP) to improve patient outcomes.

☒ **Why use the Iowa model?**

- The Iowa model is unique in that it emphasizes the use of pilot testing prior to full-scale change implementation.

What are the 5 models of evidence based practice? Specifically, how EBP models and frameworks used in healthcare settings align with the original model of:

(1) Asking the question,

(2) Acquiring the best evidence,

(3) Appraising the evidence,

(4) Applying the findings to clinical practice.

(5) Evaluating the outcomes.

Process of Evidence Based Practice Haynes and colleagues model (2002) of evidence based practices involves the following processes:

- Formulating a clinical question.
- Systematically searching for relevant research evidence.
- Critically appraising the evidence.
- Implementing of the practice change.
- Evaluating the change in practice.

4- censo"s Model of Evidence Based Decision Making Components:

- Patient preferences and actions will be dominant element in their decision making.
- Patient`s clinical state and circumstances should be considered.

5- Rossworm and Larrabee Model:

· Developed by Rossworm and Larabee in (1999).

- It is based on theoretical and research literature.
- It begins with the assessment of need and integration of an evidence based protocol.

❖ **Stages of Rossworm and Larrabee Model:**

- Assess needs of stakeholders.
- Synthesize the evidence and determine relevancy.
- Plan the practice change.
- Implement and evaluate the practice change.
- Integrate and maintain the practice change.

Barriers to Adoption of Evidence Based Practice:

•Evidence-based practice (EBP) is considered a key factor in improving the quality of healthcare and patient outcomes.

•In nursing practice, EBP enhances nurses‘ decision-making ability and improves their ability to formulate individualized care plans that lead to efficient patient care.

•The literature indicates that nurses value EBP; however, its implementation is inconsistent because it is often obstructed by many factors.

DEFINITION OF BARRIERS: Obstacles that prevent person from using EBP Or Lack of knowledge regarding EBP strategies.

➢ **TYPES OF BARRIERS OF EVIDENCE-BASED PRACTICE:**

1- Research-related barriers.
2. Nurse-related barriers.
3. Organizational-related barriers.

1- Research related barriers:

•· Problems in understanding the research language and appraising the quality of evidence.
•· Limited number of interventional studies in nursing clinical practice.
•·Difficulty in understanding statistical terms used in research.

2. Nurses related barriers:

· Lack of knowledge and skills (about the research process and how to critique research studies).

· Colleagues not supportive of practice change.

· Insufficient time to find research reports.

· Lack of resources.

3- Organizational barriers:

- An organizational culture that doesn‘t support EBP as well as the time period required for its implementation.
- Heavy workload.
- Lack of access to nursing journals & database.

Strategies to promote implementing evidence based practice to overcome these barriers:

1) **Related to research:**

1. Increase number of clinical researches.

2. Select journals for publication which are common surrounding the Practical nurses
3. Integrate the EBP principles in the nursing curriculum.

2) Related to nurses:

1. Improve nurses' computer skills by provide practical training for computer skills by a computer specialist.
2. Improve nurses‘ attitudes toward research and give rewards for using research.
3. Provide training programs for improving research and critical appraisal skills.

3) Related to organization:

1. Provide sufficient human resources.
2. Provide enough time for nurses to be engaged in EBP activities.
3. Provide a work environment that encourages nurses to achieve the best available evidence.
4. Provide evidence-based practice mentors and clinical educators in health-care systems.

HOW TO OVERCOME BARRIERS OF EBP?

1-Promoting Acceptance.

· Barriers to EBP must be assessed within particular system.

· Assess baseline knowledge, attitude, beliefs and behaviors regarding EBP.

2 -Correcting Misperceptions.

· Clarifying these perceptions about EBP to advancing evidence care. (e.g. Many practitioners believe that searching and appraising research articles is a waste of time provide them with.

3- Administration support:

- Support from your administration from the beginning is a key factor in success.
- Administration may be able to inform you about other projects that used similar implementation techniques and how they worked.

4-Developing guidelines:

· Create baseline knowledge and skills through provide basics EBP)e.g:

- How to formulate a searchable question.
- How to search for and appraise relevant studies.
- Education conferences.
- Interactive workshops.

Application on how to overcome barriers of EBP:

➢ Insertion of cannula in Children: Nurses should insert cannula in children according to evidence-based practice because accurate insertion is an essential part instead of frequent insertion.

➢ Insert cannula in children not easy as adult. So there is new instrument help in appears veins and facilitate insertion process than placatory method.

❖ **Barriers to Inserted cannula according to evidence based practice :**

- **Barriers related to nurses:**

1- Nurses show old method easy and fast than use new instrument.

2- Nurses show little benefit to the child.

Barrier related to organization:

1. Inadequate staffing and training on new instrument.

2. Limited access to resources.

v Barrier related to research:

1. Gap between research and practice.

2. Research reports /articles are not readily available .

❖ **Steps to overcome these barriers to insertion cannula in children according to EBP:**

1. Training program and clinical training for using new instrument in insertion cannula.

2. Attended conference where clinical research is presented and talk with presenters about studies.

3. Organizational support play role in offering devices that used to apply EBP. traditional practice.

4. Administrative support plays a key role in developing an organizational culture that supports EBP.

5. Health care providers who do not believe that apply EBP results in improved care and outcomes need to be exposed to real case scenarios in which evidence based care resulted better outcomes than care in traditional practice.