

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

السلام عليكم ورحمة الله وبركاته

Women's health

Prepared by:
Dr.: Sahar Mahmoud Sayed Ahme



Objectives:

By the end of this lecture the student should be able to:

- Define women's health.
- List women life span.
- List health disparities among special groups of women.
- Explain needs of women
- Enumerate factor affecting women's health.
- Explore the most common women health problems.
- Explain role of the CHN to improve women's health

Introduction:

A woman is half of the community and affected to another half. She plays an important role in family building during child rearing. Women's health care includes health promotion, disease prevention, maintenance and restoration. Different health issues may be more relevant to women's lives at varying life stages.

Definition of women's health

- ❑ A holistic, comprehensive approach that addresses the physical, mental, emotional, social and spiritual life experience throughout their life span of the female.
- ❑ **Women's health** is the effect of gender on disease and health that encompasses a broad range of biological and psychosocial issues.
- ❑ **Women's Health** means care to the females throughout their life cycle. From 'womb to tomb'.

Women life span phases (Life stages)

- **Infant and child phase:** (0-11 years).
- **Adolescent phase:** from 12 years to 20 year.
- **Adult women phase:** from 21-35 years.
- **Women in mid-life phase:** from 36-55 years
- **Older women phase:** more than 56-65 years

Health disparities among special groups of women are:

- 1-Women in correctional setting or prison
- 2- Lesbian women (has social stigma).
- 3- Women with disability
- 4- Single mothers
- 5- Impoverished women who not has the resources to achieve basic level of health

Needs of women:

1-Physical needs of women are

- Nutritional needs
- Immunization
- Hygiene care
- Enough time of sleep and rest
- Exercise and sport
- Continuous checkup
- Safe environment

2- Psychological need of women are

- Attention to women
- Respect of women
- Acceptance to women in community
- Provide women by love and high self-esteem.
- Stress reduction by learn women stress management technique.
- Provide women by recreation methods.

3- Social needs of women

- Jobs or work
- Housing and shelter
- Suitable income
- Friendships and good social relations.
- Peace and security

4- Emotional needs of women

- ☐ Independence of women to hem self
- ☐ Discipline
- ☐ Love and affection

The most common nutrition for women

- Nutrition for pregnant women.
- Nutrition for breastfeeding mothers.
- Nutrition for menopausal women.
- Nutrition for older women.

Factor affecting women's health:

- ✓ Educational level.
- ✓ Economic state
- ✓ Cultural level as customs and believes of community.
- ✓ Women abuse as physical, sexual, psychological, and economical abuse.
- ✓ Genetic or hereditary factors.

- ✓ Nutritional status.
- ✓ Women life styles as exercise, rest & sleep, smoking, hygiene
- ✓ Frequency of pregnancy.
- ✓ Exposure to stress and social support
- ✓ Substance abuse as smoking and drug addict.

The most common women health problems:

1- In adolescent phase:

- ❖ Sexual transmuted disease
- ❖ anorexia nervosa
- ❖ Bulimia nervosa.
- ❖ Teen Pregnancy
- ❖ Premenstrual syndrome

2- Childbearing female's stage

- Anemia
- Pre-term delivery
- Perinatal mortality
- Violence
- Maternal mortality
- HIV
- Vaginitis
- Pelvic pain

3-Midlife & menopause phase health problems:

- *Hot flashes*
- *Night sweats*
- *Aches & pains*
- *Vaginal dryness*
- *Cancer*
- *Headaches*
- *Diminished sex drive*
- *Difficulty sleeping*
- *Postmenopausal problems*
- *Arthritis & joint pain*
- *Coronary heart disease*
- *Urinary incontinence*
- *Osteoporosis*
- *Reduced self-esteem*
- *Tiredness, fatigue, irritability*

The role of community health nurse to improve women health

- The educator role, as providing community member health education about danger's of violence, sexual transmitted diseases, women's rights.
- Case finding and case manager to any health problem for women
- Advocate to women rights
- Referral women to special hospital, financial assistance agencies

Successful Prevention for Women's Health Requires a Multi Level approach

- Communities
- Families
- Schools
- Human Services Programs
- Health care & access to reproductive care



levels of prevention to gain good women health

Primary level of prevention: to achieve health promotion for women and disease prevention.

1. General health promotion
2. Specific protection

1. General health promotion

by health legislation and community development social care to women:

A-Improving of physical environment for women as clean, organized and quiet home, women environment must be characterized by safe, good ventilation, good sanitation for food and water, waste disposal and no pollution

B-Health education about

1. Nutrition as important and function of nutrition, component of good nutrition, avoid bad habits of feeding to improve immune system.
2. Hygiene as hand washing, bathing, mouth care,
3. Exercise and sport they do any exercise daily to improve circulation and avoid over weight.
4. Sleep and rest must take suitable time of sleep.
5. Apply healthy life styles as avoid smoking, alcohol and
6. Periodic checkup as full checkup annually.
7. Use stress management techniques

2-Specific protection as:

- Immunization (active or passive)
- Chemoprophylaxis as vitamins and antibiotic
- Nutritional supplementation for high risk women.
- International measures as prevent travel to epidemic area.
- Apply universal precautions and infection control instructions and wearing protective clothes for health care workers women

Secondary level of prevention

- Early detection & early case finding to any health problem for women by:
 - ❖ Survey study for high risk women to detect any diseases.
 - ❖ Screening program for women high risk to any diseases (mass, selective, opportunistic).
 - ❖ Annual checkup for women.

- **Early treatment** to women with any diseases by :
 - Medical intervention
 - Nursing intervention.

Tertiary level of prevention

- Prevent of complication or disability by:
 - ❑ Continuous follow up for women with any diseases after treatment to observe and manage prognoses of diseases and any complications.
 - ❑ Early treatment of associated S&S and side effect of any diseases.

Tertiary level of prevention

- Prevent of complication or disability by:
 - ❑ Continuous follow up for patient with chronic diseases after treatment to observe and manage prognoses of diseases and any complications.
 - ❑ Early treatment of associated S&S and side effect of chronic diseases.

Rehabilitation

- ✓ Medical or physical rehabilitation
- ✓ Vocational rehabilitation.
- ✓ Social rehabilitation.
- ✓ Psychological rehabilitation.
- ✓ occupational rehabilitation



Thank You

