Substance - Related Disorders

By
Dr. Wafaa Osman

Head of Psychiatric Mental Health Nursing Department
Faculty of Nursing Helwan University

Learning Objectives

After this lecture student should be able to:

1. Define some terminology related to substance Abuse
2. Describe American psychiatric association of treatment services
3. Identify risk factors of substance Abuse
4. Describe types of substances
5. Describe substance abuse treatment strategies and prevention
6. Nursing process for a Client with Substance-Related Disorders

Definitions

Substance Abuse

Refers to the use of any legal or illegal substance when that use is causing damage to the user's physical and/or mental health and causes the person legal, social, financial or other problems including endangering their lives or the lives of others .

Addiction

Is defined as a chronic, relapsing brain disease that is characterized by compulsive drug seeking and use, despite harmful consequences. It is considered a brain disease because drugs change the brain - they change its structure and how it works. These brain changes can be long lasting,

Dependence dna lacigoloisyhp :stnenopmoc owt sah .lacigolohcysp

Physiological Dependence sah ydob s'laudividni eht snaem sdeen yllautca ydob s'eno taht hcus ecnatsbus a ot detpada ".lamron" leef ot laudividni eht rof ecnatsbus eht

Psychological Dependence ot laudividni eht esuac lliw eht gnisu pots yeht nehw smotpmys lawardhtiw ecneirepxe .ecnatsbus

Tolerance

Refers to the need for increasing amounts of the substance to achieve the same effect. Tolerance dissipates well and reverts back to its original state if the individual abstains from using the substance.

Withdrawal

Is a response an individual may experience after an addictive substance of abuse is removed from the body. Withdrawal may be physiological, psychological, or both. Generally the withdrawal state is the exact opposite of the addictive state. Alcohol withdrawal is perhaps the most dramatic and dangerous withdrawal syndrome. Each substance of abuse has its own withdrawal syndrome.

Relapse

Is a recurrence of symptoms of a disease after a period of improvement; that is, a person in recovery drinks or uses drugs again after a period of abstinence.

Relapse Prevention

Is any strategy or activity that helps keep a person in recovery from drinking alcohol or using drugs again. It may include developing new coping responses; changing beliefs and expectations; and changing personal habits, lifestyles, and schedules.

5 C'S of Addiction

Not all addictions are the same however, there are 5 things addicts seem to have in common.



American Psychiatric Association defines substance abuse as:

A. Any maladaptive pattern of substance use leading to clinically significant impairment or distress, as manifested by one (or more) of the following, occurring within a 12-month period :

1 .Recurrent substance use resulting in a failure to fulfill major role obligations at work, school, or home (e.g., repeated absences or poor work performance related to substance use; substance-related absences, suspensions or expulsions from school; neglect of children or household)

2 .Recurrent substance use in situations in which it is physically hazardous (e.g., driving an automobile or operating a machine when impaired by substance use)

3 .Recurrent substance-related legal problems (e.g., arrests for substance-related disorderly conduct

4 .Continued substance use despite having persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of the substance (e.g., arguments with spouse about consequences of intoxication, physical fights)

B.The symptoms have never met the criteria for Substance Dependence for this class of substance .

RISK FACTORS



Risk factors

I. **Biologic Factors**
   - Genetic Vulnerability
   - Biochemical Factors
   - Neurobiological Theories
- **II. Social Factors**
- **III.Psychological Factors**
- **IV.Easy Availability of drugs**
- **V.Psychiatric Disorders**

Social Factors

- Cultural factors
- Social attitudes
- Peer behaviors
- cost
- Unemployment
- Overcrowding
- Poor social support
- Effects of television and others mass media
- Occupation Chefs, barmen actors, army personal, journalists, medical personnel, etc.

Psychiatric Disorders

- Substance use disorders are common in
- Depression
- Anxiety disorders (especially social phobia)
- Personality disorders (especially antisocial personality)
- Organic Brain disorders
- Schizophrenia

Psychological Factors

•Sense of inferior

•Poor impulse control

•Low self esteem

•Inability to cope with the pressures of living and society (poor stress management skills)

•Inconsistency in the parent's behavior and lack of nurturing

Poor role modeling

•Loneliness, unmet needs

•Escape from reality

•Desire to experiment , a sense of adventure

•Pleasure-seeking

•Sexual immaturity

Types of Substances

- **Depressants**
- **Alcohol**
- Medical Problems Associated with Alcoholism
- Nervous system: dementia, Korsakov's psychosis, peripheral neuritis
- Respiratory tract: tumors, carcinoma of the bronchus
- Gastrointestinal tract: cancer of the esophagus, pancreatitis.
- Blood: anemia; hypoglycemia, diabetes
- Cardiovascular: hypertension, coronary heart disease
- Striated muscle: myopathy
- Endocrine: hypogonadism

Other Depressants

- **Sedatives**

  These are prescription drugs used to treat sleep disorders and anxiety.

  Example: **Barbiturates & Benzodiazepines**

- **Stimulants**

1. Amphetamines.
2. Cocaine
3. Nicotine
4. Caffeine

- **Hallucinogens**

1. Marijuana
2. Club Drugs
3. Methylenedioxymethamphetamine (MDMA)

Opioids


Opiates Are a Subset of Opioids
Opioids
Opiates
+
Synthetic Opiates:
Vicodin
Percocet
Oxycodone
Fentanyl
Opiates
(derived from poppy)
Opium
Morphine
Heroin
Codeine

Routes of substance insertion

How Drugs Affect Your Brain

1. Impulse Control
2. Emotional Control
3. Memory/Acuity
4. Reward System
5. Flexible Thinking
6. Reflex Control
7. Mental Health



All drugs interfere with the chemical messaging system, but each drug takes a slightly different path.

Reflex action



Substance Abuse Treatment and Prevention

- **Confidentiality**

  If it is an open fact that a family member has substance abuse issues, you can help by offering to refer his person to someone who has experience working with substance using clients. To do this, you need permission from the individual abusing drugs or alcohol.

- **Referral:**
- There are many places to turn to refer someone for treatment

Treatment Strategies

- Detoxification phase
- psychological and social intervention phase
- Rehabilitation phase
    a. Work Rehabilitation
    b. Psychosocial Rehabilitation
    c. Relapse Rehabilitation

Treatment Settings

- Emergency departments
- Inpatient clinics
- Outpatient clinics
- Halfway houses

Treatment Strategies

Treatment options include detoxification, inpatient and residential settings, and outpatient treatment. An individual's treatment generally depends on the severity of the problem.

Nursing process for a Client with Substance-Related Disorders

- **Assessment**
- Data collection is the necessary first step in addressing the quality of the health of the client. The data collection process must be continual, systematic, accurate, and comprehensive to enable the addictions nurse and other members of the treatment team to reach sound conclusions, plan and implement interventions, and evaluate care.

Nursing Diagnosis: RISK FOR INJURY

Definition: At risk for injury as a result of [internal or external] environmental conditions interacting with the individual's adaptive and defensive resources.

Related/Risk Factors ("related to")

Substance intoxication, Substance withdrawal, Disorientation, Seizures, Hallucinations, Psychomotor agitation, Unstable vital signs, Delirium, or Panic level of anxiety

Nursing Diagnosis: Deficient Knowledge (Effects of Substance Abuse on the Body)

Definition: Absence or deficiency of cognitive information related to [the effects of substance abuse on the body and its interference with achievement and maintenance of optimal wellness].

Possible Etiologies ("related to")

Lack of interest in learning, Low self-esteem, Denial of need for information, Denial of risks involved with substance abuse, or Unfamiliarity with information resources

Defining Characteristics ("evidenced by")

Abuse of substances, Statement of lack of knowledge, Statement of misconception, Request for information, Verbalization of the problem

Family interventions

- Substance abuse is an illness.
- Dispel myths about substance abuse.
- Abstinence from substances is not a matter of will power.
- Any alcohol, whether beer, wine, or liquor, can be an abused substance.
- Prescribed medication can be an abused substance.
- Feedback from family about relapse signs, e.g., a return to previous maladaptive coping mechanisms, is vital.
- •Continued participation in an after-care program is important.

Thank You