

BUILD WITH FASTN · TRACK 04 · CROSS-PLATFORM PUBLISHER

HireLoop

Post once, hire anywhere.

TEAM VIBE

Madni Munnay


Ahmed Malik

Maimoona Islam

HireLoop — post once, hire anywhere

Team vibe · Madni Munnay · Ahmed Malik · Maimoona Islam Built for the *Build with Fastn* hackathon · Track 04, Cross-Platform Publisher

Live: <https://hireloop-lilac.vercel.app> · [Desktop companion](#) · [Source](#)



The problem, from a real office

An HR person in Islamabad opens a job. Then they write it five times — once for LinkedIn, once for a Facebook group, once for WhatsApp, once for X, once for a Discord server. Five different tones, five different lengths.

Then the CVs arrive: some by email, some as WhatsApp attachments, some as a comment under the Facebook post, some as a LinkedIn DM. Nobody knows which channel produced the good ones. And most applicants never hear anything at all.

That last part is the one that stings. **Not rejection — silence.**

HireLoop fixes all three: write once, collect everywhere, and answer everyone.

1. One line in

You type the role the way you'd say it out loud.

That's the whole input. `Junior React dev, Islamabad, onsite, up to 80k`.

2. A real job post out — five ways

Eight seconds later there's a full job description *and* a version written for each platform. Not the same text pasted five times: LinkedIn gets a professional tone, Facebook gets Roman Urdu mixed with English because that's how Pakistani job groups actually talk, WhatsApp gets something short enough to forward.

Every version carries the same apply link with a **different `src` tag** — so when a CV arrives, the pipeline already knows which channel it came from. That's the whole trick behind the analytics later.

3. Publish, and be honest about it

Hi

HireLoop

Compose

STEP ONE

Describe the role in one line

Junior React dev, Islamabad, onsite, up to 80k

Generate

Try:

Junior React dev, Islamabad, onsite, up to 80k

Mid-level Laravel developer, Lahore, hybrid, 150k

Social media intern, Karachi, remote, 35k

STEP TWO · THE ROLE

Junior React Developer

Islamabad

Onsite

Up to PKR 80,000

JOB DESCRIPTION

Job Title: Junior React Developer

Location: Islamabad

Work Mode: Onsite

Salary Range: Up to PKR 80,000

Summary:
We are looking for a Junior React Developer to join our team in Islamabad on an onsite basis. You will help build and maintain web interfaces using React.

Responsibilities:
- Develop new user-facing features using React.js
- Build reusable components and front-end libraries for future use

MUST-HAVES

Proficiency in JavaScript, including DOM manipulation and the JavaScript object model

Thorough understanding of React.js and its core principles

Experience with popular React workflows (such as Redux or Context API)

Familiarity with RESTful APIs

STEP THREE · EACH CHANNEL

One post, written five ways

LinkedIn

X

Facebook

WhatsApp

Discord

We are hiring! 🚀

Looking to kickstart your career in frontend development? We are seeking a Junior React Developer to join our onsite team in Islamabad.

Position: Junior React Developer
Location: Islamabad (Onsite)
Salary: Up to PKR 80,000

What you need:
- Strong JavaScript fundamentals (DOM, object model)
- Solid understanding of React.js and core principles
- Experience with Redux or Context API

591 characters

tracked apply link ready

Published

Writes the hiring board and posts to every connected channel.

STEP FOUR · LIVE

Your job is collecting applications



Scan to apply
[hireloop-llac.vercel.app/appl...](#)

CHANNELS

LinkedIn

copy & paste below

X

copy & paste below

Notion

posted through Fastn

Slack

Slack refused: token_expired not connected

[Open hiring board](#) [Channel performance](#)

POST THESE YOURSELF — ONE TAP EACH

Meta closed the Facebook Groups API and WhatsApp has none for groups, so no tool can post there. The text is written and the apply link is already tagged to the right source, so the pipeline still knows where each candidate came from.

LinkedIn

Copy

We are hiring! 🚀

Looking to kickstart your career in frontend development? We are seeking a Junior React ...

X

Copy

Hiring Junior React Developer in Islamabad! 🚀

- Onsite
- Salary: Up to PKR 80,000...

Facebook

Copy

Assalam-o-Alaikum! We are looking for a Junior React Developer for an onsite role in Islamabad. 🌟
...

Whatsapp

Share

Copy

🚀 *Hiring: Junior React Developer*
📍 Location: Islamabad (Onsite)
💰 Salary: Up to PKR 80,000
...

Discord

Copy

Hey everyone! 🌟 We're looking for a Junior React Developer to join our onsite team in Islamabad.
...


Look at the **Channels** list — this is the part we're most proud of, and it's the part most demos would hide.

Channel	What really happens
Notion	Posted through Fastn. A real row on the hiring board.
Slack	Posted through Fastn when the token has <code>chat:write</code> .
LinkedIn, X	Not posted. Fastn has no connector for either, and we have no developer tokens. The text comes back written, one tap to copy.
Facebook, WhatsApp	Nobody can post here. Meta closed the Groups API; WhatsApp never had one.

We could have faked those last two rows. We'd rather show you the table.

And that big QR code? That's the demo. Point a phone at it.

4. Applying, from a phone, in under a minute

 HireLoop

Junior React Developer

Islamabad Onsite Up to PKR 80,000

We are looking for a Junior React Developer to join our team in Islamabad on an onsite basis. You will help build and maintain web interfaces using React.

WHAT WE NEED FROM YOU

- Proficiency in JavaScript, including DOM manipulation and the JavaScript object model
- Thorough understanding of React.js and its core principles
- Experience with popular React workflows (such as Redux or Context API)
- Familiarity with RESTful APIs

Read the full job description +

Apply

Takes under a minute.

Full name

Email

Phone

LinkedIn profile · optional

Your CV · PDF, up to 5 MB

Choose a PDF file

☐ I agree that my CV is processed for this application.

Submit application

We reply to every applicant, either way.

Name, email, phone, CV, consent. That's it. The page is built mobile-first because that's how people actually apply here — standing in a queue, on a phone, on patchy data.

Behind the scenes, in the seconds after they hit submit:

1. The CV is stored

2. The PDF text is extracted — and if it's a scanned image with no text, it says so rather than crashing
3. The CV is scored against *this job's* must-haves
4. A card appears on the hiring board
5. The applicant gets an email saying we've got it

The applicant never sees their score. That's for the hiring team.

5. The scoring, and what we told it not to do


The scorer is given explicit instructions to **ignore name, gender, age, photo, religion, marital status, university prestige and city of origin**, and to credit a skill only when the CV shows evidence of it — a job, a project, a repo.

Real output from the five test CVs against "Junior React Developer":

Candidate	Score	Verdict	Why
2 years React, Next.js, TypeScript	95	Strong	Production React, performance work, real projects
React Native + web, portfolio	90	Strong	Shared TypeScript layer across app and web
Strong HTML/CSS/JS, little React	60	Maybe	Solid fundamentals, no practical React yet
4 years Java / Spring Boot	15	Weak	Experienced — but no frontend for this role
Scanned, image-only PDF	0	Maybe	<i>"CV could not be read, review manually"</i>

That last row matters. A scanned CV is a **human review flag**, never a silent rejection.

6. Which channel actually hires for you



Applicants per channel, and the average score per channel. This answers the question no HR team in Pakistan can currently answer: *is the Facebook group worth the effort, or is LinkedIn carrying everything?*

7. Nobody gets ghosted

Move a card on the Notion board and the candidate hears about it — shortlisted, interview, offer, or a rejection written like a person wrote it.

Each stage sends **exactly once**. The board records what was last sent, so dragging a card twice doesn't email twice.

Here is a real inbox after a candidate moved through the pipeline — received, shortlisted, interview invitation:

☐ ☆ HireLoop	You have been shortlisted — Junior React Developer - Hi Burst, Good news: you have been shortlisted for Junior React Developer. We liked what we saw in your CV. Someone from the team ...	Sep 19
☒ ☆ HireLoop 2	Interview invitation — Junior React Developer - Hi Ayesha, We would like to interview you for Junior React Developer. We will follow up with a few times that could work. If none...	
☐ ☆ HireLoop 19	We received your application — Junior React Developer - Hi Burst, Thanks for applying for Junior React Developer. We have your application and your CV. We read every application ourselve...	Sep 19

And one of them opened. No template variables left showing, no corporate filler:

We received your application — Junior React Developer
Inbox x

HireLoop

<onboarding@resend.dev>

to me ▾

Hi Ayesha,

Thanks for applying for Junior React Developer. We have your application and your CV.

We read every application ourselves, and we will get back to you either way — yes or no.

Best,

The hiring team

16

HireLoop

Hi Burst, Thanks for applying for Junior React Developer. We have your application and your CV. We read every application ourselves, and we will get back to you

HireLoop

<onboarding@resend.dev>

to me ▾

...

↩ Reply
➦ Forward
😊

The channels nobody can reach

Here's the thing that makes this more than a posting tool.

The channels that matter most in Pakistani hiring — WhatsApp groups, Facebook groups, DMs — have **no API for anyone**. Not for us, not for Fastn, not for a company with a hundred engineers. So a CV that arrives in a WhatsApp group is invisible to every recruiting tool on the market.

Unless you just look at the screen.

HireLoop · Team vibe

8

HireLoop

Capture

THE CHANNELS WITH NO API

Capture a candidate from your screen

WhatsApp groups, Facebook groups and DMs have no API for anyone. Screenshot the message, drop it here, and the candidate joins the same pipeline as every other applicant.

Job

junior-react-isb-y89

Note - optional

Met at the Islamabad React meetup

Drop or choose a screenshot
or just press Ctrl+V anywhere on this page

Preview

Add to pipeline

WHAT WE READ

Nothing yet. Preview first if you want to check the details before anything is sent.

Screenshot the WhatsApp message, drop it in, and the candidate joins the same pipeline as everyone else. We tested it with a mock group chat and it pulled out:

```
Hira Saeed · hira.saeed@example.com · +92 333 4455667  
linkedin.com/in/hira-saeed-dev · channel: whatsapp · confidence: high
```


Fastn connects every app that has an API. We added the ones that don't.

The desktop companion

The web app is one way in. The other is **Dexterity** — a Windows companion that sits beside your cursor, sees your screen, and helps without you leaving what you're doing.


HireLoop · Team vibe

9



The point: you shouldn't have to screenshot your work into ChatGPT and retype the question. It's already there.

Publish a role, from inside your work



You're in a Slack thread where the team agrees to hire someone. You don't retype anything — you press **Read it off my screen**.

We gave it a real Slack hiring thread and it produced:

Junior React dev, Islamabad, onsite, up to 80k PKR per month

Then the same engine writes the post and every platform version:


The screenshot shows the Dexterity workspace interface. On the left is a sidebar with the Dexterity logo and a list of workspace items: 'Your workspace' (Personal companion), 'Your companion', 'Background tasks', 'Ask Dexterity', 'Manual screen preview', 'Publish a role' (highlighted), 'Session history' (0), 'Fill a form' (NEW), 'My context', 'How Dexterity works', 'Playbook', and 'Conversations'. Below these is a section titled 'A little help. A lot possible.' with the text 'Your next "aha!" moment is just a click away.'

The main workspace area has a header with 'Workspace / Workspace' and buttons for 'Talk to Dexterity', 'On-demand screen access', and 'Ctrl ⌘ Space'. Below the header is a section titled 'ONE ROLE, EVERY PLATFORM' with the heading 'Hire without leaving your work.' and a subtext: 'Describe the role, or let Dexterity read it off the screen you are already looking at. It writes a version for every platform and publishes the ones it can reach.'


There are two main panels. The left panel, titled 'The role, in one line', contains a text input field with the text 'Junior React dev, Islamabad, onsite, up to 80k'. Below the input is a button 'Read it off my screen' and a 'Write the post' button. A green status message says 'Ready. Check each platform, then publish.'

The right panel, titled 'Junior React Developer', shows the generated post for various platforms. It includes a title 'Junior React Developer' and a location/salary 'Islamabad - Onsite - Up to 80,000 PKR'. Below this are buttons for 'LinkedIn', 'X', 'Facebook', 'WhatsApp', and 'Discord'. The main text of the post is: 'We're hiring a Junior React Developer in Islamabad (onsite, up to 80k PKR). You'll build real product features in React alongside a small team that reviews every pull request. What we need: React, solid JavaScript, HTML and CSS.' At the bottom, it says '285 characters - apply link ready' and has a 'Publish everywhere' button.

Including the Facebook version, in the register those groups actually use:



And publishing reports the same honest per-channel truth as the web app:



It fills forms, with your own details

The screenshot displays the Dexterity application interface. On the left is a sidebar with a 'Your workspace' section containing 'Personal companion' and a 'WORKSPACE' section with items like 'Your companion', 'Background tasks', 'Ask Dexterity', 'Manual screen preview', 'Publish a role', 'Session history', 'Fill a form' (highlighted with a 'NEW' badge), 'My context', 'How Dexterity works', 'Playbook', and 'Conversations'. The main area is titled 'Workspace / Fill a form' and features a 'Talk to Dexterity' button, 'On-demand screen access' status, and a 'Ctrl ⌘ Space' shortcut. The main content area has the heading 'LESS TYPING. MORE DOING.' and 'Let Dexterity handle the form.' followed by instructions on using Windows accessibility. A three-step process is shown: 1. Open your form behind Dexterity, 2. Inspect & enter details, and 3. Fill, review & submit. A 'Local automation - no API key' badge is present. There are buttons for 'Open a practice form' and 'Inspect form'. A 'Filling a web form?' section includes a URL input field with 'https://your-form.com' and an 'Open in my browser' button. A 'Which app contains your form?' dropdown is set to 'App behind Dexterity' with a 'Refresh windows' button. A large central box says 'No form selected yet' with a cursor icon and the text 'A helping hand with the paperwork.' It instructs the user to open a browser or desktop form, bring Dexterity back, choose 'Inspect form', and say 'fill this form'. On the right, a 'YOU MAKE THE FINAL CALL' section titled 'Check it. Then send it.' explains that after filling, the user must select a button to press. A 'Submission button' dropdown is set to 'Inspect a form first'. There is a checkbox for 'I reviewed the filled values and want to activate this button.' and a 'Submit reviewed form' button. A note at the bottom states 'Dexterity never submits from a voice command alone.'

Point it at a form — Google Forms, a job application, an internal portal — and it reads the fields, fills them from your saved context, and stops.


It will **not** submit on its own. You pick the button and tick a confirmation first. And it never touches a password field.

We proved this against a real Chrome window with a local server capturing the result:

```
PASS: the browser window is visible to Dexterity - Google Chrome
PASS: read the form - ["Full name","Email address","Phone number"]
PASS: the password field was excluded
PASS: filled the real page in Chrome, and nothing was submitted yet
PASS: server received {"fullname":"Ahmed Malik","email":"ahmed@example.test",
                      "phone":"+92 300 1234567","secret":""}
```

Note `secret` is empty. That's the password field, deliberately untouched.

It teaches, on the screen you're stuck on



We gave it a DaVinci Resolve screenshot and asked real questions:

Question	Answer
"How do I colour grade this clip?"	"Switch to the Color page" ✓
"Where do I change the audio level?"	"Select the music clip, open the Inspector " ✓
"How do I export as MP4?"	"Switch to the Deliver page" ✓


It can also point at where to click. Those markers are model-proposed, not pixel-perfect — the words are reliable, the arrow is a hint.

How Fastn is actually used

This is the part that matters for the track, so here it is plainly.

The app holds no Notion token, no email key, no Slack token. Every one of them lives in a Fastn connection. Our repo is public and leaks nothing.

The Notion side of that is a single integration, granted read and write on one workspace:



Three connectors are in play:

Connector	Why
<code>HTTP API</code> (built in)	Slack and X — a bearer token is all they need
<code>HireLoop Notion</code> (custom)	Notion also needs a <code>Notion-Version</code> header, which the generic connector can't send
<code>HireLoop LinkedIn</code> (custom)	LinkedIn needs <code>X-Restli-Protocol-Version: 2.0.0</code>
<code>HireLoop Email</code> (custom)	Transactional email, one connection, no ambiguity

We built the custom ones programmatically against `api.fastn.dev/api/v1` — connector, auth method, actions and connection, all from code.

And then it runs without us

The stage emails aren't driven by our app at all. They're a **Fastn workflow running on Fastn's infrastructure**:

```
hireloop-stage-notifier wf_c55a11b8f31f */5 * * * * Asia/Karachi
```

Every five minutes: read the board through a Fastn connector, email whoever moved, write the stage back. **No browser open. No server of ours. No cron on a laptop.**

Vercel's free plan refuses a per-minute cron. Fastn just runs it. That's the honest answer to what Fastn is for — **it replaces the backend you'd otherwise build, host and pay for.**

Proof from a live run:

```
move a card to Offer → {"sentCount":1,"sent":[{"name":"Ahmed Malik","stage":"Offer","ok":true}]}
run it again        → {"sentCount":0}
```

Sent once. Never twice.

Two things we learned the hard way

Fastn's `{{input.body}}` drops nested objects. A generic pass-through action silently lost the Notion `parent` field, so every "successful" write created a loose page in the workspace instead of a row on the board. Everything reported success. Use an explicit `bodyTemplate` per action.

A scheduled tick arrives with no input. Our first workflow read `ctx.input.candidatesDb`, which is fine when you call it by hand and fatal on a cron — it would have failed every five minutes forever while looking perfectly armed.

What's real, and what isn't

	Status
Job post generation, 5 platform versions	Working
Tracked apply links per channel	Working
Notion hiring board	Working, through Fastn
CV parsing and scoring	Working
Candidate email, any address	Working, verified domain
Stage emails on a 5-minute schedule	Working, on Fastn
Screen capture for API-less channels	Working
Desktop companion: publish, forms, teaching	Working
LinkedIn / X posting	Not working — no Fastn connector, no developer tokens
Facebook / WhatsApp groups	Impossible — the APIs don't exist

Running it yourself

```
git clone https://github.com/ahmedmalik07/dexterity_fastn
cd dexterity_fastn/app && npm install && cp .env.example .env.local
```

Add `GEMINI_API_KEY` and `FASTN_API_KEY`, then wire the services up:

```
node scripts/fastn.mjs connect notion <notion-integration-token>
node scripts/fastn.mjs connect email <resend-api-key>
node scripts/fastn.mjs init-notion <notion-parent-page-id>
```

Put the two printed database ids in `.env.local` and run `npm run dev`.

The desktop companion:

```
cd ../dexterity && npm install && npm start
```

Tests

```
61 unit · companion · voice · coach · context · tasks · desktop · native · forms
publish-ui · browser-form · hireloop bridge
```

All passing. The browser-form suite drives a real Chrome window; the publish-ui suite drives the real Electron app.

Team vibe — Madni Munnay, Ahmed Malik, Maimoona Islam