

CAD Project: Deep Learning Approach

Jaime Simarro & Ahmed Gouda






Index

- 1. Model creation
- 2. Data set splitting
- 3. Depth of the network
- 4. Preprocessing
- 5. Data augmentation
- 6. Hyperparameter optimization
- 7. Ensemble
- 8. Final Results
- 9. Discursion





Model Creation







Normalization


	R	G	В
Mean	0.485	0.456	0.406
Std	0.229	0.224	0.225







Preprocessing








Preprocessing


Different Preprocessing Influance







Database splitting









de Girona

Database splitting






Accuracy








Accuracy







Database splitting






COMPARE BETWEEN MODELS



Accuracy



But **86,6%** in validation








- Definitely, the validation in training it is not representative.
- They may come from differences distributions.



Database splitting- Histopathology








Depth- Histopathology

Accuracy vs Parameters










Database splitting- Dermo








Depth- Dermoscopy

Accuracy vs Parameters











Augmentation-Histopathology


- Random Horizontal Flip
- Random Vertical Flip
- Random Rotation (90 Degree)




































Augmentation- Histopathology











Augmentation- Dermoscopy


- Random Resized Crop
- Random Horizontal Flip
- Random Vertical Flip
- Random Rotation (90 Degree)

























Dermo Model Hyperparameters

Data Augmentation Influance







Hyperparameter tunning

Learning Rate

Batch Size

Weight Decay

Early Stopping

Difference Architectures





Final Models- Histopathology

Accuracy	Architecture	LR	Batch size	Weight decay	Epoch
90.67%	densenet	0.0003	32	No	18
89.33%	resnext50	1.00E-04	32	No	13
90.37%	wide_resnet101	3.00E-05	32	No	18






Final Models- Dermoscopy

Accuracy	Architecture	LR	Batch size	Weight decay	Epoch
84.53%	densenet	0.0005	16	No	19
88.50%	resnext50	0.001	16	No	16





Ensemble



Weighed Voting





Results- Histopathology

	Truth Positive	Truth Negative
Prediction Positive	TP: 736	FP: 56
Prediction Negative	FN: 84	TN: 764

Ensemble:

DensetNet121 ResNext50 Acc: 91.46%





Results- Dermoscopy

	Truth Positive	Truth Negative
Prediction Positive	TP: 503	FP: 89
Prediction Negative	FN: 97	TN: 511

Without Ensemble:


ResNext50

Acc: 88.50%





Final Model creation







Discussion

New era: Deep learning

Shallow networks

Ensemble improve the results

Complexity of hyperparameter optimization

Importance of data augmentation

