Prepared By: IQRA ILYAS
Linkedin Profile: https://www.linkedin.com/in/iqra-ilyas-2aa665231/

Q1: How to verify that when we need security testing? How do we overcome security issues?

Answer: Security testing is needed when applications handle sensitive data (like payments or personal info). To overcome issues, apply penetration testing, encryption, secure coding, and strong authentication. For example: validating payment data transmission and preventing XSS/SQL injection.
Reference: https://owasp.org/www-project-web-security-testing-guide/

Q2: Which type of devices are used during mobile application testing?

Answer: iPhones/iPads for iOS apps, Android phones/tablets for Android apps. Emulators (Android) and Simulators (iOS) are also used for virtual testing without physical devices.
Reference: https://www.browserstack.com/guide/mobile-application-testing

Q3: What is Emulator & Simulator?

Answer:

- **Emulator:** Mimics both hardware and software of a device, close to real performance (e.g., Android Emulator).

- **Simulator:** Mimics OS behavior only, good for UI/function testing (e.g., iOS Simulator).
  Reference: https://www.geeksforgeeks.org/difference-between-emulator-and-simulator/

Q4: Which type of link is used in your build while uploading on Diawei?

Answer: Typically a **signed build link (APK for Android, IPA for iOS)** or direct download link is used for testers to install builds easily.
Reference: https://developer.android.com/studio/publish

Q5: What are native and hybrid applications?

Answer:

- **Native Apps:** Platform-specific, built with Swift (iOS) or Kotlin/Java (Android), offer high performance and full hardware access.
- **Hybrid Apps:** Built with web technologies (HTML, CSS, JS), run across platforms but slightly less performant. **Reference:** https://www.browserstack.com/guide/native-vs-hybrid-apps

Q6: What is multilevel and multiple inheritance?

Answer:

- **Multilevel Inheritance:** Class inherits from another, then further extended (A → B → C).

- **Multiple Inheritance:** One class inherits from two or more base classes (A & B → C).
  Reference: https://www.geeksforgeeks.org/inheritance-in-java/

Q7: What is Confidential Testing?

Answer: Testing on production with very limited scope to ensure critical flows work (e.g., payments) without disturbing real users. Also called **Production Testing**.
Reference: https://www.guru99.com/types-of-software-testing.html

Q8: What is Postman Cloud?

Answer: Postman Cloud lets teams store, share, and run API collections online. It supports collaboration, scheduled runs, and CI/CD integrations.
Reference: https://www.postman.com/api-platform/

Q9: What is Latent Defect?

Answer: A hidden defect not detected during testing, only appearing under rare conditions in production. Example: memory leak after months of use.
Reference: https://www.softwaretestinghelp.com/defect-in-software-testing/

Q10: Suppose you have a second sprint delivered with some functionalities changing which testing technique you used?

Answer: Regression Testing is used to ensure existing functionality still works. Risk-based or impact-based testing may also apply.
Reference: https://www.atlassian.com/continuous-delivery/software-testing/regression-testing

Q11: Suppose your application works on other browsers but not on Edge (10% users), what will be your priority?

Answer: Since 10% is significant, fixing Edge compatibility is **High Priority**. Cross-browser testing ensures equal performance across browsers.
Reference: https://www.browserstack.com/guide/what-is-cross-browser-testing

Q12: Suppose a customer complains about an application that has a bug so what will be your approach?

Answer: Steps: Acknowledge → Reproduce → Log bug with details → Communicate timeline → Fix & verify → Close.
Reference: https://www.guru99.com/defect-life-cycle-in-software-testing.html

Q13: Suppose you have a login page one module and it has a bug so what will be your test closure activity?

Answer: Log and verify defect fix, update test cases/results, prepare closure report with executed tests, defects, and lessons learned.
Reference: https://www.geeksforgeeks.org/test-closure-in-software-testing/

Q14: Which type of payment gateways are you currently using?

Answer: Common gateways include PayPal, Stripe, Braintree, Square, Authorize.Net, plus Apple Pay/Google Pay for mobile.
Reference: https://razorpay.com/learn/payment-gateways/

Q15: What is the difference between Build vs Release?

Answer:

- **Build:** Compiled software given to QA for testing (may still have bugs).

- **Release:** Stable build delivered to end-users after QA approval.
  Reference:
  https://sqa.fyicenter.com/FAQ/Testing-Techniques/What_is_the_difference_between_build_and_release.html

Q16: Suppose you found a bug which the developer said it's a feature, how did you convince the developer it's not a feature?

Answer: Collect evidence by showing requirement docs, acceptance criteria, or user stories to prove expected behavior. Compare actual vs expected results and highlight business/user impact to explain why it's a defect, not a feature.

Reference: https://www.guru99.com/defect-life-cycle-in-software-testing.html

Q17: What is the difference between Monkey Testing and Gorilla Testing?

Answer:

- **Monkey Testing:** Random, ad-hoc inputs to check system stability.

- **Gorilla Testing:** Repeatedly testing one module/function heavily to find defects.
  Reference:
  https://www.geeksforgeeks.org/difference-between-monkey-testing-and-gorilla-testing/

Q18: What is Regression Testing?

Answer: Regression testing ensures that new code changes don't break existing functionality. It is executed after bug fixes, enhancements, or new features.
Reference: https://www.atlassian.com/continuous-delivery/software-testing/regression-testing

Q19: How will you make a document of regression testing and smoke testing when the 1st sprint is delivered with changes?

Answer: Prepare a test document including:

- **Regression:** Full/partial test cases from sprint 1 + changed areas.

- **Smoke:** High-level core functionalities from sprint 1 for quick health check.
  Update execution sheet with results after retesting.
  Reference: https://www.softwaretestinghelp.com/regression-testing-tools/

Q20: What is the Smoke Test Cycle?

Answer: A smoke test cycle is a short round of tests run on a new build to confirm basic functionalities (login, navigation, main flows) are stable enough for further testing.
Reference: https://www.guru99.com/smoke-testing.html

Q21: What type of technology stacks currently your company is working on?

Answer: Example answer: "We're working on **MERN stack (MongoDB, Express, React, Node.js)** for web apps and **Flutter/Kotlin/Swift** for mobile apps, with **AWS/ Azure** for cloud hosting." (Answer varies by company).
Reference: https://www.geeksforgeeks.org/mern-stack/

Q22: What is the difference between Test Case and Test Suite?

Answer:

- **Test Case:** A single scenario with steps, inputs, and expected result.

- **Test Suite:** A collection/group of related test cases executed together.
  Reference: https://www.guru99.com/test-case.html

Q23: What are Headers in API Testing?

Answer: Headers are key-value pairs in API requests carrying metadata (e.g., Content-Type, Authorization, Accept). They define how client and server exchange data.
Reference: https://www.postman.com/api-documentation-templates/api-headers/

Q24: What is API Testing?

Answer: API testing validates request/response, functionality, reliability, and security of APIs. It ensures data is exchanged correctly between services without UI.
Reference: https://www.guru99.com/api-testing.html

Q25: What is Authorization and Authentication?

Answer:

- **Authentication:** Verifying user identity (e.g., login with username/password).

- **Authorization:** Granting permissions after authentication (e.g., access roles).
  Reference: https://auth0.com/intro-to-iam/what-is-authentication-authorization.

Q26: What is Token in API and how to generate it?

Answer: A token is a string used to authenticate API requests. Generated by logging in with valid credentials and receiving it from the server (often JWT or OAuth). Used in headers for subsequent

requests.
Reference: https://jwt.io/introduction

Q27: Any complex task for you during your testing?

Answer: Example: Testing a **payment flow** with multiple gateways and currencies, where edge cases like failed transactions or refunds required deep regression testing and coordination with devs.

Reference: https://www.softwaretestinghelp.com/software-tester-interview-questions/

Q28: What is Regression Testing? *(duplicate of Q18)*

Answer: Regression testing checks that previously working features still function correctly after updates. Prevents reintroduction of old bugs.
Reference: https://www.guru99.com/regression-testing.html

Q29: What is Sanity Testing?

Answer: Sanity testing is a quick check after small code changes to ensure the bug fix or minor feature works without testing the whole application.
Reference: https://www.guru99.com/sanity-testing.html

Q30: What is Usability Testing?

Answer: Usability testing evaluates how easy and user-friendly an application is. Real users perform tasks while observers note difficulties in navigation, design, or clarity.
Reference: https://www.nngroup.com/articles/usability-testing-101/

Q31: Suppose a graphic designer just designed a login page and you have to test only the design. Which type of testing did you use?

Answer: For design-only checks, we use **UI Testing** or **Visual Testing** to verify layout, alignment, fonts, colors, and responsiveness match design specifications.
Reference: https://www.browserstack.com/guide/ui-testing

Q32: Demo website review from functional & non-functional perspective, with positive/negative cases.

Answer:

- **Functional:** Verify login, navigation, forms, and links work correctly.

- **Non-Functional:** Check usability, performance, compatibility, and security.

- **Positive Case:** Valid login with correct credentials.

- **Negative Case:** Wrong password shows error message.
  Reviews: Improve load speed, mobile responsiveness, and accessibility.
  Reference: https://www.guru99.com/functional-vs-non-functional-testing.html

Q33: After production a bug is found. Who is responsible (QA or Developer)?

Answer: Responsibility lies with **both QA and Developer** since QA missed detection and Developer introduced the defect. Ultimately, the **team** shares accountability.
Reference: https://www.softwaretestinghelp.com/software-tester-interview-questions/

Q34: What is Beta Testing?

Answer: Beta testing is performed by real users in a live environment before product release. It provides feedback on usability, performance, and unexpected bugs.
Reference: https://www.guru99.com/beta-testing.html

Q35: Which type of challenges do you face daily when testing websites in your company?

Answer: Common challenges: handling frequent requirement changes, cross-browser issues, test data setup, reproducing intermittent bugs, and tight deadlines.
Reference: https://www.lambdatest.com/blog/software-testing-challenges/

Q36: How can you test the backend (like a database) manually?

Answer: Use SQL queries to validate CRUD operations, data integrity, triggers, and stored procedures. Compare front-end actions with backend database updates.
Reference: https://www.softwaretestinghelp.com/database-testing/

Q37: What is the difference between Black Box Testing and White Box Testing?

Answer:

- **Black Box:** Testers check functionality without knowing internal code.

- **White Box:** Testers verify internal code structure, logic, and paths.
  Reference: https://www.guru99.com/black-box-testing.html

Q38: Which technique do you follow for testing username and password?

Answer: Apply **Boundary Value Analysis** (min/max length), **Equivalence Partitioning** (valid/invalid ranges), and **Negative Testing** (empty, special chars).
Reference: https://www.geeksforgeeks.org/software-testing-boundary-value-analysis/

Q39: What is Bug Triage?

Answer: Bug triage is the process of prioritizing, assigning, and reviewing reported defects based on severity, priority, and project timelines.
Reference:https://www.geeksforgeeks.org/what-is-bug-triage-in-software-testing/

Q40: Boundary Value Analysis with 1 lakh value but only 6 tested values—how will you ignore remaining?

Answer: By applying **Equivalence Partitioning** & **Boundary Value Analysis**, only representative test values are selected, covering ranges without testing every input.
Reference: https://www.guru99.com/equivalence-partitioning-boundary-value-analysis.html

Q41: Suppose your app crashes on Play Store with 11–12 user comments, how will you identify the crash phase?

Answer: Collect crash reports/logs (Firebase, Crashlytics), analyze stack trace, and reproduce issues with the same device/OS reported by users to locate phase.
Reference: https://firebase.google.com/docs/crashlytics

Q42: Suppose your application crashes. What techniques do you follow and whose fault is it?

Answer: Techniques: reproduce issues, analyze logs, stress/load testing, and debug. Fault usually lies with **development (code issue)**, but QA ensures detection before release.
Reference: https://www.softwaretestinghelp.com/stress-testing/

Q43: What is RTM?

Answer: RTM (Requirements Traceability Matrix) maps requirements to test cases to ensure full coverage and no missing functionality.
Reference: https://www.guru99.com/rtm-requirement-traceability-matrix.html

Q44: In the crash process which testing type we use to identify the bug?

Answer: Stress Testing and **Load Testing** are used to identify crash points by pushing the application beyond normal limits.
Reference: https://www.guru99.com/stress-testing.html

Q45: What is SDLC?

Answer: SDLC (Software Development Life Cycle) is a process including phases: Requirement → Design → Development → Testing → Deployment → Maintenance.
Reference: https://www.geeksforgeeks.org/software-development-life-cycle-sdlc/

Q46: What is SQL Injection?

Answer: SQL Injection is a security vulnerability where attackers insert malicious SQL queries into input fields to access or modify database data.
Reference: https://owasp.org/www-community/attacks/SQL_Injection

Q47: How can you do risk analysis in regression testing?

Answer: Identify modules most affected by changes, analyze business impact if they fail, assign risk levels (high/medium/low), and prioritize regression tests accordingly.
Reference: https://www.softwaretestinghelp.com/regression-testing-tools/

Q48: What are User Stories?

Answer: A user story is a short requirement from an end-user perspective, e.g., *"As a user, I want to reset my password so that I can regain account access."*
Reference: https://www.atlassian.com/agile/project-management/user-stories

Q49: What is Smoke Testing?

Answer: Smoke testing checks critical functionalities of a new build (like login, navigation) to ensure it's stable enough for deeper testing.
Reference: https://www.guru99.com/smoke-testing.html

Q50: Suppose the food menu is shown on your side but not on the user's app, how will you reproduce?

Answer: Reproduce using the same user account, device, and browser/app version as the customer. Compare logs, network calls, and role-based access permissions.
Reference: https://www.browserstack.com/guide/how-to-reproduce-bugs

Q51: What is Token Generating in API?

Answer: Token generation provides a secure string (JWT/OAuth) after successful login, used for authenticating API requests in headers. **Reference:** https://jwt.io/introduction

Q52: What are different testing techniques?

Answer: Techniques include Black Box, White Box, Boundary Value Analysis, Equivalence Partitioning, Regression, Smoke, Sanity, Performance, and Security testing.
Reference: https://www.guru99.com/types-of-software-testing.html

Q53: Any difficult scenario you faced during testing?

Answer: Example: Reproducing intermittent bugs like session timeout or inconsistent payment failures that occur only under specific load or network conditions.
Reference: https://www.softwaretestinghelp.com/software-tester-interview-questions/

Q54: Difference between Regression Testing and Integration Testing?

Answer:

- **Regression:** Ensures old functionality works after code changes.

- **Integration:** Validates correct interaction between combined modules.
  Reference: https://www.guru99.com/regression-vs-integration-testing.html

Q55: Suppose a person does something unethical but doesn't violate company policies. What will you do?

Answer: Raise concern with manager/HR to review, as ethics affect team culture even if not a direct policy breach. Document the case neutrally.
Reference:
https://www.shrm.org/resourcesandtools/tools-and-samples/toolkits/pages/managingethics.aspx

Q56: Suppose you have 3 large projects and 6 tasks, all same priority, all deadlines today. How do you manage?

Answer: Break tasks into smaller units, check dependencies, communicate with stakeholders, prioritize by risk/impact, and manage time across parallel efforts.
Reference: https://asana.com/resources/how-to-prioritize

Q57: Suppose you have a sign-up page. What is the verification and validation process?

Answer:

- **Verification:** Review design docs, field requirements (email format, password rules).

- **Validation:** Execute test cases to ensure actual sign-up works as intended.
  Reference: https://www.guru99.com/verification-vs-validation.html

Q58: What is Severity and Priority (with examples)?

Answer:

- **Severity:** Technical impact of defect (e.g., login crash = High severity).

- **Priority:** Business urgency to fix (e.g., typo in homepage = Low severity but High priority if in production).
  Reference: https://www.geeksforgeeks.org/difference-between-severity-and-priority/

Q59: What is Implicit and Explicit in Selenium?

Answer:

- **Implicit Wait:** Global wait for element to load before throwing error.

- **Explicit Wait:** Conditional wait applied to specific elements until condition is met.
  Reference: https://www.geeksforgeeks.org/waits-in-selenium/

Q60: Suppose a customer complains about a bug, what will be your approach?

Answer: Acknowledge → Gather details → Reproduce → Log defect → Assign to dev → Retest fix → Update customer → Close.
Reference: https://www.guru99.com/defect-life-cycle-in-software-testing.html

Q61: Login page module has a bug — what is your test closure activity?

Answer: Log and retest the defect, update test results, prepare closure reports with executed cases, bugs, and lessons learned.
Reference: https://www.geeksforgeeks.org/test-closure-in-software-testing/

Q62: Footer Facebook link not working — what's the priority?

Answer: Since it's a non-critical external link, priority is **Low** (unless business requirement marks it as critical for user engagement).
Reference: https://www.guru99.com/severity-and-priority.html

Q63: How to identify if a bug is frontend or backend?

Answer: Reproduce bugs, check UI behavior, then verify API/network calls and DB logs. If UI displays wrong data → frontend; if API/DB fails → backend.
Reference: https://www.softwaretestinghelp.com/difference-between-frontend-and-backend/

Q64: Test cases for social media "Delete Post" feature.

Answer:

- Positive: Delete own post successfully, confirmation shown.
- Negative: Try deleting another user's post (should fail).
- Edge: Delete post with large media attached.
  Reference: https://www.guru99.com/how-to-write-test-cases.html

Q65: Test cases for fund transfer module.

Answer:

- Positive: Transfer valid amount between accounts.
- Negative: Transfer without balance.
- Boundary: Transfer minimum/maximum allowed.
- Security: Verify authorization & confirmation.
  Reference: https://www.guru99.com/test-case-template.html

Q66: Which technique for testing location in an app?

Answer: Use **GPS/location-based testing** with simulators, mock locations, and field testing across devices.
Reference: https://www.browserstack.com/guide/location-testing-for-mobile-apps

Q67: Test cases for location in application.

Answer:

- Positive: App fetches correct location via GPS.
- Negative: Location denied by user.
- Edge: Location with weak network.
  Reference: https://www.guru99.com/how-to-write-test-cases.html

Q68: What is Boundary Value Analysis (BVA) and Equivalence Partitioning (EP)?

Answer:

- **BVA:** Test values at boundaries (e.g., min/max).
- **EP:** Group inputs into valid/invalid partitions and test one from each group.
  Reference: https://www.guru99.com/equivalence-partitioning-boundary-value-analysis.

Q69: How to do performance testing of mobile apps?

Answer: Use tools like JMeter/LoadRunner, simulate concurrent users, measure response time, CPU/memory, battery usage, and network latency.
Reference: https://www.guru99.com/performance-testing.html

Q70: Do you have any idea about GitHub?

Answer: GitHub is a cloud-based platform for version control using Git. It allows code hosting, collaboration, pull requests, and issue tracking.
Reference: https://docs.github.com/en/get-started

Q71: What is Product Backlog?

Answer: Product backlog is an ordered list of features, enhancements, and bugs maintained by the product owner for agile development.
Reference: https://www.scrum.org/resources/what-is-a-product-backlog

Q72: What is a Sprint Retrospective Meeting?

Answer: Held after each sprint, the team discusses what went well, what needs improvement, and action items for the next sprint.
Reference: https://www.atlassian.com/agile/scrum/retrospectives

Q73: What is Responsive Testing?

Answer: Responsive testing ensures the app/website works correctly on different devices, screen sizes, and orientations.
Reference: https://www.browserstack.com/guide/what-is-responsive-testing

Q74: What is Agile?

Answer: Agile is an iterative development approach emphasizing collaboration, flexibility, and incremental delivery through sprints.
Reference: https://www.atlassian.com/agile

Q75: What is Cross Browser Testing?

Answer: Verifying application functionality and UI consistency across multiple browsers (Chrome, Firefox, Edge, Safari).
Reference: https://www.browserstack.com/guide/what-is-cross-browser-testing

Q76: What is a Thread Group in JMeter?

Answer: Thread Group defines number of virtual users, ramp-up time, and test duration to simulate load in performance testing.
Reference: https://jmeter.apache.org/usermanual/test_plan.html#thread_group

Q77: What is Heap and Graph in Data Structure?

Answer:

- **Heap:** A tree-based structure satisfying heap property (min/max).

- **Graph:** A set of nodes connected by edges, used to represent networks.
  Reference: https://www.geeksforgeeks.org/fundamentals-of-algorithms/

Q78: What is Hotfix?

Answer: A hotfix is an urgent patch released directly to production to fix a critical bug without waiting for the next release cycle.
Reference: https://www.guru99.com/what-is-hotfix.html

Q79: What is Penetration Testing?

Answer: Pen testing simulates real-world attacks to identify vulnerabilities in systems, networks, or applications.
Reference: https://owasp.org/www-community/penetration-testing

Q80: What is Stress and load Testing?

Answer:

- **Load Testing:** Checks performance under expected workload.

- **Stress Testing:** Pushes system beyond normal limits to find crash points.
  Reference: https://www.guru99.com/load-vs-stress-testing.html

Q81: What is Confidential Testing?

Answer: Confidential testing is limited-scope testing done in a production/live environment with real data but minimal exposure, mainly to validate critical flows like payments.
Reference: https://www.guru99.com/types-of-software-testing.html

Q82: On which stages of SDLC, STLC is involved?

Answer: STLC (Software Testing Life Cycle) runs in parallel with SDLC, starting from **requirement analysis, test planning, design, execution, defect reporting, and closure**. It aligns with SDLC phases from requirements through maintenance.
Reference: https://www.geeksforgeeks.org/software-testing-life-cycle-stlc/

Q83: What is the difference between QA & QC?

Answer:

- **QA (Quality Assurance):** Process-oriented, focuses on preventing defects.
- **QC (Quality Control):** Product-oriented, detects defects in actual deliverables.
  Reference: https://www.guru99.com/quality-assurance-vs-quality-control.html

Q84: What is the difference between Verification and Validation?

Answer:

- **Verification:** Ensures product is built correctly (reviews, inspections).
- **Validation:** Ensures correct product is built (executing test cases).
  Reference: https://www.guru99.com/verification-vs-validation.html

Q85: What is Bug Triage?

Answer: Process of reviewing, prioritizing, and assigning reported bugs based on severity, priority, and impact.
Reference: https://www.geeksforgeeks.org/what-is-bug-triage-in-software-testing/

Q86: What is a Freaky Bug?

Answer: A freaky bug is an **intermittent or rare defect** that occurs under unpredictable conditions, often hard to reproduce consistently.
Reference: https://www.softwaretestinghelp.com/software-tester-interview-questions/

Q87: What is API Chaining?

Answer: API chaining means using the output of one API call as the input for the next, creating a sequence of dependent requests. **Reference:** https://www.postman.com/api-platform/api-chaining/

Q88: What are Principles of QA?

Answer: Key QA principles: defect prevention over defect detection, early testing, customer focus, continuous improvement, and risk-based prioritization.
Reference: https://www.guru99.com/software-quality-assurance.html

Q89: SQL Query – highest salary using joins.

Answer:

```
SELECT e.name, MAX(s.salary)

FROM employee e

JOIN salary s ON e.emp_id = s.emp_id;
```

This fetches the employee with the highest salary.
Reference: https://www.geeksforgeeks.org/sql-queries-for-practice/

Q90: Which type of testing is performed when build comes?

Answer: Smoke Testing is performed first to verify basic stability of the build.
Reference: https://www.guru99.com/smoke-testing.html

Q91: What is Testing with No Documentation?

Answer: This is **Exploratory Testing**, where testers explore the application, learn on the go, and design tests simultaneously.
Reference: https://www.guru99.com/exploratory-testing.html

Q92: What are Stubs and Drivers?

Answer:

- **Stubs:** Dummy modules that simulate low-level components (used in top-down testing).

- **Drivers:** Dummy programs that simulate high-level modules (used in bottom-up testing).
  Reference: https://www.geeksforgeeks.org/stubs-and-drivers-in-software-testing/