correlation matrix for the whole survey

correlation result between crush and crush data

correlation result between crush and cut data

- Data correlation
- Regression line: y=0.01+1.00x, r=1.00

Pearson correlation: r =1.000, P-value = 0.000
Spearman correlation: rho=0.923, P-value = 0.003
Kendall correlation:tau=0.889, P-value = 0.010

correlation result between crush and fall data

Data correlation
Regression line: y=0.15+0.96x, r=0.95

Pearson correlation: r =0.955, P-value = 0.001
Spearman correlation: rho=0.944, P-value = 0.001
Kendall correlation:tau=0.919, P-value = 0.006

correlation result between crush and burn data

Pearson correlation: r =0.998, P-value = 0.000
Spearman correlation: rho=0.887, P-value = 0.008
Kendall correlation:tau=0.811, P-value = 0.016

■ Data correlation
— Regression line: y=0.00+0.10x, r=1.00

correlation result between crush and poison data

- Data correlation
- Regression line: y=-0.00+1.00x, r=1.00

Pearson correlation: r =1.000, P-value = 0.000
Spearman correlation: rho=0.944, P-value = 0.001
Kendall correlation:tau=0.919, P-value = 0.006

correlation result between crush and drown data

Pearson correlation: r =0.798, P-value = 0.032
Spearman correlation: rho=0.887, P-value = 0.008
Kendall correlation:tau=0.811, P-value = 0.016

Data correlation
Regression line: y=0.01+0.01x, r=0.80

correlation result between crush and suffocate data

Pearson correlation: r =0.998, P-value = 0.000
Spearman correlation: rho=0.887, P-value = 0.008
Kendall correlation:tau=0.811, P-value = 0.016

Data correlation
Regression line: y=0.00+0.10x, r=1.00