RR interval time series

Distribution of RR Intervals

mean= 846.824
std=140.204

Poincaré Plot

SD1
SD2

CSI= 6.401

RRn+1[ms]

RRn[ms]

Data averages with window size of 30 s (overlapping 5 s)

CSI for data with window size of 30s (overlapping 5s)

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

RR interval time series [The red lines represent the seizures]

data features within a window of 50000 ms around each feature