

Self Service Terminal for Health Insurance Offices

Generated by Doxygen 1.8.17

1 Namespace Index	1
1.1 Namespace List	1
2 Hierarchical Index	3
2.1 Class Hierarchy	3
3 Class Index	5
3.1 Class List	5
4 File Index	7
4.1 File List	7
5 Namespace Documentation	9
5.1 manage Namespace Reference	9
5.1.1 Detailed Description	9
5.1.2 Function Documentation	9
5.1.2.1 main()	9
5.2 self_service_terminal Namespace Reference	9
5.3 self_service_terminal.actions Namespace Reference	10
5.3.1 Function Documentation	10
5.3.1.1 export_action()	10
5.3.1.2 import_action()	10
5.4 self_service_terminal.admin Namespace Reference	10
5.4.1 Detailed Description	11
5.4.2 Variable Documentation	11
5.4.2.1 admin_site	11
5.4.2.2 site_header	11
5.5 self_service_terminal.apps Namespace Reference	11
5.6 self_service_terminal.constants Namespace Reference	11
5.6.1 Detailed Description	12
5.6.2 Variable Documentation	12
5.6.2.1 BUTTONS_PER_PAGE	12
5.6.2.2 EXPORT_PATH	12
5.6.2.3 PRINTER	12
5.6.2.4 TITLE_LENGTH	12
5.7 self_service_terminal.models Namespace Reference	12
5.8 self_service_terminal.printer_status Namespace Reference	13
5.8.1 Function Documentation	13
5.8.1.1 get_cups_status()	13
5.9 self_service_terminal.tests Namespace Reference	13
5.9.1 Detailed Description	13
5.10 self_service_terminal.urls Namespace Reference	14
5.10.1 Detailed Description	14
5.10.2 Variable Documentation	15

5.10.2.1 document_root	15
5.10.2.2 MEDIA_URL	15
5.10.2.3 urlpatterns	15
5.11 self_service_terminal.views Namespace Reference	15
5.11.1 Function Documentation	16
5.11.1.1 export_action()	16
5.11.1.2 export_view()	16
5.11.1.3 formular()	16
5.11.1.4 get_homepage()	17
5.11.1.5 get_settings()	17
5.11.1.6 import_view()	17
5.11.1.7 index()	17
5.11.1.8 menu()	18
5.11.1.9 menu_template_test()	18
5.11.1.10 print_formular()	18
5.11.1.11 view_formular()	18
5.12 sp4 Namespace Reference	19
5.13 sp4.asgi Namespace Reference	19
5.13.1 Detailed Description	19
5.13.2 Variable Documentation	19
5.13.2.1 application	19
5.14 sp4.settings Namespace Reference	19
5.14.1 Detailed Description	20
5.14.2 Variable Documentation	20
5.14.2.1 ALLOWED_HOSTS	20
5.14.2.2 AUTH_PASSWORD_VALIDATORS	20
5.14.2.3 BASE_DIR	21
5.14.2.4 DATABASES	21
5.14.2.5 DEBUG	21
5.14.2.6 IMPORT_EXPORT_USE_TRANSACTIONS	21
5.14.2.7 INSTALLED_APPS	21
5.14.2.8 LANGUAGE_CODE	22
5.14.2.9 MEDIA_ROOT	22
5.14.2.10 MEDIA_URL	22
5.14.2.11 MIDDLEWARE	22
5.14.2.12 ROOT_URLCONF	22
5.14.2.13 SECRET_KEY	23
5.14.2.14 STATIC_ROOT	23
5.14.2.15 STATIC_URL	23
5.14.2.16 TEMPLATES	23
5.14.2.17 TIME_ZONE	23
5.14.2.18 USE_I18N	24

5.14.2.19 USE_L10N	24
5.14.2.20 USE_TZ	24
5.14.2.21 WSGI_APPLICATION	24
5.15 sp4.urls Namespace Reference	24
5.15.1 Detailed Description	24
5.16 sp4.wsgi Namespace Reference	25
5.16.1 Detailed Description	25
5.16.2 Variable Documentation	25
5.16.2.1 application	25
6 Class Documentation	27
6.1 self_service_terminal.tests.DefaultTestCase Class Reference	27
6.1.1 Detailed Description	28
6.1.2 Member Function Documentation	28
6.1.2.1 setUp()	28
6.1.2.2 test_change_color_values()	29
6.1.2.3 test_cups_availability()	29
6.1.2.4 test_form_availability()	29
6.1.2.5 test_get_settings()	29
6.1.2.6 test_homepage_availability()	29
6.1.2.7 test_menu_1()	30
6.1.2.8 test_menu_availability()	30
6.1.2.9 test_pagination()	30
6.1.2.10 test_pdf_database_relation()	30
6.1.2.11 test_pdf_file_exists()	30
6.1.2.12 test_print_return_code()	31
6.1.2.13 test_user_navigation()	31
6.1.3 Member Data Documentation	31
6.1.3.1 c	31
6.1.3.2 custom_form	31
6.1.3.3 form	31
6.1.3.4 form2	32
6.1.3.5 menu	32
6.1.3.6 submenu	32
6.1.3.7 terminal_settings	32
6.2 self_service_terminal.tests.ExportImportTestCase Class Reference	32
6.2.1 Detailed Description	33
6.2.2 Member Function Documentation	33
6.2.2.1 setUp()	33
6.2.2.2 test_export_as_string()	34
6.2.2.3 test_export_import_in_file()	34
6.2.2.4 test_number_of_db_entries_when_import_as_string()	34

6.2.3 Member Data Documentation	34
6.2.3.1 c	34
6.2.3.2 expected_object	34
6.2.3.3 form	35
6.2.3.4 form2	35
6.2.3.5 menu	35
6.2.3.6 submenu	35
6.2.3.7 terminal_settings	35
6.3 self_service_terminal.models.Form Class Reference	36
6.3.1 Detailed Description	37
6.3.2 Member Function Documentation	37
6.3.2.1 __str__()	37
6.3.2.2 print_form()	37
6.3.2.3 time_since_last_updated()	37
6.3.2.4 time_since_last_updated_str()	38
6.3.3 Member Data Documentation	38
6.3.3.1 description	38
6.3.3.2 form_title	38
6.3.3.3 last_changed	38
6.3.3.4 parent_menu	39
6.3.3.5 pdffile	39
6.3.3.6 short_description	39
6.3.3.7 show_on_frontend	39
6.3.3.8 upload_date	39
6.4 self_service_terminal.admin.FormAdmin Class Reference	40
6.4.1 Detailed Description	40
6.4.2 Member Data Documentation	40
6.4.2.1 fieldsets	41
6.4.2.2 list_display	41
6.4.2.3 list_filter	41
6.5 self_service_terminal.admin.FormInline Class Reference	41
6.5.1 Detailed Description	42
6.5.2 Member Data Documentation	42
6.5.2.1 extra	42
6.5.2.2 fields	42
6.5.2.3 model	43
6.6 self_service_terminal.models.Menu Class Reference	43
6.6.1 Detailed Description	44
6.6.2 Member Function Documentation	44
6.6.2.1 __str__()	44
6.6.3 Member Data Documentation	44
6.6.3.1 menu_text	44

6.6.3.2 menu_title	44
6.6.3.3 parent_menu	45
6.7 self_service_terminal.admin.MenuAdmin Class Reference	45
6.7.1 Detailed Description	46
6.7.2 Member Data Documentation	46
6.7.2.1 fieldsets	46
6.7.2.2 inlines	46
6.8 self_service_terminal.admin.MenuInline Class Reference	46
6.8.1 Detailed Description	47
6.8.2 Member Data Documentation	47
6.8.2.1 extra	47
6.8.2.2 fields	47
6.8.2.3 model	48
6.9 self_service_terminal.models.Terminal_Settings.Meta Class Reference	48
6.9.1 Detailed Description	48
6.9.2 Member Data Documentation	48
6.9.2.1 verbose_name	48
6.9.2.2 verbose_name_plural	48
6.10 self_service_terminal.models.Menu.Meta Class Reference	48
6.10.1 Detailed Description	49
6.10.2 Member Data Documentation	49
6.10.2.1 verbose_name	49
6.10.2.2 verbose_name_plural	49
6.11 self_service_terminal.models.Form.Meta Class Reference	49
6.11.1 Detailed Description	49
6.11.2 Member Data Documentation	49
6.11.2.1 verbose_name	49
6.12 self_service_terminal.admin.MyAdminSite Class Reference	50
6.12.1 Detailed Description	50
6.12.2 Member Data Documentation	50
6.12.2.1 site_header	51
6.13 self_service_terminal.tests.NoPdfSetTestCase Class Reference	51
6.13.1 Detailed Description	52
6.13.2 Member Function Documentation	52
6.13.2.1 setUp()	52
6.13.2.2 test_no_pdf_error()	52
6.13.3 Member Data Documentation	52
6.13.3.1 c	52
6.13.3.2 form	53
6.13.3.3 form2	53
6.13.3.4 menu	53
6.13.3.5 submenu	53

6.13.3.6 terminal_settings	53
6.14 self_service_terminal.tests.PaginationTestCase Class Reference	54
6.14.1 Detailed Description	55
6.14.2 Member Function Documentation	55
6.14.2.1 setUp()	55
6.14.2.2 test_different_pagination_sites()	55
6.14.2.3 test_pagination_existence()	55
6.14.3 Member Data Documentation	55
6.14.3.1 c	55
6.14.3.2 menu	56
6.14.3.3 submenus	56
6.14.3.4 terminal_settings	56
6.15 self_service_terminal.tests.ProductionCase Class Reference	56
6.15.1 Detailed Description	57
6.15.2 Member Function Documentation	57
6.15.2.1 setUp()	57
6.15.2.2 test_debug_false()	58
6.15.3 Member Data Documentation	58
6.15.3.1 c	58
6.15.3.2 form	58
6.15.3.3 menu	58
6.15.3.4 submenu	58
6.15.3.5 terminal_settings	58
6.16 self_service_terminal.apps.SelfServiceTerminalConfig Class Reference	59
6.16.1 Detailed Description	59
6.16.2 Member Data Documentation	59
6.16.2.1 name	60
6.17 self_service_terminal.models.Terminal_Settings Class Reference	60
6.17.1 Detailed Description	61
6.17.2 Member Function Documentation	61
6.17.2.1 __str__()	61
6.17.3 Member Data Documentation	61
6.17.3.1 colorval_button	61
6.17.3.2 colorval_heading	62
6.17.3.3 colorval_nav_bar	62
6.17.3.4 colorval_return_button	62
6.17.3.5 colorval_text	62
6.17.3.6 description	62
6.17.3.7 institute_logo	63
6.17.3.8 insurance_logo	63
6.17.3.9 title	63
6.18 self_service_terminal.admin.Terminal_SettingsAdmin Class Reference	63

6.18.1 Detailed Description	64
6.18.2 Member Data Documentation	64
6.18.2.1 fieldsets	64
6.19 self_service_terminal.tests.UnconnectedConfiguration Class Reference	65
6.19.1 Detailed Description	66
6.19.2 Member Function Documentation	66
6.19.2.1 setUp()	66
6.19.2.2 test_homepage_availability()	66
6.19.3 Member Data Documentation	66
6.19.3.1 c	66
6.19.3.2 form	67
6.19.3.3 menu	67
6.19.3.4 submenu	67
6.19.3.5 terminal_settings	67
7 File Documentation	69
7.1 __init__.py File Reference	69
7.2 __init__.py File Reference	69
7.3 actions.py File Reference	69
7.4 admin.py File Reference	69
7.5 apps.py File Reference	70
7.6 asgi.py File Reference	70
7.7 constants.py File Reference	70
7.8 manage.py File Reference	71
7.9 models.py File Reference	71
7.10 printer_status.py File Reference	71
7.11 settings.py File Reference	71
7.12 tests.py File Reference	72
7.13 urls.py File Reference	72
7.14 urls.py File Reference	73
7.15 views.py File Reference	73
7.16 wsgi.py File Reference	73
Index	75

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

manage	9
self_service_terminal	9
self_service_terminal.actions	10
self_service_terminal.admin	10
self_service_terminal.apps	11
self_service_terminal.constants	11
self_service_terminal.models	12
self_service_terminal.printer_status	13
self_service_terminal.tests	13
self_service_terminal.urls	14
self_service_terminal.views	15
sp4	19
sp4.asgi	19
sp4.settings	19
sp4.urls	24
sp4.wsgi	25

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

self_service_terminal.models.Terminal_Settings.Meta	48
self_service_terminal.models.Menu.Meta	48
self_service_terminal.models.Form.Meta	49
Model	
self_service_terminal.models.Form	36
self_service_terminal.models.Menu	43
self_service_terminal.models.Terminal_Settings	60
ModelAdmin	
self_service_terminal.admin.FormAdmin	40
self_service_terminal.admin.MenuAdmin	45
self_service_terminal.admin.Terminal_SettingsAdmin	63
TabularInline	
self_service_terminal.admin.FormInline	41
self_service_terminal.admin.MenuInline	46
AdminSite	
self_service_terminal.admin.MyAdminSite	50
AppConfig	
self_service_terminal.apps.SelfServiceTerminalConfig	59
TestCase	
self_service_terminal.tests.DefaultTestCase	27
self_service_terminal.tests.ProductionCase	56
self_service_terminal.tests.UnconnectedConfiguration	65
self_service_terminal.tests.ExportImportTestCase	32
self_service_terminal.tests.NoPdfSetTestCase	51
self_service_terminal.tests.PaginationTestCase	54

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

self_service_terminal.tests.DefaultTestCase	27
self_service_terminal.tests.ExportImportTestCase	32
self_service_terminal.models.Form	36
self_service_terminal.admin.FormAdmin	40
self_service_terminal.admin.FormInline	41
self_service_terminal.models.Menu	43
self_service_terminal.admin.MenuAdmin	45
self_service_terminal.admin.MenuInline	46
self_service_terminal.models.Terminal_Settings.Meta	48
self_service_terminal.models.Menu.Meta	48
self_service_terminal.models.Form.Meta	49
self_service_terminal.admin.MyAdminSite	50
self_service_terminal.tests.NoPdfSetTestCase	51
self_service_terminal.tests.PaginationTestCase	54
self_service_terminal.tests.ProductionCase	56
self_service_terminal.apps.SelfServiceTerminalConfig	59
self_service_terminal.models.Terminal_Settings	60
self_service_terminal.admin.Terminal_SettingsAdmin	63
self_service_terminal.tests.UnconnectedConfiguration	65

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

self_service_terminal/__init__.py	69
sp4/__init__.py	69
actions.py	69
admin.py	69
apps.py	70
asgi.py	70
constants.py	70
manage.py	71
models.py	71
printer_status.py	71
settings.py	71
tests.py	72
self_service_terminal/urls.py	72
sp4/urls.py	73
views.py	73
wsgi.py	73

Chapter 5

Namespace Documentation

5.1 manage Namespace Reference

Functions

- def [main](#) ()

5.1.1 Detailed Description

Django's command-line utility for administrative tasks.

5.1.2 Function Documentation

5.1.2.1 main()

```
def manage.main ( )
```

Definition at line 7 of file manage.py.

5.2 self_service_terminal Namespace Reference

Namespaces

- [actions](#)
- [admin](#)
- [apps](#)
- [constants](#)
- [models](#)
- [printer_status](#)
- [tests](#)
- [urls](#)
- [views](#)

5.3 self_service_terminal.actions Namespace Reference

Functions

- def [export_action](#) (modeladmin, request, queryset)
- def [import_action](#) (modeladmin, request, queryset)

5.3.1 Function Documentation

5.3.1.1 export_action()

```
def self_service_terminal.actions.export_action (
    modeladmin,
    request,
    queryset )
```

Definition at line 5 of file actions.py.

5.3.1.2 import_action()

```
def self_service_terminal.actions.import_action (
    modeladmin,
    request,
    queryset )
```

Get the zipfile that was last added and import its data.

Definition at line 8 of file actions.py.

5.4 self_service_terminal.admin Namespace Reference

Classes

- class [FormAdmin](#)
- class [FormInline](#)
- class [MenuAdmin](#)
- class [MenuInline](#)
- class [MyAdminSite](#)
- class [Terminal_SettingsAdmin](#)

Variables

- `admin_site` = `MyAdminSite(name='myadmin')`
- `site_header`

5.4.1 Detailed Description

Customizations for the admin site.

This document defines among other things which fields appear on the admin page and can be edited.

5.4.2 Variable Documentation

5.4.2.1 admin_site

```
self_service_terminal.admin.admin_site = MyAdminSite(name='myadmin')
```

Definition at line 16 of file admin.py.

5.4.2.2 site_header

```
self_service_terminal.admin.site_header
```

Definition at line 21 of file admin.py.

5.5 self_service_terminal.apps Namespace Reference

Classes

- class `SelfServiceTerminalConfig`

5.6 self_service_terminal.constants Namespace Reference

Variables

- int `TITLE_LENGTH` = 100
- string `PRINTER` = "some_name"
- int `BUTTONS_PER_PAGE` = 5
- `EXPORT_PATH` = `Path(BASE_DIR).parent.joinpath('export')`

5.6.1 Detailed Description

Constants for the whole project.

5.6.2 Variable Documentation

5.6.2.1 BUTTONS_PER_PAGE

```
int self_service_terminal.constants.BUTTONS_PER_PAGE = 5
```

Definition at line 8 of file constants.py.

5.6.2.2 EXPORT_PATH

```
self_service_terminal.constants.EXPORT_PATH = Path(BASE_DIR).parent.joinpath('export')
```

Definition at line 9 of file constants.py.

5.6.2.3 PRINTER

```
string self_service_terminal.constants.PRINTER = "some_name"
```

Definition at line 7 of file constants.py.

5.6.2.4 TITLE_LENGTH

```
int self_service_terminal.constants.TITLE_LENGTH = 100
```

Definition at line 6 of file constants.py.

5.7 self_service_terminal.models Namespace Reference

Classes

- class [Form](#)
- class [Menu](#)
- class [Terminal_Settings](#)

5.8 self_service_terminal.printer_status Namespace Reference

Functions

- def [get_cups_status](#) ()

5.8.1 Function Documentation

5.8.1.1 get_cups_status()

```
def self_service_terminal.printer_status.get_cups_status ( )
```

Definition at line 3 of file printer_status.py.

5.9 self_service_terminal.tests Namespace Reference

Classes

- class [DefaultTestCase](#)
- class [ExportImportTestCase](#)
- class [NoPdfSetTestCase](#)
- class [PaginationTestCase](#)
- class [ProductionCase](#)
- class [UnconnectedConfiguration](#)

5.9.1 Detailed Description

Automated Tests.

Test database structure:

```
- Settings >-|
- Menu <-----| Homepage
|
-<- Submenu
|
-<- Form
```

Configurations for Settings:

1. Homepage set/not set
2. colorval_* set/not set (default?)
3. *_logo set/not set

Configurations for Menu:

1. parent_menu set/not set

Configurations for Submenu:

1. parent_menu set to Menu

Configurations for Form:

1. pdffile set/not set
2. show-on-frontend True/False

General tests for every different configuration:

1. Return of Status Code 200 for
 - /
 - /menu/<pk-of-Menu>
 - /menu/<pk-of-Submenu>
 - /form/<pk-of-Form>
2. Return of Status Code 204 for
 - /form/<pk-of-Form>/print
3. Check for return code of lpr-command == 0
4. (T0010) Test the user navigation:
Depth-first-search via menu and form URLs starting from the homepage.
5. (T0010) Check tree structure via Primary Keys against proposed structure in setUp method.
6. (T0030) If no PDF is set in the admin panel, no PDF should be printed out and an error message should be displayed.
7. (T0040) Test Upload of a PDF in the admin panel:
 - check if files/forms/<pdf_name> exists
 - check files/forms/<pdf_name> is in database form entry (form.url, form.path?)
8. (T0050) Add Form object with attributes and
 - Check if values of attributes are saved in database.
 - Change these values via the admin panel and check if the new values are present in the database.
9. (T0060) Delete Form object via admin panel and
 - check if database entries have been deleted.
 - check if foreign key entries have been deleted.
10. (T0070) Change color values via admin panel
 - check if color values have been changed in database.
 - check if colors have changed in frontend.
- Upload logos via admin panel and
 - check if files/images/<logo_name> exists in file system.
 - check if database entries have been added for the logos.
 - check if logos are present in the frontend.
11. (T0080) Export and Import
Run the export function and
 - check if exported json file exists in file system at EXPORT_PATH/export/<YYYY-MM-DD_menu-export.json> and EXPORT_PATH/export/<YYYY-MM-DD_form-export.json>.
 - assert that the exported json files are equal to the expected ones.
 Run the import function on a database with only the settings and homepage object and
 - check the database if the new objects exists.
 - check the values of all objects against how they should be set.
12. (T0090) Pagination test
Create a menu with more then 5 submenus and forms.
 - Check via regex if the links for pagination appear.
 - Check via URL parameters if pagination works.

TODO document:

- input = used attributes
- expected_output
- output = actual_output

5.10 self_service_terminal.urls Namespace Reference

Variables

- list [urlpatterns](#)
- [MEDIA_URL](#)
- [document_root](#)

5.10.1 Detailed Description

Defines the URL Patterns used in the project.

5.10.2 Variable Documentation

5.10.2.1 document_root

`self_service_terminal.urls.document_root`

Definition at line 28 of file `self_service_terminal/urls.py`.

5.10.2.2 MEDIA_URL

`self_service_terminal.urls.MEDIA_URL`

Definition at line 28 of file `self_service_terminal/urls.py`.

5.10.2.3 urlpatterns

`list self_service_terminal.urls.urlpatterns`

Initial value:

```
1 = [
2     path("", views.index, name='index'),
3     path('menu/<int:menu_id>', views.menu, name="menu_id"),
4     path('menu/<str:menu_title>', views.menu, name="menu_title"),
5     path('form/<int:form_id>', views.formular, name="form_id"),
6     path('form/<int:form_id>/print', views.print_formular, name="form_print"),
7     path('form/<int:form_id>/print/', views.print_formular, name="form_print"),
8     path('form/<str:form_title>', views.formular, name="form_title"),
9     path('form/<int:form_id>/view', views.view_formular, name="form_id"),
10
11     # Django Templatesprache Test
12     path('dtl/<int:menu_id>', views.menu_template_test),
13     path('dtl/', views.menu_template_test),
14     path('myadmin/', admin_site.urls)
15 ]
```

Definition at line 11 of file `self_service_terminal/urls.py`.

5.11 self_service_terminal.views Namespace Reference

Functions

- def [get_settings](#) ()
- def [get_homepage](#) ()
- def [index](#) (request)
- def [menu](#) (request, menu_id=None, menu_title=None)
- def [formular](#) (request, form_id=None, form_title=None)
- def [view_formular](#) (request, form_id=None, form_title=None)
- def [print_formular](#) (request, form_id=None)
- def [export_view](#) (request=HttpRequest(), return_string=False, path=EXPORT_PATH, export_as_zip=True)
- def [import_view](#) (request=HttpRequest(), import_string=False, imported_data=None)
- def [menu_template_test](#) (request, menu_id=None, menu_title=None)
- def [export_action](#) (modeladmin, request, queryset)

5.11.1 Function Documentation

5.11.1.1 `export_action()`

```
def self_service_terminal.views.export_action (
    modeladmin,
    request,
    queryset )
```

Definition at line 432 of file views.py.

5.11.1.2 `export_view()`

```
def self_service_terminal.views.export_view (
    request = HttpRequest(),
    return_string = False,
    path = EXPORT_PATH,
    export_as_zip = True )
```

Export the database entries of settings, menus and forms. Copy all files from the director files to the export directory.

If `return_string = True` return only the database entries as an json-formatted string.

Definition at line 176 of file views.py.

5.11.1.3 `formular()`

```
def self_service_terminal.views.formular (
    request,
    form_id = None,
    form_title = None )
```

Render and return the form site with the primary key `<form_id>`.

Create a preview image for the PDF to be printed. Then render and return the form page.

Definition at line 103 of file views.py.

5.11.1.4 get_homepage()

```
def self_service_terminal.views.get_homepage ( )
```

Definition at line 24 of file views.py.

5.11.1.5 get_settings()

```
def self_service_terminal.views.get_settings ( )
```

Definition at line 20 of file views.py.

5.11.1.6 import_view()

```
def self_service_terminal.views.import_view (
    request = HttpRequest(),
    import_string = False,
    imported_data = None )
```

Import the files that have been exported by the export_view.

This view copies all exported files to the files installation directory, deletes all settings, menu and form entries on the database and adds the exported settings, menus and forms to the database. If import_string = True then imported_data should be a string as returned by the export_view if its return_string = True.

Definition at line 265 of file views.py.

5.11.1.7 index()

```
def self_service_terminal.views.index (
    request )
```

Render and return the homepage.

If more then BUTTONS_PER_PAGE submenus and subforms are present, render additional pages with the remaining buttons, which can be accessed by pressing navigation buttons on the left and right side of the screen.

Definition at line 28 of file views.py.

5.11.1.8 menu()

```
def self_service_terminal.views.menu (
    request,
    menu_id = None,
    menu_title = None )
```

Render and return the menu site with the primary key <menu_id>.

If more then `BUTTONS_PER_PAGE` submenus and subforms are present, render additional pages with the remaining buttons, which can be accessed by pressing navigation buttons on the left and right side of the screen.

Definition at line 63 of file views.py.

5.11.1.9 menu_template_test()

```
def self_service_terminal.views.menu_template_test (
    request,
    menu_id = None,
    menu_title = None )
```

Only for testing purposes.

Definition at line 373 of file views.py.

5.11.1.10 print_formular()

```
def self_service_terminal.views.print_formular (
    request,
    form_id = None )
```

Run the print method of the given form object and return a loading animation that redirects to the homepage after some seconds.
If the file has not been printed properly, return a `HttpResponse 404`.

Definition at line 159 of file views.py.

5.11.1.11 view_formular()

```
def self_service_terminal.views.view_formular (
    request,
    form_id = None,
    form_title = None )
```

Definition at line 143 of file views.py.

5.12 sp4 Namespace Reference

Namespaces

- [asgi](#)
- [settings](#)
- [urls](#)
- [wsgi](#)

5.13 sp4.asgi Namespace Reference

Variables

- [application](#) = `get_asgi_application()`

5.13.1 Detailed Description

ASGI config for sp4 project.

It exposes the ASGI callable as a module-level variable named `application`.

For more information on this file, see
<https://docs.djangoproject.com/en/3.0/howto/deployment/asgi/>

5.13.2 Variable Documentation

5.13.2.1 application

```
sp4.asgi.application = get_asgi_application()
```

Definition at line 16 of file `asgi.py`.

5.14 sp4.settings Namespace Reference

Variables

- `BASE_DIR` = `os.path.dirname(os.path.dirname(os.path.abspath(__file__)))`
- string `SECRET_KEY` = `'hvyf2=t2mhmrpo0tlecy#uv#(ge9n*-l33^17@na*ap49-#g)'`
- bool `DEBUG` = `True`
- list `ALLOWED_HOSTS` = `[]`
- list `INSTALLED_APPS`
- list `MIDDLEWARE`
- string `ROOT_URLCONF` = `'sp4.urls'`
- list `TEMPLATES`
- string `WSGI_APPLICATION` = `'sp4.wsgi.application'`

- dictionary `DATABASES`
- list `AUTH_PASSWORD_VALIDATORS`
- string `LANGUAGE_CODE` = 'de-DE'
- string `TIME_ZONE` = 'Europe/Berlin'
- bool `USE_I18N` = True
- bool `USE_L10N` = True
- bool `USE_TZ` = True
- `STATIC_ROOT` = `os.path.join(BASE_DIR, 'self_service_terminal/static')`
- string `STATIC_URL` = '/static/'
- `MEDIA_ROOT` = `os.path.join(BASE_DIR, 'self_service_terminal/files')`
- string `MEDIA_URL` = '/files/'
- bool `IMPORT_EXPORT_USE_TRANSACTIONS` = True

5.14.1 Detailed Description

Django settings for sp4 project.

Generated by 'django-admin startproject' using Django 3.0.5.

For more information on this file, see
<https://docs.djangoproject.com/en/3.0/topics/settings/>

For the full list of settings and their values, see
<https://docs.djangoproject.com/en/3.0/ref/settings/>

5.14.2 Variable Documentation

5.14.2.1 ALLOWED_HOSTS

```
list sp4.settings.ALLOWED_HOSTS = []
```

Definition at line 29 of file settings.py.

5.14.2.2 AUTH_PASSWORD_VALIDATORS

```
list sp4.settings.AUTH_PASSWORD_VALIDATORS
```

Initial value:

```
1 = [
2     {
3         'NAME': 'django.contrib.auth.password_validation.UserAttributeSimilarityValidator',
4     },
5     {
6         'NAME': 'django.contrib.auth.password_validation.MinimumLengthValidator',
7     },
8     {
9         'NAME': 'django.contrib.auth.password_validation.CommonPasswordValidator',
10    },
11    {
12        'NAME': 'django.contrib.auth.password_validation.NumericPasswordValidator',
13    },
14 ]
```

Definition at line 92 of file settings.py.

5.14.2.3 BASE_DIR

```
sp4.settings.BASE_DIR = os.path.dirname(os.path.dirname(os.path.abspath(__file__)))
```

Definition at line 17 of file settings.py.

5.14.2.4 DATABASES

```
dictionary sp4.settings.DATABASES
```

Initial value:

```
1 = {  
2     'default': {  
3         'ENGINE': 'django.db.backends.sqlite3',  
4         'NAME': os.path.join(BASE_DIR, 'db.sqlite3'),  
5     }  
6 }
```

Definition at line 81 of file settings.py.

5.14.2.5 DEBUG

```
bool sp4.settings.DEBUG = True
```

Definition at line 27 of file settings.py.

5.14.2.6 IMPORT_EXPORT_USE_TRANSACTIONS

```
bool sp4.settings.IMPORT_EXPORT_USE_TRANSACTIONS = True
```

Definition at line 138 of file settings.py.

5.14.2.7 INSTALLED_APPS

```
list sp4.settings.INSTALLED_APPS
```

Initial value:

```
1 = [  
2     'self_service_terminal.apps.SelfServiceTerminalConfig',  
3     'django.contrib.admin',  
4     'django.contrib.auth',  
5     'django.contrib.contenttypes',  
6     'django.contrib.sessions',  
7     'django.contrib.messages',  
8     'django.contrib.staticfiles',  
9     'mod_wsgi.server',  
10    'import_export'  
11 ]
```

Definition at line 34 of file settings.py.

5.14.2.8 LANGUAGE_CODE

```
string sp4.settings.LANGUAGE_CODE = 'de-DE'
```

Definition at line 111 of file settings.py.

5.14.2.9 MEDIA_ROOT

```
sp4.settings.MEDIA_ROOT = os.path.join(BASE_DIR, 'self_service_terminal/files')
```

Definition at line 132 of file settings.py.

5.14.2.10 MEDIA_URL

```
string sp4.settings.MEDIA_URL = '/files/'
```

Definition at line 134 of file settings.py.

5.14.2.11 MIDDLEWARE

```
list sp4.settings.MIDDLEWARE
```

Initial value:

```
1 = [  
2     'django.middleware.security.SecurityMiddleware',  
3     'django.contrib.sessions.middleware.SessionMiddleware',  
4     'django.middleware.common.CommonMiddleware',  
5     'django.middleware.csrf.CsrfViewMiddleware',  
6     'django.contrib.auth.middleware.AuthenticationMiddleware',  
7     'django.contrib.messages.middleware.MessageMiddleware',  
8     'django.middleware.clickjacking.XFrameOptionsMiddleware',  
9 ]
```

Definition at line 46 of file settings.py.

5.14.2.12 ROOT_URLCONF

```
string sp4.settings.ROOT_URLCONF = 'sp4.urls'
```

Definition at line 56 of file settings.py.

5.14.2.13 SECRET_KEY

```
string sp4.settings.SECRET_KEY = 'hvyf2=t2mhmypo0)tley#uv#(ge9n*-l33^17@na*ap49-#g)'
```

Definition at line 24 of file settings.py.

5.14.2.14 STATIC_ROOT

```
sp4.settings.STATIC_ROOT = os.path.join(BASE_DIR, 'self_service_terminal/static')
```

Definition at line 125 of file settings.py.

5.14.2.15 STATIC_URL

```
string sp4.settings.STATIC_URL = '/static/'
```

Definition at line 127 of file settings.py.

5.14.2.16 TEMPLATES

```
list sp4.settings.TEMPLATES
```

Initial value:

```
1 = [  
2     {  
3         'BACKEND': 'django.template.backends.django.DjangoTemplates',  
4         'DIRS': [os.path.join(BASE_DIR, 'self_service_terminal/templates/admin')], # Path were overridden  
5         'APP_DIRS': True,  
6         'OPTIONS': {  
7             'context_processors': [  
8                 'django.template.context_processors.debug',  
9                 'django.template.context_processors.request',  
10                'django.contrib.auth.context_processors.auth',  
11                'django.contrib.messages.context_processors.messages',  
12                'django.template.context_processors.media',  
13            ],  
14        },  
15    },  
16 ]
```

Definition at line 58 of file settings.py.

5.14.2.17 TIME_ZONE

```
string sp4.settings.TIME_ZONE = 'Europe/Berlin'
```

Definition at line 113 of file settings.py.

5.14.2.18 USE_I18N

```
bool sp4.settings.USE_I18N = True
```

Definition at line 115 of file settings.py.

5.14.2.19 USE_L10N

```
bool sp4.settings.USE_L10N = True
```

Definition at line 117 of file settings.py.

5.14.2.20 USE_TZ

```
bool sp4.settings.USE_TZ = True
```

Definition at line 119 of file settings.py.

5.14.2.21 WSGI_APPLICATION

```
string sp4.settings.WSGI_APPLICATION = 'sp4.wsgi.application'
```

Definition at line 75 of file settings.py.

5.15 sp4.urls Namespace Reference

5.15.1 Detailed Description

sp4 URL Configuration

The 'urlpatterns' list routes URLs to views. For more information please see:
<https://docs.djangoproject.com/en/3.0/topics/http/urls/>
Examples:

Function views

1. Add an import: `from my_app import views`
2. Add a URL to urlpatterns: `path('', views.home, name='home')`

Class-based views

1. Add an import: `from other_app.views import Home`
2. Add a URL to urlpatterns: `path('', Home.as_view(), name='home')`

Including another URLconf

1. Import the include() function: `from django.urls import include, path`
2. Add a URL to urlpatterns: `path('blog/', include('blog.urls'))`

5.16 sp4.wsgi Namespace Reference

Variables

- `application` = `get_wsgi_application()`

5.16.1 Detailed Description

WSGI config for sp4 project.

It exposes the WSGI callable as a module-level variable named `application`.

For more information on this file, see
<https://docs.djangoproject.com/en/3.0/howto/deployment/wsgi/>

5.16.2 Variable Documentation

5.16.2.1 `application`

```
sp4.wsgi.application = get_wsgi_application()
```


Definition at line 16 of file `wsgi.py`.

Chapter 6


Class Documentation

6.1 self_service_terminal.tests.DefaultTestCase Class Reference

Inheritance diagram for self_service_terminal.tests.DefaultTestCase:



Collaboration diagram for self_service_terminal.tests.DefaultTestCase:



Public Member Functions

- def `setUp` (self)
- def `test_homepage_availability` (self)

- [def test_menu_availability](#) (self)
- [def test_form_availability](#) (self)
- [def test_print_return_code](#) (self)
- [def test_cups_availability](#) (self)
- [def test_get_settings](#) (self)
- [def test_user_navigation](#) (self)
- [def test_menu_1](#) (self)
- [def test_pdf_file_exists](#) (self)
- [def test_pdf_database_relation](#) (self)
- [def test_change_color_values](#) (self)
- [def test_pagination](#) (self)

Public Attributes

- [terminal_settings](#)
- [menu](#)
- [submenu](#)
- [form](#)
- [form2](#)
- [c](#)
- [custom_form](#)

6.1.1 Detailed Description

Default test case.

This class describes the default test case. It can be subclassed to overwrite the values in the setUp method. At least all values from this setUp method must be present in the subclass's setUp method, otherwise tests from DefaultTestCase will fail.
If new values are added to the subclass in the setUp method, they can only be used in the test methods of the subclass.

Definition at line 93 of file tests.py.

6.1.2 Member Function Documentation

6.1.2.1 setUp()

```
def self_service_terminal.tests.DefaultTestCase.setUp (
    self )
```

Reimplemented in [self_service_terminal.tests.ProductionCase](#), and [self_service_terminal.tests.UnconnectedConfiguration](#).

Definition at line 104 of file tests.py.

6.1.2.2 test_change_color_values()

```
def self_service_terminal.tests.DefaultTestCase.test_change_color_values (
    self )
```

(T0070) Change the color values.

Definition at line 263 of file tests.py.

6.1.2.3 test_cups_availability()

```
def self_service_terminal.tests.DefaultTestCase.test_cups_availability (
    self )
```

Test the availability of the CUPS Server

Run the tests in an environment with the locale set to 'en_US.utf8'
equal results on all machines.

Definition at line 168 of file tests.py.

6.1.2.4 test_form_availability()

```
def self_service_terminal.tests.DefaultTestCase.test_form_availability (
    self )
```

Definition at line 152 of file tests.py.

6.1.2.5 test_get_settings()

```
def self_service_terminal.tests.DefaultTestCase.test_get_settings (
    self )
```

Definition at line 187 of file tests.py.

6.1.2.6 test_homepage_availability()

```
def self_service_terminal.tests.DefaultTestCase.test_homepage_availability (
    self )
```

Reimplemented in [self_service_terminal.tests.UnconnectedConfiguration](#).

Definition at line 133 of file tests.py.

6.1.2.7 test_menu_1()

```
def self_service_terminal.tests.DefaultTestCase.test_menu_1 (
    self )
```

Definition at line 220 of file tests.py.

6.1.2.8 test_menu_availability()

```
def self_service_terminal.tests.DefaultTestCase.test_menu_availability (
    self )
```

Definition at line 147 of file tests.py.

6.1.2.9 test_pagination()

```
def self_service_terminal.tests.DefaultTestCase.test_pagination (
    self )
```

(T0090)

Definition at line 280 of file tests.py.

6.1.2.10 test_pdf_database_relation()

```
def self_service_terminal.tests.DefaultTestCase.test_pdf_database_relation (
    self )
```

(T0050)

Definition at line 231 of file tests.py.

6.1.2.11 test_pdf_file_exists()

```
def self_service_terminal.tests.DefaultTestCase.test_pdf_file_exists (
    self )
```

(T0040)

Definition at line 224 of file tests.py.

6.1.2.12 test_print_return_code()

```
def self_service_terminal.tests.DefaultTestCase.test_print_return_code (
    self )
```

(T0020)

Definition at line 157 of file tests.py.

6.1.2.13 test_user_navigation()

```
def self_service_terminal.tests.DefaultTestCase.test_user_navigation (
    self )
```

(T0010) Simulate a user navigating through the pages.

Definition at line 195 of file tests.py.

6.1.3 Member Data Documentation

6.1.3.1 c

```
self_service_terminal.tests.DefaultTestCase.c
```

Definition at line 131 of file tests.py.

6.1.3.2 custom_form

```
self_service_terminal.tests.DefaultTestCase.custom_form
```

Definition at line 234 of file tests.py.

6.1.3.3 form

```
self_service_terminal.tests.DefaultTestCase.form
```

Definition at line 116 of file tests.py.

6.1.3.4 form2

```
self_service_terminal.tests.DefaultTestCase.form2
```

Definition at line 123 of file tests.py.

6.1.3.5 menu

```
self_service_terminal.tests.DefaultTestCase.menu
```

Definition at line 108 of file tests.py.

6.1.3.6 submenu

```
self_service_terminal.tests.DefaultTestCase.submenu
```

Definition at line 110 of file tests.py.


6.1.3.7 terminal_settings

```
self_service_terminal.tests.DefaultTestCase.terminal_settings
```


Definition at line 105 of file tests.py.

6.2 self_service_terminal.tests.ExportImportTestCase Class Reference

Inheritance diagram for self_service_terminal.tests.ExportImportTestCase:



Collaboration diagram for self_service_terminal.tests.ExportImportTestCase:



Public Member Functions

- def [setUp](#) (self)
- def [test_export_as_string](#) (self)
- def [test_export_import_in_file](#) (self)
- def [test_number_of_db_entries_when_import_as_string](#) (self)

Public Attributes

- [terminal_settings](#)
- [menu](#)
- [submenu](#)
- [form](#)
- [form2](#)
- [c](#)
- [expected_object](#)

6.2.1 Detailed Description

Definition at line 414 of file tests.py.

6.2.2 Member Function Documentation

6.2.2.1 setUp()

```
def self_service_terminal.tests.ExportImportTestCase.setUp (  
    self )
```

Definition at line 415 of file tests.py.

6.2.2.2 test_export_as_string()

```
def self_service_terminal.tests.ExportImportTestCase.test_export_as_string (
    self )
```

(T0080)

Definition at line 493 of file tests.py.

6.2.2.3 test_export_import_in_file()

```
def self_service_terminal.tests.ExportImportTestCase.test_export_import_in_file (
    self )
```

(T0080)

Definition at line 500 of file tests.py.

6.2.2.4 test_number_of_db_entries_when_import_as_string()

```
def self_service_terminal.tests.ExportImportTestCase.test_number_of_db_entries_when_import↵
as_string (
    self )
```

Definition at line 535 of file tests.py.

6.2.3 Member Data Documentation

6.2.3.1 c

```
self_service_terminal.tests.ExportImportTestCase.c
```

Definition at line 442 of file tests.py.

6.2.3.2 expected_object

```
self_service_terminal.tests.ExportImportTestCase.expected_object
```

Definition at line 443 of file tests.py.

6.2.3.3 form

`self_service_terminal.tests.ExportImportTestCase.form`

Definition at line 427 of file tests.py.

6.2.3.4 form2

`self_service_terminal.tests.ExportImportTestCase.form2`

Definition at line 434 of file tests.py.

6.2.3.5 menu

`self_service_terminal.tests.ExportImportTestCase.menu`

Definition at line 419 of file tests.py.

6.2.3.6 submenu

`self_service_terminal.tests.ExportImportTestCase.submenu`

Definition at line 421 of file tests.py.


6.2.3.7 terminal_settings

`self_service_terminal.tests.ExportImportTestCase.terminal_settings`


Definition at line 416 of file tests.py.

6.3 self_service_terminal.models.Form Class Reference

Inheritance diagram for self_service_terminal.models.Form:



Collaboration diagram for self_service_terminal.models.Form:



Classes

- class [Meta](#)

Public Member Functions

- def [print_form](#) (self, number_of_copies=1)
- def [time_since_last_updated](#) (self)
- def [time_since_last_updated_str](#) (self)
- def [__str__](#) (self)

Static Public Attributes

- [parent_menu](#)
- [pdffile](#)
- [upload_date](#)
- [last_changed](#)
- [show_on_frontend](#)
- [form_title](#)
- [description](#) = `models.TextField(blank=True, verbose_name='Beschreibung')`
- [short_description](#)

6.3.1 Detailed Description

Model the forms to be accessed via the self service terminal.

Is linked to its parent menu via a ForeignKey Field. Contains a File Field for the PDF forms it will hold. Has some info about its upload date and last change. Has a title and some descriptive text.

Definition at line 71 of file models.py.

6.3.2 Member Function Documentation

6.3.2.1 __str__()

```
def self_service_terminal.models.Form.__str__ (
    self )
```

Definition at line 129 of file models.py.

6.3.2.2 print_form()

```
def self_service_terminal.models.Form.print_form (
    self,
    number_of_copies = 1 )
```

Print the document.

Print the pdf file. The command is passed to the Linux operating system using the Python STL module subprocess. If the command run() runs successfully and returns 1, return True, else return False and issue an error message. The contents of stderr is printed on stdout.

Definition at line 92 of file models.py.

6.3.2.3 time_since_last_updated()

```
def self_service_terminal.models.Form.time_since_last_updated (
    self )
```

Return the time passed since the form was updated.

Return a tuple in the form (days, hours, minutes).

Definition at line 110 of file models.py.

6.3.2.4 time_since_last_updated_str()

```
def self_service_terminal.models.Form.time_since_last_updated_str (
    self )
```

Return a string in german with days, hours, minutes since last updated.

Definition at line 120 of file models.py.

6.3.3 Member Data Documentation

6.3.3.1 description

```
self_service_terminal.models.Form.description = models.TextField(blank=True, verbose_name='Beschreibung')
[static]
```

Definition at line 90 of file models.py.

6.3.3.2 form_title

```
self_service_terminal.models.Form.form_title [static]
```

Initial value:

```
= models.CharField(max_length=TITLE_LENGTH, default="Formular",
    verbose_name='Titel')
```

Definition at line 88 of file models.py.

6.3.3.3 last_changed

```
self_service_terminal.models.Form.last_changed [static]
```

Initial value:

```
= models.DateTimeField(auto_now=True,
    verbose_name='Zuletzt geändert')
```

Definition at line 84 of file models.py.

6.3.3.4 parent_menu

```
self_service_terminal.models.Form.parent_menu [static]
```

Initial value:

```
= models.ForeignKey('Menu', on_delete=models.CASCADE,  
    verbose_name='Eltern-Menü')
```

Definition at line 78 of file models.py.

6.3.3.5 pdffile

```
self_service_terminal.models.Form.pdffile [static]
```

Initial value:

```
= models.FileField(upload_to='forms', default="forms/default.pdf",  
    verbose_name='PDF-Datei')
```

Definition at line 80 of file models.py.

6.3.3.6 short_description

```
self_service_terminal.models.Form.short_description [static]
```

Definition at line 127 of file models.py.

6.3.3.7 show_on_frontend

```
self_service_terminal.models.Form.show_on_frontend [static]
```

Initial value:

```
= models.BooleanField(default=False,  
    verbose_name='Im Frontend anzeigen')
```

Definition at line 86 of file models.py.

6.3.3.8 upload_date

```
self_service_terminal.models.Form.upload_date [static]
```


Initial value:

```
= models.DateTimeField(auto_now_add=True,  
    verbose_name='Uploaddatum')
```


Definition at line 82 of file models.py.

6.4 self_service_terminal.admin.FormAdmin Class Reference

Inheritance diagram for self_service_terminal.admin.FormAdmin:



Collaboration diagram for self_service_terminal.admin.FormAdmin:



Static Public Attributes

- list [fieldsets](#)
- list [list_display](#)
- list [list_filter](#) = ['upload_date', 'last_changed']

6.4.1 Detailed Description

Definition at line 63 of file admin.py.

6.4.2 Member Data Documentation

6.4.2.1 fieldsets

```
list self_service_terminal.admin.ModelFormAdmin.fieldsets [static]
```

Initial value:

```
= [
    ('Übergeordnetes Menü', {'fields': ['parent_menu']}),
    # ('Anzeigen', {'fields': ['show_on_frontend']}),
    ('Details', {'fields': ['form_title', 'description']}),
    ('Dateipfad', {'fields': ['pdf_file']})
]
```

Definition at line 64 of file admin.py.

6.4.2.2 list_display

```
list self_service_terminal.admin.ModelFormAdmin.list_display [static]
```

Initial value:

```
= ['form_title', Form.time_since_last_updated_str,
    'upload_date', 'last_changed']
```

Definition at line 70 of file admin.py.


6.4.2.3 list_filter

```
list self_service_terminal.admin.ModelFormAdmin.list_filter = ['upload_date', 'last_changed'] [static]
```


Definition at line 72 of file admin.py.

6.5 self_service_terminal.admin.ModelFormInline Class Reference

Inheritance diagram for self_service_terminal.admin.ModelFormInline:



Collaboration diagram for self_service_terminal.admin.FormInline:



Static Public Attributes

- `model = Form`
- tuple `fields = ('pdffile', 'form_title', 'description')`
- int `extra = 0`

6.5.1 Detailed Description

Definition at line 31 of file admin.py.

6.5.2 Member Data Documentation

6.5.2.1 extra

```
int self_service_terminal.admin.FormInline.extra = 0 [static]
```

Definition at line 34 of file admin.py.

6.5.2.2 fields

```
tuple self_service_terminal.admin.FormInline.fields = ('pdffile', 'form_title', 'description')  
[static]
```

Definition at line 33 of file admin.py.


6.5.2.3 model

```
self_service_terminal.admin.FormInline.model = Form [static]
```


Definition at line 32 of file admin.py.

6.6 self_service_terminal.models.Menu Class Reference

Inheritance diagram for self_service_terminal.models.Menu:



Collaboration diagram for self_service_terminal.models.Menu:



Classes

- class [Meta](#)

Public Member Functions

- def [__str__](#)(self)

Static Public Attributes

- [parent_menu](#)
- [menu_title](#)
- [menu_text](#) = `models.TextField(blank=True, verbose_name='Beschreibung')`

6.6.1 Detailed Description

Model the menus and submenus of the self service terminal.

Is linked to its parent menu via a ForeignKey Field. Contains only its title and some descriptive text.

Definition at line 51 of file models.py.

6.6.2 Member Function Documentation

6.6.2.1 `__str__()`

```
def self_service_terminal.models.Menu.__str__ (
    self )
```

Definition at line 63 of file models.py.

6.6.3 Member Data Documentation

6.6.3.1 `menu_text`

```
self_service_terminal.models.Menu.menu_text = models.TextField(blank=True, verbose_name='Beschreibung')
[static]
```

Definition at line 61 of file models.py.

6.6.3.2 `menu_title`

```
self_service_terminal.models.Menu.menu_title [static]
```

Initial value:

```
= models.CharField(max_length=TITLE_LENGTH,
    verbose_name='Titel')
```

Definition at line 59 of file models.py.

6.6.3.3 parent_menu

```
self_service_terminal.models.Menu.parent_menu [static]
```


Initial value:

```
= models.ForeignKey('self', on_delete=models.CASCADE,  
    blank=True, null=True, verbose_name='Eltern-Menü')
```


Definition at line 57 of file models.py.

6.7 self_service_terminal.admin.MenuAdmin Class Reference

Inheritance diagram for self_service_terminal.admin.MenuAdmin:



Collaboration diagram for self_service_terminal.admin.MenuAdmin:



Static Public Attributes

- list [fieldsets](#)
- list [inlines](#) = [[MenuInline](#), [FormInline](#)]

6.7.1 Detailed Description

Definition at line 54 of file admin.py.

6.7.2 Member Data Documentation

6.7.2.1 fieldsets

```
list self_service_terminal.admin.MenuAdmin.fieldsets [static]
```

Initial value:

```
= [
    ('Oberkategorie', {'fields': ['parent_menu']}),
    ('Beschreibung', {'fields': ['menu_title', 'menu_text']})
]
```

Definition at line 55 of file admin.py.


6.7.2.2 inlines

```
list self_service_terminal.admin.MenuAdmin.inlines = [MenuInline, FormInline] [static]
```


Definition at line 59 of file admin.py.

6.8 self_service_terminal.admin.MenuInline Class Reference

Inheritance diagram for self_service_terminal.admin.MenuInline:



Collaboration diagram for self_service_terminal.admin.MenuInline:



Static Public Attributes

- `model = Menu`
- tuple `fields = ('menu_title', 'menu_text')`
- int `extra = 0`

6.8.1 Detailed Description

Definition at line 25 of file admin.py.

6.8.2 Member Data Documentation

6.8.2.1 extra

```
int self_service_terminal.admin.MenuInline.extra = 0 [static]
```

Definition at line 28 of file admin.py.

6.8.2.2 fields

```
tuple self_service_terminal.admin.MenuInline.fields = ('menu_title', 'menu_text') [static]
```

Definition at line 27 of file admin.py.

6.8.2.3 model

```
self_service_terminal.admin.MenuInline.model = Menu [static]
```

Definition at line 26 of file admin.py.

6.9 self_service_terminal.models.Terminal_Settings.Meta Class Reference

Static Public Attributes

- string `verbose_name` = 'Einstellungen'
- string `verbose_name_plural` = 'Einstellungen'

6.9.1 Detailed Description

Definition at line 47 of file models.py.

6.9.2 Member Data Documentation

6.9.2.1 verbose_name

```
string self_service_terminal.models.Terminal_Settings.Meta.verbose_name = 'Einstellungen' [static]
```

Definition at line 48 of file models.py.

6.9.2.2 verbose_name_plural

```
string self_service_terminal.models.Terminal_Settings.Meta.verbose_name_plural = 'Einstellungen' [static]
```

Definition at line 49 of file models.py.

6.10 self_service_terminal.models.Menu.Meta Class Reference

Static Public Attributes

- string `verbose_name` = 'Menü'
- string `verbose_name_plural` = 'Menüs'

6.10.1 Detailed Description

Definition at line 66 of file models.py.

6.10.2 Member Data Documentation

6.10.2.1 verbose_name

```
string self_service_terminal.models.Menu.Meta.verbose_name = 'Menü' [static]
```

Definition at line 67 of file models.py.

6.10.2.2 verbose_name_plural

```
string self_service_terminal.models.Menu.Meta.verbose_name_plural = 'Menüs' [static]
```

Definition at line 68 of file models.py.

6.11 self_service_terminal.models.Form.Meta Class Reference

Static Public Attributes

- string [verbose_name](#) = 'Formular'

6.11.1 Detailed Description

Definition at line 132 of file models.py.

6.11.2 Member Data Documentation


6.11.2.1 verbose_name

```
string self_service_terminal.models.Form.Meta.verbose_name = 'Formular' [static]
```


Definition at line 133 of file models.py.

6.12 self_service_terminal.admin.MyAdminSite Class Reference

Inheritance diagram for self_service_terminal.admin.MyAdminSite:



Collaboration diagram for self_service_terminal.admin.MyAdminSite:



Static Public Attributes

- string `site_header` = 'Monty python administration'

6.12.1 Detailed Description

Definition at line 13 of file `admin.py`.

6.12.2 Member Data Documentation


6.12.2.1 site_header

```
string self_service_terminal.admin.MyAdminSite.site_header = 'Monty python adminstration'  
[static]
```


Definition at line 14 of file admin.py.

6.13 self_service_terminal.tests.NoPdfSetTestCase Class Reference

Inheritance diagram for self_service_terminal.tests.NoPdfSetTestCase:



Collaboration diagram for self_service_terminal.tests.NoPdfSetTestCase:



Public Member Functions

- def [setUp](#) (self)
- def [test_no_pdf_error](#) (self)

Public Attributes

- [terminal_settings](#)
- [menu](#)
- [submenu](#)
- [form](#)
- [form2](#)
- [c](#)

6.13.1 Detailed Description

(T0030)

Definition at line 554 of file tests.py.

6.13.2 Member Function Documentation

6.13.2.1 setUp()

```
def self_service_terminal.tests.NoPdfSetTestCase.setUp (
    self )
```

Definition at line 557 of file tests.py.

6.13.2.2 test_no_pdf_error()

```
def self_service_terminal.tests.NoPdfSetTestCase.test_no_pdf_error (
    self )
```

Definition at line 585 of file tests.py.

6.13.3 Member Data Documentation

6.13.3.1 c

```
self_service_terminal.tests.NoPdfSetTestCase.c
```

Definition at line 583 of file tests.py.

6.13.3.2 form

```
self_service_terminal.tests.NoPdfSetTestCase.form
```

Definition at line 569 of file tests.py.

6.13.3.3 form2

```
self_service_terminal.tests.NoPdfSetTestCase.form2
```

Definition at line 575 of file tests.py.

6.13.3.4 menu

```
self_service_terminal.tests.NoPdfSetTestCase.menu
```

Definition at line 561 of file tests.py.

6.13.3.5 submenu

```
self_service_terminal.tests.NoPdfSetTestCase.submenu
```

Definition at line 563 of file tests.py.


6.13.3.6 terminal_settings

```
self_service_terminal.tests.NoPdfSetTestCase.terminal_settings
```


Definition at line 558 of file tests.py.

6.14 self_service_terminal.tests.PaginationTestCase Class Reference

Inheritance diagram for self_service_terminal.tests.PaginationTestCase:



Collaboration diagram for self_service_terminal.tests.PaginationTestCase:



Public Member Functions

- def [setUp](#) (self)
- def [test_pagination_existence](#) (self)
- def [test_different_pagination_sites](#) (self)

Public Attributes

- [terminal_settings](#)
- [menu](#)
- [submenus](#)
- [c](#)

6.14.1 Detailed Description

(T0090)

Definition at line 373 of file tests.py.

6.14.2 Member Function Documentation

6.14.2.1 setUp()

```
def self_service_terminal.tests.PaginationTestCase.setUp (  
    self )
```

Definition at line 376 of file tests.py.

6.14.2.2 test_different_pagination_sites()

```
def self_service_terminal.tests.PaginationTestCase.test_different_pagination_sites (  
    self )
```

Definition at line 406 of file tests.py.

6.14.2.3 test_pagination_existence()

```
def self_service_terminal.tests.PaginationTestCase.test_pagination_existence (  
    self )
```

Definition at line 395 of file tests.py.

6.14.3 Member Data Documentation

6.14.3.1 c

```
self_service_terminal.tests.PaginationTestCase.c
```

Definition at line 393 of file tests.py.

6.14.3.2 menu

```
self_service_terminal.tests.PaginationTestCase.menu
```

Definition at line 381 of file tests.py.

6.14.3.3 submenus

```
self_service_terminal.tests.PaginationTestCase.submenus
```

Definition at line 384 of file tests.py.


6.14.3.4 terminal_settings

```
self_service_terminal.tests.PaginationTestCase.terminal_settings
```


Definition at line 377 of file tests.py.

6.15 self_service_terminal.tests.ProductionCase Class Reference

Inheritance diagram for self_service_terminal.tests.ProductionCase:



Collaboration diagram for self_service_terminal.tests.ProductionCase:



Public Member Functions

- `def setUp(self)`
- `def test_debug_false(self)`

Public Attributes

- `terminal_settings`
- `menu`
- `submenu`
- `form`
- `c`

6.15.1 Detailed Description

Definition at line 345 of file tests.py.

6.15.2 Member Function Documentation

6.15.2.1 setUp()

```
def self_service_terminal.tests.ProductionCase.setUp (
    self )
```

Reimplemented from [self_service_terminal.tests.DefaultTestCase](#).

Definition at line 346 of file tests.py.

6.15.2.2 test_debug_false()

```
def self_service_terminal.tests.ProductionCase.test_debug_false (
    self )
```

Definition at line 368 of file tests.py.

6.15.3 Member Data Documentation

6.15.3.1 c

```
self_service_terminal.tests.ProductionCase.c
```

Definition at line 366 of file tests.py.

6.15.3.2 form

```
self_service_terminal.tests.ProductionCase.form
```

Definition at line 357 of file tests.py.

6.15.3.3 menu

```
self_service_terminal.tests.ProductionCase.menu
```

Definition at line 350 of file tests.py.

6.15.3.4 submenu

```
self_service_terminal.tests.ProductionCase.submenu
```

Definition at line 352 of file tests.py.


6.15.3.5 terminal_settings

```
self_service_terminal.tests.ProductionCase.terminal_settings
```


Definition at line 347 of file tests.py.

6.16 self_service_terminal.apps.SelfServiceTerminalConfig Class Reference

Inheritance diagram for self_service_terminal.apps.SelfServiceTerminalConfig:



Collaboration diagram for self_service_terminal.apps.SelfServiceTerminalConfig:



Static Public Attributes

- string `name` = 'self_service_terminal'

6.16.1 Detailed Description

Definition at line 4 of file apps.py.

6.16.2 Member Data Documentation


6.16.2.1 name

```
string self_service_terminal.apps.SelfServiceTerminalConfig.name = 'self_service_terminal'  
[static]
```


Definition at line 5 of file apps.py.

6.17 self_service_terminal.models.Terminal_Settings Class Reference

Inheritance diagram for self_service_terminal.models.Terminal_Settings:



Collaboration diagram for self_service_terminal.models.Terminal_Settings:



Classes

- class [Meta](#)

Public Member Functions

- def [__str__](#)(self)

Static Public Attributes

- [title](#)
- [description](#)
- [colorval_nav_bar](#)
- [colorval_heading](#)
- [colorval_text](#)
- [colorval_button](#)
- [colorval_return_button](#)
- [institute_logo](#)
- [insurance_logo](#)

6.17.1 Detailed Description

Model the settings of the self service terminal.

Contains settings fields for the colors and logos of the user interface.
Values must be valid for CSS. Example: #aabbcc or black
Sets the homepage menu.
Title and description fields are deprecated.

Important: Currently only the Terminal_Settings instance with the title='settings' is used in the Self service terminal.

Definition at line 11 of file models.py.

6.17.2 Member Function Documentation

6.17.2.1 `__str__()`

```
def self_service_terminal.models.Terminal_Settings.__str__ (
    self )
```

Definition at line 44 of file models.py.

6.17.3 Member Data Documentation

6.17.3.1 `colorval_button`

```
self_service_terminal.models.Terminal_Settings.colorval_button [static]
```

Initial value:

```
= models.CharField(max_length=7, blank=True, default="",
    verbose_name='Farbe der Buttons')
```

Definition at line 33 of file models.py.

6.17.3.2 colorval_heading

```
self_service_terminal.models.Terminal_Settings.colorval_heading [static]
```

Initial value:

```
= models.CharField(max_length=7, blank=True, default="",  
    verbose_name='Farbe der Überschriften')
```

Definition at line 29 of file models.py.

6.17.3.3 colorval_nav_bar

```
self_service_terminal.models.Terminal_Settings.colorval_nav_bar [static]
```

Initial value:

```
= models.CharField(max_length=7, blank=True, default="",  
    verbose_name='Farbe der Kopfleiste')
```

Definition at line 27 of file models.py.

6.17.3.4 colorval_return_button

```
self_service_terminal.models.Terminal_Settings.colorval_return_button [static]
```

Initial value:

```
= models.CharField(max_length=7, blank=True,  
    default="", verbose_name='Farbe des Zurück-Buttons')
```

Definition at line 35 of file models.py.

6.17.3.5 colorval_text

```
self_service_terminal.models.Terminal_Settings.colorval_text [static]
```

Initial value:

```
= models.CharField(max_length=7, blank=True, default="",  
    verbose_name='Farbe der Texte')
```

Definition at line 31 of file models.py.

6.17.3.6 description

```
self_service_terminal.models.Terminal_Settings.description [static]
```

Initial value:

```
= models.TextField(blank=True, null=True,  
    verbose_name='Beschreibung')
```

Definition at line 24 of file models.py.

6.17.3.7 institute_logo

```
self_service_terminal.models.Terminal_Settings.institute_logo [static]
```

Initial value:

```
= models.ImageField(
    upload_to='images', default='images/institute_logo.png',
    verbose_name='Institutslogo')
```

Definition at line 37 of file models.py.

6.17.3.8 insurance_logo

```
self_service_terminal.models.Terminal_Settings.insurance_logo [static]
```

Initial value:

```
= models.ImageField(
    upload_to='images', default='images/insurance_logo.png',
    verbose_name='Krankenkassenlogo')
```

Definition at line 40 of file models.py.

6.17.3.9 title

```
self_service_terminal.models.Terminal_Settings.title [static]
```


Initial value:

```
= models.CharField(max_length=TITLE_LENGTH, unique=True,
    verbose_name='Titel')
```


Definition at line 22 of file models.py.

6.18 self_service_terminal.admin.Terminal_SettingsAdmin Class Reference

Inheritance diagram for self_service_terminal.admin.Terminal_SettingsAdmin:



Collaboration diagram for self_service_terminal.admin.Terminal_SettingsAdmin:



Static Public Attributes

- list [fieldsets](#)

6.18.1 Detailed Description

Definition at line 38 of file admin.py.

6.18.2 Member Data Documentation

6.18.2.1 fieldsets

```
list self_service_terminal.admin.Terminal_SettingsAdmin.fieldsets [static]
```


Initial value:

```
= [
    ('Beschreibung', {'fields': ['title', 'description']}),
    ('Farbe',
     {'fields': [
         'colorval_nav_bar',
         'colorval_heading',
         'colorval_text',
         'colorval_button',
         'colorval_return_button'
     ]}),
    ('Logos', {'fields': ['institute_logo', 'insurance_logo']})
]
```


Definition at line 39 of file admin.py.

6.19 self_service_terminal.tests.UnconnectedConfiguration Class Reference

Inheritance diagram for self_service_terminal.tests.UnconnectedConfiguration:



Collaboration diagram for self_service_terminal.tests.UnconnectedConfiguration:



Public Member Functions

- def [setUp](#) (self)
- def [test_homepage_availability](#) (self)

Public Attributes

- [terminal_settings](#)
- [menu](#)
- [submenu](#)
- [form](#)
- [c](#)

6.19.1 Detailed Description

Definition at line 304 of file tests.py.

6.19.2 Member Function Documentation

6.19.2.1 setUp()

```
def self_service_terminal.tests.UnconnectedConfiguration.setUp (
    self )
```

Reimplemented from [self_service_terminal.tests.DefaultTestCase](#).

Definition at line 305 of file tests.py.

6.19.2.2 test_homepage_availability()

```
def self_service_terminal.tests.UnconnectedConfiguration.test_homepage_availability (
    self )
```

Reimplemented from [self_service_terminal.tests.DefaultTestCase](#).

Definition at line 330 of file tests.py.

6.19.3 Member Data Documentation

6.19.3.1 c

```
self_service_terminal.tests.UnconnectedConfiguration.c
```

Definition at line 328 of file tests.py.

6.19.3.2 form

`self_service_terminal.tests.UnconnectedConfiguration.form`

Definition at line 316 of file tests.py.

6.19.3.3 menu

`self_service_terminal.tests.UnconnectedConfiguration.menu`

Definition at line 309 of file tests.py.

6.19.3.4 submenu

`self_service_terminal.tests.UnconnectedConfiguration.submenu`

Definition at line 311 of file tests.py.

6.19.3.5 terminal_settings

`self_service_terminal.tests.UnconnectedConfiguration.terminal_settings`

Definition at line 306 of file tests.py.

Chapter 7

File Documentation

7.1 `__init__.py` File Reference

Namespaces

- [self_service_terminal](#)

7.2 `__init__.py` File Reference

Namespaces

- [sp4](#)

7.3 `actions.py` File Reference

Namespaces

- [self_service_terminal.actions](#)

Functions

- def [self_service_terminal.actions.export_action](#) (modeladmin, request, queryset)
- def [self_service_terminal.actions.import_action](#) (modeladmin, request, queryset)

7.4 `admin.py` File Reference

Classes

- class [self_service_terminal.admin.MyAdminSite](#)
- class [self_service_terminal.admin.MenuInline](#)
- class [self_service_terminal.admin.FormInline](#)
- class [self_service_terminal.admin.Terminal_SettingsAdmin](#)
- class [self_service_terminal.admin.MenuAdmin](#)
- class [self_service_terminal.admin.FormAdmin](#)

Namespaces

- [self_service_terminal.admin](#)

Variables

- [self_service_terminal.admin.admin_site](#) = MyAdminSite(name='myadmin')
- [self_service_terminal.admin.site_header](#)

7.5 apps.py File Reference

Classes

- class [self_service_terminal.apps.SelfServiceTerminalConfig](#)

Namespaces

- [self_service_terminal.apps](#)

7.6 asgi.py File Reference

Namespaces

- [sp4.asgi](#)

Variables

- [sp4.asgi.application](#) = get_asgi_application()

7.7 constants.py File Reference

Namespaces

- [self_service_terminal.constants](#)

Variables

- int [self_service_terminal.constants.TITLE_LENGTH](#) = 100
- string [self_service_terminal.constants.PRINTER](#) = "some_name"
- int [self_service_terminal.constants.BUTTONS_PER_PAGE](#) = 5
- [self_service_terminal.constants.EXPORT_PATH](#) = Path(BASE_DIR).parent.joinpath('export')

7.8 manage.py File Reference

Namespaces

- [manage](#)

Functions

- `def manage.main ()`

7.9 models.py File Reference

Classes

- class [self_service_terminal.models.Terminal_Settings](#)
- class [self_service_terminal.models.Terminal_Settings.Meta](#)
- class [self_service_terminal.models.Menu](#)
- class [self_service_terminal.models.Menu.Meta](#)
- class [self_service_terminal.models.Form](#)
- class [self_service_terminal.models.Form.Meta](#)

Namespaces

- [self_service_terminal.models](#)

7.10 printer_status.py File Reference

Namespaces

- [self_service_terminal.printer_status](#)

Functions

- `def self_service_terminal.printer_status.get_cups_status ()`

7.11 settings.py File Reference

Namespaces

- [sp4.settings](#)

Variables

- `sp4.settings.BASE_DIR` = `os.path.dirname(os.path.dirname(os.path.abspath(__file__)))`
- string `sp4.settings.SECRET_KEY` = `'hvyf2=t2mhmrpo0)tlecY#uv#(ge9n*-l33^17@na*ap49-#g)'`
- bool `sp4.settings.DEBUG` = `True`
- list `sp4.settings.ALLOWED_HOSTS` = `[]`
- list `sp4.settings.INSTALLED_APPS`
- list `sp4.settings.MIDDLEWARE`
- string `sp4.settings.ROOT_URLCONF` = `'sp4.urls'`
- list `sp4.settings.TEMPLATES`
- string `sp4.settings.WSGI_APPLICATION` = `'sp4.wsgi.application'`
- dictionary `sp4.settings.DATABASES`
- list `sp4.settings.AUTH_PASSWORD_VALIDATORS`
- string `sp4.settings.LANGUAGE_CODE` = `'de-DE'`
- string `sp4.settings.TIME_ZONE` = `'Europe/Berlin'`
- bool `sp4.settings.USE_I18N` = `True`
- bool `sp4.settings.USE_L10N` = `True`
- bool `sp4.settings.USE_TZ` = `True`
- `sp4.settings.STATIC_ROOT` = `os.path.join(BASE_DIR, 'self_service_terminal/static')`
- string `sp4.settings.STATIC_URL` = `'/static/'`
- `sp4.settings.MEDIA_ROOT` = `os.path.join(BASE_DIR, 'self_service_terminal/files')`
- string `sp4.settings.MEDIA_URL` = `'/files/'`
- bool `sp4.settings.IMPORT_EXPORT_USE_TRANSACTIONS` = `True`

7.12 tests.py File Reference

Classes

- class `self_service_terminal.tests.DefaultTestCase`
- class `self_service_terminal.tests.UnconnectedConfiguration`
- class `self_service_terminal.tests.ProductionCase`
- class `self_service_terminal.tests.PaginationTestCase`
- class `self_service_terminal.tests.ExportImportTestCase`
- class `self_service_terminal.tests.NoPdfSetTestCase`

Namespaces

- `self_service_terminal.tests`

7.13 urls.py File Reference

Namespaces

- `self_service_terminal.urls`

Variables

- list `self_service_terminal.urls.urlpatterns`
- `self_service_terminal.urls.MEDIA_URL`
- `self_service_terminal.urls.document_root`

7.14 urls.py File Reference

Namespaces

- [sp4.urls](#)

7.15 views.py File Reference

Namespaces

- [self_service_terminal.views](#)

Functions

- `def self_service_terminal.views.get_settings ()`
- `def self_service_terminal.views.get_homepage ()`
- `def self_service_terminal.views.index (request)`
- `def self_service_terminal.views.menu (request, menu_id=None, menu_title=None)`
- `def self_service_terminal.views.formular (request, form_id=None, form_title=None)`
- `def self_service_terminal.views.view_formular (request, form_id=None, form_title=None)`
- `def self_service_terminal.views.print_formular (request, form_id=None)`
- `def self_service_terminal.views.export_view (request=HttpRequest(), return_string=False, path=EXPORT↵_PATH, export_as_zip=True)`
- `def self_service_terminal.views.import_view (request=HttpRequest(), import_string=False, imported_↵data=None)`
- `def self_service_terminal.views.menu_template_test (request, menu_id=None, menu_title=None)`
- `def self_service_terminal.views.export_action (modeladmin, request, queryset)`

7.16 wsgi.py File Reference

Namespaces

- [sp4.wsgi](#)

Variables

- `sp4.wsgi.application = get_wsgi_application()`

Index

- [__init__.py](#), [69](#)
 - [__str__](#)
 - [self_service_terminal.models.Form](#), [37](#)
 - [self_service_terminal.models.Menu](#), [44](#)
 - [self_service_terminal.models.Terminal_Settings](#), [61](#)
- [actions.py](#), [69](#)
- [admin.py](#), [69](#)
- [admin_site](#)
 - [self_service_terminal.admin](#), [11](#)
- [ALLOWED_HOSTS](#)
 - [sp4.settings](#), [20](#)
- [application](#)
 - [sp4.asgi](#), [19](#)
 - [sp4.wsgi](#), [25](#)
- [apps.py](#), [70](#)
- [asgi.py](#), [70](#)
- [AUTH_PASSWORD_VALIDATORS](#)
 - [sp4.settings](#), [20](#)
- [BASE_DIR](#)
 - [sp4.settings](#), [20](#)
- [BUTTONS_PER_PAGE](#)
 - [self_service_terminal.constants](#), [12](#)
- [c](#)
 - [self_service_terminal.tests.DefaultTestCase](#), [31](#)
 - [self_service_terminal.tests.ExportImportTestCase](#), [34](#)
 - [self_service_terminal.tests.NoPdfSetTestCase](#), [52](#)
 - [self_service_terminal.tests.PaginationTestCase](#), [55](#)
 - [self_service_terminal.tests.ProductionCase](#), [58](#)
 - [self_service_terminal.tests.UnconnectedConfigurationFieldsets](#), [66](#)
- [colorval_button](#)
 - [self_service_terminal.models.Terminal_Settings](#), [61](#)
- [colorval_heading](#)
 - [self_service_terminal.models.Terminal_Settings](#), [61](#)
- [colorval_nav_bar](#)
 - [self_service_terminal.models.Terminal_Settings](#), [62](#)
- [colorval_return_button](#)
 - [self_service_terminal.models.Terminal_Settings](#), [62](#)
- [colorval_text](#)
 - [self_service_terminal.models.Terminal_Settings](#), [62](#)
- [constants.py](#), [70](#)
- [custom_form](#)
 - [self_service_terminal.tests.DefaultTestCase](#), [31](#)
- [DATABASES](#)
 - [sp4.settings](#), [21](#)
- [DEBUG](#)
 - [sp4.settings](#), [21](#)
- [description](#)
 - [self_service_terminal.models.Form](#), [38](#)
 - [self_service_terminal.models.Terminal_Settings](#), [62](#)
- [document_root](#)
 - [self_service_terminal.urls](#), [15](#)
- [expected_object](#)
 - [self_service_terminal.tests.ExportImportTestCase](#), [34](#)
- [export_action](#)
 - [self_service_terminal.actions](#), [10](#)
 - [self_service_terminal.views](#), [16](#)
- [EXPORT_PATH](#)
 - [self_service_terminal.constants](#), [12](#)
- [export_view](#)
 - [self_service_terminal.views](#), [16](#)
- [extra](#)
 - [self_service_terminal.admin.FormInline](#), [42](#)
 - [self_service_terminal.admin.MenuInline](#), [47](#)
- [fields](#)
 - [self_service_terminal.admin.FormInline](#), [42](#)
 - [self_service_terminal.admin.MenuInline](#), [47](#)
- [fieldsets](#)
 - [self_service_terminal.admin.FormAdmin](#), [40](#)
 - [self_service_terminal.admin.MenuAdmin](#), [46](#)
 - [self_service_terminal.admin.Terminal_SettingsAdmin](#), [64](#)
- [form](#)
 - [self_service_terminal.tests.DefaultTestCase](#), [31](#)
 - [self_service_terminal.tests.ExportImportTestCase](#), [34](#)
 - [self_service_terminal.tests.NoPdfSetTestCase](#), [52](#)
 - [self_service_terminal.tests.ProductionCase](#), [58](#)
 - [self_service_terminal.tests.UnconnectedConfiguration](#), [66](#)
- [form2](#)
 - [self_service_terminal.tests.DefaultTestCase](#), [31](#)

- self_service_terminal.tests.ExportImportTestCase, 35
- self_service_terminal.tests.NoPdfSetTestCase, 53
- form_title
 - self_service_terminal.models.Form, 38
- formular
 - self_service_terminal.views, 16
- get_cups_status
 - self_service_terminal.printer_status, 13
- get_homepage
 - self_service_terminal.views, 16
- get_settings
 - self_service_terminal.views, 17
- import_action
 - self_service_terminal.actions, 10
- IMPORT_EXPORT_USE_TRANSACTIONS
 - sp4.settings, 21
- import_view
 - self_service_terminal.views, 17
- index
 - self_service_terminal.views, 17
- inlines
 - self_service_terminal.admin.MenuAdmin, 46
- INSTALLED_APPS
 - sp4.settings, 21
- institute_logo
 - self_service_terminal.models.Terminal_Settings, 62
- insurance_logo
 - self_service_terminal.models.Terminal_Settings, 63
- LANGUAGE_CODE
 - sp4.settings, 21
- last_changed
 - self_service_terminal.models.Form, 38
- list_display
 - self_service_terminal.admin.FormAdmin, 41
- list_filter
 - self_service_terminal.admin.FormAdmin, 41
- main
 - manage, 9
- manage, 9
 - main, 9
- manage.py, 71
- MEDIA_ROOT
 - sp4.settings, 22
- MEDIA_URL
 - self_service_terminal.urls, 15
 - sp4.settings, 22
- menu
 - self_service_terminal.tests.DefaultTestCase, 32
 - self_service_terminal.tests.ExportImportTestCase, 35
 - self_service_terminal.tests.NoPdfSetTestCase, 53
 - self_service_terminal.tests.PaginationTestCase, 55
 - self_service_terminal.tests.ProductionCase, 58
 - self_service_terminal.tests.UnconnectedConfiguration, 67
 - self_service_terminal.views, 17
- menu_template_test
 - self_service_terminal.views, 18
- menu_text
 - self_service_terminal.models.Menu, 44
- menu_title
 - self_service_terminal.models.Menu, 44
- MIDDLEWARE
 - sp4.settings, 22
- model
 - self_service_terminal.admin.FormInline, 42
 - self_service_terminal.admin.MenuInline, 47
- models.py, 71
- name
 - self_service_terminal.apps.SelfServiceTerminalConfig, 59
- parent_menu
 - self_service_terminal.models.Form, 38
 - self_service_terminal.models.Menu, 44
- pdf_file
 - self_service_terminal.models.Form, 39
- print_form
 - self_service_terminal.models.Form, 37
- print_formular
 - self_service_terminal.views, 18
- PRINTER
 - self_service_terminal.constants, 12
- printer_status.py, 71
- ROOT_URLCONF
 - sp4.settings, 22
- SECRET_KEY
 - sp4.settings, 22
- self_service_terminal, 9
 - self_service_terminal.actions, 10
 - export_action, 10
 - import_action, 10
 - self_service_terminal.admin, 10
 - admin_site, 11
 - site_header, 11
 - self_service_terminal.admin.FormAdmin, 40
 - fieldsets, 40
 - list_display, 41
 - list_filter, 41
 - self_service_terminal.admin.FormInline, 41
 - extra, 42
 - fields, 42
 - model, 42
 - self_service_terminal.admin.MenuAdmin, 45
 - fieldsets, 46
 - inlines, 46

- self_service_terminal.admin.MenuInline, 46
 - extra, 47
 - fields, 47
 - model, 47
- self_service_terminal.admin.MyAdminSite, 50
 - site_header, 50
- self_service_terminal.admin.Terminal_SettingsAdmin, 63
 - fieldsets, 64
- self_service_terminal.apps, 11
- self_service_terminal.apps.SelfServiceTerminalConfig, 59
 - name, 59
- self_service_terminal.constants, 11
 - BUTTONS_PER_PAGE, 12
 - EXPORT_PATH, 12
 - PRINTER, 12
 - TITLE_LENGTH, 12
- self_service_terminal.models, 12
- self_service_terminal.models.Form, 36
 - __str__, 37
 - description, 38
 - form_title, 38
 - last_changed, 38
 - parent_menu, 38
 - pdffile, 39
 - print_form, 37
 - short_description, 39
 - show_on_frontend, 39
 - time_since_last_updated, 37
 - time_since_last_updated_str, 37
 - upload_date, 39
- self_service_terminal.models.Form.Meta, 49
 - verbose_name, 49
- self_service_terminal.models.Menu, 43
 - __str__, 44
 - menu_text, 44
 - menu_title, 44
 - parent_menu, 44
- self_service_terminal.models.Menu.Meta, 48
 - verbose_name, 49
 - verbose_name_plural, 49
- self_service_terminal.models.Terminal_Settings, 60
 - __str__, 61
 - colorval_button, 61
 - colorval_heading, 61
 - colorval_nav_bar, 62
 - colorval_return_button, 62
 - colorval_text, 62
 - description, 62
 - institute_logo, 62
 - insurance_logo, 63
 - title, 63
- self_service_terminal.models.Terminal_Settings.Meta, 48
 - verbose_name, 48
 - verbose_name_plural, 48
- self_service_terminal.printer_status, 13
 - get_cups_status, 13
- self_service_terminal.tests, 13
- self_service_terminal.tests.DefaultTestCase, 27
 - c, 31
 - custom_form, 31
 - form, 31
 - form2, 31
 - menu, 32
 - setUp, 28
 - submenu, 32
 - terminal_settings, 32
 - test_change_color_values, 28
 - test_cups_availability, 29
 - test_form_availability, 29
 - test_get_settings, 29
 - test_homepage_availability, 29
 - test_menu_1, 29
 - test_menu_availability, 30
 - test_pagination, 30
 - test_pdf_database_relation, 30
 - test_pdf_file_exists, 30
 - test_print_return_code, 30
 - test_user_navigation, 31
- self_service_terminal.tests.ExportImportTestCase, 32
 - c, 34
 - expected_object, 34
 - form, 34
 - form2, 35
 - menu, 35
 - setUp, 33
 - submenu, 35
 - terminal_settings, 35
 - test_export_as_string, 33
 - test_export_import_in_file, 34
 - test_number_of_db_entries_when_import_as_string, 34
- self_service_terminal.tests.NoPdfSetTestCase, 51
 - c, 52
 - form, 52
 - form2, 53
 - menu, 53
 - setUp, 52
 - submenu, 53
 - terminal_settings, 53
 - test_no_pdf_error, 52
- self_service_terminal.tests.PaginationTestCase, 54
 - c, 55
 - menu, 55
 - setUp, 55
 - submenus, 56
 - terminal_settings, 56
 - test_different_pagination_sites, 55
 - test_pagination_existence, 55
- self_service_terminal.tests.ProductionCase, 56
 - c, 58
 - form, 58
 - menu, 58
 - setUp, 57

- submenu, 58
- terminal_settings, 58
- test_debug_false, 57
- self_service_terminal.tests.UnconnectedConfiguration, 65
 - c, 66
 - form, 66
 - menu, 67
 - setUp, 66
 - submenu, 67
 - terminal_settings, 67
 - test_homepage_availability, 66
- self_service_terminal.urls, 14
 - document_root, 15
 - MEDIA_URL, 15
 - urlpatterns, 15
- self_service_terminal.views, 15
 - export_action, 16
 - export_view, 16
 - formular, 16
 - get_homepage, 16
 - get_settings, 17
 - import_view, 17
 - index, 17
 - menu, 17
 - menu_template_test, 18
 - print_formular, 18
 - view_formular, 18
- settings.py, 71
- setUp
 - self_service_terminal.tests.DefaultTestCase, 28
 - self_service_terminal.tests.ExportImportTestCase, 33
 - self_service_terminal.tests.NoPdfSetTestCase, 52
 - self_service_terminal.tests.PaginationTestCase, 55
 - self_service_terminal.tests.ProductionCase, 57
 - self_service_terminal.tests.UnconnectedConfiguration, 66
- short_description
 - self_service_terminal.models.Form, 39
- show_on_frontend
 - self_service_terminal.models.Form, 39
- site_header
 - self_service_terminal.admin, 11
 - self_service_terminal.admin.MyAdminSite, 50
- sp4, 19
- sp4.asgi, 19
 - application, 19
- sp4.settings, 19
 - ALLOWED_HOSTS, 20
 - AUTH_PASSWORD_VALIDATORS, 20
 - BASE_DIR, 20
 - DATABASES, 21
 - DEBUG, 21
 - IMPORT_EXPORT_USE_TRANSACTIONS, 21
 - INSTALLED_APPS, 21
 - LANGUAGE_CODE, 21
 - MEDIA_ROOT, 22
 - MEDIA_URL, 22
 - MIDDLEWARE, 22
 - ROOT_URLCONF, 22
 - SECRET_KEY, 22
 - STATIC_ROOT, 23
 - STATIC_URL, 23
 - TEMPLATES, 23
 - TIME_ZONE, 23
 - USE_I18N, 23
 - USE_L10N, 24
 - USE_TZ, 24
 - WSGI_APPLICATION, 24
- sp4.urls, 24
- sp4.wsgi, 25
 - application, 25
- STATIC_ROOT
 - sp4.settings, 23
- STATIC_URL
 - sp4.settings, 23
- submenu
 - self_service_terminal.tests.DefaultTestCase, 32
 - self_service_terminal.tests.ExportImportTestCase, 35
 - self_service_terminal.tests.NoPdfSetTestCase, 53
 - self_service_terminal.tests.ProductionCase, 58
 - self_service_terminal.tests.UnconnectedConfiguration, 67
- submenus
 - self_service_terminal.tests.PaginationTestCase, 56
- TEMPLATES
 - sp4.settings, 23
- terminal_settings
 - self_service_terminal.tests.DefaultTestCase, 32
 - self_service_terminal.tests.ExportImportTestCase, 35
 - self_service_terminal.tests.NoPdfSetTestCase, 53
 - self_service_terminal.tests.PaginationTestCase, 56
 - self_service_terminal.tests.ProductionCase, 58
 - self_service_terminal.tests.UnconnectedConfiguration, 67
- test_change_color_values
 - self_service_terminal.tests.DefaultTestCase, 28
- test_cups_availability
 - self_service_terminal.tests.DefaultTestCase, 29
- test_debug_false
 - self_service_terminal.tests.ProductionCase, 57
- test_different_pagination_sites
 - self_service_terminal.tests.PaginationTestCase, 55
- test_export_as_string
 - self_service_terminal.tests.ExportImportTestCase, 33
- test_export_import_in_file
 - self_service_terminal.tests.ExportImportTestCase, 34

- test_form_availability
 - self_service_terminal.tests.DefaultTestCase, 29
- test_get_settings
 - self_service_terminal.tests.DefaultTestCase, 29
- test_homepage_availability
 - self_service_terminal.tests.DefaultTestCase, 29
 - self_service_terminal.tests.UnconnectedConfigurationViewFormular, 66
- test_menu_1
 - self_service_terminal.tests.DefaultTestCase, 29
- test_menu_availability
 - self_service_terminal.tests.DefaultTestCase, 30
- test_no_pdf_error
 - self_service_terminal.tests.NoPdfSetTestCase, 52
- test_number_of_db_entries_when_import_as_string
 - self_service_terminal.tests.ExportImportTestCase, 34
- test_pagination
 - self_service_terminal.tests.DefaultTestCase, 30
- test_pagination_existence
 - self_service_terminal.tests.PaginationTestCase, 55
- test_pdf_database_relation
 - self_service_terminal.tests.DefaultTestCase, 30
- test_pdf_file_exists
 - self_service_terminal.tests.DefaultTestCase, 30
- test_print_return_code
 - self_service_terminal.tests.DefaultTestCase, 30
- test_user_navigation
 - self_service_terminal.tests.DefaultTestCase, 31
- tests.py, 72
- time_since_last_updated
 - self_service_terminal.models.Form, 37
- time_since_last_updated_str
 - self_service_terminal.models.Form, 37
- TIME_ZONE
 - sp4.settings, 23
- title
 - self_service_terminal.models.Terminal_Settings, 63
- TITLE_LENGTH
 - self_service_terminal.constants, 12
- upload_date
 - self_service_terminal.models.Form, 39
- urlpatterns
 - self_service_terminal.urls, 15
- urls.py, 72, 73
- USE_I18N
 - sp4.settings, 23
- USE_L10N
 - sp4.settings, 24
- USE_TZ
 - sp4.settings, 24
- verbose_name
 - self_service_terminal.models.Form.Meta, 49
 - self_service_terminal.models.Menu.Meta, 49
- self_service_terminal.models.Terminal_Settings.Meta, 48
- verbose_name_plural
 - self_service_terminal.models.Menu.Meta, 49
 - self_service_terminal.models.Terminal_Settings.Meta, 48
- view_formular
 - self_service_terminal.views, 18
- views.py, 73
- wsgi.py, 73
- WSGI_APPLICATION
 - sp4.settings, 24