
Start Here - the project mindmap

Field Viewer Data Extractor | 1.0.0-beta.3



Recover supported Petrel data into open files, reports and metadata for further work. Destination tools are examples, not verified integrations.

Use Desktop for the illustrated interface, or Headless for command-line and agent use. Original project stores remain read-only.

Public beta 3 release. Start with the next page; review the result and its gaps before using any recovered data.

1. Open Desktop and choose the project


1. Extract the entire Desktop ZIP into a short writable folder.

2. Open FieldViewer_Desktop.bat.

3. Use Petrel project > Browse to select the exact .pet file with its matching .ptd folder.

4. Use Output folder > Browse. Choose a folder outside the source project.

5. Choose Full extraction, then click Run.



Beta 3 Desktop interface; screenshot predates the publication cleanup. Full recovers supported data; unsupported items remain visible as gaps.


2. Extract CRS and datum metadata only

1. Choose the project and output folder in the same way.

2. Set Mode to CRS and datum only, then click Run.

3. A static model is not required. This mode reads PET/Model declarations and skips broad project-size scans.

4. Stored declarations do not verify coordinates, datum selection or dataset binding.



Beta 3 CRS-only mode; screenshot predates the publication cleanup. No Data.ptd, static-grid or seismic payload read is needed.


3. Read the final status and open the report

1. Wait for the final status above the elapsed timer.

2. Completed with gaps means review the report for missing or unsupported data.

3. Choose an available report in Reports, then click its Open button.

4. Use Folders > Open to inspect this run. A folder containing files does not prove complete recovery.



Real beta 3 display of a synthetic missing-Model test. Its completed-with-gaps result is intentional; it is not a real model export.

4. Modes, results and Headless use

Mode	Purpose	Check
Full extraction	Recover supported native data and companions.	Review category coverage, QC, metadata and gaps.
Report only	Inventory, reports and previews.	Temporary processing can still occur.
CRS and datum only	Stored PET/Model CRS and datum declarations.	No 3D grid needed; no coordinate transformation.
RESCUE (experimental)	Grid metadata inventory through the CLI.	Public beta3 does not export RESCUE models; metadata inventory only.

Final status: 0 = completed within this mode; 10 = completed with gaps; 2 = failed. Review the receipt, report and QC. Long companion paths can leave individual gaps while successful peer outputs remain available.

CRS-only files: CRS_REPORT.html, CRS_DATUM.json, CRS_EXPORT.json, FILE_MANIFEST.json and EVENTS.jsonl; CRS_DECLARATION.xml where supported and unambiguous.

Headless: from the package folder, check/bootstrap the runtime, then run a full extraction or the separate CRS metadata CLI. Use a new CRS output directory outside the source.

```
FieldViewer_data_extractor.bat --check -NoPause

FieldViewer_data_extractor.bat -ProjectFile "D:\Projects\Example.pet" -OutputRoot "D:\FV"

.\FieldViewer\runtime\python.exe -B .\FieldViewer\scripts\fieldviewer_crs.py --project "D:\Projects\Example.pet" --output "D:\FV\CRS_example"
```

Closing the GUI does not cancel the backend. Check units, CRS and datum evidence before import. RESCUE static-model export is not included in public beta3. Use the CLI inventory-only option for grid metadata. See RELEASE_NOTES.md and KNOWN_LIMITATIONS.md.

Agent skills: skills.md lists the included CRS-audit SKILL.md and helper. Help > About contains LinkedIn/email/GitHub contacts. Help > Check for updates is the third item; updates are manual.