

01 / CODEX SETUP

One pack. Native Codex skills.

The OpenAI edition lives in `openai/` inside the same repository. It adapts invocation, context handling and evidence rules for Codex and ChatGPT.

1 / Install all 24 sibling skills

Requires Python 3.9+ for the installer and local helpers. Review the dry run, then install into `~/.agents/skills`. No API key or third-party runtime Python package is required by this pack.

```
git clone https://github.com/ahmedsakri/youtube-agent-pro.git
cd youtube-agent-pro/openai
python3 scripts/install.py --dry-run
python3 scripts/install.py
```

The installer refuses existing-name conflicts. For an intentional update, `--force` backs up old folders before replacement. For one project, use `--dest /absolute/project/path/.agents/skills`. Choose one route to avoid duplicate skill names.

2 / Start a new Codex conversation

```
Use $yt to plan my next video for beginner phone photographers.
Use $yt-script to turn this outline into a 45-second Short.
```

Restart the client if the skills do not appear. These are references in your prompt, not terminal commands. Natural-language requests may also select a relevant installed skill.

3 / Plugin alternative, where supported

```
codex plugin marketplace add ahmedsakri/youtube-agent-pro
codex plugin add youtube-agent-pro-openai@youtube-agent-pro
```

Use a Codex CLI with these plugin commands, or a supported desktop client's local plugin source. The standalone installer above is the fallback. A GitHub repository does not automatically publish a plugin to OpenAI's public directory.

02 / CHATGPT SETUP

ChatGPT, with your files.

Use portable instructions and files, or select an installed plugin where that capability is available in your ChatGPT account.

1 / Get the release files

From the [shared repository's latest release](#), download **ChatGPT-INSTRUCTIONS.md** and **ChatGPT-WORKFLOWS.md**. For computed scores, also download **youtube-agent-pro-openai-chatgpt.zip**.

2 / Supply instructions and your material

Paste the instructions into the conversation or project instructions where available. Attach the workflows and your transcript, export or outline. Add your voice profile if you have one. When file upload is unavailable, paste the relevant workflow and source text.

3 / Ask in plain language

Use yt-shorts to find three standalone clips in this transcript.
Preserve timecodes and give each a new suggested opening line.
Audience: English-speaking beginners. Target: 30-45 seconds.

In this portable route, **yt-shorts** is a workflow label, not an executable slash command. Select an actual installed plugin or skill with @ only when it is available in your client.

Computed scores need execution

To run helpers, use a mode that can access uploaded files, extract the optional ZIP and execute Python. Keep its skills/ directories together. Markdown alone does not run code. Without execution, request a qualitative review and no invented scores.

4 / Build the same files locally

From the shared repository's **openai/** directory:

```
python3 scripts/build_release.py
```

Build outputs go to openai/dist/. Account tools and limits still apply.

03 / CHOOSE THE WORKFLOW

The 24-skill map

In Codex, use the \$ form below. In portable ChatGPT conversations, ask to use the same workflow name without a command prefix.

Start and find direction

\$yt | \$yt-voice | \$yt-idea | \$yt-trend

Route a request, define creator voice, evaluate ideas and plan a calendar.

Write and prepare production

\$yt-script | \$yt-brief | \$yt-edit | \$yt-chapters

Hooks, spoken scripts, shot lists, transcript edit decisions and chapters.

Package the video

\$yt-package | \$yt-thumbnail | \$yt-seo

Title/thumbnail pairings, visual concepts, descriptions and search intent.

Read performance

\$yt-analytics | \$yt-retention | \$yt-audit | \$yt-funnel

Interpret exports and retention, prioritize fixes and review channel conversion.

Plan and reuse

\$yt-shorts | \$yt-repurpose | \$yt-series | \$yt-plan | \$yt-endscreen

Clip plans, platform drafts, series structure, capacity and next-video routing.

Research and business

\$yt-viral | \$yt-collab | \$yt-sponsor | \$yt-comment

Outlier comparisons, outreach drafts, sponsorship scenarios and comment replies.

SEO without keyword stuffing

Try: Use \$yt-seo to write metadata for this phone-camera test. Put the real topic early, use relevant search phrases naturally and include only useful tags. No hashtags are needed. Do not invent results. Tags have a limited role; metadata cannot guarantee reach.

Eleven local helpers support scoring, linting and analysis. They use Python's standard library and make no network requests. Their scores are heuristics, not forecasts.

04 / VERIFY THE RESULT

Useful output, clear boundaries.

Match the tool to the evidence. The OpenAI edition can proceed from your current context; a missing voice profile does not block useful work.

1 / Supply your channel context

Use an attached profile, your conversation, or the optional local file `.youtube-agent/voice.md`. Ask `$yt-voice` to create one; its template is `openai/skills/yt-voice/assets/voice.md`. Keep private exports, profiles and credentials outside this public repository.

2 / Check what actually happened

Drafts and media

A script is a draft, a thumbnail brief is a concept, and a clip plan is not an exported video. Rendering or image creation requires an appropriate, separately available tool.

Analytics and research

Use real exports, comparable publication windows and traffic sources. Separate Shorts-feed metrics from long-form CTR. Do not infer causation from low views alone. Current claims need verified sources.

Publishing and accounts

The pack contains no OAuth uploader, scheduling service or account client. External actions require your request and a separate authorized tool. A saved draft is not a verified upload.

Installation or execution problems

Use one installation route, restart the client and keep sibling resources together. Resolve helper paths from their skill folder. If Python or file access is unavailable, use a qualitative workflow or provide local tool output.

Verification is scoped

The repository's `openai/docs/VALIDATION.md` records the tested build and limits. A passing local test cannot guarantee every host, account or future platform version. There is no guarantee of views, revenue or virality.

Source and releases: github.com/ahmedsakri/youtube-agent-pro

Setup: `openai/README.md` and `openai/chatgpt/README.md`.

Independent community project. MIT license; preserve its notices.