



### A Day in the Life of an Automation Test Engineer

Joel is an Automation Engineer who wants to check the database performance of his most recent project.

Automation Test Engineers typically interact with various databases to retrieve data, and use the data for processing, or to add assertions to test cases. Joel's task is to fetch the data and use the data to check the performance of the database.

To know more about it, let us go through the lesson.




### implilearn. All rights reserved.

### **Learning Objectives**

By the end of this lesson, you will be able to:


- Analyze the Selenium with JDBC
- Define the importance of JDBC
- Discuss the applications of JDBC



## Why Selenium With JDBC? ©Simplilearn. All rights reserved.

### Why Selenium With JDBC?

During web automation testing, the user often interacts with databases to retrieve data for use during the call flows or to add assertions.




In Selenium, there is no built-in functionality for interacting with databases.



### **JDBC**

The Java Database Connectivity allows users to execute SQL statements using a SQL-API interface.



It connects the Java programming language to a wide range of databases.

### **JDBC**

The JDBC API provides the following classes and interfaces:

Driver Manager

Connection

Result Set

Driver


Statement

**SQL Exception** 

## JDBC Importance and Applications ©Simplilearn. All rights reserved.


### Why JDBC?

The JDBC API allows Java programs to handle databases and perform the following operations:



### **Java Database Connectivity**

To test the database with Selenium, the user should follow the following steps:





### **Database Connection**

To connect to the database, the syntax is as follows:

### **Example:**

Connection connection = DriverManager.getConnection(URL,
"userid", "password")

- "userid" is the username to access the database.
- "password" is the password for the above user.
- "URL" is of format
   jdbc:<dbtype>://<ipaddress>:<portnumber>/db\_name
- <abtype> is the driver for the database you are trying to connect. To connect to the Oracle database this value will be "Oracle".



### **Database Connection**

Connecting to the database with the name "emp" in the MYSQL URL would look like this:

### **Example:**

jdbc:mysql://localhost:3036/emp



### **SQL** Queries to the Database

Once the connection has been established, the next step is to create the query.

### **Example:**

```
Statement statement = con.createStatement("select * from
employee;");
```



### **SQL** Queries to the Database

Once the connection has been established, the next step is to execute the query.

### **Example:**

```
Result = statement.executeQuery();
```



### **Process the Results**

The Result Set object holds the results of the executed query.




There are many advanced methods available in Java for processing results.




### **Process the Results**


The following are some of the most used methods:



### **Process the Results**

The following are some of the most used methods:





### **Key Takeaways**

 All web applications store data in some form of database, like MySQL or SQL Server.

Data can be retrieved from databases using the JDBC library.

The JDBC interface allows users to execute SQL statements using a SQL-API interface.

To process the results, the following methods used are the next(), previous(), last(), and many other.



# **Thank You**

simpl<sub>i</sub>learn

©Simplilearn. All rights reserved.