# **Bug Report (API)**

#1
CREATE ROUTE - Creates a user without email
Ahmed Mostafa
14/11/2023
When a client hits a create route that has a body without email, it accepts it and doesn't return a response with an error.
http://localhost:3000/api/v1/users [post]
Params Authorization Headers (9) Body Pre-request Script Tests Settings  none form-data x-www-form-urlencoded raw binary GraphQL JSON >  1
Laptop
Windows 10
Chrome 119
Major
/Backend Team
High

# **Description**

When a client hits a create route that has a body without email, it accepts it and doesn't return a response with an error.

## Steps to reproduce

- > Send a post request to "http://localhost:3000/api/v1/users"
- > Add body with fields with email empty
- > A success message apears

#### **Expected result**

Response with an error status code 401

#### **Actual result**

A success message appears

2
REATE ROUTE - Creates a user without a password
nmed Mostafa
4/11/2023
hen a client hits a create route that has a body without a password, it ccepts it and doesn't return a response with an error.
tp://localhost:3000/api/v1/users [post]
Authorization Headers (9) Body Pre-request Script Tests Settings  none form-data x-www-form-urlencoded raw binary GraphQL JSON >  1
aptop
indows 10
hrome 119
ajor
ackend Team
igh

## **Description**

When a client hits a create route that has a body without a password, it accepts it and doesn't return a response with an error.

#### **Steps to reproduce**

- > Send a post request to "http://localhost:3000/api/v1/users"
- > Add body with fields with password empty
- > A success message appears

#### **Expected result**

Response with an error status code 401

## **Actual result**

A success message appears

ID number	#3
Name	CREATE ROUTE - Doesn't return a token in response
Reporter	Ahmed Mostafa
Submit Date	14/11/2023
Summary	When a client hits a create route that has a valid body, the response doesn't contain a token.
URL	http://localhost:3000/api/v1/users [post]
Screenshot	Params Authorization Headers (9) Body Pre-request Script Tests Settings  none form-data x-www-form-urlencoded raw binary GraphQL JSON >  *name": "Usex Test4",
Platform	Laptop
Operating System	Windows 10
Browser	Chrome 119
Severity	Major
Assigned to	/Backend Team
Priority	High
_	

#### **Description**

When a client hits a create route that has a valid body, the response doesn't contain a token.

## Steps to reproduce

- > Send a post request to "http://localhost:3000/api/v1/users"
- > Add body with valid fields
- > Response appears without token field

#### **Expected result**

A token field in the response

#### **Actual result**

Only message field is in the response

ID number	#4
Name	PATCH ROUTE - No error response when user is updated with invalid credentials
Reporter	Ahmed Mostafa
Submit Date	14/11/2023
Summary	When a client hits a patch route that has an invalid body, the response doesn't contain an error message.
URL	http://localhost:3000/api/v1/users [post]
Screenshot	PATCH V http://localhost:3000/api/v1/users  Params Authorization Headers (10) Body Pre-request Script Tests Settings  none form-data x-www-form-urlencoded raw binary GraphQL JSON V
Platform	Laptop
Operating System	Windows 10
Browser	Chrome 119
Severity	Major
Assigned to	/Backend Team
Priority	High

## **Description**

When a client hits a patch route that has an invalid body, the response doesn't contain an error message.

## Steps to reproduce

- > Send a patch request to "http://localhost:3000/api/v1/users"
- > Add body with empty fields
- > Response appears without error

## **Expected result**

An error in response

## **Actual result**

Successful request