API Examples

by Michael Nadeau Updated on Nov 12, 2024

Retrieve and Update

The following code will retrieve ten Records from an App and update each Record with a new Field value.

Javascript

```
// Retrieve 10 Records, update values

const axios = require('axios');

let config = {
    headers: {
      "Content-Type": "application/json",
      "Access-Control-Allow-Origin": "*"
    },
    params: {
      "auth_token": "******",
    },
```

```
13    }
14
15
16  //   Retrieve 10 atoms, change a Field value in each, save changes
17  axios.get(`https://<host_name>/api/atom_dictionaries/<dictionary_id>/atoms.json`, config)
18      .then(res => {
19          // array of retrieved ids
20          let retrieveIds = [];
21          const resData = res.data.data;
22          // maximum number of loops
23          const maxLoops = 10;
24          // loop to retrieve atom ids and push into retrieveIds
25          for(var i = 0; i < maxLoops; i++) {
26              retrieveIds.push(resData[i]._id);
27          }
28          // return retrieveIds for next promise
29          return retrieveIds;
30      }).then(retrieveIds => {
31          // perform makeUpdates to PUT atoms
32          makeUpdates('Update Value', retrieveIds)
33      }).catch(err => {
34          console.log(err + ' err');
35  });
36
37  makeUpdates = (updateText, ids) => {
38      // init body
39      let body = {
40          atom: {
41              "p_field_1":updateText
42          }
43      }
44      // make PUT call with passed ids
45      for(var i =0; i < ids.length; i++) {
```

```
        axios.put(`https://<host_name>/api/atoms/${ids[i]}`, body, config)
            .then(res => {
                console.log(res.data)
            }).catch(err => {
                console.log(err);
        });
    };
}
```

changeValue.js hosted with ❤ by GitHub view raw

Python

```
import requests
import json

headers = {"Content-Type": "application/json"}

params = {"auth_token": "*****"}

def make_update(updated_value='Made an Update'):
    body = {'atom': {'p_field_1': updated_value}}
    r = requests.get(
        'https://<host_name>/api/atom_dictionaries/<dictionary_id>/atoms',
        params=params)

    atom_dict = json.loads(r.content)['data']

    atom_ids = []
    for atom in atom_dict:
        _id = atom['_id']
        url = 'https://<host_name>/api/atoms/{0}'.format(_id)
```

```
        put = requests.put(url, json=body, headers=headers)
    return
```

make_update.py hosted with ❤ by GitHub view raw

Create New Records and Set Values

The following code will create ten new Records in an App and set two values on each.

Javascript

```
//Create 10 new Records

const axios = require('axios');

let config = {
    headers: {
      "Content-Type": "application/json",
      "Access-Control-Allow-Origin": "*"
    },
    params: {
      "auth_token": "******",
    },
  }

let postBody = {
    atom: {
        "p_field_1":"Field Value 1",
        "p_field_2":"Field Value 2",
        "name":"Atom Name"
    }
}
```

```

const maxLoops = 10;

//   Create 10 atoms, change a Field value in each, save changes
for(var i = 0; i < maxLoops; i++) {
    // create Atom
    axios.post(`https://<host_name>/api/atom_dictionaries/<dictionary_id>/atoms`, postBody, config)
        .then(res => {
            console.log(res)
        }).catch(err => {
            console.log(err);
        });
    };
```

createSetValue.js hosted with ❤ by GitHub view raw

Python

```
import requests
import json

headers = {"Content-Type": "application/json"}

params = {"auth_token": "*****"}

def post_atom():
    body = {
        'atom': {
            'name': 'Atom Name',
            'p_field_1': 'Field Value 1',
            'p_field_2': 'Field Value 2'
        }
```

```
    }
    r = requests.post(
        'https://<host_name>/api/atom_dictionaries/<dictionary_id>/atoms',
        json=body,
        headers=headers)
    return
```

post_atom.py hosted with ❤ by GitHub view raw

Retrieve and Approve

The following code will retrieve ten Records from an App and approve each Record.

Javascript

```
// Retrieve 10 Records, approve each

const axios = require('axios');

let config = {
    headers: {
      "Content-Type": "application/json",
      "Access-Control-Allow-Origin": "*"
    },
    params: {
      "auth_token": "******",
    },
  }


//   Retrieve 10 atoms
axios.get(`https://<host_name>/api/atom_dictionaries/<dictionary_id>/atoms.json`, config)
```

```
18      .then(res => {
19          // array of retrieved ids
20          let retrieveIds = [];
21          const resData = res.data.data;
22          // maximum number of loops
23          const maxLoops = 10;
24          // loop to retrieve atom ids and push into retrieveIds
25          for(var i = 0; i < maxLoops; i++) {
26              retrieveIds.push(resData[i]._id);
27          }
28          // return retrieveIds for next promise
29          console.log(retrieveIds);
30          return retrieveIds;
31      }).then(retrieveIds => {
32          // perform approveDocuments to PUT atoms
33          approveDocuments(retrieveIds)
34      }).catch(err => {
35          console.log(err + ' err');
36  });
37
38  approveDocuments = (ids) => {
39      let approveConfig = {
40          headers: {
41              "Content-Type":"application/json",
42              "Access-Control-Allow-Origin":"*"
43          },
44          params: {
45              "auth_token":"******",
46              "user:email":"******"
47          },
48      }
49
50      // make PUT call with passed ids
```

```
    for(var i =0; i < ids.length; i++) {
        axios.put(`https://<host_name>/api/atoms/${ids[i]}/endorsements/approve.json`, approveConfig)
            .then(res => {
                console.log(res.data)
            }).catch(err => {
                console.log(err);
        });
    };
}
```

retrieveApprove.js hosted with ❤ by GitHub view raw

Python

```
import requests
import json

headers = {"Content-Type": "application/json"}

params = {"auth_token": "*****"}

def approve_atom():
    r = requests.get(
        'https://<host_name>/api/atom_dictionaries/<dictionary_id>/atoms',
        params=params)
    atom_dict = json.loads(r.content)['data']
    params = {'auth_token': '*******', 'user:email': '*******'}
    for atom in atom_dict:
        _id = atom['_id']
        url = 'https://<host_name>/api/atoms/{0}/endorsements/approve.json'.format(
            _id)
        requests.put(url, params)
```

```
    return
```

approve_atom.py hosted with ❤ by GitHub view raw

Retrieve Document IDs from DocumentFolder

The following code will retrieve ten Records from an App, then find the Document IDs from the DocumentFolders on each Record.

Javascript

```javascript
// Retrieve 10 Records, get ID from DocumentFolder

const axios = require('axios');

let config = {
    headers: {
      "Content-Type": "application/json",
      "Access-Control-Allow-Origin": "*"
    },
    params: {
      "auth_token": "******",
    },
  }


//   Retrieve 10 atoms
axios.get(`https://<host_name>/api/atom_dictionaries/<dictionary_id>/atoms.json`, config)
    .then(res => {
        // array of retrieved ids
        let retrieveIds = [];
        const resData = res.data.data;
```

```
        // maximum number of loops
        const maxLoops = 10;
        // loop to retrieve atom ids and push into retrieveIds
        for(var i = 0; i < maxLoops; i++) {
            retrieveIds.push(resData[i]._id);
        }
        // return retrieveIds for next promise
        return retrieveIds;
    }).then(retrieveIds => {
        // perform retrieveAttachmentIds to GET document Ids
        retrieveAttachmentIds(retrieveIds)
    }).catch(err => {
        console.log(err + ' err');
});

retrieveAttachmentIds = (ids) => {
    // make GET call with passed ids to documentFolder for document ids
    for(var i =0; i < ids.length; i++) {
        axios.get(`https://<host_name>/api/atoms/${ids[i]}/get_related_documents.json/?related_document_field=docum
        .then(res => {
            let resData = res.data.data;
            // return all document ids from DocumentFolder and return
            console.log(`${resData[0]._id}`);
        }).catch(err => {
                console.log(err);
        });
    };
};
```

retrieveDownload.js hosted with ❤ by GitHub view raw

Python

```python
import requests
import json

headers = {"Content-Type": "application/json"}

params = {"auth_token": "*****"}

def retrieve_download():
    r = requests.get(
        'https://<host_name>/api/atom_dictionaries/<dictionary_id>/atoms',
        params=params)
    atom_dict = json.loads(r.content)['data']

    for atom in atom_dict:
        _id = atom['_id']
        url = 'https://<host_name>/api/atoms/{0}/get_related_documents.json/?related_document_field=document'
        r = requests.get(url, headers=headers)
    return
```

retrieve_download.py hosted with ❤ by **GitHub** **view raw**

docs.onit.com contains proprietary and confidential information owned by Onit, Inc. that is subject to copyright. Onit presents it exclusively to you for your sole use in conjunction with using Onit products. No portion of the materials contained herein may be used for any other purpose. No portion of the materials contained herein may be shared with third parties or reproduced in any form.