

Akbank & Patika .Net Bootcamp Ahmet Er Final Case

Token

Method	URL	Açıklama
POST	/api/tokens	JWT Bearer Token üretir.

Token

POST /api/tokens

POST /api/tokens

Token

POST /api/tokens

Parameters

No parameters

Request body

```
{
  "username": "admin2",
  "password": "Admin2!"
}
```

Request URL

```
https://localhost:44300/api/tokens
```

Server response

Code	Details
------	---------

200

Response body

[illegible]

Response headers

```
content-type: application/json; charset=utf-8
date: Sun, 21 Jan 2024 21:53:26 GMT
server: Microsoft-IIS/10.0
x-powered-by: ASP.NET
```

Afc Api Management

<https://localhost:44300/swagger/v1/swagger.json>

ExpenseDocument

Available authorizations

Bearer (http, Bearer)

Enter JWT Bearer token **only**

Value:

eyJhbGciOiJodHRwOi8vd3d3

Authorize

Close

User

Method	URL	Açıklama	Yetkili Roller
GET	/api/users	Tüm aktif kullanıcıları getirir.	Admin, FieldStaff
GET	/api/users/id	Id'ye göre kullanıcıyı getirir.	Admin, FieldStaff
GET	/api/users/by-parameters	UserId, IBAN bazlı FromQuery'den aldığı parametrelere göre kullanıcıları filtreleyip, listeler.	Admin, FieldStaff
POST	/api/users	Yeni kullanıcı oluşturur.	Admin
PUT	/api/users/id	Kullanıcıyı günceller.	Admin
DELETE	/api/users/id	Kullanıcıyı siler (Soft Delete)	Admin

User

GET	/api/users	✓	🔒
POST	/api/users	✓	🔒
GET	/api/users/id	✓	🔒
PUT	/api/users/id	✓	🔒
DELETE	/api/users/id	✓	🔒
GET	/api/users/by-parameters	✓	🔒

GET /api/users

Code	Details
200	<div><div>Response body</div><pre>{ "success": true, "message": "Success", "response": [{ "userName": "admin1", "firstName": "Admin", "lastName": "Admin1", "email": "admin1@gmail.com", "role": "Admin" }, { "userName": "admin2", "firstName": "Admin", "lastName": "Admin2", "email": "admin2@gmail.com", "role": "Admin" }, { "userName": "ttt", "firstName": "ttt", "lastName": "ttt", "email": "ttt@v.com", "role": "FieldStaff" }, { "userName": "ahmeter", "firstName": "ahmeter", "lastName": "ahmeter", "email": "ahmeter@gmail.com", "role": "Admin" }]}</pre><div>Download</div></div> <div><div>Response headers</div><pre>content-type: application/json; charset=utf-8 date: Sun, 21 Jan 2024 22:48:12 GMT server: Microsoft-IIS/10.0 x-powered-by: ASP.NET</pre></div>

GET /api/users/id

Code

Details

200

Response body

```
{
  "success": true,
  "message": "Success",
  "response": {
    "userName": "ahmettest12",
    "firstName": "Ahmet",
    "lastName": "Er",
    "email": "ahmet.er.14@gmail.com",
    "role": "FieldStaff"
  }
}
```

Download

GET /api/users/by-parameters

GET

/api/users/by-parameters

⌵ 🔒

Parameters

Cancel

Name	Description
UserName string (query)	<input type="text" value="ahmettest12"/>
FirstName string (query)	<input type="text" value="FirstName"/>
LastName string (query)	<input type="text" value="LastName"/>
Email string (query)	<input type="text" value="Email"/>
Role string (query)	<input type="text" value="Role"/>

Execute


Code

Details

200

Response body

```
{
  "success": true,
  "message": "Success",
  "response": [
    {
      "userName": "ahmettest12",
      "firstName": "Ahmet",
      "lastName": "Er",
      "email": "ahmet.er.14@gmail.com",
      "role": "FieldStaff"
    }
  ]
}
```

Download

POST /api/users

POST

/api/users

⌵ 🔒

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{
  "userName": "ahmettest12",
  "password": "Ahmettest12!",
  "firstName": "Ahmet",
  "lastName": "Er",
  "email": "ahmet.er.14@gmail.com",
  "role": 1
}
```


Code

Details

200

Response body

```
{
  "success": true,
  "message": "Success",
  "response": {
    "userName": "ahmettest12",
    "firstName": "Ahmet",
    "lastName": "Er",
    "email": "ahmet.er.14@gmail.com",
    "role": "FieldStaff"
  }
}
```

Download

PUT /api/users/id

PUT /api/users/id

Parameters

Name

Description

id

integer(\$int32)

12

(query)

Request body

application/json

```
{  "lastName": "Er Edited"}
```

Code

Details

200

Response body

```
{  "success": true,  "message": null}
```

Download

200

Response body

```
{  "success": true,  "message": "Success",  "response": {    "userName": "ahmettest12",    "firstName": "Ahmet",    "lastName": "Er Edited",    "email": "ahmet.er.14@gmail.com",    "role": "FieldStaff"  }}
```

Download

DELETE /api/users/id

DELETE /api/users/id

Parameters

Name

Description

id

integer(\$int32)

12

(query)

Execute

Clear

Code

Details

200

Response body

```
{  "success": true,  "message": null}
```

Download

	id	UserName	Password	FirstName	LastName	Email	Role	LastActivityDate	PasswordRetryCount	Status	CreateBy	CreateAt	ModifiedBy	ModifiedAt	IsActive
1	1	admin1	944663b3b6b916750efc243734d4b21	Admin	Admin1	admin1@gmail.com	0	2024-01-19 01:14:41 9117407	0	1	1	2024-01-19 01:14:41 9117395	NULL	NULL	1
2	2	admin2	233b9b0ca0dc12b4b01bcb553574	Admin	Admin2	admin2@gmail.com	0	2024-01-21 22:47:34 2349009	0	1	1	2024-01-21 14:41 9117802	NULL	NULL	1
3	6	ttt	1f32aa4c9a1d2ea010addf2348166a04	ttt	www	ttt@vcom	1	0001-01-01 00:00:00 00000000	0	1	1	2024-01-18 15:18 05 9041005	NULL	NULL	1
4	7	ahmeter	1f32aa4c9a1d2ea010addf2348166a04	Ahmet	Er	x@hotmail.com	1	0001-01-01 00:00:00 00000000	0	1	2	2024-01-18 15:19 53 7939011	2	2024-01-20 17:48 05 0054905	1
5	8	fieldstaff1	1f32aa4c9a1d2ea010addf2348166a04	field	staff 1	field@staff.com	1	2024-01-19 06:39 10 0319417	0	1	2	2024-01-19 09 38 36 6710621	NULL	NULL	1
6	9	ahmettest1	0a2658b0f4cb285ea667a1a978c04977	ahmeter	devdev	s.er.14.dev@gmail.com	1	2024-01-21 14:36 50 4748524	0	1	2	2024-01-21 17 35 35 3667594	NULL	NULL	1
7	10	ahmettest10	0cbc51920111d9ef4e449847af19381	Ahmet	Er	aaaa@hotmail.com	1	2024-01-21 19 32 42 1816523	0	1	2	2024-01-21 22 13 51 1538990	NULL	NULL	1
8	11	ahmettest11	8167926a881c545c0e91cd7ebab654c	Ahmet	Er	aa@gmail.com	1	2024-01-21 19 59 08 3515849	0	1	2	2024-01-21 22 57 18 0223450	NULL	NULL	1
9	12	ahmettest12	a1d1ddadffab1bbab94e5c244d0058	Ahmet	Er Edited	ahmet.er.14@gmail.com	1	2024-01-21 20 14 38 7183968	0	1	2	2024-01-21 23 14 14 6750181	2	2024-01-22 01 54 51 2706259	0

FieldStaff

Method	URL	Açıklama	Yetkili Roller
GET	/api/field-staffs	Tüm aktif saha personellerini getirir.	Admin, FieldStaff
GET	/api/field-staffs/id	Id'ye göre saha personeli getirir.	Admin, FieldStaff
GET	/api/field-staffs/by-parameters	UserName, FirstName, LastName, Email, Role bazlı FromQuery'den aldığı parametrelere göre saha personellerini filtreleyip, listeler.	Admin, FieldStaff
POST	/api/field-staffs	User'dan saha personeli oluşturur.	Admin
PUT	/api/field-staffs/id	Saha personelini günceller.	Admin
DELETE	/api/field-staffs/id	Saha personelini siler (Soft Delete)	Admin

FieldStaff

GET	/api/field-staffs	✓	🔒
POST	/api/field-staffs	✓	🔒
GET	/api/field-staffs/id	✓	🔒
PUT	/api/field-staffs/id	✓	🔒
DELETE	/api/field-staffs/id	✓	🔒
GET	/api/field-staffs/by-parameters	✓	🔒

GET /api/field-staffs

200	<pre>Response body { "userId": 10, "iban": "TR760009992334567800100001", "expenseRequests": [{ "fieldStaffId": 10, "paymentCategoryId": 3, "amount": 1000, "description": "Santiye için cimento satın alındı.", "companyResultDescription": null, "paymentLocation": "Tankaya/Ankara", "expenseStatus": "Waiting", "paymentStatus": "Paid" }] }, { "userId": 11, "iban": "TR760009992334567800100001", "expenseRequests": [{ "fieldStaffId": 11, "paymentCategoryId": 4, "amount": 2500, "description": "Yol gideri, ofis aracına 2500 tl tutarında benzin çekildi.", "companyResultDescription": null, "paymentLocation": "Bolu/Merkez", "expenseStatus": "Waiting", "paymentStatus": "Unpaid" }] } </pre>	Download
-----	---	----------

GET /api/field-staffs/id

200

Response body

```
{
  "success": true,
  "message": "Success",
  "response": {
    "userId": 13,
    "iban": "TR760101901234563456100001",
    "expenseRequests": []
  }
}
```

Download

GET /api/field-staffs/by-parameters

GET /api/field-staffs/by-parameters

Parameters

Cancel

Name	Description
UserId integer(\$int32) (query)	<input type="text" value="UserId"/>
IBAN string (query)	<input type="text" value="0101"/>

Execute

Clear

Request URL

https://localhost:44300/api/field-staffs/by-parameters?IBAN=0101

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{ "success": true, "message": "Success", "response": [{ "userId": 13, "iban": "TR760101901234563456100001", "expenseRequests": [] }] }</pre></div><div> Download</div></div>

POST /api/field-staffs

POST /api/field-staffs

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{
  "userId": 13,
  "iban": "TR76 0101 9012 3456 3456 1000 01"
}
```

Code

Details

200

Response body

```
{
  "success": true,
  "message": "Success",
  "response": {
    "userId": 13,
    "iban": "TR760101901234563456100001",
    "expenseRequests": []
  }
}
```

Download

PUT /api/field-staffs/id

PUT/api/field-staffs/id

Parameters

Cancel

Reset

Name	Description
id	
integer(\$int32)	13
(query)	

Request body

application/json

```
{  "iban": "TR763333901234563456100001"}
```

Code

Details

200

Response body

```
{  "success": true,  "message": null}
```

Download

Request URL

https://localhost:44300/api/field-staffs/id?id=13

Server response

Code

Details

200

Response body

```
{  "success": true,  "message": "Success",  "response": {    "userId": 13,    "iban": "TR763333901234563456100001",    "expenseRequests": []  }}
```

Download

DELETE /api/field-staffs/id

DELETE/api/field-staffs/id

Parameters

Cancel

Name	Description
id	
integer(\$int32)	13
(query)	

Code

Details

200

Response body

```
{  "success": true,  "message": null}
```

Download

	Id	Userid	IBAN	CreateBy	CreateAt	ModifiedBy	ModifiedAt	IsActive
1	1	7	TR760009901234567800100001	2	2024-01-18 19:27:15.0423979	NULL	NULL	1
2	5	8	TR760009901234597800100001	2	2024-01-19 10:22:59.7096094	NULL	NULL	1
3	6	9	TR760009904334567800100001	2	2024-01-21 17:38:51.5613673	NULL	NULL	1
4	10	10	TR760009902334567800100001	2	2024-01-21 22:24:10.6021632	NULL	NULL	1
5	11	11	TR760009967834567800100001	2	2024-01-21 22:57:47.2269869	NULL	NULL	1
6	12	12	TR760009901234563456100001	2	2024-01-21 23:14:26.5637190	NULL	NULL	1
7	13	13	TR763333901234563456100001	2	2024-01-22 02:09:12.6321490	2	2024-01-22 02:13:02.6214132	0

PaymentCategory

Method	URL	Açıklama	Yetkili Roller
GET	/api/payment-categories	Tüm aktif ödeme kategorilerini getirir.	Admin, FieldStaff
GET	/api/payment-categories/id	Id'ye göre ödeme kategorisi getirir.	Admin, FieldStaff
GET	/api/payment-categories/by-parameters	Name bazlı FromQuery'den aldığı parametrelere göre ödeme kategorilerini filtreleyip listeler.	Admin, FieldStaff
POST	/api/payment-categories	Yeni ödeme kategorisi oluşturur.	Admin
PUT	/api/payment-categories/id	Ödeme kategorisini günceller.	Admin
DELETE	/api/payment-categories/id	Ödeme kategorisini siler (Soft Delete)	Admin

PaymentCategory

GET	/api/payment-categories	✓	🔒
POST	/api/payment-categories	✓	🔒
GET	/api/payment-categories/id	✓	🔒
PUT	/api/payment-categories/id	✓	🔒
DELETE	/api/payment-categories/id	✓	🔒
GET	/api/payment-categories/by-parameters	✓	🔒

GET /api/payment-categories

Request URL	https://localhost:44300/api/payment-categories
Server response	
Code	Details
200	<div><div>Response body</div><pre>{ "success": true, "message": "Success", "response": [{ "name": "Test 1", "description": "test 1 description edited" }, { "name": "Test 2", "description": "Test 2 description" }, { "name": "Test 3", "description": "Test 3 decription" }, { "name": "Yakıt", "description": "Benzin, mazot harcaması" }]}</pre></div> <div> Download</div>

GET /api/payment-categories/id

Request URL

```
https://localhost:44300/api/payment-categories/id?id=4
```

Server response


Code	Details
200	<p>Response body</p> <pre>{ "success": true, "message": "Success", "response": { "name": "Yakit", "description": "Benzin, mazot harcaması" }}</pre> <div> Download</div>

GET /api/payment-categories/by-parameters

Request URL

```
https://localhost:44300/api/payment-categories/by-parameters?Name=yak%C4%B1t
```

Server response

Code	Details
200	<p>Response body</p> <pre>{ "success": true, "message": "Success", "response": [{ "name": "Yakit", "description": "Benzin, mazot harcaması" }]}</pre> <div> Download</div>

POST /api/payment-categories

POST /api/payment-categories

Parameters Cancel Reset

No parameters

Request body application/json

```
{  "name": "Ofis Gider",  "description": "Ofis için gerekli malzeme satın alımı."}
```

Request URL

```
https://localhost:44300/api/payment-categories
```

Server response

Code	Details
200	<p>Response body</p> <pre>{ "success": true, "message": "Success", "response": { "name": "Ofis Gider", "description": "Ofis için gerekli malzeme satın alımı." }}</pre> <div> Download</div>

PUT /api/payment-categories/id

PUT /api/payment-categories/id

Parameters Cancel Reset

Name	Description
id	<input type="text" value="5"/>
integer(\$int32)	
(query)	

Request body application/json

```
{  "name": "Ofis Gider Edited",  "description": "Ofis için gerekli malzeme satın alımı."}
```

Request URL

https://localhost:44300/api/payment-categories/id?id=5

Server response

Code Details

200

Response body

```
{  "success": true,  "message": null}
```

Download

Request URL

https://localhost:44300/api/payment-categories/id?id=5

Server response

Code Details

200

Response body

```
{  "success": true,  "message": "Success",  "response": {    "name": "Ofis Gider Edited",    "description": "Ofis için gerekli malzeme satın alımı."  }}
```

Download

DELETE /api/payment-categories/id

Request URL

https://localhost:44300/api/payment-categories/id?id=5

Server response

Code Details

200

Response body

```
{  "success": true,  "message": null}
```

Download

	Id	Name	Description	CreateBy	CreateAt	ModifiedBy	ModifiedAt	IsActive
1	1	Test 1	test 1 description edited	0	2024-01-18 19:06:57.1531676	2	2024-01-18 19:08:16.8096059	1
2	2	Test 2	Test 2 description	2	2024-01-20 13:32:48.9574136	NULL	NULL	1
3	3	Test 3	Test 3 decription	2	2024-01-21 22:28:00.1246630	NULL	NULL	1
4	4	Yakit	Benzin, mazot harcaması	2	2024-01-21 22:58:36.7649846	NULL	NULL	1
5	5	Ofis Gider Edited	Ofis için gerekli malzeme satın alımı.	2	2024-01-22 02:21:05.6915294	2	2024-01-22 02:22:12.6233044	0

ExpenseRequest

Method	URL	Açıklama	Yetkili Roller
GET	/api/expense-requests	Tüm aktif ödeme isteklerini getirir.	Admin, FieldStaff
GET	/api/expense-requests/id	Id'ye göre ödeme isteğini getirir.	Admin, FieldStaff
GET	/api/expense-requests/by-p arameters	FieldStaffId, PaymentCategoryId, MinAmount, MaxAmount, PaymentLocation, ExpenseStatus, PaymentStatus bazlı FromQuery'den aldığı parametrelere göre ödeme isteklerini filtreleyip, listeler.	Admin, FieldStaff
POST	/api/expense-requests	Saha personeli yeni ödeme isteği oluşturur.	FieldStaff
PUT	/api/expense-requests/by-fi eldStaff	Saha personeli tarafından ödeme isteğini günceller.	FieldStaff

PUT	/api/expense-requests/by-admin	Admin tarafından ödeme isteğini günceller. (Açıklama, Kabul, Ret işlemleri)	Admin
DELETE	/api/expense-requests/id	Ödeme isteğini siler (Soft Delete)	Admin

ExpenseRequest

GET	/api/expense-requests	✓	🔒
POST	/api/expense-requests	✓	🔒
GET	/api/expense-requests/id	✓	🔒
DELETE	/api/expense-requests/id	✓	🔒
GET	/api/expense-requests/by-parameter	✓	🔒
PUT	/api/expense-requests/by-fieldStaff	✓	🔒
PUT	/api/expense-requests/by-admin	✓	🔒

GET /api/expense-requests

Request URL

https://localhost:44300/api/expense-requests

Server response

Code Details

200

Response body

```

{
  "FieldStaffId": 1,
  "paymentCategoryId": 1,
  "amount": 1000,
  "description": "test 1 desc",
  "companyResultDescription": "Kabul.",
  "paymentLocation": "bolu merkez",
  "expenseStatus": "Approved",
  "paymentStatus": "Paid"
},
{
  "FieldStaffId": 5,
  "paymentCategoryId": 2,
  "amount": 1500,
  "description": "yol gideri, ofis aracına 1500 tl tutarında benzin çekildi.",
  "companyResultDescription": "tamam.",
  "paymentLocation": "bolu/merkez",
  "expenseStatus": "Approved",
  "paymentStatus": "Paid"
},
{
  "FieldStaffId": 10,
  "paymentCategoryId": 3,
  "amount": 2000,
  "description": "Santiye için çimento satın alındı.",
  "companyResultDescription": "onayladı güle güle harcayan.",
  "paymentLocation": "Çankaya/Ankara",
  "expenseStatus": "Approved",
  "paymentStatus": "Paid"
}

```

Download

GET /api/expense-requests/id

Request URL

https://localhost:44300/api/expense-requests/id?id=6

Server response

Code Details

200

Response body

```

{
  "Success": true,
  "message": "Success",
  "response": {
    "FieldStaffId": 14,
    "paymentCategoryId": 4,
    "amount": 3000,
    "description": "ofis aracına 3000 TRY benzin ödendi. EDITED",
    "companyResultDescription": null,
    "paymentLocation": "Kuşçuhir/İstanbul",
    "expenseStatus": "Waiting",
    "paymentStatus": "Unpaid"
  }
}

```

Download

GET /api/expense-requests/by-parameters

GET

/api/expense-requests/by-parameter

Parameters

Cancel

Name	Description
FieldStaffId integer(\$int32) (query)	<input type="text" value="FieldStaffId"/>
PaymentCategoryId integer(\$int32) (query)	<input type="text" value="PaymentCategoryId"/>
MinAmount number(\$double) (query)	<input type="text" value="1001"/>
MaxAmount number(\$double) (query)	<input type="text" value="2001"/>
PaymentLocation string (query)	<input type="text" value="PaymentLocation"/>
ExpenseStatus string (query)	<input type="text" value="ExpenseStatus"/>
PaymentStatus string (query)	<input type="text" value="PaymentStatus"/>

Execute

Clear

Request URL

https://localhost:44300/api/expense-requests/by-parameter?MinAmount=1001&MaxAmount=2001

Server response

Code

Details

200

Response body

```
{
  "success": true,
  "message": "Success",
  "response": [
    {
      "fieldStaffId": 6,
      "paymentCategoryId": 2,
      "amount": 1500,
      "description": "yol gideri, ofis aracina 1500 tl tutarında benzin çekildi.",
      "companyResultDescription": "tamam.",
      "paymentLocation": "Bolu/Market",
      "expenseStatus": "Approved",
      "paymentStatus": "Paid"
    },
    {
      "fieldStaffId": 10,
      "paymentCategoryId": 3,
      "amount": 2000,
      "description": "Şantiye için çimento satın alımı.",
      "companyResultDescription": "onayladı güle güle harcayın.",
      "paymentLocation": "Çankaya/Ankara",
      "expenseStatus": "Approved",
      "paymentStatus": "Paid"
    }
  ]
}
```

Download

POST /api/expense-requests

POST

/api/expense-requests

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{
  "fieldStaffId": 14,
  "paymentCategoryId": 4,
  "amount": 3000,
  "description": "ofis aracina 3000 TRY benzin ödendi.",
  "paymentLocation": "Atasehir/Istanbul"
}
```

Request URL
`https://localhost:44300/api/expense-requests`

Server response

Code	Details
200	<p>Response body</p> <pre>{ "success": true, "message": "Success", "response": { "fieldStaffId": 14, "paymentCategoryId": 4, "amount": 3000, "description": "ofis aracina 3000 TRY benzin ödendi.", "companyResultDescription": null, "paymentLocation": "Atasehir/Istanbul", "expenseStatus": "Waiting", "paymentStatus": "Unpaid" } }</pre> <div> Download</div>

PUT /api/expense-requests/by-fieldStaff

PUT /api/expense-requests/by-fieldStaff

Parameters

Name	Description
id	
integer(\$int32)	6
(query)	


Request body

application/json

```
{
  "description": "ofis aracina 3000 TRY benzin ödendi. EDITED"
}
```


Request URL
`https://localhost:44300/api/expense-requests/by-fieldStaff?id=6`

Server response

Code	Details
200	<p>Response body</p> <pre>{ "success": true, "message": null }</pre> <div> Download</div>

Request URL
`https://localhost:44300/api/expense-requests/by-parameter?fieldStaffId=14`

Server response

Code	Details
200	<p>Response body</p> <pre>{ "success": true, "message": "Success", "response": [{ "fieldStaffId": 14, "paymentCategoryId": 4, "amount": 3000, "description": "ofis aracina 3000 TRY benzin ödendi. EDITED", "companyResultDescription": null, "paymentLocation": "Atasehir/Istanbul", "expenseStatus": "Waiting", "paymentStatus": "Unpaid" }] }</pre> <div> Download</div>

PUT /api/expense-requests/by-admin

PUT /api/expense-requests/by-admin

Parameters

Name	Description
id	
integer(\$int32)	6
(query)	

Request body

application/json

```
{
  "companyResultDescription": "çok keyfi bir harcama ret edildi.",
  "expenseStatus": 2
}
```

Request URL

https://localhost:44300/api/expense-requests/by-admin?id=6

Server response

Code Details

200

Response body

```
{
  "success": true,
  "message": null
}
```

Download

Request URL

https://localhost:44300/api/expense-requests/id?id=6

Server response

Code Details

200

Response body

```
{
  "success": true,
  "message": "Success",
  "response": {
    "requestId": 36,
    "paymentCategoryId": 4,
    "amount": 3000,
    "description": "ofis aracına 3000 TRY benzin ödendi. EDITED",
    "companyResultDescription": "çok keyfi bir harcama ret edildi.",
    "paymentLocation": "Ataşehir/İstanbul",
    "expenseStatus": "Rejected",
    "paymentStatus": "Unpaid"
  }
}
```

Download

DELETE /api/expense-requests/id

DELETE /api/expense-requests/id

Parameters

Cancel

Name Description

id

integer(\$int32) 6

(query)

Request URL

https://localhost:44300/api/expense-requests/id?id=6

Server response

Code Details

200

Response body

```
{
  "success": true,
  "message": null
}
```

Download

Id	FieldStaffId	PaymentCategoryId	Amount	Description	PaymentLocation	ExpenseStatus	PaymentStatus	CreateBy	CreateAt	ModifiedBy	ModifiedAt	IsActive	CompanyResultDescription
1	1	1	1000.0000	test 1 desc	Bolu merkez	1	1	2	2024-01-18 19:29:36.0433169	2	2024-01-22 02:26:04.1360201	1	kabul.
2	6	2	1500.0000	yol gideri, ofis aracına 1500 tl tutarında benzi...	BoluMerkez	1	1	9	2024-01-21 17:43:40.4902238	2	2024-01-22 02:26:34.7952928	1	tamam.
3	10	3	2000.0000	Şantiye için çimento satın alımı.	Çankaya/Beşiktaş	1	1	10	2024-01-21 22:34:20.8205707	2	2024-01-22 02:26:49.5964187	1	onayladı güle güle harcayın.
4	11	4	2500.0000	yol gideri, ofis aracına 2500 tl tutarında benzi...	BoluMerkez	0	0	11	2024-01-21 23:00:06.0482689	NULL	NULL	1	NULL
5	12	4	2500.0000	yol gideri, ofis aracına 2500 tl tutarında benzi...	BoluMerkez	1	1	12	2024-01-21 23:14:57.4323954	2	2024-01-21 23:16:08.6324602	1	kabul edildi.
6	14	4	3000.0000	ofis aracına 3000 TRY benzin ödendi. EDITED	Ataşehir/İstanbul	2	0	14	2024-01-22 02:43:38.1995805	2	2024-01-22 02:51:44.0783509	0	çok keyfi bir harcama ret edildi.

ExpenseDocument

Method	URL	Açıklama	Yetkili Roller
GET	/api/expense-documents	Tüm aktif ödeme dosyalarının bilgilerini getirir.	Admin, FieldStaff
GET	/api/expense-documents/id	Id'ye göre ödeme dosyası bilgilerini getirir.	Admin, FieldStaff
GET	/api/expense-documents/by-parameters	ExpenseRequestId, FileType, FileName bazlı FromQuery'den aldığı parametrelere göre ödeme dosya bilgilerini filtreleyip, listeler.	Admin, FieldStaff

POST	/api/expense-documents	ExpenseRequest'e ödeme dosyası oluşturur. (Azure Storage Blob'a upload eder ve FileName, FileType, FilePath bilgisini SqlServer'e kayıt eder.)	Admin, FieldStaff
PUT	/api/expense-documents/id	Ödeme dosya bilgilerini günceller.	Admin, FieldStaff
DELETE	/api/expense-documents/id	Ödeme dosya bilgilerini SqlServer'dan siler (Soft Delete)	Admin

ExpenseDocument

GET	/api/expense-documents	✓	🔒
POST	/api/expense-documents	✓	🔒
GET	/api/expense-documents/id	✓	🔒
PUT	/api/expense-documents/id	✓	🔒
DELETE	/api/expense-documents/id	✓	🔒
GET	/api/expense-documents/by-parameter	✓	🔒

GET /api/expense-documents

Request URL
https://localhost:44300/api/expense-documents

Server response

Code	Details
200	<p>Response body</p> <pre>{ "success": true, "message": "Success", "response": [{ "expenseRequestId": 1, "filePath": "https://akbankfinalcase.blob.core.windows.net/expensefiles/638412838274911835test.png", "fileType": "image/png", "fileName": "638412838274911835test.png" }, { "expenseRequestId": 2, "filePath": "https://akbankfinalcase.blob.core.windows.net/expensefiles/638414558968473432test.png", "fileType": "image/png", "fileName": "638414558968473432test.png" }, { "expenseRequestId": 5, "filePath": "https://akbankfinalcase.blob.core.windows.net/expensefiles/638414757398387672benzin-fis.png", "fileType": "image/png", "fileName": "638414757398387672benzin-fis.png" }, { "expenseRequestId": 7, "filePath": "https://akbankfinalcase.blob.core.windows.net/expensefiles/638414898511500721another-benzin-fis.png", "fileType": "image/png", "fileName": "638414898511500721another-benzin-fis.png" }] }</pre> <p>Download</p>

GET /api/expense-documents/id

Request URL
https://localhost:44300/api/expense-documents/id?id=6

Server response

Code	Details
200	<p>Response body</p> <pre>{ "success": true, "message": "Success", "response": { "expenseRequestId": 7, "filePath": "https://akbankfinalcase.blob.core.windows.net/expensefiles/638414898511500721another-benzin-fis.png", "fileType": "image/png", "fileName": "638414898511500721another-benzin-fis.png" } }</pre> <p>Download</p>

GET /api/expense-documents/by-parameters

GET

/api/expense-documents/by-parameter

Parameters

Cancel

Name	Description
ExpenseRequestId integer(\$int32) (query)	<input type="text" value="ExpenseRequestId"/>
FileType string (query)	<input type="text" value="FileType"/>
FileName string (query)	<input type="text" value="benzin"/>

Request URL

https://localhost:44300/api/expense-documents/by-parameter?FileName=benzin

Server response

Code	Details
200	<div>Response body</div> <pre>{ "success": true, "message": "Success", "response": [{ "expenseRequestId": 5, "filePath": "https://akbankfinalcase.blob.core.windows.net/expensefiles/638414757398387672benzin-fis.png", "fileType": "image/png", "fileName": "638414757398387672benzin-fis.png" }, { "expenseRequestId": 7, "filePath": "https://akbankfinalcase.blob.core.windows.net/expensefiles/638414898511500721another-benzin-fis.png", "fileType": "image/png", "fileName": "638414898511500721another-benzin-fis.png" }] }</pre> <div><div>Download</div></div>

POST /api/expense-documents

POST

/api/expense-documents

Parameters

Cancel

Reset

Name	Description
ExpenseRequestId integer(\$int32) (query)	<input type="text" value="7"/>

Request body

multipart/form-data

FormFile
string(\$binary)

Dosya seçilmedi

☒

Send empty value

Execute

Responses

Curl


curl -X 'POST' \

Request URL

https://localhost:44300/api/expense-documents?ExpenseRequestId=7

Server response

Code	Details
200	<div>Response body</div> <pre>{ "success": true, "message": "Success", "response": { "expenseRequestId": 7, "filePath": "https://akbankfinalcase.blob.core.windows.net/expensefiles/6384148985117877929benzin-fis.png", "fileType": "image/png", "fileName": "6384148985117877929benzin-fis.png" } }</pre> <div><div>Download</div></div>



Microsoft Azure							
Search resources, services, and docs (2/1)							
Home >							
expensefiles							
Container							
Search							
Upload Change access level Refresh Delete Change tier Acquire lease Break lease View snapshots Create snapshot Give feedback							
Overview							
Diagnose and solve problems							
Access Control (IAM)							
Settings							
Shared access tokens							
Access policy							
Properties							
Metadata							
Authentication method: Access key (Switch to Microsoft Entra user account)							
Location: expensefiles							
Search blobs by prefix (case-sensitive)							
Show deleted blobs							
Add filter							
Name	Modified	Access tier	Archive status	Blob type	Size	Lease state	
<input type="checkbox"/> 638412030274911835test.png	1/18/2024, 7:30:28 PM	Hot (Inferred)		Block blob	23.91 KiB	Available	***
<input type="checkbox"/> 638414558960473432test.png	1/21/2024, 5:44:57 PM	Hot (Inferred)		Block blob	23.91 KiB	Available	***
<input type="checkbox"/> 63841475739836762benzin-fis.png	1/21/2024, 11:15:41 PM	Hot (Inferred)		Block blob	8.83 KiB	Available	***
<input type="checkbox"/> 63841489831787792benzin-fis.png	1/22/2024, 2:57:13 AM	Hot (Inferred)		Block blob	8.83 KiB	Available	***

PUT /api/expense-documents/id

PUT /api/expense-documents/id

Parameters

Name	Description
id	
integer(\$int32)	6
(query)	

Request body

FormFile

string(\$binary)

Dosya Seç

another-benzin-fis.png

multipart/form-data

Execute

Clear

Request URL

https://localhost:44300/api/expense-documents/id?id=6

Server response

Code

Details

200

Response body

```
{
  "success": true,
  "message": "Success",
  "response": {
    "expenseRequestId": "",
    "filePath": "https://akbankfinalcase.blob.core.windows.net/expensefiles/63841489831500721another-benzin-fis.png",
    "fileType": "image/png",
    "fileName": "63841489831787792benzin-fis.png"
  }
}
```

Download

Microsoft Azure							
Search resources, services, and docs (2/1)							
Home >							
expensefiles							
Container							
Search							
Upload Change access level Refresh Delete Change tier Acquire lease Break lease View snapshots Create snapshot Give feedback							
Overview							
Diagnose and solve problems							
Access Control (IAM)							
Settings							
Shared access tokens							
Access policy							
Properties							
Metadata							
Authentication method: Access key (Switch to Microsoft Entra user account)							
Location: expensefiles							
Search blobs by prefix (case-sensitive)							
Show deleted blobs							
Add filter							
Name	Modified	Access tier	Archive status	Blob type	Size	Lease state	
<input type="checkbox"/> 638412030274911835test.png	1/18/2024, 7:30:28 PM	Hot (Inferred)		Block blob	23.91 KiB	Available	***
<input type="checkbox"/> 638414558960473432test.png	1/21/2024, 5:44:57 PM	Hot (Inferred)		Block blob	23.91 KiB	Available	***
<input type="checkbox"/> 63841475739836762benzin-fis.png	1/21/2024, 11:15:41 PM	Hot (Inferred)		Block blob	8.83 KiB	Available	***
<input type="checkbox"/> 63841489831787792benzin-fis.png	1/22/2024, 2:57:13 AM	Hot (Inferred)		Block blob	8.83 KiB	Available	***
<input type="checkbox"/> 63841489831500721another-benzin-fis.png	1/22/2024, 3:10:52 AM	Hot (Inferred)		Block blob	8.83 KiB	Available	***

Request URL

https://localhost:44300/api/expense-documents/id?id=6

Server response

Code

Details

200

Response body

```
{
  "success": true,
  "message": "Success",
  "response": {
    "expenseRequestId": "",
    "filePath": "https://akbankfinalcase.blob.core.windows.net/expensefiles/63841489831500721another-benzin-fis.png",
    "fileType": "image/png",
    "fileName": "63841489831787792benzin-fis.png"
  }
}
```

Download

DELETE /api/expense-documents/id

DELETE /api/expense-documents/id

Parameters

Cancel

Name	Description
id	
integer(\$int32)	3
(query)	

Request URL

https://localhost:44300/api/expense-documents/id?id=3

Server response

Code

Details

200

Response body

```
{  "success": true,  "message": null}
```

Download

	Id	ExpenseRequestId	FilePath	FileType	FileName	CreateBy	CreateAt	ModifiedBy	ModifiedAt	IsActive
1	3	1	https://akbankfinalcase.blob.core.windows.net/ex...	image/png	638412030274911835test.png	2	2024-01-18 19:30:29.5563342	NULL	NULL	0
2	4	2	https://akbankfinalcase.blob.core.windows.net/ex...	image/png	638414558960473432test.png	9	2024-01-21 17:44:56.8207394	NULL	NULL	1
3	5	5	https://akbankfinalcase.blob.core.windows.net/ex...	image/png	638414757398387672benzin-fis.png	2	2024-01-21 23:15:40.5652260	NULL	NULL	1
4	6	7	https://akbankfinalcase.blob.core.windows.net/ex...	image/png	638414890317877929benzin-fis.png	14	2024-01-22 02:57:12.3740918	14	2024-01-22 03:10:51.7088817	1

ExpensePayment

Method	URL	Açıklama	Yetkili Roller
POST	/api/expense-payments	ExpenseRequestId'ye göre Ödeme simülasyonu gerçekleştirir. Ödeme gerçekleştikten sonra saha personelinin mail adresine, ödeme açıklaması gelir. (Ödeme simülasyonu)	Admin

ExpensePayment

POST /api/expense-payments

POST /api/expense-payments

POST /api/expense-payments

Parameters

Cancel


Reset

No parameters

Request body

application/json

```
{  "expenseRequestId": 7,  "currencyType": "TRY"}
```



ExpenseReport


Method	URL	Açıklama	Yetkili Roller
GET	/api/expense-reports/for-field-staff	Saha personelinin yapmış olduğu tüm ödeme isteklerini getirir.	FieldStaff
GET	/api/expense-reports/for-admin	DayCount, FieldStaffId, ExpenseStatus, PaymentCategoryId bazlı FromQuery'den aldığı parametrelere göre ödeme isteklerini admin için listeler.	Admin

ExpenseReport

GET /api/expense-reports/for-field-staff

GET /api/expense-reports/for-admin

GET /api/expense-reports/for-field-staff



GET /api/expense-reports/for-admin

GET /api/expense-reports/for-admin

Parameters

Cancel

Name	Description
DayCount <small>integer(\$int32) (query)</small>	<input type="text" value="1"/>
FieldStaffId <small>integer(\$int32) (query)</small>	<input type="text" value="FieldStaffId"/>
ExpenseStatus <small>string (query)</small>	<input type="text" value="ExpenseStatus"/>
PaymentCategoryId <small>integer(\$int32) (query)</small>	<input type="text" value="PaymentCategoryId"/>

Request URL
`https://localhost:44300/api/expense-reports/for-admin?DayCount=1`

Server response

Code	Details
200	<div>Response body</div> <pre>{ "success": true, "message": "Success", "response": [{ "fieldStaffId": 6, "fieldStaff": { "userId": 9, "iban": "TR760009904334567800100001", "expenseRequests": [{ "fieldStaffId": 6, "paymentCategoryId": 2, "amount": 1500, "description": "yol gideri, ofis aracına 1500 tl tutarında benzin çekildi.", "companyResultDescription": "tamam.", "paymentLocation": "Bolu/Merkez", "expenseStatus": "Approved", "paymentStatus": "Paid" }] }, "paymentCategoryId": 2, "paymentCategory": { "name": "Test 2", "description": "Test 2 description" } }] }</pre> <div>Download</div>

Request URL
`https://localhost:44300/api/expense-reports/for-admin?DayCount=7`

Server response

Code	Details
200	<div>Response body</div> <pre>{ "success": true, "message": "Success", "response": [{ "fieldStaffId": 1, "fieldStaff": { "userId": 2, "iban": "TR760009901234567800100001", "expenseRequests": [{ "fieldStaffId": 1, "paymentCategoryId": 1, "amount": 1000, "description": "test 1 desc", "companyResultDescription": "kabul.", "paymentLocation": "Bolu merkez", "expenseStatus": "Approved", "paymentStatus": "Paid" }] }, "paymentCategoryId": 1, "paymentCategory": { "name": "Test 1", "description": "test 1 description edited" } }] }</pre> <div>Download</div>

Request URL
`https://localhost:44300/api/expense-reports/for-admin?ExpenseStatus=0`

Server response

Code	Details
200	<div>Response body</div> <pre>{ "success": true, "message": "Success", "response": [{ "fieldStaffId": 11, "fieldStaff": { "userId": 11, "iban": "TR760009957834567800100001", "expenseRequests": [{ "fieldStaffId": 11, "paymentCategoryId": 4, "amount": 2500, "description": "yol gideri, ofis aracına 2500 tl tutarında benzin çekildi.", "companyResultDescription": null, "paymentLocation": "Bolu/Merkez", "expenseStatus": "Waiting", "paymentStatus": "Unpaid" }] }, "paymentCategoryId": 4, "paymentCategory": { "name": "Yakıt", "description": "Benzin, mazot harcaması" } }] }</pre> <div>Download</div>