

PAH Paneli: Refinement Raporu

NB21 | 2026-06-17


Yonetici Ozeti

PAH panelinin performansini iyilestirmek icin 7 strateji karsilastirildi. En iyi strateji: P4_COMBINED_BalBag (LOO-MCC=0.5164, Boot-mean=0.5817). NB16 referans: %80/20 F1=0.515.


1. Strateji Karsilastirmasi

Strateji	n_train	MCC(raw)	MCC(prior)	Boot-mean	Boot-std	Prec	Recall	FP	FN
P4_COMBINED_BalBag	3430	0.529	0.516	0.582	0.045	0.942	0.853	16	45
P2_BalancedBagging	2931	0.519	0.512	0.582	0.044	0.942	0.850	16	46
P0c_COMBINED	3430	0.497	0.439	0.590	0.054	0.947	0.762	13	73
P1c_PriorShift_COMBINED	3430	0.497	0.439	0.590	0.054	0.947	0.762	13	73
P3_IsotonicCal	2931	0.406	0.406	0.560	0.051	0.945	0.730	13	83
P0_MASTER-only	2931	0.463	0.399	0.555	0.054	0.945	0.723	13	85
P1_PriorShift	2931	0.463	0.399	0.555	0.054	0.945	0.723	13	85


2. LOO-MCC Karsilastirmasi




3. Bootstrap %80/20 F1



4. Confusion Matrix (En İyi 3)



5. Posterior Dagilimi (En Iyi Strateji)



6. Tartisma

PAH paneli (n=372, benign=62) icin 7 strateji test edildi. n=62 benign CFTR'nin 3x kati -- bootstrap CI'lar istatistiksel olarak anlamlı. Prior-shift duzeltmesi (Saerens 2002) %83 patho egitim dagilimindan %20 patho test dagiliminina adapte eder.

NB16 referans: PAH stack_Ir %80/20 F1=0.515. En iyi strateji: P4_COMBINED_BalBag (0.582).