MIDTERM ASSIGNMENT REPORT

Major:	INFORMATION TECHNOLOGY
Course code:	CBWT3103
Course name:	WIRELESS TECHNOLOGY
Lecturer's name:	NGUYEN NGOC TAN
Student's name:	LE ANH TUAN
Student's ID :	2254030078
Class:	22BOIT02

Ho Chi Minh City, Jan 2026

SOCIALIST REPUBLIC OF VIETNAM

Independence – Freedom – Happiness

COMMENTS OF THE LECTURER

Student's full name:

LE ANH TUAN **ID:** 2254030078

Lecturer's comments:

HCMC, ……. (date)

Please sign here

NGUYEN NGOC TAN

TABLE CONTENT

INTRODUCTION 4
BODY 5
Question 1. 5
1. Comparison of Wireless Communication Technologies 5
a. Cellular Networks (4G/5G) 5
b. Wireless Local Area Networks (WLAN / Wi-Fi) 6
c. Short-range Technologies (Bluetooth LE / Zigbee) 7
2. Recommendation of a Hybrid Wireless Solution 7
a. Proposed Hybrid Wireless Communication System 8
b. Detailed Scenario Example: Urban and Rural Contexts 9
3. Emerging Technologies in this Field 10
a. Technology Description: 5G Network Slicing and LPWAN 10
b. Potential Benefits for the Organisation 11
CONCLUSION 13
REFERENCES 14

INTRODUCTION

SmartMed Solutions is a prominent health technology company based in Malaysia, specializing in remote patient monitoring and telemedicine services. The organization's core business operations revolve around enabling seamless connections between patients and healthcare professionals through high-quality video consultations, real-time continuous monitoring via medical sensors, and advanced AI-assisted diagnostics. Currently, the company is strategically expanding its critical healthcare services to rural and underserved regions in Malaysia, where traditional fixed broadband infrastructure is severely limited. To support this expansion and maintain service quality, SmartMed Solutions requires a robust, secure, and highly scalable wireless communication infrastructure. The proposed network must reliably sustain bandwidth-intensive applications like high-definition video conferencing while concurrently ensuring the uninterrupted and secure transmission of continuous medical IoT data. Consequently, a carefully designed wireless system is imperative to bridge the connectivity gap and deliver equitable healthcare access.

BODY

Question 1.

1. Comparison of Wireless Communication Technologies

To effectively design a robust wireless communication infrastructure for a healthcare organization like SmartMed Solutions, it is essential to compare three major wireless technologies: Cellular (4G/5G), Wireless Local Area Networks (WLAN), and Short-range technologies (Bluetooth LE/Zigbee). Each technology possesses distinct strengths, limitations, and suitability profiles for organizational data transmission across diverse geographical settings.

a. Cellular Networks (4G/5G)

- **Strengths:** The evolution of cellular networks, culminating in 5G, offers transformative capabilities for telemedicine (Kumar & Masud, 2025). 5G networks provide ultra-high data speeds reaching theoretical peaks of 10 to 20 Gbps, which is significantly faster than 4G capabilities (Chowdary et al., 2023). Furthermore, 5G delivers ultra-reliable low-latency communication (URLLC) with delays of less than 1 millisecond, an essential feature for mission-critical applications like real-time remote surgery and high-definition video consultations (Chowdary et al., 2023; Telit Cinterion Team, 2024). Cellular networks also offer massive machine-type communications (mMTC), capable of efficiently connecting up to 1 million devices per square kilometer (Chowdary et al., 2023). Another significant strength is 5G network slicing, which creates customized, isolated virtual networks that guarantee bandwidth and prioritize critical healthcare data, such as connected ambulances, over regular traffic (Telit Cinterion Team, 2024).
- **Limitations:** The deployment of 5G infrastructure is highly capital-intensive, requiring advanced hardware and dense networks of antennas, which makes the technology much more expensive than current networks (Chowdary et al., 2023). Furthermore, rolling out this infrastructure in underdeveloped or geographically difficult areas is often cost-prohibitive and limited by unstable power grids (Kumar & Masud, 2025).

- **Suitability:** In **urban contexts**, 5G is highly suitable for supporting mobile healthcare delivery, such as connected ambulances that transmit real-time patient data to hospitals before arrival (Telit Cinterion Team, 2024). It seamlessly connects widespread urban medical centers. In **rural contexts**, however, its suitability drops due to the lack of infrastructure and high deployment costs (Kumar & Masud, 2025). While 4G provides basic coverage, rolling out 5G in remote areas requires massive investments or innovative hybrid solutions to bridge the digital divide.

b. Wireless Local Area Networks (WLAN / Wi-Fi)

- **Strengths:** WLAN, operating under established IEEE 802.11 standards (like Wi-Fi 6), provides highly cost-effective and flexible high-speed connectivity (Raghunandan, 2023). Wi-Fi operates on globally available, unlicensed frequency spectrums (such as 2.4 GHz and 5 GHz), eliminating the need for expensive cellular data subscriptions (Raghunandan, 2023). Advanced Wi-Fi 6 networks reduce network congestion, ensuring every connected medical device receives optimized access even as data demand increases.
- **Limitations:** WLAN suffers from a restricted transmission range, typically providing only short-range coverage for indoor environments or localized public hotspots (Raghunandan, 2023). Additionally, Wi-Fi networks generally consume more power than short-range IoT protocols, rendering them unsuitable for continuous operation on battery-powered wearable medical sensors.
- **Suitability:** In **urban contexts**, WLAN is perfectly suited for indoor hospital environments, providing high-bandwidth connectivity for digital health records, large medical imaging transfers, and connecting medical equipment within the facility. In **rural contexts**, WLAN is highly suitable for creating localized connectivity hubs, such as community health centers or rural clinics. While it cannot cross long geographic distances natively, it

can effectively distribute internet access to local patients and staff once a backhaul connection is established.

c. Short-range Technologies (Bluetooth LE / Zigbee)

- **Strengths:** The defining strength of Short-range technologies like Bluetooth Low Energy (BLE) and Zigbee is their ultra-low power consumption (Michaluk, 2025). These protocols are explicitly optimized to send small data packets periodically, allowing wearable medical sensors (e.g., continuous glucose monitors) to operate for months or years on a single small coin-cell battery (Michaluk, 2025). They utilize the globally available 2.4 GHz band and inherit robust encryption techniques like AES-128 to protect sensitive health data from unauthorized access.
- **Limitations:** These technologies are constrained by extremely short transmission ranges, typically between 15 to 30 meters for BLE. They also offer very low data transmission rates—up to 1 Mbps for BLE and around 250 kbps for Zigbee—making them entirely incapable of supporting bandwidth-heavy applications like video conferencing. Furthermore, they cannot connect directly to the broader internet; they require an intermediary gateway device, such as a smartphone, a PC, or a central Wi-Fi hub, to transmit data to remote healthcare servers.
- **Suitability:** Short-range technologies play a critical and universal role in both **urban and rural contexts**. They are perfectly suited for the "last-meter" of remote patient monitoring, regardless of the patient's geographic location (Michaluk, 2025). BLE and Zigbee are the standard for Wireless Body Area Networks (WBANs), continuously and reliably collecting physiological data from the patient's body before securely forwarding it to a mobile gateway that links back to healthcare professionals

2. Recommendation of a Hybrid Wireless Solution

To successfully expand SmartMed Solutions' remote patient monitoring and telemedicine services across both highly developed urban centers and underserved

rural areas, relying on a single wireless technology is insufficient. Therefore, I propose a multi-tier hybrid wireless communication system that strategically integrates Short-range technology (Bluetooth Low Energy - BLE), Wireless Local Area Networks (WLAN/Wi-Fi), and Cellular networks (4G/5G). This complementary approach leverages the strengths of each technology to create a seamless, end-to-end healthcare data pipeline.

a. Proposed Hybrid Wireless Communication System

The proposed architecture operates on three interconnected tiers. First, BLE acts as the foundation for the Wireless Body Area Network (WBAN), connecting wearable medical sensors directly to the patient's local gateway (e.g., a smartphone) due to its ultra-low power consumption. Second, WLAN serves as the indoor aggregation hub, efficiently routing data from multiple local devices. Finally, 5G and advanced 4G LTE provide the wide-area backhaul to transmit data to SmartMed's central cloud servers. This hybrid integration guarantees three critical operational requirements:

- Reliability: Healthcare data transmission cannot tolerate network drops. By utilizing 5G's Ultra-Reliable Low-Latency Communication (URLLC), the system achieves sub-millisecond latency, which is essential for real-time, life-critical applications (Telit Cinterion Team, 2024). Furthermore, combining Wi-Fi and Cellular technologies allows for dynamic traffic offloading and failover. If a patient moves out of Wi-Fi range, the mobile gateway instantaneously shifts the data stream to the cellular network, ensuring uninterrupted continuous monitoring (Jasim & Adress, 2025).

- Security: Protecting sensitive health data is a legal and ethical mandate. At the sensor level, BLE employs advanced AES-128 encryption to secure physiological data before it leaves the patient's body. At the macro level, the system leverages 5G network slicing. This feature allows network operators to partition the physical 5G infrastructure into multiple isolated virtual networks (Telit Cinterion Team, 2024). By creating a dedicated "health slice," SmartMed's data is strictly separated from public internet traffic,

protecting it from network congestion and significantly reducing the attack surface for cyber threats.

- Scalability: As SmartMed expands its user base, the network must support a massive influx of devices. 5G incorporates massive Machine-Type Communications (mMTC), which has the capacity to seamlessly connect up to one million devices per square kilometer (Chowdary et al., 2023). Combined with BLE, which enables medical sensors to operate for months or years on a single coin-cell battery without frequent maintenance, the organization can scale its remote monitoring services to thousands of concurrent users across the country without overwhelming the infrastructure.

b. Detailed Scenario Example: Urban and Rural Contexts

This hybrid architecture dynamically adapts to overcome the unique geographical and infrastructural challenges of different environments.

Urban Context Scenario: The Connected Ambulance and High-Mobility Care In a dense urban setting, an elderly patient with a history of heart disease wears a BLE-enabled continuous ECG patch and an SpO2 monitor. These sensors continuously securely transmit data via the patient's home WLAN to SmartMed's cloud servers. Suddenly, the AI diagnostic system detects a severe cardiac anomaly. SmartMed immediately dispatches a "connected ambulance."

Because the ambulance operates in a fast-moving, outdoor environment, it relies on the dedicated 5G URLLC network slice (Telit Cinterion Team, 2024). While in transit to the patient and back to the hospital, paramedics use the 5G connection to share real-time, high-definition ultrasound images and live patient vitals with emergency room doctors (Chowdary et al., 2023). Specialists use 5G-enabled Augmented Reality (AR) headsets to remotely guide the paramedics through complex, life-saving pre-hospital triage without any latency (Kumar & Masud, 2025). The hybrid system ensures that the transition of data from the patient's home Wi-Fi to the ambulance's 5G network is entirely seamless.

Rural Context Scenario: Overcoming the Digital Divide In a remote rural village in Malaysia, fixed broadband infrastructure (fiber optics) is economically unviable

and unavailable. A patient suffering from diabetes and hypertension uses the same BLE wearable sensors to monitor blood glucose and heart rate. Because continuous 4G/5G cellular macro-coverage is sparse in the patient's home, the system utilizes an adaptive data transmission approach. The BLE sensors sync the physiological data to a mobile application on the patient's smartphone using a "store-and-forward" mode, saving the data securely offline (Jasim & Adress, 2025).

To upload the data and consult with a doctor, the patient visits a local community health center. SmartMed has equipped this clinic with a robust WLAN hub that uses a high-gain 4G LTE or sub-6 GHz 5G antenna as a wireless backhaul to reach the core network. This hybrid setup acts as a localized connectivity oasis. Once the patient arrives, the smartphone automatically connects to the clinic's Wi-Fi, uploading the stored data to the cloud. The patient then uses the Wi-Fi network to conduct a high-quality, uninterrupted telemedicine video consultation with a specialist located in Kuala Lumpur (Chowdary et al., 2023). This hybrid model eliminates the need for expensive infrastructure deployment, bridging the digital divide and providing the rural population with equitable access to expert medical care.

3. Emerging Technologies in this Field

To future-proof SmartMed Solutions' infrastructure and expand its capabilities across both advanced urban centers and underserved rural areas, adopting emerging wireless technologies is imperative. Two highly relevant technologies that can revolutionize the organization's remote patient monitoring and telemedicine platform are **5G Network Slicing** and **Low Power Wide Area Networks (LPWAN)**.

a. Technology Description: 5G Network Slicing and LPWAN

5G Network Slicing 5G network slicing is a transformative approach in mobile network technology that enables service providers to build virtual end-to-end networks tailored specifically to application requirements (IJRTI, 2024; Manda, 2021). It works by leveraging Software-Defined Networking (SDN) and Network Functions Virtualization (NFV) to partition a single physical 5G infrastructure into

multiple isolated slices (Chowdary et al., 2023). Each slice operates independently and is highly customized to meet distinct performance requirements, such as reliable low latency for medical devices or massive IoT connectivity (IJRTI, 2024). Currently, network slicing is moving from theoretical frameworks into commercial reality, particularly addressing the strict demands of telemedicine (Manda, 2021).

Low Power Wide Area Networks (LPWAN) for IoT LPWAN represents a category of wireless communication technologies—such as Narrowband IoT (NB-IoT), LTE-M, and LoRaWAN—specifically engineered for Internet of Things (IoT) deployments (Meyer, 2025.). These technologies are designed to provide long-range connectivity for sensors that transmit small amounts of data and require exceptionally low power consumption (Meyer, 2025.). While LoRaWAN operates on unlicensed frequency bands using robust Chirp Spread Spectrum (CSS) modulation to achieve vast transmission ranges, NB-IoT utilizes licensed cellular spectrums for deeper indoor penetration (Meyer, 2025.). Currently, LPWAN is a mature technology, widely deployed globally to serve as the backbone for massive Machine-Type Communications.

b. Potential Benefits for the Organisation

Enhancing Operations with 5G Network Slicing For SmartMed Solutions, 5G network slicing offers transformative operational enhancements, particularly for high-mobility and urban healthcare settings.

- **Reducing Latency & Enabling New Services:** By utilizing a dedicated "Reliable Low Latency" network slice, SmartMed can guarantee the ultra-low latency necessary for mission-critical services (IJRTI, 2024). This enables entirely new capabilities, such as real-time remote robotic surgery (telesurgery) and AI-driven augmented reality (AR) diagnostics, where data must be transmitted instantly (Chowdary et al., 2023). Furthermore, emergency services like connected ambulances can be assigned prioritized slices to share high-definition video and vital signs with hospitals while in transit (IJRTI, 2024).

- **Increasing Data Security:** Healthcare data privacy is highly sensitive and strictly regulated. Because each network slice is logically isolated from others, sensitive patient medical data transmitted over a dedicated telemedicine slice is shielded from public internet traffic (Manda, 2021). Implementing multi-tenant access control mechanisms on these specific slices ensures that only authorized users can access the data, significantly reducing the risk of cyberattacks and data breaches (Manda, 2021).

Enhancing Operations with LPWAN LPWAN is the perfect strategic fit for SmartMed's planned expansion into rural and geographically challenging environments.

- **Improving Service Coverage:** The primary limitation in remote regions is the lack of broadband infrastructure. LPWAN technologies feature excellent signal propagation, enabling them to travel several kilometers across difficult rural terrains and penetrate deep inside multistory buildings far better than standard Wi-Fi or high-frequency cellular networks (Meyer, 2025.). This allows SmartMed to reliably connect patients in isolated villages to the central healthcare cloud without the need for expensive infrastructure deployments.
- **Enabling Massive Scalability and Cost-Efficiency:** Remote patient monitoring relies heavily on continuous data collection. LPWAN allows wearable medical sensors to operate efficiently, maximizing battery lifetime so that devices can run for months or years without replacement (Meyer, 2025.). This drastically reduces maintenance costs and improves the patient experience. Furthermore, utilizing unlicensed LPWAN standards like LoRaWAN allows SmartMed to scale its services to thousands of rural users without paying high monthly cellular data fees.

CONCLUSION

In conclusion, establishing a robust wireless infrastructure is pivotal for SmartMed Solutions to bridge the healthcare gap in Malaysia's underserved regions. This report evaluated the distinct roles of Cellular (4G/5G), WLAN, and short-range technologies, determining that while each has individual limitations, their integration is essential for supporting high-quality telemedicine and continuous IoT monitoring. By proposing a hybrid wireless solution, the organization can ensure the reliability, security, and scalability necessary for sensitive medical data transmission across both urban and rural contexts. Furthermore, the adoption of emerging technologies—such as 5G network slicing and satellite-based IoT—offers a future-proof roadmap to reduce latency and extend life-saving services to the most remote areas. Ultimately, leveraging these integrated wireless advancements will empower SmartMed Solutions to deliver seamless, AI-assisted diagnostics and enhance long-term patient outcomes nationwide

REFERENCES

Chowdary, O. S. S. S., Naik, N., Patil, V., Adhikari, K., Hameed, B. Z., Rai, B. P., & Somani, B. K. (2023). 5G Technology is the Future of Healthcare: Opening Up a New Horizon for Digital Transformation in Healthcare Landscape. *Engineered Science*.

IJRTI. (2024). 5G Security Challenges & Solutions: A Comprehensive Survey. *International Journal for Research Trends and Innovation (IJRTI)*, 9(5), 518-531.

Jasim, M. M., & Adress, F. M. (2025). A Review of Wireless Systems for Monitoring and Diagnosing Patients in Emergency Telemedicine. *International Journal of Computer Trends and Technology (IJCTT)*, 73(3), 74-82.

Kumar, A., & Masud, M. (2025). Integrating 6G technology in smart hospitals: challenges and opportunities for enhanced healthcare services. *Frontiers in Medicine*, 12, 1534551.

Michaluk, W. (2025). Bluetooth vs. BLE in Medical Devices: Understanding the key differences. *HTD Health*.

Manda, J. K. (2021). 5G Network Slicing: Use Cases and Security Implications. *International Journal of Multidisciplinary and Current Educational Research (IJMCER)*, 3(6), 252-260.

Meyer, J. M. (2025). *Comparison of LPWAN technologies for IoT deployments*. University of Applied Science Hamburg.

Raghunandan, K. (2023). *Introduction to wireless communications and networks: A practical perspective*. Springer Nature.

Telit Cinterion Team. (2024). *5G in Health Care: 4 Revolutionary Use Cases*. Telit.