CMSC 430 Project 2

Alex Hong 04/11/23 Professor D. Jarc

Project 2 - Approach

After reading most of the assigned readings and watching the video lectures I proceeded with project 2. I followed "Project 2 Approach" step by step, beginning with adding the tokens from Project 1 to scanner. I of Project 2. I used Git in VS Code and committed after completing each step. To see if my changes worked, I remade the file and compiled using the corresponding test file. After confirming that my terminal's output matched the desired output, I moved on to the next step. After modifying the grammar to parse booleans, reals and real literals, multiple variable declarations, case selection, conditional statements, optional parameters in the function header, remainder and exponent operators, or/not operators, and nested ifs, I implemented error handling as specified by the requirements.

cp parser.tab.h tokens.h
g++ -c scanner.c
clang: warning: treating 'c' input as 'c++' when in C++ mode, this behavior is deprecated [-Wdeprecated]

clang: warning: treating 'c' input as 'c++' when in C++ mode, this behavior is deprecated [-Wdeprecated]

alexhong@Alexs-iMac Project 2 Hong % make

g++ -o compile scanner.o parser.o listing.o

bison -d -v parser.y
mv parser.tab.c parser.c

q++ -c parser.c

- alexhong@Alexs-iMac Project 2 Hong % ./compile < tests/mytest1.txt</pre> -- Function with a Real Variable and Boolean and Real Literals -- Function with 2 parameters -- Function with multiple variables initialized -- Function with If/Else statement 5 function main a: integer, b: integer returns boolean; c: integer is 11; d: real is 5.E3; e: real is 3.1; 10 begin 11 if a < b and a < c then 12 b >= c:
- 13 else 14 a > c; 15 endif; 16 end; 17

Compiled Successfully. Total Errors: 0

alexhong@Alexs-iMac Project 2 Hong % ./compile < tests/mytest2.txt

1 -- Function with case selection
2 -- Function with single parameter
3 -- Function with remainder and exponent operators
4
5 function main z: boolean returns integer;
6 a: integer is 4 ** 2;</pre>

begin

case a is

endcase;

when 1 => 3 rem 5;

others => 4;

Compiled Successfully. Total Errors: 0

when $2 \Rightarrow (2 + 5 - 4) / 3$;

8

10

13 end;

11

```
alexhong@Alexs-iMac Project 2 Hong % ./compile < tests/mytest3.txt</pre>
       -- Function with or/not operators
       — No parameters
    3
       -- Nested ifs
    4
       function hello returns integer;
    6
            a: integer is 10;
            b: integer is 2;
    8
       begin
           if a * b = 20 or a / b = 5 then
   10
                if a - b = 8 then
   11
                    a + b ** 2;
   12
                else
   13
                    a + b rem 23;
   14
                endif;
   15
           else
```

not true and not not false;

16

17

18 end;

endif;

Compiled Successfully. Total Errors: 0

```
alexhong@Alexs-iMac Project 2 Hong % ./compile < tests/mytest4.txt</pre>
       // Multiple errors
     3 function main a integer returns real;
  syntax error, unexpected INTEGER, expecting ':'
           b: integer is * 2;
  syntax error, unexpected MULOP
     5
           c: real is 6.0;
    6 begin
           if a > c then
                b + / 4.:
  syntax error, unexpected MULOP
     9
           else
                case b is
    10
    11
                   when => 2;
```

syntax error, unexpected ARROW, expecting INT_LITERAL

syntax error, unexpected ENDCASE, expecting OTHERS or WHEN

when $2 \Rightarrow c$:

endcase;

endif;

12

14

13

Lexical Errors: 0
Syntax Errors: 5
Semantic Errors: 0

Project 2 - Lessons Learned

There were several times where I broke the program and had to roll back changes. I am glad that I used source control. The most frustrating mistake was when I had unintentionally written two consecutive vertical bars ("|") in one of my rules. This led the compiler to complain and resulted in shift/reduce conflicts. detected. It took me a while to find the bug and I was reminded about the importance of details. I also had to experiment with different ways to specify verbose error messages since the skeleton code's declaration did not work on my system.

```
variable:
    IDENTIFIER ':' type IS statement_ |
    | error ';'
;
```

alexhong@Alexs-iMac Project 2 Hong % make flex scanner.l mv lex.yy.c scanner.c bison -d -v parser.y parser.y: conflicts: 3 shift/reduce

```
parser.y
     #include <string>
15
     using namespace std;
16
     #include "listing.h"
18
19
     int yylex();
20
     void yyerror(const char* message);
21
22
     %error-verbose
```