Instructor: Akira Horiguchi TA: Qiqi Liu

STA 35C – Statistical Data Science III University of California, Davis

Homework 1

due: W Oct 1, 2025, 11:59 PM PST

Textbook problems are from https://www.probabilitycourse.com/chapter1/1_5_0_chapter1_problems.php

1. (Textbook Problem 6) Suppose that A_1 , A_2 , A_3 form a partition of the universal set S. For a set B, assume that we know

$$|B \cap A_1| = 10,$$
 $|B \cap A_2| = 20,$ $|B \cap A_3| = 15.$

Find |B|.

2. (Textbook Problem 13) Two teams A and B play a soccer match, and we are interested in the winner. The sample space can be defined as

$$S = \{a, b, d\},$$

where a shows the outcome that A wins, b shows the outcome that B wins, and d shows the outcome that they draw. Suppose we know that:

the probability that A wins is $P(a) = P(\{a\}) = 0.5$, and the probability of a draw is $P(d) = P(\{d\}) = 0.25$.

- (a) Find the probability that B wins.
- (b) Find the probability that B wins or a draw occurs.
- 3. A fair six-sided die is rolled two times in a row, where it can be assumed that the two die rolls don't influence each other (i.e., they are independent). The set of all possible results is

$$S = \{(x_1, x_2) \mid x_1, x_2 \in \{1, \dots, 6\}\},$$
 or, equivalently, $S = \{1, \dots, 6\} \times \{1, \dots, 6\}.$

We are interested in the events:

A: "The result of the first roll is even" and B: "The result of the second roll is a multiple of 3".

- (a) Formally write down A, B as sets (similar to the set S above).
- (b) Calculate $P(A), P(A^c), P(B), P(A \cap B), P(A \cup B), P(B \setminus A)$.
- 4. (Textbook Problem 16) Consider a random experiment with a sample space $S = \{1, 2, 3, \dots\}$. Suppose that we know that

$$P(k) = P(\{k\}) = \frac{c}{3^k}, \text{ for } k = 1, 2, 3, \dots,$$

where c is a constant number.

- (a) Find c.
- (b) Find $P(\{2,4,6\})$.
- (c) Find $P({3,4,5,\cdots})$.