



Updated Big Data + Panel MIT Format

V1.12

Nielsen Updated Big Data + Panel MIT Format

Table of Contents

Table 1 Files and Record Types	6
Table 2 Broadcast Updated Big Data + Panel Files	14
Table 3 Broadcast Hispanic Updated Big Data + Panel Files	16
Table 4 Cable Updated Big Data + Panel Files	18
Table 5 Cable Hispanic Updated Big Data + Panel Files	20
Table 6 Syndication Updated Big Data + Panel Files	21
Table 7 March Madness Updated Big Data + Panel Files	23
Table 8 Retrocode Updated Big Data + Panel Files	24
Table 9 Report Names in Header Record Sequence 00	25
Header Record Sequence 00	30
Universe Estimate Record Sequence 01 – H Record Type	32
Universe Estimate Record Sequence 01 – P Record Type	36
Intab Scaled Counts Record Sequence 02 – H Record Type	39
Intab Scaled Counts Record Sequence 02 – P Record Type	44
TV Usage Record Sequence 03 – H Record Type	47
TV Usage Record Sequence 03 – P Record Type	56
Broadcast Program Data Record Sequence 04 – D Record Type	61
Broadcast Program Data Record Sequence 04 – H Record Type	68
Broadcast Program Data Record Sequence 04 – P Record Type	75
NAD Broadcast Program Data Record Sequence 04 - D Record Type	79
NAD Broadcast Program Data Record Sequence 04 – H Record Type	87
NAD Broadcast Program Data Record Sequence 04 - P Record Type	94
Broadcast Time Period Record Sequence 05 – H Record Type	98
Broadcast Time Period Record Sequence 05 – P Record Type	102
NAD Broadcast Time Period Record Sequence 05 – H Record Type	105
NAD Broadcast Time Period Record Sequence 05 – P Record Type	112
Broadcast Commercial Audience Data Record Sequence 06 – C Record Type	116
Broadcast Commercial Audience Data Record Sequence 06 – P Record Type	123
Cable Program Data Record Sequence 04 – D Record Type	126
Cable Program Data Record Sequence 04 – E Record Type	136
Cable Program Data Record Sequence 04 – F Record Type	142
Cable Program Data Record Sequence 04 – H Record Type	147
Cable Program Data Record Sequence 04 – P Record Type	156
NAD Cable Program Data Record Sequence 04 – D Record Type	161
NAD Cable Program Data Record Sequence 04 – P Record Type	171
Cable Time Period Record Sequence 05 – H Record Type	176
Cable Time Period Record Sequence 05 – P Record Type	183
NAD Cable Time Period Record Sequence 05 – H Record Type	187
NAD Cable Time Period Record Sequence 05 – P Record Type	195
Cable Commercial Audience Data Record Sequence 06 – C Record Type	199

Cable Commercial Audience Data Record Sequence 06 – P Record Type	208
Syndication Program Data Record Sequence 04 – D Record Type	212
Syndication Program Data Record Sequence 04 – H Record Type	219
Syndication Program Data Record Sequence 04 – P Record Type	225
NAD Syndication Program Data Record Sequence 04 – D Record Type	229
NAD Syndication Program Data Record Sequence 04 – H Record Type	237
NAD Syndication Program Data Record Sequence 04 – P Record Type	244
Syndication Comm'l Audience Data Record Sequence 06 – C Record Type	248
Syndication Comm'l Audience Data Record Sequence 06 – P Record Type	255
ICM Header Record Sequence 00	259
ICM Universe Estimate Record Sequence 01 – H Record Type	261
ICM Universe Estimate Record Sequence 01 – P Record Type	264
ICM Intab Scaled Counts Record Sequence 02 – H Record Type	266
ICM Intab Scaled Counts Record Sequence 02 – P Record Type	271
Individual Commercial Metrics Record Sequence 07 – J Record Type	274
Individual Commercial Metrics Record Sequence 07 – P Record Type	282
Appendix – Table A – Network Code	286
Appendix – Table B – Station Group Code	288
Appendix – Table C – Program Summary Type Code	291
Appendix – Table D – Demographic Group Categories	292
Appendix – Table E – NAD Market Breaks	293
Updated Big Data + Panel Individual Comm'l Metrics (ICM) MIT Calculations	295

Updated Big Data + Panel MIT Format

V1.12

Document Change History

Version	Date	Description of Change
V1.0	04/24/2024	First Published Version Note the following are the differences between the Updated Big Data + Panel file format and the Big Data + Panel V1.9 file format. - Tables 1 – 9 reflect the Updated Big Data + Panel file information - Program Minute Record Sequence 04 D and P Record Types are not included. These MITs will not be available for Updated Big Data + Panel - Individual Commercial Metrics Record Sequence 07 J and P Record Types have been added - Added ICM Header Record Sequence 00, ICM Universe Estimate Record Sequence 01 H and P, ICM Intab Scaled Count Record Sequence 02 H and P sections for the pipe delimited format. These are the same fields as in the fixed width format. - Updated Coverage Area Reportability Indicator descriptions. A value of 1 (minimum sample size) is not applicable for Big Data and will not be reported
V1.1	05/29/2024	- Added Nuestra Vision (NUV) effective June 3, 2024 to Table A and Table B - Updated the disclosure information at the end of the document
V1.2	07/01/24	- Updated Defy name change to ION Plus effective July 1, 2024 - Updated Nuestra Vision effective date to TBD - Added Merit Street (MST) effective July 8, 2024 to Table A and Table B
V1.3	07/15/24	- Updated NBCLX name change to American Crimes effective July 15, 2024 in Table A and Table B
V1.4	08/09/24	- Added new Episode Name field in the ICM (Individual Commercial Metrics) 07 P record type
V1.5	08/03/24	- Added Apple TV (ATV) effective TBD to Table A
V1.6	09/02/24	- Changed Nuestra Vision effective date from TBD to September 2, 2024 and changed Apple TV effective date to TBD in Table A and Table B
V1.7	10/10/24	- Added ESPN Plus (EP) effective October 21, 2024 to Table A
V1.8	11/17/24	- Added Scripps News end effective date November 17, 2024 to Table A and Table B
V1.9	12/06/24	- Added Nuestra Vision end effective date November 25, 2024 to Table A and Table B - Added Netflix (NFX) effective December 25, 2024 to Table A
V1.10	04/16/25	- Effective June 30, 2025 the Household Size characteristics are being updated to report HHLD Size = 4 and HHLD Size = 5+. Updated Table E to identify these changes. - Effective April 28, 2025, TBD TV name is changing to ROAR. Updated Table A and Table B.



Updated Big Data + Panel MIT Format

V1.12

Version	Date	Description of Change
V1.11	06/02/25	- Added MeTV Toons (TNZ) effective June 2, 2025 to Table A and Table B - Effective June 30, 2025 the Household Size characteristics are being updated to report HHLD Size = 4 and HHLD Size = 5+. Updated the MIT ID in Table E.
V1.12	06/24/25	- Updated market break retirement effective date to July 28, 2025 in Table E – NAD Market Breaks

Table 1 Files and Record Types

File Description	Record Sequences and Record Types Reported in the Updated Big Data + Panel MITs	Comments
Broadcast	Updated BD+P - Broadcast (UBDNTI)	
Broadcast Daily - Updated BD+P (BDAILY)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) TV Usage Record Sequence 03 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P) Time Period Record Sequence 05 Record Types = Household (H) and Person (P)	
Broadcast Prelim Wkly Pgm and Time Period - Updated BD+P (BPWPGMTP)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) TV Usage Record Sequence 03 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P) Time Period Record Sequence 05 Record Types = Household (H) and Person (P)	
Broadcast Wkly Pgm and Time Period - Updated BD+P (BWPGMTP)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) TV Usage Record Sequence 03 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P) Time Period Record Sequence 05 Record Types = Household (H) and Person (P)	
Broadcast Wkly ACM - Updated BD+P (BWACM)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D) and Person (P) Commercial Audience Data Record Sequence 06 Record Types = Commercial (C) and Person (P)	

Updated Big Data + Panel MIT Format

V1.12

File Description	Record Sequences and Record Types Reported in the Updated Big Data + Panel MITs	Comments
Broadcast Wkly OOH Only - Updated BD+P (BWOHO)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D) and Person (P) Commercial Audience Data Record Sequence 06 Record Types = Commercial (C) and Person (P)	
NAD Broadcast Wkly Market Breaks - Updated BD+P (NADBWMB)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) TV Usage Record Sequence 03 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P)	Optional File
NAD Broadcast Monthly Market Breaks - Updated BD+P (NADBMMB)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) TV Usage Record Sequence 03 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P)	Optional File
Broadcast Wkly ACM B7 Day - Updated BD+P (BWACMB7)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D) and Person (P) Commercial Audience Data Record Sequence 06 Record Types = Commercial (C) and Person (P)	Optional File
Broadcast Wkly Individual Commercial Metrics - Updated BD+P (BWICM)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 07 Record Types = Description (J) and Person (P)	Optional File
Broadcast Hispanic	Updated BD+P - Broadcast Hisp (UBDNTIH)	

Updated Big Data + Panel MIT Format

V1.12

File Description	Record Sequences and Record Types Reported in the Updated Big Data + Panel MITs	Comments
Broadcast Hisp Daily - Updated BD+P (BHDAILY)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P)	
Broadcast Hisp Prelim Wkly Pgm and Time Period - Updated BD+P (BHPWPGMTP)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) TV Usage Record Sequence 03 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P) Time Period Record Sequence 05 Record Types = Household (H) and Person (P)	
Broadcast Hisp Wkly Pgm and Time Period - Updated BD+P (BHWPGMTP)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) TV Usage Record Sequence 03 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P) Time Period Record Sequence 05 Record Types = Household (H) and Person (P)	
NAD Broadcast Hisp Wkly Market Breaks - Updated BD+P (NADBHWMB)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) TV Usage Record Sequence 03 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P) Time Period Record Sequence 05 Record Types = Household (H) and Person (P)	Optional File

Updated Big Data + Panel MIT Format

V1.12

File Description	Record Sequences and Record Types Reported in the Updated Big Data + Panel MITs	Comments
NAD Broadcast Hisp Monthly Market Breaks - Updated BD+P (NADBMMB)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) TV Usage Record Sequence 03 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P) Time Period Record Sequence 05 Record Types = Household (H) and Person (P)	Optional File
Broadcast Hisp Wkly Individual Commercial Metrics - Updated BD+P (BHWICM)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 07 Record Types = Description (J) and Person (P)	Optional File
Cable	Updated BD+P - Cable (UBDNHI)	
Cable Daily - Updated BD+P (CDAILY)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) TV Usage Record Sequence 03 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P) Time Period Record Sequence 05 Record Types = Household (H) and Person (P)	
Cable Wkly Pgm and Time Period - Updated BD+P (CWPGMTP)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) TV Usage Record Sequence 03 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P) Time Period Record Sequence 05 Record Types = Household (H) and Person (P)	

Updated Big Data + Panel MIT Format

V1.12

File Description	Record Sequences and Record Types Reported in the Updated Big Data + Panel MITs	Comments
Cable Wkly ACM - Updated BD+P (CWACM)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D) and Person (P) Commercial Audience Data Record Sequence 06 Record Types = Commercial (C) and Person (P)	
Cable Wkly OOH Only - Updated BD+P (CWOHO)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D) and Person (P) Commercial Audience Data Record Sequence 06 Record Types = Commercial (C) and Person (P)	
NAD Cable Wkly Market Breaks - Updated BD+P (NADCWMB)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D) and Person (P) Time Period Record Sequence 05 Record Types = Household (H) and Person (P)	Optional File
NAD Cable Monthly Market Breaks - Updated BD+P (NADCMMB)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D) and Person (P) Time Period Record Sequence 05 Record Types = Household (H) and Person (P)	Optional File
Cable Wkly ACM B7 Day - Updated BD+P (CWACMB7)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D) and Person (P) Commercial Audience Data Record Sequence 06 Record Types = Commercial (C) and Person (P)	Optional File

Updated Big Data + Panel MIT Format

V1.12

File Description	Record Sequences and Record Types Reported in the Updated Big Data + Panel MITs	Comments
Cable Wkly Individual Commercial Metrics – Updated BD+P (CWICM)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 07 Record Types = Description (J) and Person (P)	Optional File
Cable Hispanic	Updated BD+P - Cable Hisp (UBDNH1H)	
Cable Hisp Daily - Updated BD+P (CHDAILY)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P)	
Cable Hisp Wkly Pgm and Time Period - Updated BD+P (CHWPGMTP)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) TV Usage Record Sequence 03 Record Types = Household (H) and Person (P) Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P) Time Period Record Sequence 05 Record Types = Household (H) and Person (P)	
Cable Hisp Wkly Individual Commercial Metrics - Updated BD+P (CHWICM)	Header Record Sequence 00 Universe Estimate Record Sequence 01 Record Types = Household (H) and Person (P) Intab Scaled Counts Record Sequence 02 Record Types = Household (H) and Person (P) Program Data Record Sequence 07 Record Types = Description (J) and Person (P)	Optional File
Syndication	Updated BD+P - Syndication (UBDNSS)	
Syndication Wkly Pgm - Updated BD+P (SWPGM)	Header Record Sequence 00 Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P)	
Syndication Wkly ACM - Updated BD+P (SWACM)	Header Record Sequence 00 Program Data Record Sequence 04 Record Types = Description (D) and Person (P) Commercial Audience Data Record Sequence 06 Record Types = Commercial (C) and Person (P)	

Updated Big Data + Panel MIT Format

V1.12

File Description	Record Sequences and Record Types Reported in the Updated Big Data + Panel MITs	Comments
Syndication Wkly OOH Only - Updated BD+P (SWOOHO)	Header Record Sequence 00 Program Data Record Sequence 04 Record Types = Description (D) and Person (P) Commercial Audience Data Record Sequence 06 Record Types = Commercial (C) and Person (P)	
NAD Syndication Wkly Market Breaks - Updated BD+P (NADSWMB)	Header Record Sequence 00 Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P)	Optional File
NAD Syndication Monthly Market Breaks - Updated BD+P (NADSMMB)	Header Record Sequence 00 Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P)	Optional File
Syndication Wkly ACM B7 Day - Updated BD+P (SWACMB7)	Header Record Sequence 00 Program Data Record Sequence 04 Record Types = Description (D) and Person (P) Commercial Audience Data Record Sequence 06 Record Types = Commercial (C) and Person (P)	Optional File
PBS Program - Updated BD+P (PBN)	Header Record Sequence 00 Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P)	
Syndication Wkly Individual Commercial Metrics - Updated BD+P (SWICM)	Header Record Sequence 00 Program Data Record Sequence 07 Record Types = Description (J) and Person (P)	Optional File
March Madness	NCAA March Madness Custom MIT - Updated BD+P (UBDNCAA)	
NCAA March Madness Custom MIT - Updated BD+P (MMCM)	Header Record Sequence 00 Program Data Record Sequence 04 Record Types = Description (D) (H) and Person (P)	
NCAA March Madness Custom MIT OOH Only - Updated BD+P (MMCMMOOHO)	Header Record Sequence 00 Program Data Record Sequence 04 Record Types = Description (D) (H) and Person (P)	
Retrocode		

Updated Big Data + Panel MIT Format

V1.12

File Description	Record Sequences and Record Types Reported in the Updated Big Data + Panel MITs	Comments
XXX Retrocode Program - Updated BD+P (XXXR)	Header Record Sequence 00 Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P)	XXX = Client Name (XXXR) = Call Letters and R will represent Retrocode
XXX Retrocode Program OOH Only - Updated BD+P (XXXROOHO)	Header Record Sequence 00 Program Data Record Sequence 04 Record Types = Description (D), Household (H) and Person (P)	XXX = Client Name (XXXROOHO) = Call Letters and R will represent Retrocode

Table 2 Broadcast Updated Big Data + Panel Files

	MIT Library File Description	Zipped File Name
	Updated BD+P - Broadcast (UBDNTI)	BDAILY = Broadcast Daily Data BPWPGMTP = Broadcast Prelim Wkly Program & Time Period Data BWPGMTP = Broadcast Weekly Program & Time Period Data BWACM = Broadcast Weekly Average Commercial Minute Data BWOHO = Broadcast Weekly Out of Home Only Data NADBWMB = NAD Broadcast Weekly Market Breaks NADBMMB = NAD Broadcast Monthly Market Breaks BWACMB7 = Broadcast Weekly Beyond 7 TSV Data BWICM = Broadcast Weekly Individual Commercial Metrics Data Data Stream LV = Live LS = Live+SD L1 = Live+1 L2 = Live+2 L3 = Live+3 L7 = Live+7 L35 = Live+35
1	Broadcast Daily - Updated BD+P (BDAILY)	UBDNTI_BDAILY_D_YYYY_MM_DD_TDMONLV_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDMONLS_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDMONL3_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDMONL7_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDTUELV_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDTUELS_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDTUEL3_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDTUEL7_Rr.mit.gz
2	Broadcast Prelim Wkly Pgm and Time Period - Updated BD+P (BPWPGMTP)	UBDNTI_BPWPGMTP_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTI_BPWPGMTP_W_YYYY_MM_DD_LS_Rr.mit.gz
3	Broadcast Wkly Pgm and Time Period - Updated BD+P (BWPGMTP)	UBDNTI_BWPGMTP_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTI_BWPGMTP_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTI_BWPGMTP_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTI_BWPGMTP_W_YYYY_MM_DD_L7_Rr.mit.gz
4	Broadcast Wkly ACM - Updated BD+P (BWACM)	UBDNTI_BWACM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTI_BWACM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTI_BWACM_W_YYYY_MM_DD_L1_Rr.mit.gz UBDNTI_BWACM_W_YYYY_MM_DD_L2_Rr.mit.gz UBDNTI_BWACM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTI_BWACM_W_YYYY_MM_DD_L7_Rr.mit.gz
5	Broadcast Wkly OOH Only - Updated BD+P (BWOHO)	UBDNTI_BWOHO_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTI_BWOHO_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTI_BWOHO_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTI_BWOHO_W_YYYY_MM_DD_L7_Rr.mit.gz

Updated Big Data + Panel MIT Format

V1.12

	MIT Library File Description	Zipped File Name
	Updated BD+P - Broadcast (UBDNTI)	BDAILY = Broadcast Daily Data BPWPGMTP = Broadcast Prelim Wkly Program & Time Period Data BWPGMTP = Broadcast Weekly Program & Time Period Data BWACM = Broadcast Weekly Average Commercial Minute Data BWOHO = Broadcast Weekly Out of Home Only Data NADBWMB = NAD Broadcast Weekly Market Breaks NADBMMB = NAD Broadcast Monthly Market Breaks BWACMB7 = Broadcast Weekly Beyond 7 TSV Data BWICM = Broadcast Weekly Individual Commercial Metrics Data Data Stream LV = Live LS = Live+SD L1 = Live+1 L2 = Live+2 L3 = Live+3 L7 = Live+7 L35 = Live+35
6	NAD Broadcast Wkly Market Breaks - Updated BD+P (NADBWMB)	UBDNTI_NADBWMB_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTI_NADBWMB_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTI_NADBWMB_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTI_NADBWMB_W_YYYY_MM_DD_L7_Rr.mit.gz
7	NAD Broadcast Monthly Market Breaks - Updated BD+P (NADBMMB)	UBDNTI_NADBMMB_M_YYYY_MM_LV_Rr.mit.gz UBDNTI_NADBMMB_M_YYYY_MM_LS_Rr.mit.gz UBDNTI_NADBMMB_M_YYYY_MM_L3_Rr.mit.gz UBDNTI_NADBMMB_M_YYYY_MM_L7_Rr.mit.gz
8	Broadcast Wkly ACM B7 Day - Updated BD+P (BWACMB7)	UBDNTI_BWACMB7_W_YYYY_MM_DD_L35_Rr.mit.gz
9	Broadcast Wkly Individual Commercial Metrics - Updated BD+P (BWICM)	UBDNTI_BWICM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTI_BWICM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTI_BWICM_W_YYYY_MM_DD_L1_Rr.mit.gz UBDNTI_BWICM_W_YYYY_MM_DD_L2_Rr.mit.gz UBDNTI_BWICM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTI_BWICM_W_YYYY_MM_DD_L7_Rr.mit.gz

Table 3 Broadcast Hispanic Updated Big Data + Panel Files

	MIT Library File Description	Zipped File Name
	Updated BD+P - Broadcast Hisp (UBDNTIH)	BHDAILY = Broadcast Hispanic Daily Data BHPWPGMTP = Broadcast Hispanic Prelim Weekly Program & Time Period Data BHWPGMTP = Broadcast Hispanic Weekly Program & Time Period Data NADBHWMB = NAD Broadcast Hispanic Weekly Market Breaks NADBHMMB = NAD Broadcast Hispanic Monthly Market Breaks BHWICM = Broadcast Hispanic Weekly Individual Commercial Metrics Data Data Stream LV = Live LS = Live+SD L1 = Live+1 L2 = Live+2 L3 = Live+3 L7 = Live+7
1	Broadcast Hisp Daily - Updated BD+P (BHDAILY)	UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDMONLV_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDMONLS_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDMONL3_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDMONL7_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDTUELV_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDTUELS_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDTUEL3_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDTUEL7_Rr.mit.gz ...
2	Broadcast Hisp Prelim Wkly Pgm and Time Period - Updated BD+P (BHPWPGMTP)	UBDNTIH_BHPWPGMTP_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTIH_BHPWPGMTP_W_YYYY_MM_DD_LS_Rr.mit.gz
3	Broadcast Hisp Wkly Pgm and Time Period - Updated BD+P (BHWPGMTP)	UBDNTIH_BHWPGMTP_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTIH_BHWPGMTP_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTIH_BHWPGMTP_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTIH_BHWPGMTP_W_YYYY_MM_DD_L7_Rr.mit.gz
4	NAD Broadcast Hisp Wkly Market Breaks - Updated BD+P (NADBHWMB)	UBDNTIH_NADBHWMB_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTIH_NADBHWMB_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTIH_NADBHWMB_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTIH_NADBHWMB_W_YYYY_MM_DD_L7_Rr.mit.gz
5	NAD Broadcast Hisp Monthly Market Breaks - Updated BD+P (NADBHMMB)	UBDNTIH_NADBHMMB_M_YYYY_MM_LV_Rr.mit.gz UBDNTIH_NADBHMMB_M_YYYY_MM_LS_Rr.mit.gz UBDNTIH_NADBHMMB_M_YYYY_MM_L3_Rr.mit.gz UBDNTIH_NADBHMMB_M_YYYY_MM_L7_Rr.mit.gz
6	Broadcast Hisp Wkly Individual Commercial Metrics - Updated BD+P (BHWICM)	UBDNTIH_BHWICM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTIH_BHWICM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTIH_BHWICM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTIH_BHWICM_W_YYYY_MM_DD_L7_Rr.mit.gz



Updated Big Data + Panel MIT Format
V1.12

Table 4 Cable Updated Big Data + Panel Files

	MIT Library File Description	Zipped File Name
	Updated BD+P - Cable (UBDNHI)	CDAILY = Cable Daily Data CWPGMTP = Cable Weekly Program & Time Period Data CWACM = Cable Weekly Average Commercial Minute Data CWOHO = Cable Weekly Out of Home Only Data NADCWMB = NAD Cable Weekly Market Breaks NADCMMB = NAD Cable Monthly Market Breaks CWACMB7 = Cable Weekly Beyond 7 TSV Data CWICM = Cable Weekly Individual Commercial Metrics Data Data Stream LV = Live LS = Live+SD L1 = Live+1 L2 = Live+2 L3 = Live+3 L7 = Live+7 L35 = Live+35
1	Cable Daily - Updated BD+P (CDAILY)	UBDNHI_CDAILY_D_YYYY_MM_DD_MONLV_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_MONLS_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_MONL3_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_MONL7_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_TUELV_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_TUELS_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_TUEL3_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_TUEL7_Rr.mit.gz ...
2	Cable Wkly Pgm and Time Period - Updated BD+P (CWPGMTP)	UBDNHI_CWPGMTP_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNHI_CWPGMTP_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNHI_CWPGMTP_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNHI_CWPGMTP_W_YYYY_MM_DD_L7_Rr.mit.gz
3	Cable Wkly ACM - Updated BD+P (CWACM)	UBDNHI_CWACM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNHI_CWACM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNHI_CWACM_W_YYYY_MM_DD_L1_Rr.mit.gz UBDNHI_CWACM_W_YYYY_MM_DD_L2_Rr.mit.gz UBDNHI_CWACM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNHI_CWACM_W_YYYY_MM_DD_L7_Rr.mit.gz
4	Cable Wkly OOH Only - Updated BD+P (CWOHO)	UBDNHI_CWOHO_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNHI_CWOHO_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNHI_CWOHO_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNHI_CWOHO_W_YYYY_MM_DD_L7_Rr.mit.gz

Updated Big Data + Panel MIT Format

V1.12

	MIT Library File Description	Zipped File Name
	Updated BD+P - Cable (UBDNHI)	CDAILY = Cable Daily Data CWPGMTP = Cable Weekly Program & Time Period Data CWACM = Cable Weekly Average Commercial Minute Data CWOHO = Cable Weekly Out of Home Only Data NADCWMB = NAD Cable Weekly Market Breaks NADCMMB = NAD Cable Monthly Market Breaks CWACMB7 = Cable Weekly Beyond 7 TSV Data CWICM = Cable Weekly Individual Commercial Metrics Data Data Stream LV = Live LS = Live+SD L1 = Live+1 L2 = Live+2 L3 = Live+3 L7 = Live+7 L35 = Live+35
5	NAD Cable Wkly Market Breaks - Updated BD+P (NADCWMB)	Program Data: UBDNHI_NADCWMB_W_YYYY_MM_DD_PGMLV_Rr.mit.gz UBDNHI_NADCWMB_W_YYYY_MM_DD_PGMLS_Rr.mit.gz UBDNHI_NADCWMB_W_YYYY_MM_DD_PGML3_Rr.mit.gz UBDNHI_NADCWMB_W_YYYY_MM_DD_PGML7_Rr.mit.gz Time Period Data: UBDNHI_NADCWMB_W_YYYY_MM_DD_TPLV_Rr.mit.gz UBDNHI_NADCWMB_W_YYYY_MM_DD_TPLS_Rr.mit.gz UBDNHI_NADCWMB_W_YYYY_MM_DD_TPL3_Rr.mit.gz UBDNHI_NADCWMB_W_YYYY_MM_DD_TPL7_Rr.mit.gz
6	NAD Cable Monthly Market Breaks - Updated BD+P (NADCMMB)	Program Data: UBDNHI_NADCMMB_M_YYYY_MM_PGMLV_Rr.mit.gz UBDNHI_NADCMMB_M_YYYY_MM_PGMLS_Rr.mit.gz UBDNHI_NADCMMB_M_YYYY_MM_PGML3_Rr.mit.gz UBDNHI_NADCMMB_M_YYYY_MM_PGML7_Rr.mit.gz Time Period Data: UBDNHI_NADCMMB_M_YYYY_MM_TPLV_Rr.mit.gz UBDNHI_NADCMMB_M_YYYY_MM_TPLS_Rr.mit.gz UBDNHI_NADCMMB_M_YYYY_MM_TPL3_Rr.mit.gz UBDNHI_NADCMMB_M_YYYY_MM_TPL7_Rr.mit.gz
7	Cable Wkly ACM B7 Day - Updated BD+P (CWACMB7)	UBDNHI_CWACMB7_W_YYYY_MM_DD_L35_Rr.mit.gz
8	Cable Wkly Individual Commercial Metrics – Updated BD+P (CWICM)	UBDNHI_CWICM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNHI_CWICM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNHI_CWICM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNHI_CWICM_W_YYYY_MM_DD_L7_Rr.mit.gz

Table 5 Cable Hispanic Updated Big Data + Panel Files

	MIT Library File Description	Zipped File Name
	Updated BD+P - Cable Hisp (UBDNHIIH)	CHDAILY = Cable Hispanic Daily Data CHWPGMTP = Cable Hispanic Wkly Program & Time Period Data CHWICM = Cable Hispanic Weekly Individual Commercial Metrics Data Data Stream LV = Live LS = Live+SD L1 = Live+1 L2 = Live+2 L3 = Live+3 L7 = Live+7
1	Cable Hisp Daily - Updated BD+P (CHDAILY)	UBDNHIIH_CHDAILY_D_YYYY_MM_DD_MONL3_Rr.mit.gz UBDNHIIH_CHDAILY_D_YYYY_MM_DD_MONL7_Rr.mit.gz ...
2	Cable Hisp Wkly Pgm and Time Period - Updated BD+P (CHWPGMTP)	UBDNHIIH_CHWPGMTP_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNHIIH_CHWPGMTP_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNHIIH_CHWPGMTP_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNHIIH_CHWPGMTP_W_YYYY_MM_DD_L7_Rr.mit.gz
3	Cable Hisp Wkly Individual Commercial Metrics - Updated BD+P (CHWICM)	UBDNHIIH_CHWICM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNHIIH_CHWICM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNHIIH_CHWICM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNHIIH_CHWICM_W_YYYY_MM_DD_L7_Rr.mit.gz

Table 6 Syndication Updated Big Data + Panel Files

	MIT Library File Description	Zipped File Name
	Updated BD+P - Syndication (UBDNSS)	SWPGM = Syndication Weekly Program Data SWACM = Syndication Weekly Average Commercial Minute Data SWOOHO = Syndication Weekly Out of Home Only Data NADSWMB = NAD Syndication Weekly Market Breaks NADSMMB = NAD Syndication Monthly Market Breaks SWACMB7 = Syndication Weekly Beyond 7 TSV Data PBNBDP = PBS Weekly Program Data SWICM = Syndication Weekly Individual Commercial Metrics Data Data Stream LV = Live LS = Live+SD L1 = Live+1 L2 = Live+2 L3 = Live+3 L7 = Live+7 L35 = Live+35
1	Syndication Wkly Pgm - Updated BD+P (SWPGM)	UBDNSS_SWPGM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNSS_SWPGM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNSS_SWPGM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNSS_SWPGM_W_YYYY_MM_DD_L7_Rr.mit.gz
2	Syndication Wkly ACM - Updated BD+P (SWACM)	UBDNSS_SWACM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNSS_SWACM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNSS_SWACM_W_YYYY_MM_DD_L1_Rr.mit.gz UBDNSS_SWACM_W_YYYY_MM_DD_L2_Rr.mit.gz UBDNSS_SWACM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNSS_SWACM_W_YYYY_MM_DD_L7_Rr.mit.gz
3	Syndication Wkly OOH Only - Updated BD+P (SWOOHO)	UBDNSS_SWOHO_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNSS_SWOHO_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNSS_SWOHO_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNSS_SWOHO_W_YYYY_MM_DD_L7_Rr.mit.gz
4	NAD Syndication Wkly Market Breaks - Updated BD+P (NADSWMB)	UBDNSS_NADSWMB_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNSS_NADSWMB_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNSS_NADSWMB_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNSS_NADSWMB_W_YYYY_MM_DD_L7_Rr.mit.gz
5	NAD Syndication Monthly Market Breaks - Updated BD+P (NADSMMB)	UBDNSS_NADSMMB_M_YYYY_MM_LV_Rr.mit.gz UBDNSS_NADSMMB_M_YYYY_MM_LS_Rr.mit.gz UBDNSS_NADSMMB_M_YYYY_MM_L3_Rr.mit.gz UBDNSS_NADSMMB_M_YYYY_MM_L7_Rr.mit.gz
6	Syndication Wkly ACM B7 Day - Updated BD+P (SWACMB7)	UBDNSS_SWACMB7_W_YYYY_MM_DD_L35_Rr.mit.gz

Updated Big Data + Panel MIT Format

V1.12

	MIT Library File Description	Zipped File Name
	Updated BD+P - Syndication (UBDNSS)	SWPGM = Syndication Weekly Program Data SWACM = Syndication Weekly Average Commercial Minute Data SWOOHO = Syndication Weekly Out of Home Only Data NADSWMB = NAD Syndication Weekly Market Breaks NADSMMB = NAD Syndication Monthly Market Breaks SWACMB7 = Syndication Weekly Beyond 7 TSV Data PBNBDP = PBS Weekly Program Data SWICM = Syndication Weekly Individual Commercial Metrics Data Data Stream LV = Live LS = Live+SD L1 = Live+1 L2 = Live+2 L3 = Live+3 L7 = Live+7 L35 = Live+35
7	PBS Program - Updated BD+P (PBN)	UBDNSS_PBN_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNSS_PBN_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNSS_PBN_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNSS_PBN_W_YYYY_MM_DD_L7_Rr.mit.gz
8	Syndication Wkly Individual Commercial Metrics - Updated BD+P (SWICM)	UBDNSS_SWICM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNSS_SWICM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNSS_SWICM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNSS_SWICM_W_YYYY_MM_DD_L7_Rr.mit.gz

Table 7 March Madness Updated Big Data + Panel Files

	MIT Library File Description	Zipped File Name
	NCAA March Madness Custom MIT - Updated BD+P (UBDNCAA)	MMCM = March Madness Custom MIT Data MMCMOOHO = March Madness Custom MIT Out of Home Only Data Data Stream LV = Live LS = Live+SD
1	NCAA March Madness Custom MIT - Updated BD+P (MMCM)	UBDNCAA_MMCM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNCAA_MMCM_W_YYYY_MM_DD_LS_Rr.mit.gz
2	NCAA March Madness Custom MIT OOH Only - Updated BD+P (MMCMOOHO)	UBDNCAA_MMCMOOHO_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNCAA_MMCMOOHO_W_YYYY_MM_DD_LS_Rr.mit.gz

Table 8 Retrocode Updated Big Data + Panel Files

	MIT Library File Description	Zipped File Name
	Updated BD+P - Syndication (UBDNSS) Or Updated BD+P - Broadcast (UBDNTI) Or Updated BD+P - Cable (UBDNHI) Note, XXX = Client Name (XXXR) = Call Letters and R will represent Retrocode	XXXR = Client Call Letters and R will represent Retrocode Data Data Stream LV = Live LS = Live+SD L3 = Live+3 L7 = Live+7
1	XXX Retrocode Program – Updated BD + P (XXXR)	UBDNSS_XXXR_W_YYYY_MM_DD_WKLV_Rr.mit.gz UBDNSS_XXXR_W_YYYY_MM_DD_WKLS_Rr.mit.gz UBDNSS_XXXR_W_YYYY_MM_DD_WKL3_Rr.mit.gz UBDNSS_XXXR_W_YYYY_MM_DD_WKL7_Rr.mit.gz
2	XXX Retrocode Program OOH Only – Updated BD + P (XXXROOHO)	UBDNSS_XXXROOHO_W_YYYY_MM_DD_WKLV_Rr.mit.gz UBDNSS_XXXROOHO_W_YYYY_MM_DD_WKLS_Rr.mit.gz UBDNSS_XXXROOHO_W_YYYY_MM_DD_WKL3_Rr.mit.gz UBDNSS_XXXROOHO_W_YYYY_MM_DD_WKL7_Rr.mit.gz

Table 9 Report Names in Header Record Sequence 00

File Name	Report Name
Broadcast	
UBDNTI_BDAILY_D_YYYY_MM_DD_TDMONLV_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDMONLS_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDMONL3_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDMONL7_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDTUELV_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDTUELS_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDTUEL3_Rr.mit.gz UBDNTI_BDAILY_D_YYYY_MM_DD_TDTUEL7_Rr.mit.gz	BCAST DAILY MON LIVE UBD+P BCAST DAILY MON LIVE+SD UBD+P BCAST DAILY MON LIVE+3 UBD+P BCAST DAILY MON LIVE+7 UBD+P BCAST DAILY TUE LIVE UBD+P BCAST DAILY TUE LIVE+SD UBD+P BCAST DAILY TUE LIVE+3 UBD+P BCAST DAILY TUE LIVE+7 UBD+P
UBDNTI_BPWPGMTP_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTI_BPWPGMTP_W_YYYY_MM_DD_LS_Rr.mit.gz	BCAST PRL WKLY PGM&TP LIVE UBD+P BCAST PRL WKLY PGM&TP LIVE+SD UBD+P
UBDNTI_BWPGMTP_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTI_BWPGMTP_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTI_BWPGMTP_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTI_BWPGMTP_W_YYYY_MM_DD_L7_Rr.mit.gz	BCAST WKLY PGM & TP LIVE UBD+P BCAST WKLY PGM & TP LIVE+SD UBD+P BCAST WKLY PGM & TP LIVE+3 UBD+P BCAST WKLY PGM & TP LIVE+7 UBD+P
UBDNTI_BWACM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTI_BWACM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTI_BWACM_W_YYYY_MM_DD_L1_Rr.mit.gz UBDNTI_BWACM_W_YYYY_MM_DD_L2_Rr.mit.gz UBDNTI_BWACM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTI_BWACM_W_YYYY_MM_DD_L7_Rr.mit.gz	BCAST WKLY ACM LIVE UBD+P BCAST WKLY ACM LIVE+SD UBD+P BCAST WKLY ACM LIVE+1 UBD+P BCAST WKLY ACM LIVE+2 UBD+P BCAST WKLY ACM LIVE+3 UBD+P BCAST WKLY ACM LIVE+7 UBD+P
UBDNTI_BWOOHO_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTI_BWOOHO_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTI_BWOOHO_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTI_BWOOHO_W_YYYY_MM_DD_L7_Rr.mit.gz	BCAST WKLY OOH ONLY LIVE UBD+P BCAST WKLY OOH ONLY LIVE+SD UBD+P BCAST WKLY OOH ONLY LIVE+3 UBD+P BCAST WKLY OOH ONLY LIVE+7 UBD+P
UBDNTI_NADBWMB_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTI_NADBWMB_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTI_NADBWMB_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTI_NADBWMB_W_YYYY_MM_DD_L7_Rr.mit.gz	BCAST WKLY MB LIVE UBD+P BCAST WKLY MB LIVE+SD UBD+P BCAST WKLY MB LIVE+3 UBD+P BCAST WKLY MB LIVE+7 UBD+P
UBDNTI_NADBMMB_M_YYYY_MM_LV_Rr.mit.gz UBDNTI_NADBMMB_M_YYYY_MM_LS_Rr.mit.gz UBDNTI_NADBMMB_M_YYYY_MM_L3_Rr.mit.gz UBDNTI_NADBMMB_M_YYYY_MM_L7_Rr.mit.gz	BCAST MNTHLY MB LIVE UBD+P BCAST MNTHLY MB LIVE+SD UBD+P BCAST MNTHLY MB LIVE+3 UBD+P BCAST MNTHLY MB LIVE+7 UBD+P
UBDNTI_BWACMB7_W_YYYY_MM_DD_L35_Rr.mit.gz	BCAST WKLY ACM LIVE+35 UBD+P
UBDNTI_BWICM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTI_BWICM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTI_BWICM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTI_BWICM_W_YYYY_MM_DD_L7_Rr.mit.gz	BCAST WKLY ICM LIVE UBD+P BCAST WKLY ICM LIVE+SD UBD+P BCAST WKLY ICM LIVE+3 UBD+P BCAST WKLY ICM LIVE+7 UBD+P
Broadcast Hispanic	

Updated Big Data + Panel MIT Format

V1.12

File Name	Report Name
UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDMONLV_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDMONLS_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDMONL3_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDMONL7_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDTUELV_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDTUELS_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDTUEL3_Rr.mit.gz UBDNTIH_BHDAILY_D_YYYY_MM_DD_TDTUEL7_Rr.mit.gz	BCAST HIS DAILY MON LIVE UBD+P BCAST HIS DAILY MON LIVE+SD UBD+P BCAST HIS DAILY MON LIVE+3 UBD+P BCAST HIS DAILY MON LIVE+7 UBD+P BCAST HIS DAILY TUE LIVE UBD+P BCAST HIS DAILY TUE LIVE+SD UBD+P BCAST HIS DAILY TUE LIVE+3 UBD+P BCAST HIS DAILY TUE LIVE+7 UBD+P
UBDNTIH_BHPWPGMTP_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTIH_BHPWPGMTP_W_YYYY_MM_DD_LS_Rr.mit.gz	BCAST HIS PRL PGM&TP LIVE UBD+P BCAST HIS PRL PGM&TP LIVE+SD UBD+P
UBDNTIH_BHWPGMTP_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTIH_BHWPGMTP_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTIH_BHWPGMTP_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTIH_BHWPGMTP_W_YYYY_MM_DD_L7_Rr.mit.gz	BCAST HIS WK PGM & TP LIVE UBD+P BCAST HIS WK PGM & TP LIVE+SD UBD+P BCAST HIS WK PGM & TP LIVE+3 UBD+P BCAST HIS WK PGM & TP LIVE+7 UBD+P
UBDNTIH_NADBHWMB_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTIH_NADBHWMB_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTIH_NADBHWMB_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTIH_NADBHWMB_W_YYYY_MM_DD_L7_Rr.mit.gz	BCAST HIS WKLY MB LIVE UBD+P BCAST HIS WKLY MB LIVE+SD UBD+P BCAST HIS WKLY MB LIVE+3 UBD+P BCAST HIS WKLY MB LIVE+7 UBD+P
UBDNTIH_NADBHMMB_M_YYYY_MM_LV_Rr.mit.gz UBDNTIH_NADBHMMB_M_YYYY_MM_LS_Rr.mit.gz UBDNTIH_NADBHMMB_M_YYYY_MM_L3_Rr.mit.gz UBDNTIH_NADBHMMB_M_YYYY_MM_L7_Rr.mit.gz	BCAST HIS MNTHLY MB LIVE UBD+P BCAST HIS MNTHLY MB LIVE+SD UBD+P BCAST HIS MNTHLY MB LIVE+3 UBD+P BCAST HIS MNTHLY MB LIVE+7 UBD+P
UBDNTIH_BHWICM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNTIH_BHWICM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNTIH_BHWICM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNTIH_BHWICM_W_YYYY_MM_DD_L7_Rr.mit.gz	BCAST HIS WK ICM LIVE UBD+P BCAST HIS WK ICM LIVE+SD UBD+P BCAST HIS WK ICM LIVE+3 UBD+P BCAST HIS WK ICM LIVE+7 UBD+P
Cable	
UBDNHI_CDAILY_D_YYYY_MM_DD_MONLV_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_MONLS_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_MONL3_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_MONL7_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_TUELV_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_TUELS_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_TUEL3_Rr.mit.gz UBDNHI_CDAILY_D_YYYY_MM_DD_TUEL7_Rr.mit.gz ...	CABLE DAILY MON LIVE UBD+P CABLE DAILY MON LIVE+SD UBD+P CABLE DAILY MON LIVE+3 UBD+P CABLE DAILY MON LIVE+7 UBD+P CABLE DAILY TUE LIVE UBD+P CABLE DAILY TUE LIVE+SD UBD+P CABLE DAILY TUE LIVE+3 UBD+P CABLE DAILY TUE LIVE+7 UBD+P ...
UBDNHI_CWPGMTP_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNHI_CWPGMTP_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNHI_CWPGMTP_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNHI_CWPGMTP_W_YYYY_MM_DD_L7_Rr.mit.gz	CABLE WKLY PGM & TP LIVE UBD+P CABLE WKLY PGM & TP LIVE+SD UBD+P CABLE WKLY PGM & TP LIVE+3 UBD+P CABLE WKLY PGM & TP LIVE+7 UBD+P

Updated Big Data + Panel MIT Format

V1.12

File Name	Report Name
UBDNHI_CWACM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNHI_CWACM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNHI_CWACM_W_YYYY_MM_DD_L1_Rr.mit.gz UBDNHI_CWACM_W_YYYY_MM_DD_L2_Rr.mit.gz UBDNHI_CWACM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNHI_CWACM_W_YYYY_MM_DD_L7_Rr.mit.gz	CABLE WKLY ACM LIVE UBD+P CABLE WKLY ACM LIVE+SD UBD+P CABLE WKLY ACM LIVE+1 UBD+P CABLE WKLY ACM LIVE+2 UBD+P CABLE WKLY ACM LIVE+3 UBD+P CABLE WKLY ACM LIVE+7 UBD+P
UBDNHI_CWOOHO_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNHI_CWOOHO_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNHI_CWOOHO_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNHI_CWOOHO_W_YYYY_MM_DD_L7_Rr.mit.gz	CABLE WKLY OOH ONLY LIVE UBD+P CABLE WKLY OOH ONLY LIVE+SD UBD+P CABLE WKLY OOH ONLY LIVE+3 UBD+P CABLE WKLY OOH ONLY LIVE+7 UBD+P
Program Data: UBDNHI_NADCWMB_W_YYYY_MM_DD_PGMLV_Rr.mit.gz UBDNHI_NADCWMB_W_YYYY_MM_DD_PGMLS_Rr.mit.gz UBDNHI_NADCWMB_W_YYYY_MM_DD_PGML3_Rr.mit.gz UBDNHI_NADCWMB_W_YYYY_MM_DD_PGML7_Rr.mit.gz Time Period Data: UBDNHI_NADCWMB_W_YYYY_MM_DD_TPLV_Rr.mit.gz UBDNHI_NADCWMB_W_YYYY_MM_DD_TPLS_Rr.mit.gz UBDNHI_NADCWMB_W_YYYY_MM_DD_TPL3_Rr.mit.gz UBDNHI_NADCWMB_W_YYYY_MM_DD_TPL7_Rr.mit.gz	Program Data: CABLE PGM WKLY MB LIVE UBD+P CABLE PGM WKLY MB LIVE+SD UBD+P CABLE PGM WKLY MB LIVE+3 UBD+P CABLE PGM WKLY MB LIVE+7 UBD+P Time Period Data: CABLE TP WKLY MB LIVE UBD+P CABLE TP WKLY MB LIVE+SD UBD+P CABLE TP WKLY MB LIVE+3 UBD+P CABLE TP WKLY MB LIVE+7 UBD+P
Program Data: UBDNHI_NADCMMB_M_YYYY_MM_PGMLV_Rr.mit.gz UBDNHI_NADCMMB_M_YYYY_MM_PGMLS_Rr.mit.gz UBDNHI_NADCMMB_M_YYYY_MM_PGML3_Rr.mit.gz UBDNHI_NADCMMB_M_YYYY_MM_PGML7_Rr.mit.gz Time Period Data: UBDNHI_NADCMMB_M_YYYY_MM_TPLV_Rr.mit.gz UBDNHI_NADCMMB_M_YYYY_MM_TPLS_Rr.mit.gz UBDNHI_NADCMMB_M_YYYY_MM_TPL3_Rr.mit.gz UBDNHI_NADCMMB_M_YYYY_MM_TPL7_Rr.mit.gz	Program Data: CABLE PGM MNTHLY MB LIVE UBD+P CABLE PGM MNTHLY MB LIVE+SD UBD+P CABLE PGM MNTHLY MB LIVE+3 UBD+P CABLE PGM MNTHLY MB LIVE+7 UBD+P Time Period Data: CABLE TP MNTHLY MB LIVE UBD+P CABLE TP MNTHLY MB LIVE+SD UBD+P CABLE TP MNTHLY MB LIVE+3 UBD+P CABLE TP MNTHLY MB LIVE+7 UBD+P
UBDNHI_CWACMB7_W_YYYY_MM_DD_L35_Rr.mit.gz	CABLE WKLY ACM LIVE+35 UBD+P
UBDNHI_CWICM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNHI_CWICM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNHI_CWICM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNHI_CWICM_W_YYYY_MM_DD_L7_Rr.mit.gz	CABLE WKLY ICM LIVE UBD+P CABLE WKLY ICM LIVE+SD UBD+P CABLE WKLY ICM LIVE+3 UBD+P CABLE WKLY ICM LIVE+7 UBD+P
Cable Hispanic	
UBDNHIH_CHDAILY_D_YYYY_MM_DD_MONL3_Rr.mit.gz UBDNHIH_CHDAILY_D_YYYY_MM_DD_MONL7_Rr.mit.gz UBDNHIH_CHDAILY_D_YYYY_MM_DD_TUEL3_Rr.mit.gz UBDNHIH_CHDAILY_D_YYYY_MM_DD_TUEL7_Rr.mit.gz ...	CABLE HIS DAILY MON LIVE+3 UBD+P CABLE HIS DAILY MON LIVE+7 UBD+P CABLE HIS DAILY TUE LIVE+3 UBD+P CABLE HIS DAILY TUE LIVE+7 UBD+P ...

Updated Big Data + Panel MIT Format

V1.12

File Name	Report Name
UBDNHIH_CHWPGMTP_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNHIH_CHWPGMTP_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNHIH_CHWPGMTP_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNHIH_CHWPGMTP_W_YYYY_MM_DD_L7_Rr.mit.gz	CABLE HIS WK PGM & TP LIVE UBD+P CABLE HIS WK PGM & TP LIVE+SD UBD+P CABLE HIS WK PGM & TP LIVE+3 UBD+P CABLE HIS WK PGM & TP LIVE+7 UBD+P
UBDNHIH_CHWICM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNHIH_CHWICM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNHIH_CHWICM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNHIH_CHWICM_W_YYYY_MM_DD_L7_Rr.mit.gz	CABLE HIS WK ICM LIVE UBD+P CABLE HIS WK ICM LIVE+SD UBD+P CABLE HIS WK ICM LIVE+3 UBD+P CABLE HIS WK ICM LIVE+7 UBD+P
Syndication	
UBDNSS_SWPGM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNSS_SWPGM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNSS_SWPGM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNSS_SWPGM_W_YYYY_MM_DD_L7_Rr.mit.gz	SYN WKLY PROGRAM LIVE UBD+P SYN WKLY PROGRAM LIVE+SD UBD+P SYN WKLY PROGRAM LIVE+3 UBD+P SYN WKLY PROGRAM LIVE+7 UBD+P
UBDNSS_SWACM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNSS_SWACM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNSS_SWACM_W_YYYY_MM_DD_L1_Rr.mit.gz UBDNSS_SWACM_W_YYYY_MM_DD_L2_Rr.mit.gz UBDNSS_SWACM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNSS_SWACM_W_YYYY_MM_DD_L7_Rr.mit.gz	SYN WKLY ACM MIT LIVE UBD+P SYN WKLY ACM MIT LIVE+SD UBD+P SYN WKLY ACM MIT LIVE+1 UBD+P SYN WKLY ACM MIT LIVE+2 UBD+P SYN WKLY ACM MIT LIVE+3 UBD+P SYN WKLY ACM MIT LIVE+7 UBD+P
UBDNSS_SWOCHO_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNSS_SWOCHO_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNSS_SWOCHO_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNSS_SWOCHO_W_YYYY_MM_DD_L7_Rr.mit.gz	SYN WKLY OOH ONLY MIT LIVE UBD+P SYN WKLY OOH ONLY MIT LIVE+SD UBD+P SYN WKLY OOH ONLY MIT LIVE+3 UBD+P SYN WKLY OOH ONLY MIT LIVE+7 UBD+P
UBDNSS_NADSWMB_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNSS_NADSWMB_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNSS_NADSWMB_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNSS_NADSWMB_W_YYYY_MM_DD_L7_Rr.mit.gz	SYN WKLY MB LIVE UBD+P SYN WKLY MB LIVE+SD UBD+P SYN WKLY MB LIVE+3 UBD+P SYN WKLY MB LIVE+7 UBD+P
UBDNSS_NADSMMB_M_YYYY_MM_LV_Rr.mit.gz UBDNSS_NADSMMB_M_YYYY_MM_LS_Rr.mit.gz UBDNSS_NADSMMB_M_YYYY_MM_L3_Rr.mit.gz UBDNSS_NADSMMB_M_YYYY_MM_L7_Rr.mit.gz	SYN MNTHLY MB LIVE UBD+P SYN MNTHLY MB LIVE+SD UBD+P SYN MNTHLY MB LIVE+3 UBD+P SYN MNTHLY MB LIVE+7 UBD+P
UBDNSS_SWACMB7_W_YYYY_MM_DD_L35_Rr.mit.gz	SYN WKLY ACM MIT LIVE+35 UBD+P
UBDNSS_PBN_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNSS_PBN_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNSS_PBN_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNSS_PBN_W_YYYY_MM_DD_L7_Rr.mit.gz	SYN PBS PROGRAM LIVE UBD+P SYN PBS PROGRAM LIVE+SD UBD+P SYN PBS PROGRAM LIVE+3 UBD+P SYN PBS PROGRAM LIVE+7 UBD+P
UBDNSS_SWICM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNSS_SWICM_W_YYYY_MM_DD_LS_Rr.mit.gz UBDNSS_SWICM_W_YYYY_MM_DD_L3_Rr.mit.gz UBDNSS_SWICM_W_YYYY_MM_DD_L7_Rr.mit.gz	SYN WK ICM LIVE UBD+P SYN WK ICM LIVE+SD UBD+P SYN WK ICM LIVE+3 UBD+P SYN WK ICM LIVE+7 UBD+P
March Madness	

Updated Big Data + Panel MIT Format

V1.12

File Name	Report Name
UBDNCAA_MMCM_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNCAA_MMCM_W_YYYY_MM_DD_LS_Rr.mit.gz	NCAA RETRO LIVE UBD+P NCAA RETRO LIVE+SD UBD+P
UBDNCAA_MMCMOOHO_W_YYYY_MM_DD_LV_Rr.mit.gz UBDNCAA_MMCMOOHO_W_YYYY_MM_DD_LS_Rr.mit.gz	NCAA RETRO OOH ONLY LIVE UBD+P NCAA RETRO OOH ONLY LIVE+SD UBD+P
Retrocode	
UBDNSS_XXXR_W_YYYY_MM_DD_WKLV_Rr.mit.gz UBDNSS_XXXR_W_YYYY_MM_DD_WKLS_Rr.mit.gz UBDNSS_XXXR_W_YYYY_MM_DD_WKL3_Rr.mit.gz UBDNSS_XXXR_W_YYYY_MM_DD_WKL7_Rr.mit.gz	XXX RETRO LIVE UBD+P XXX RETRO LIVE+SD UBD+P XXX RETRO LIVE+3 UBD+P XXX RETRO LIVE+7 UBD+P
UBDNSS_XXXROOHO_W_YYYY_MM_DD_WKLV_Rr.mit.gz UBDNSS_XXXROOHO_W_YYYY_MM_DD_WKLS_Rr.mit.gz UBDNSS_XXXROOHO_W_YYYY_MM_DD_WKL3_Rr.mit.gz UBDNSS_XXXROOHO_W_YYYY_MM_DD_WKL7_Rr.mit.gz	XXX RETRO OOH ONLY LIVE UBD+P XXX RETRO OOH ONLY LIVE+SD UBD+P XXX RETRO OOH ONLY LIVE+3 UBD+P XXX RETRO OOH ONLY LIVE+7 UBD+P

Header Record Sequence 00		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 00 = Report Descriptor
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	ACN NETWORK CODE	Blank (Not Applicable)
21-30	ACN PROGRAM CODE	Zero (Not Applicable)
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	Zero (Not Applicable)
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	01 = 1 week report 04 = 4 week report 05 = 5 week report
44-50	START DATE	Start of Week (Monday) Format (CYMMDD)
51-57	END DATE	End of Week (Sunday) Format (CYMMDD)
58-67	TELECAST NUMBER	Zero (Not Applicable)
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	Zero (Not Applicable)
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	Zero (Not Applicable)
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	Blank (Not Applicable) Note: Default "not applicable" value changed to match the new Universal Format.
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	Blank (Not Applicable)
86-87	EVENT START HOUR	Zero (Not Applicable)
88-89	EVENT START MINUTE	Zero (Not Applicable)
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT IND	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)

Updated Big Data + Panel MIT Format

V1.12

Header Record Sequence 00		
Position	Description	Range
97	VIEWING TYPE	Blank (Not Applicable)
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
107-114	FILLER	Always Blank
115-149	REPORT/FILE ID	See the Report Names in Header Record Sequence 00 section for the report names in each MIT.
150-166	FILLER	Blank
167-170	FILLER Broadcast and Syndication NAD: Month and Year	Blank Broadcast and Syndication NAD: Month and Year of the report interval as MMYY, e.g. 0907
171-207	ACN COPYRIGHT	Field should reflect the copyright information at the time the record was created. "Copyright 20xx The Nielsen Company"
208-347	EXCLUDED DAYS ARRAY	Blank – Reserved for futures
208-214	START DATE – INTERVAL #1	Blank – Reserved for futures
215-221	END DATE – INTERVAL #1	Blank – Reserved for futures
222-228	START DATE – INTERVAL #2	Blank – Reserved for futures
229-235	END DATE – INTERVAL #2	Blank – Reserved for futures
236-242	START DATE – INTERVAL #3	Blank – Reserved for futures
243-249	END DATE – INTERVAL #3	Blank – Reserved for futures
250-256	START DATE – INTERVAL #4	Blank – Reserved for futures
257-263	END DATE – INTERVAL #4	Blank – Reserved for futures
264-270	START DATE – INTERVAL #5	Blank – Reserved for futures
271-277	END DATE – INTERVAL #5	Blank – Reserved for futures
278-284	START DATE – INTERVAL #6	Blank – Reserved for futures
285-291	END DATE – INTERVAL #6	Blank – Reserved for futures
292-298	START DATE – INTERVAL #7	Blank – Reserved for futures
299-305	END DATE – INTERVAL #7	Blank – Reserved for futures
306-312	START DATE – INTERVAL #8	Blank – Reserved for futures
313-319	END DATE – INTERVAL #8	Blank – Reserved for futures
320-326	START DATE – INTERVAL #9	Blank – Reserved for futures
327-333	END DATE – INTERVAL #9	Blank – Reserved for futures
334-340	START DATE – INTERVAL #10	Blank – Reserved for futures
341-347	END DATE – INTERVAL #10	Blank – Reserved for futures
348-400	FILLER	Always Blank

Header Record Description

- There is one Header Record Sequence 00 per MIT file. The header record file format is the same format for broadcast, cable and syndication MITs.

Universe Estimate Record Sequence 01 – H Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 01 = Universe Estimates
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	DATA TYPE CODE	UES (left justified and blank filled)
21-30	ACN PROGRAM CODE	Zero (Not Applicable)
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	Zero (Not Applicable)
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	Zero (Not Applicable)
44-50	START DATE	Start of UE period (Monday) Format (CYYMMDD)
51-57	END DATE	End of UE period (Sunday) Format (CYYMMDD)
58-67	TELECAST NUMBER	Zero (Not Applicable)
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	Broadcast: 000000 = Total National Sample Cable: Numeric code describing the Coverage Area for which the estimates are delivered. Values include, but are not limited to: 000000 = Total U.S. 006521 = CNBC 006198 = MTV
77	COVERAGE CALCULATION INDICATOR	Broadcast: Blank = Total U.S. Cable: Indicates if the audience estimates delivered were calculated based on full sample or on a coverage area basis.

Universe Estimate Record Sequence 01 – H Record Type		
Position	Description	Range
		Blank = Total U.S.
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	Blank (Not Applicable) Note: Default "not applicable" value changed to match the new Universal Format.
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	H = Household
86-87	EVENT START HOUR	Zero (Not Applicable)
88-89	EVENT START MINUTE	Zero (Not Applicable)
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank (Not Applicable)
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
107-114	FILLER	Always Blank
115-118	EVENT DURATION	Zero (Not Applicable)
119-125	DAYS OF WEEK INDICATOR	Zero (Not Applicable)
126-140	WEEKS TELECAST INDICATORS	Zero (Not Applicable)
141-143	HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
144-148	HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
149-150	HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
151-152	HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
153	VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
154-169	FILLER	Always blank
170	VARIOUS UE INDICATOR	Blank (Not Applicable)
171-173	NUMBER OF TELECASTS/ DAYS	Zero (Not Applicable)
174-179	HALF-HR CONTRIBUTING DURATION	Zero (Not Applicable)
180-188	HOUSEHOLD UNIVERSE ESTIMATE	000,XXX,XX0 expressed as thousands
189-191	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable)
192	HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	Blank (Not Applicable)
193-195	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
196	HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)

Universe Estimate Record Sequence 01 – H Record Type		
Position	Description	Range
197-205	TOTAL U.S. HOUSEHOLD UNIVERSE ESTIMATE	Broadcast: 000000000 = Total U.S. Cable: The Total U.S. Household Universe Estimate 000,XXX,XX0. Redundant with position 180-188 when Coverage Sample ID (pos. 71-76) is 000000 = Total U.S.
206-207	HALF HOUR HOUSEHOLD TOTAL U.S. PROGRAM SHARE	Zero (Not Applicable)
208-216	HALF HOUR HOUSEHOLD COVERAGE AREA PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
217-225	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
226-228	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
229-250	FILLER	Always blank
251-253	NUMBER OF TELECASTS/ DAYS	Zero (Not Applicable)
254-259	FIRST QUARTER-HR CONTRIBUTING DURATION	Zero (Not Applicable)
260-268	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	Zero (Not Applicable)
269-271	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable)
272	FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	Blank (Not Applicable)
273-275	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
276	FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
277-285	FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
286-294	FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
295-299	FILLER	Always blank
300-302	NUMBER OF TELECASTS/ DAYS	Zero (Not Applicable)
303-308	SECOND QUARTER-HR CONTRIBUTING DURATION	Zero (Not Applicable)
309-317	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	Zero (Not Applicable)
318-320	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable)
321	SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	Blank (Not Applicable)
322-324	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
325	SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)

Universe Estimate Record Sequence 01 – H Record Type		
Position	Description	Range
326-334	SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
335-343	SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
344-400	FILLER	Always blank

Universe Estimate Record Sequence 01 Description

- The same data is repeated in each file throughout the same season. Universe Estimates changed for the National sample at the beginning of the September National calendar.

Universe Estimate Record Sequence 01 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 01 = Universe Estimates
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	DATA TYPE CODE	UES (left justified and blank filled)
21-30	ACN PROGRAM CODE	Zero (Not Applicable)
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	Zero (Not Applicable)
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS / WEEKS	Zero (Not Applicable)
44-50	START DATE	Start of UE period (Monday) Format (CYYMMDD)
51-57	END DATE	End of UE period (Sunday) Format (CYYMMDD)
58-67	TELECAST NUMBER	Zero (Not Applicable)
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	Broadcast: 000000 = Total National Sample Cable: Coverage Sample ID: Numeric code describing the Coverage Area for which estimates are delivered. Applicable for Record Sequences 01, 02, 03, 05. Values include but are not limited to: 000000 = Total U.S. 006521 = CNBC 006198 = MTV Etc., etc.
77	COVERAGE CALCULATION INDICATOR	Blank = Total National Sample

Universe Estimate Record Sequence 01 – P Record Type		
Position	Description	Range
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	Blank (Not Applicable) Note: Default "not applicable" value changed to match the new Universal Format.
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	P = Persons
86-87	EVENT START HOUR	Zero (Not Applicable)
88-89	EVENT START MINUTE	Zero (Not Applicable)
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record For market breaks: 501 for first record 520 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank (Not Applicable)
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
107-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Universe Estimate (000,XXX,XXX) expressed in thousands. Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.



Updated Big Data + Panel MIT Format

V1.12

Universe Estimate Record Sequence 01 Description

- The same data is repeated in each file throughout the same season. Universe Estimates changed for the National sample at the beginning of the September National calendar.

Intab Scaled Counts Record Sequence 02 – H Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 02 = Intab Sample Counts
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	DATA TYPE CODE	INT (left justified and blank filled)
21-30	ACN PROGRAM CODE	Zero (Not Applicable)
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	Zero (Not Applicable)
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day
44-50	START DATE	Individual Day Format (CYYMMDD)
51-57	END DATE	Individual Day Format (CYYMMDD)
58-67	TELECAST NUMBER	Zero (Not Applicable)
68	SCALED COUNT INDICATOR	0 = Total Intab Sample Counts Note, Scaled Intab Sample Counts are not applicable for Big Data Note: NAD MITs will not have Scaled Intab Sample Count records.
69-70	COMPONENT NUMBER	Zero (Not Applicable)

Intab Scaled Counts Record Sequence 02 – H Record Type		
Position	Description	Range
71-76	COVERAGE SAMPLE IDENTIFICATION	Broadcast: 000000 = Total U.S. Cable: Coverage Sample ID: Numeric code describing the Coverage Area for which estimates are delivered. Applicable for Record Sequences 01, 02, 03, 05. Values include but are not limited to: 000000 = Total U.S. 006521 = CNBC 006198 = MTV Etc., etc.
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	Blank (Not Applicable) Note: Default "not applicable" value changed to match the new Universal Format.
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	H = Household
86-87	EVENT START HOUR	Zero (Not Applicable)
88-89	EVENT START MINUTE	Zero (Not Applicable)
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank (Not Applicable)
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
107-114	FILLER	Always Blank
115-118	EVENT DURATION	Zero (Not Applicable)
(119-125)	DAYS OF WEEK INDICATOR	'0' if no sample count for that day. '1' if sample count for that day.
119	MONDAY	1 or 0
120	TUESDAY	1 or 0
121	WEDNESDAY	1 or 0
122	THURSDAY	1 or 0

Intab Scaled Counts Record Sequence 02 – H Record Type		
Position	Description	Range
123	FRIDAY	1 or 0
124	SATURDAY	1 or 0
125	SUNDAY	1 or 0
(126 – 140)	WEEKS TELECAST INDICATOR	Zero (Not Applicable) NAD MITs The weeks of the telecast to which this descriptor's time information applies. '0' if no sample count for that week. '1' if sample count for that week.
126	WEEK ONE	1 or 0
127	WEEK TWO	1 or 0
128	WEEK THREE	1 or 0
129	WEEK FOUR	1 or 0
130	WEEK FIVE	1 or 0
131	WEEK SIX	1 or 0
132	WEEK SEVEN	Zero (Not Applicable)
133	WEEK EIGHT	Zero (Not Applicable)
134	WEEK NINE	Zero (Not Applicable)
135	WEEK TEN	Zero (Not Applicable)
136	WEEK ELEVEN	Zero (Not Applicable)
137	WEEK TWELVE	Zero (Not Applicable)
138	WEEK THIRTEEN	Zero (Not Applicable)
139	WEEK FOURTEEN	Zero (Not Applicable)
140	WEEK FIFTEEN	Zero (Not Applicable)
141-143	HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
144-148	HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
149-150	HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
151-152	HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
153	VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
154-169	FILLER	Always blank
170	VARIOUS UE INDICATOR	Blank (Not Applicable)
171-173	NUMBER OF TELECASTS / DAYS	001 – Individual Day
174-179	HALF-HR CONTRIBUTING DURATION	Zero (Not Applicable)
180-188	HOUSEHOLD SAMPLE COUNTS	000,00X,XXX households. Indicates the number of households that pass set edits on this date. Note: Scaled Intab Sample Counts are not available for Big Data and will be zero. Note: Coverage Area Intab Sample Counts are not available will be zero. Note: NAD MITs will not have Scaled Intab Sample Count records.
189-191	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable)

Intab Scaled Counts Record Sequence 02 – H Record Type		
Position	Description	Range
192	HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	Blank (Not Applicable)
193-195	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
196	HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
197-205	TOTAL U.S. HOUSEHOLD INTAB SAMPLE COUNT	Broadcast: 000000000 = Total U.S. Cable: The Total U.S. Household Intab Sample Count 000,00X,XXX. Redundant with Pos. 180-188 when Coverage Sample ID (pos. 71-76) is Total U.S.
206-207	HALF HOUR HOUSEHOLD TOTAL U.S. PROGRAM SHARE	Zero (Not Applicable)
208-216	HALF HOUR HOUSEHOLD COVERAGE AREA PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
217-225	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
226-228	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
229-250	FILLER	Always blank
251-253	NUMBER OFTELECASTS/ DAYS	Zero (Not Applicable)
254-259	FIRST QUARTER-HR CONTRIBUTING DURATION	Zero (Not Applicable)
260-268	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	Zero (Not Applicable)
269-271	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable)
272	FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	Blank (Not Applicable)
273-275	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
276	FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
277-285	FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
286-294	FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
295-299	FILLER	Always blank
300-302	NUMBER OF TELECASTS/ DAYS	Zero (Not Applicable)
303-308	SECOND QUARTER-HR CONTRIBUTING DURATION	Zero (Not Applicable)
309-317	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	Zero (Not Applicable)

Intab Scaled Counts Record Sequence 02 – H Record Type		
Position	Description	Range
318-320	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable)
321	SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	Blank (Not Applicable)
322-324	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
325	SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
326-334	SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
335-343	SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
344-400	FILLER	Always blank

Intab Scaled Counts Record Sequence 02 Description

- Intab sample counts for each day of the week.
- Note: Scaled sample counts are not available for Big Data and will be 0 for each day of the week in the MITs.
- NAD MITs will not report zero records for Scaled Intab Sample Counts.

Intab Scaled Counts Record Sequence 02 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 02 = Intab Sample Counts
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	DATA TYPE CODE	INT (left justified and blank filled)
21-30	ACN PROGRAM CODE	Zero (Not Applicable)
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	Zero (Not Applicable)
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS / WEEKS	00 = Individual Day
44-50	START DATE	Individual Day Format (CYYMMDD)
51-57	END DATE	Individual Day Format (CYYMMDD) Note: for individual day reporting, START DATE = END DATE = BASE COUNT DATE
58-67	TELECAST NUMBER	Zero (Not Applicable)
68	SCALED COUNT INDICATOR	0 = Total Intab Sample Note, Scaled Intab Sample Counts are not applicable for Big Data Note: NAD MITs will not have Scaled Intab Sample Count records
69-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	Broadcast: 000000 = Total National Sample Cable: Coverage Sample ID: Numeric code describing the Coverage Area for which estimates are delivered. Applicable for Record Sequences 01, 02, 03, 05. Values include but are not limited to: 000000 = Total U.S.

Intab Scaled Counts Record Sequence 02 – P Record Type		
Position	Description	Range
		006521 = CNBC 006198 = MTV Etc., etc.
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	Blank (Not Applicable) Note: Default "not applicable" value changed to match the new Universal Format.
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	P = Persons
86-87	EVENT START HOUR	Zero (Not Applicable)
88-89	EVENT START MINUTE	Zero (Not Applicable)
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record For market breaks: 501 for first record 520 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank (Not Applicable)
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
107-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Persons Intab Sample Counts (000,00X,XXX) expressed in units. Note: Scaled Intab Sample Counts are not available for Big Data and will be zero.

Intab Scaled Counts Record Sequence 02 – P Record Type		
Position	Description	Range
		Note: Coverage Area Intab Sample Counts are not available and will be zero. Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.

Intab Scaled Counts Record Sequence 02 Description

- Intab sample counts for each day of the week.
- Note: Scaled sample counts are not available for Big Data and will be 0 for each day of the week in the MITs.
- NAD MITs will not report zero records for Scaled Intab Sample Counts.

TV Usage Record Sequence 03 – H Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 03 = TV Usage Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	DATA TYPE CODE	TVU (left justified and blank filled)
21-30	ACN PROGRAM CODE	Zero (Not Applicable)
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Broadcast: Blank (Not Applicable) Cable: Indicates what type of feed pattern is used for time period reporting. Applies to record sequence = 03, 04 and 05. Values are: Blank = Not Applicable (04), E = East (04), D = Dual (03, 04 and 05), W = West (04), L = Live (03 and 05), Y = Live (04)
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
58-67	TELECAST NUMBER	Zero (Not Applicable)
68-70	COMPONENT NUMBER	Zero (Not Applicable)

TV Usage Record Sequence 03 – H Record Type		
Position	Description	Range
		NAD MITs: Used as a sort field. Combination of Record Counter (pos. 99) and Half-Hour ID (pos. 81-82). Component Number values: 101 – 148 = Monday, half-hours 1-48 201 – 248 = Tuesday, half-hours 1-48 ... 701 - 748 = Sunday, half-hours 1-48 801 – 848 = Mon. – Fri. Averages, half-hours 1 – 48 This field should be used in conjunction with the days of week and weeks telecast fields. If the Component Number is 101 and the Days of Week field is 1000000 and Weeks Indicator is 11111, this would be an average of all of the Mondays for half-hour 1. (5-day total) If the Component Number is 815 and the Days of Week field is 1111100 and Weeks Indicator is 11111, this would be an average of all of the Mon-Fri for half-hour 1. (25-day total) If the Component Number is 223 and the Days of Week field is 0100000 and Weeks Indicator is 00000, this would be an average for the Tuesday for a specific date for half-hour 23. (1-day total)
71-76	COVERAGE SAMPLE IDENTIFICATION	Broadcast: 000000 = Total National Sample Cable: Coverage Sample ID: Numeric code describing the Coverage Area for which estimates are delivered. Applicable for Record Sequences 01, 02, 03, 05. Values include but are not limited to: 000000 = Total U.S. 006521 = CNBC

TV Usage Record Sequence 03 – H Record Type		
Position	Description	Range
		006198 = MTV Etc., etc.
77	COVERAGE CALCULATION INDICATOR	Broadcast: Blank (Not Applicable) Cable: Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank for half hour records. For quarter hour records, the Clock Quarter Hour for the first component quarter hour of the reported half hour. 01 = 6:00 a.m., 03 = 6:30 a.m., 05 = 7:00 am ... 95 = 5:30 a.m
85	RECORD TYPE	H = Household Half-Hour
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the half hour. Possible values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. 08 = 8 a.m. ... 29 = 5 a.m.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the half hour. Possible values are 00 or 15 or 30 or 45
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped.

TV Usage Record Sequence 03 – H Record Type		
Position	Description	Range
		0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98 NAD MIT: 1-8; used when fields within positions 1-98 are identical across records. 1 = an avg. across Mondays, 2 = an avg. across Tuesdays ...etc. for 3,4,5,6, 7 = an avg. across Sundays. 8 = an avg. across Mon-Fri Example: The 8:00-8:30PM average for Monday will show a 1 in this field, Tuesday will show a 2, etc. Can be used to distinguish the day of the week for single day averages.
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
107-114	FILLER	Always Blank
115-118	EVENT DURATION	0001 – 0030 (minutes)
(119-125)	DAYS OF WEEK INDICATOR	'0' if day is not reported in this record. '1' if day is reported in this record.
120	TUESDAY	1 or 0
121	WEDNESDAY	1 or 0
122	THURSDAY	1 or 0
123	FRIDAY	1 or 0
124	SATURDAY	1 or 0
125	SUNDAY	1 or 0
(126 – 140)	WEEKS TELECAST INDICATOR	Zero (Not Applicable) NAD MITs The weeks of the telecast to which this descriptor's time information applies. '0' if no sample count for that week. '1' if sample count for that week.
126	WEEK ONE	1 or 0
127	WEEK TWO	1 or 0
128	WEEK THREE	1 or 0
129	WEEK FOUR	1 or 0
130	WEEK FIVE	1 or 0
131	WEEK SIX	1 or 0
132	WEEK SEVEN	Zero (Not Applicable)
133	WEEK EIGHT	Zero (Not Applicable)
134	WEEK NINE	Zero (Not Applicable)
135	WEEK TEN	Zero (Not Applicable)
136	WEEK ELEVEN	Zero (Not Applicable)

TV Usage Record Sequence 03 – H Record Type		
Position	Description	Range
137	WEEK TWELVE	Zero (Not Applicable)
138	WEEK THIRTEEN	Zero (Not Applicable)
139	WEEK FOURTEEN	Zero (Not Applicable)
140	WEEK FIFTEEN	Zero (Not Applicable)
141-143	HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
144-148	HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
149-150	HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
151-152	HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
153	VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
154-169	FILLER	Always blank
170	VARIOUS UE INDICATOR	Blank (Not Applicable)
171-173	NUMBER OF TELECASTS/ DAYS	001 – Individual Day (pos. 42-43 = 00) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05)
174-179	HALF-HR CONTRIBUTING DURATION	Broadcast: 000030 – Single Day 1-week avg. 000150 – Mon-Fri 1-week avg. or Single Day 5-week avg. Cable: The contributing duration of the half hour estimates included in the record. Value is always 000030 except for cable networks whose broadcast day starts and ends on a non-half hour boundary.
180-188	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE PROJECTION	The half-hour HUT projection (in units) (XXX,XXX,XXX)
189-191	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Total U.S. HUT Rating computed by dividing the projection in Pos. 180 – 188, by the applicable Total U.S. Household Universe Estimate. Format is XXX (implied precision XX.X).
192	HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
193-195	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Broadcast: Zero (Not Applicable) Cable: Rating computed from the projected audience in Pos. 180-188 and the coverage area universe estimate. Format is XXX. Implied precision is XX.X
196	HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Broadcast: Blank (Not applicable)

TV Usage Record Sequence 03 – H Record Type		
Position	Description	Range
		Cable: 1- IFR – Below minimum sample size – Not Applicable for Big Data 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
197-205	HALF HOUR TOTAL U.S. PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Broadcast: Zero (Not Applicable) Cable: The Total U.S. Usage projection XXX,XXX,XXX for either live or dual feed, as denoted by the Feed Pattern Indicator (pos. 34). Redundant with position 180-188 when coverage sample ID (pos. 71-76) is Total U.S. and sequence is 03.
206-207	HALF HOUR HOUSEHOLD TOTAL U.S. PROGRAM SHARE	Broadcast: Zero (Not Applicable) Cable: The Total U.S. Share computed from the audience estimates (pos. 180-188) and the TV Usage (pos 197-205). Not applicable when the audience estimate in pos. 180-188 is the Total U.S. Time Period HUT. Format is XX. Precision is in units.
208-216	HALF HOUR HOUSEHOLD COVERAGE AREA PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Broadcast: Zero (Not Applicable) Cable: The coverage area usage projection XXX,XXX,XXX for either live or dual feed, as denoted by the feed pattern indicator (pos 34). Note: This will not be available and will be a Panel Only metric for Big Data currency.
217-225	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
226-228	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
229-250	FILLER	Always blank
251-253	FIRST QUARTER-HOUR NUMBER OF TELECASTS/ DAYS	001 – Individual Day (pos. 42-43 = 00) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) Always 001 for cable reporting.
254-259	FIRST QUARTER-HR CONTRIBUTING DURATION	Broadcast: Sum of durations across included quarter hours. Examples:

TV Usage Record Sequence 03 – H Record Type		
Position	Description	Range
		015 – Single day 1-week avg 075 – Mon-Fri 1-week avg Cable: The contributing duration of the quarter hour estimates included on the record. Always 000015 except for cable networks whose broadcast start and end time ends on a non-quarter hour boundary.
260-268	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. HUT PROJECTION	The quarter hour HUT projection (in units) XXX,XXX,XXX
269-271	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The quarter hour HUT Rating XX.X (implied precision XX.X)
272	FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
273-275	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Broadcast: Zero (Not Applicable) Cable: Rating computed from the projected audience in pos. 260-268 and the coverage area universe estimate. Format is XXX. Implied precision is XX.X.
276	FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Broadcast: Blank (Not Applicable) Cable: Describes the reportability of the rating in Pos. 273-275. 1- IFR – Below minimum sample size – Not Applicable for Big Data 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
277-285	FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Broadcast: Zero (Not Applicable) Cable: Quarter Hour Average Audience Projection delivered in units (XXX,XXX,XXX). Redundant with Position 260-268 when Coverage Sample ID (pos. 71-76) is Total US.
286-294	FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Broadcast: Zero (Not Applicable)

TV Usage Record Sequence 03 – H Record Type		
Position	Description	Range
		Cable: The Coverage Area Usage Projection XXX,XXX,XXX for either live or dual feed, as denoted by the Feed Pattern Indicator in pos. 34. Note: This will not be available and will be a Panel Only metric for Big Data currency.
295-299	FILLER	Always blank
300-302	NUMBER OF TELECASTS/ DAYS	001 – Individual Day (pos. 42-43 = 00) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) Always 001 for cable reporting.
303-308	SECOND QUARTER-HR CONTRIBUTING DURATION	Broadcast: Sum of durations across included quarter hours. Examples: 015 – Single day 1-week avg 075 – Mon-Fri 1-week avg Cable: The contributing duration of the quarter hour estimates included on the record. Always 000015 except for cable networks whose broadcast start and end time ends on a non-quarter hour boundary.
309-317	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	The quarter hour HUT projection (in units) XXX,XXX,XXX
318-320	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The quarter hour HUT Rating XX.X (implied precision XX.X)
321	SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
322-324	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Broadcast: Zero (Not Applicable) Cable: Rating computed from the projected audience in pos. 309-317 and the coverage area universe estimate. Format is XXX. Implied precision is XX.X.
325	SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Broadcast: Blank (Not Applicable) Cable: Describes the reportability of the rating in Pos. 322-324.

TV Usage Record Sequence 03 – H Record Type		
Position	Description	Range
		1- IFR – Below minimum sample size – Not Applicable for Big Data 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
326-334	SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Quarter Hour Average Audience Projection delivered in units (XXX,XXX,XXX). Redundant with Position 309 - 317. NAD MITs: Zero (Not Applicable)
335-343	SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Broadcast: Zero (Not Applicable) Cable: The Coverage Area Usage Projection XXX,XXX,XXX for either live or dual feed, as denoted by the Feed Pattern Indicator in pos. 34. Note: This will not be available and will be a Panel Only metric for Big Data currency.
344-400	FILLER	Always blank

TV Usage Record Sequence 03 Description

- One HUT record per half hour for individual days or M-Su averages. Mon-Sun estimates available for 6:00 AM through 5:59 AM for each half hours.
- Weekly averages are also optionally available including individual day estimates for all Half Hours.

TV Usage Record Sequence 03 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 03 = TV Usage Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	DATA TYPE CODE	TVU (left justified and blank filled)
21-30	ACN PROGRAM CODE	Zero (Not Applicable)
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS / WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
51-57	END DATE	Start week (Sunday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
58-67	TELECAST NUMBER	Zero (Not Applicable)
68-70	COMPONENT NUMBER	Zero (Not Applicable) NAD MITs: Used as a sort field. Combination of Record Counter (pos. 99) and Half-Hour ID (pos. 81-82). Component Number values: 101 – 148 = Monday, half-hours 1-48 201 – 248 = Tuesday, half-hours 1-48 ... 701 - 748 = Sunday, half-hours 1-48

TV Usage Record Sequence 03 – P Record Type		
Position	Description	Range
		801 – 848 = Mon. – Fri. Averages, half-hours 1 – 48 This field should be used in conjunction with the days of week and weeks telecast fields. If the Component Number is 101 and the Days of Week field is 1000000 and Weeks Indicator is 11111, this would be an average of all of the Mondays for half-hour 1. (5-day total) If the Component Number is 815 and the Days of Week field is 1111100 and Weeks Indicator is 11111, this would be an average of all of the Mon-Fri for half-hour 1. (25-day total) If the Component Number is 223 and the Days of Week field is 0100000 and Weeks Indicator is 00000, this would be an average for the Tuesday for a specific date for half-hour 23. (1-day total)
71-76	COVERAGE SAMPLE IDENTIFICATION	Broadcast: 000000 = Total National Sample Cable: Coverage Sample ID: Numeric code describing the Coverage Area for which estimates are delivered. Applicable for Record Sequences 01, 02, 03, 05. Values include but are not limited to: 000000 = Total U.S. 006521 = CNBC 006198 = MTV Etc., etc.
77	COVERAGE CALCULATION INDICATOR	Broadcast: Blank (Not Applicable) Cable: Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area

TV Usage Record Sequence 03 – P Record Type		
Position	Description	Range
		2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank for half hour records. For quarter hour records, the Clock Quarter Hour for the first component quarter hour of the reported half hour. 01 = 6:00 a.m., 03 = 6:30 a.m., 05 = 7:00 am ... 95 = 5:30 a.m
85	RECORD TYPE	P = Person Half-Hour
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the half hour or quarter hour. Possible values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. 08 = 8 a.m. ... 29 = 5 a.m.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the half hour or quarter hour. Possible values are 00 or 15 or 30 or 45
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record For market breaks: 501 for first record 520 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	Broadcast: Zero (Not Applicable) Cable: 1 = Total U.S. PUT 2 = Coverage Area PUT
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3

Updated Big Data + Panel MIT Format

V1.12

TV Usage Record Sequence 03 – P Record Type		
Position	Description	Range
		4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98 NAD MIT: 1-8; used when fields within positions 1-98 are identical across records. 1 = an avg. across Mondays, 2 = an avg. across Tuesdays ...etc. for 3,4,5,6, 7 = an avg. across Sundays. 8 = an avg. across Mon-Fri Example: The 8:00-8:30PM average for Monday will show a 1 in this field, Tuesday will show a 2, etc. Can be used to distinguish the day of the week for single day averages.
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
107-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Half-hour or Quarter-hour PUT Projection (in units) (XXX,XXX,XXX) Note: Coverage Area PUT will not be available and will be a Panel Only metric for Big Data currency. Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.

TV Usage Record Sequence 03 Description

- One HUT record per half hour for individual days or M-Su averages. Mon-Sun estimates available for 6:00 AM through 5:59 AM for each half hours.
- Weekly averages are also optionally available including individual day estimates for all Half Hours.
- Two PUT records per half-hour for individual days plus Mon-Sun averages.



Updated Big Data + Panel MIT Format
V1.12

Broadcast Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. **Note, for a multi-day program within a week, the deletion record will only have the program code. All telecasts with the program code should be removed. The correction records will be sent for all telecasts during the week.
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	ACN NETWORK CODE	See Table A - Network Code listing at the bottom of this document for listing of network codes. (left justified and blank filled)
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)

Broadcast Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date For multi-day program averages for above equals start and end of week
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero filled. *Note that when a premiere is detected mid-interval, multiple program averages are generated: one containing telecasts prior to the premiere; and one from the premiere forward in time, including the end of the interval or the next premiere.
68-70	COMPONENT NUMBER	Zero (Not applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National Sample
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates PP = Prime Portion Estimates Not applicable for half hour data
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	D = Program Descriptor Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06-29, where 06 = 6 AM, 07 = 7 AM ... 29 (5 AM) Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast. If various start times are found, the most common is used. In case of a tie, the most recent is used.

Broadcast Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 or 59 For program averages, most common / most current start time hour. For individual telecasts, the start minute of the telecast.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1 8 = Live + 2 I = Live + 35
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data is not available. In this situation, program descriptive information and half-hour time statements will be delivered, but program audience estimates are suppressed.
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Identifies the originator as either a Broadcast or a Live Streaming originator B = Broadcast L = Live Streaming Effective with data of 8/28/23 Blank for data prior to 8/28/23
107-114	FILLER	Always Blank
115-139	PROGRAM NAME	25-character alphabetic name of the program.
140-164	TRACKAGE NAME	Blank. Not applicable to network programs.
165-174	LIBRARY ID	Blank. Not applicable to network programs.
175-179	EPISODE ID	Blank. Not applicable to network programs.
180-211	EPISODE NAME	32-character alphabetic name for the creative being aired. Primarily usually utilized for

Broadcast Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		Sports and Movies. When multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. Blank when no episode name has been assigned.
212-215	CLIENT-SPECIFIED EPISODE #	Blank (Not Applicable)
216-219	PROGRAM TYPE ALPHA	Standard program type Alpha Codes. Most common / most current rules apply. 2-character alpha field is left-justified and blank filled. See Appendix – Table C – Program Summary Type Code for details.
220-223	DETAILED PROGRAM TYPE CODE	Detail Program Type Code associated with program / trackage / telecast. Most common / most current rules apply for program and trackage averages. Effective May 11, 2020 Detailed Program Type Codes will be reported for all Broadcast programs.
224-227	ACN EPISODE TYPE CODE	Blank (Not Applicable)
228	COMMERCIAL STATUS	S = Sustainer (Non-commercial) Otherwise, blank. Effective with data of 12/30/19, P will be a possible value to represent a sponsored program.
229	MULTI-DAY/MULTI-TCAST INDICATOR	Y = Program normally airs multiple times during a single week. Otherwise, blank If various, most recent listed.
230	REPEAT INDICATOR	Y = Program / telecast is a repeat airing Otherwise, blank
231	COMPLEX PROGRAM INDICATOR	Y = Indicates this program is a multi-segment program -- with different segments airing at different times and durations. Otherwise, blank.
232	SHORT DURATION INDICATOR	Y = Indicates a program with less than five minutes duration
233	FEED PATTERN IND	Blank (Not Applicable)
234	LIVE EVENT INDICATOR	Blank (Not Applicable)
235	PROGRAM ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)
236	EPISODE ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)
237	VARIOUS INDICATOR	Descriptive data varies for telecasts in the average. Otherwise, blank. *Note that is the above data (pos. 115-236) is not true for all telecasts in the average, then the above indicators will represent the most common, or if a tie, the most current.
238	PROGRAM PREMIERE INDICATOR	Individual telecast is a premiere or the reported average contains a premiere (or

Broadcast Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		re-premiere). Otherwise, blank. *Note that when this field is a 'Y', position 58-67 will hold the telecast number of the premiere.
239	GAPPED INDICATOR	Y = At least one gapped telecast within the report interval. Individual day - applies to telecast weekly/monthly average - indicates a gapped telecast is included. Otherwise, blank
240	TYPE DAYPART CODE	Blank (Not Applicable)
241-243	FILLER	Always blank
244-249	ALPHA PREFIX	For alphabetic sequencing of reports
250-253	SYNDICATOR ORIGINATOR IDENTIFIER	Blank (Not Applicable)
254-262	NETWORK SUPPLIED SHOW CODE	Blank (Not Applicable)
263-268	COMMERCIAL PROGRAM DURATION	Blank (Not Applicable)
269-273	NUMBER OF CONTRIBUTING COMMERCIAL TELECASTS	Blank (Not Applicable)
274-275	SYNDICATOR INFO: NUMBER OF WEEKS IN TELECAST WINDOW	Blank (Not Applicable)
276-277	REPORTED DAYPART	PR = Prime Time EF = Early Fringe LF = Late Fringe WM = Weekday Morning WD = Weekday Daytime ED = Weekend Daytime If daypart varies across telecasts, the most common is reported (or in case of a tie, the most current).
278-281	EVENT DURATION	Used in conjunction with the START HOUR and START MINUTE (pos. 86-89 in common data) to describe actual duration or a program (or its gapped portion). 0000 – 1440 (in minutes)
(282-288)	DAYS OF WEEK INDICATORS	The days of telecast to which this descriptor's time information applies: 1: if telecast on a given day 2: if DNA'ed (Data Not Available) on a given day. Zero if not telecast.
282	MONDAY	2 or 1 or 0
283	TUESDAY	2 or 1 or 0
284	WEDNESDAY	2 or 1 or 0
285	THURSDAY	2 or 1 or 0
286	FRIDAY	2 or 1 or 0
287	SATURDAY	2 or 1 or 0
288	SUNDAY	2 or 1 or 0
(289-303)	WEEKS TELECAST INDICATOR	Zero (Not Applicable)

Broadcast Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
289	WEEK ONE	Zero (Not Applicable)
290	WEEK TWO	Zero (Not Applicable)
291	WEEK THREE	Zero (Not Applicable)
292	WEEK FOUR	Zero (Not Applicable)
293	WEEK FIVE	Zero (Not Applicable)
294	WEEK SIX	Zero (Not Applicable)
295	WEEK SEVEN	Zero (Not Applicable)
296	WEEK EIGHT	Zero (Not Applicable)
297	WEEK NINE	Zero (Not Applicable)
298	WEEK TEN	Zero (Not Applicable)
299	WEEK ELEVEN	Zero (Not Applicable)
300	WEEK TWELVE	Zero (Not Applicable)
301	WEEK THIRTEEN	Zero (Not Applicable)
302	WEEK FOURTEEN	Zero (Not Applicable)
303	WEEK FIFTEEN	Zero (Not Applicable)
304	FILLER	Always blank.
305-309	TOTAL PROGRAM STATION COUNT	The program's count of stations as an average across telecasts. For averages, the count will be an interval average. Zero if not applicable.
310-314	TOTAL PROGRAM HEADEND COUNT	Zero (Not Applicable)
315-316	TOTAL NATIONAL PROGRAM COVERAGE PERCENT	The program's coverage as an average across telecasts. Or Zero if not applicable
317-318	COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
319	VARIOUS TIMES / DURATIONS	Blank (Not Applicable) When times/durations vary, multiple 'D' records are delivered.
320-326	FILLER	Always blank
327	VARIOUS UE FLAG	Blank (Not Applicable)
328-330	NUMBER OF TELECASTS / DAYS	Number of telecasts averaged. Always 001 for individual telecast reporting. 002 – 007 = Multi-telecast averages.
331-336	TOTAL PROGRAM CONTRIBUTING DURATION	Duration for the individual telecast. Sum of durations for averages. Needed for the duration-weight averaging across programs or across weeks. Zero if not applicable
337-345	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE TOTAL US PROJECTION	Used to calculate the reported household projection, VPVH's, Total U.S. Rating and Share. XXX,XXX,XXX (in units)
346-348	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE TOTAL US RATING	The rating is calculated by dividing the projection in the previous field (pos. 337-345) by the Total U.S. Universe Estimate. Rating is XXX (implied precision XX.X)
349	TOTAL PROGRAM HOUSEHOLD AA TOTAL US RATING REPORTABILITY INDICATOR	Gives reportability for rating (pos. 346-348). 1 – Below minimum sample size (IFR) 2 – Below minimum rating level (<<)

Broadcast Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		3 – Below minimum projection level (LT) 0 – Reportable Otherwise, blank
350-352	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE COVERAGE AREA RATING	Zero (Not Applicable) Or Rating is XXX (implied precision XX.X)
353	TOTAL PROGRAM HOUSEHOLD AA COVERAGE AREA RATING REPORTABILITY INDICATOR	Blank (Not Applicable)
354-362	TOTAL PROGRAM AVERAGE AUDIENCE TOTAL U.S. PROGRAM HUT PROJECTION	The Program HUT projections (XXX,XXX,XXX) (in units). Depending on this program's feed pattern, this estimate may or may not match the time period HUT estimate in Record Sequence = 03. ACM MIT: Zero Filled
363-364	TOTAL PROGRAM TOTAL U.S. HOUSEHOLD SHARE PERCENT	The program share (XX) Calculated by dividing the program projection (pos. 337-345) by the program HUT (pos. 354-362) ACM MIT: Zero Filled
365-373	TOTAL PROGRAM AVERAGE AUDIENCE COVERAGE AREA PROGRAM HUT PROJECTION	Zero (Not Applicable)
374-375	TOTAL PROGRAM COVERAGE HOUSEHOLD SHARE PERCENT	Zero (Not Applicable)
376-384	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
385-387	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE RATING	Zero (Not Applicable)
388-392	NORMAL START TIME	Blank (Not Applicable)
393-400	FILLER	Always blank

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04.
- This record provides total program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.

Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable) OR When record contains reprocessing information, denotes the start date of the weekly interval for which the corrected information applies. Only applicable to program records (sequence = 04).
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. **Note, for a multi-day program within a week, the deletion record will only have the program code. All telecasts with the program code should be removed. The correction records will be sent for all telecasts during the week.
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	ACN NETWORK CODE	See Table A - Network Code listing for listing of network codes. (left justified and blank filled)
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)

Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYMMDD)
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank = Total U.S.
78-80	MARKET BREAK IDENTIFIER	000 = Total National Sample
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates 01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank for half hour records. For quarter hour records, the Clock Quarter Hour for the first component quarter hour of the reported half hour. 01 = 6:00 a.m., 03 = 6:30 a.m., 05 = 7:00 am ... 95 = 5:30 a.m
85	RECORD TYPE	H = Household Half-Hour
86-87	EVENT START HOUR	06 = 6 AM, 07 = 7 AM ... 29 (5 AM) *Note that if various time are found, the most common is used. In case of a tie, the most recent is used.
88-89	EVENT START MINUTE	00 or 59
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7

Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		6 = Live + 1 8 = Live + 2
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data not available
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Identifies the originator as either a Broadcast or a Live Streaming originator B = Broadcast L = Live Streaming Effective with data of 8/28/23 Blank for data prior to 8/28/23
107-114	FILLER	Always Blank
115-118	EVENT DURATION	0001 – 0030 (minutes)
(119-125)	DAYS OF WEEK INDICATOR	'0' if not telecast on that day. '1' if telecast on a given day at least once. '2' if DNA'ed telecasts found (data not available)
119	MONDAY	2 or 1 or 0
120	TUESDAY	2 or 1 or 0
121	WEDNESDAY	2 or 1 or 0
122	THURSDAY	2 or 1 or 0
123	FRIDAY	2 or 1 or 0
124	SATURDAY	2 or 1 or 0
125	SUNDAY	2 or 1 or 0
(126 – 140)	WEEKS TELECAST INDICATOR	Zero (Not Applicable)
126	WEEK ONE	Zero (Not Applicable)
127	WEEK TWO	Zero (Not Applicable)
128	WEEK THREE	Zero (Not Applicable)
129	WEEK FOUR	Zero (Not Applicable)
130	WEEK FIVE	Zero (Not Applicable)
131	WEEK SIX	Zero (Not Applicable)
132	WEEK SEVEN	Zero (Not Applicable)
133	WEEK EIGHT	Zero (Not Applicable)
134	WEEK NINE	Zero (Not Applicable)
135	WEEK TEN	Zero (Not Applicable)
136	WEEK ELEVEN	Zero (Not Applicable)
137	WEEK TWELVE	Zero (Not Applicable)
138	WEEK THIRTEEN	Zero (Not Applicable)
139	WEEK FOURTEEN	Zero (Not Applicable)

Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
140	WEEK FIFTEEN	Zero (Not Applicable)
141-143	HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
144-148	HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
149-150	HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
151-152	HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
153	VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
154-169	FILLER	Always blank
170	VARIOUS UE INDICATOR	Blank (Not Applicable)
171-173	NUMBER OF TELECASTS/ DAYS *Note that when an 'Excluded Day' occurs within a particular average, the number of telecasts will be lower. For instance, during a 4-week November interval which has both Thanksgiving Day and the following day designated as 'Excluded Days', the single-day Thursday average will show the number of days as 003 instead of 004.	001 – Individual Day (pos. 42-43 = 00) 002 – 007 - Averages
174-179	HALF-HR CONTRIBUTING DURATION	Sum of durations across contributing half-hours. 1-30 minutes per half-hour on a single day. 1-150 for sum of half-hour durations for averages. Examples: 000030 – Single Day 1-week avg. 000120 – Single Day 4-week avg. 000150 – Mon-Fri 1-week avg. or Single Day 5-week avg. Half-hour computed duration for complex programs.
180-188	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE PROJECTION	The program half-hour projection (in units) (XXX,XXX,XXX) If pos. 37 = 1, average audience
189-191	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The half-hour HUT rating (XX.X) If pos. 37 = 1, average audience
192	HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 4 – Insufficient coverage for reporting (Applicable only when position 231 of 04D record = Y) 0-Reportable *Note that low coverage half-hours for complex (multi-segment) programs are excluded from reporting.
193-195	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
196	HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not applicable)

Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
197-205	HALF HOUR TOTAL U.S. PROGRAM HUT AVERAGE AUDIENCE PROJECTION	The average half-hour program HUT projection. XXX,XXX,XXX (in units) Not applicable when pos. 37 = 2.
206-207	HALF HOUR HOUSEHOLD TOTAL U.S. PROGRAM SHARE	The average half-hour program share XX (%) Not applicable when pos. 37 = 2.
208-216	HALF HOUR HOUSEHOLD COVERAGE AREA PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
217-225	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
226-228	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
229-250	FILLER	Always blank
251-253	NUMBER OFTELECASTS/ DAYS	001 – Individual Day (pos. 42-43 = 00) 002 – 007 - Averages
254-259	FIRST QUARTER-HR CONTRIBUTING DURATION	1-15 for individual days 2-75 for Mon-Fri averages
260-268	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	The quarter hour AA projection (in units) XXX,XXX,XXX If pos. 37 = 1, average audience
269-271	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The quarter hour Rating XX.X (implied precision XX.X) If pos. 37 = 1, average audience
272	FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 4 – Insufficient coverage for reporting (Applicable only when position 231 of 04D record = Y) 0-Reportable *Note that low coverage half-hours for complex (multi-segment) programs are excluded from reporting.
273-275	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
276	FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
277-285	FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
286-294	FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
295-299	FILLER	Always blank

Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
300-302	NUMBER OF TELECASTS/ DAYS	001 – Individual Day (pos. 42-43 = 00) 002-007 – Mon-Fri Average
303-308	SECOND QUARTER-HR CONTRIBUTING DURATION	Sum of durations across included quarter hours. Examples: 015 – Single day 1-week avg 075 – Mon-Fri 1-week avg or Single day 5-week avg
309-317	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	The quarter hour projection (in units) XXX,XXX,XXX If pos. 37 = 1, average audience
318-320	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The quarter hour Rating XX.X (implied precision XX.X) If pos. 37 = 1, average audience
321	SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 4 – Insufficient coverage for reporting (Applicable only when position 231 of 04D record = Y) 0-Reportable *Note that low coverage half-hours for complex (multi-segment) programs are excluded from reporting.
322-324	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
325	SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
326-334	SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
335-343	SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
344-400	FILLER	Always blank

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04.
- This record provides total program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.
- For PP Reporting:
 - Extra records are generated for atypical airings:
 - Each clock half-hour – programs without gaps and multi-day programs without various

Updated Big Data + Panel MIT Format

V1.12

- start times and durations.
- Each program segment within a half-hour – gapped programs.
- Multi-day average with various start times and durations within this half-hour.

- For programs with various start times and durations, the record lists (for each clock half-hour) the most common start time and duration. In the case of a tie, the most current is reported.

Broadcast Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable) OR When record contains reprocessing information, denotes the start date of the weekly interval for which the corrected information applies. Only applicable to program records (sequence = 04).
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. **Note, for a multi-day program within a week, the deletion record will only have the program code. All telecasts with the program code should be removed. The correction records will be sent for all telecasts during the week.
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	ACN NETWORK CODE	See Table A - Network Code listing for listing of network codes. (left justified and blank filled)
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)

Broadcast Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National Sample
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates 01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank for half hour records. For quarter hour records, the Clock Quarter Hour for the first component quarter hour of the reported half hour. 01 = 6:00 a.m., 03 = 6:30 a.m., 05 = 7:00 am ... 95 = 5:30 a.m
85	RECORD TYPE	P = Person Detail Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06-29, where 06 = 6 AM, 07 = 7 AM ... 29 (5 AM) *Note that if various time are found, the most common is used. In case of a tie, the most recent is used.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the

Broadcast Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
		sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	Used with Record Sequence 04 and Record Type = P to indicate the type of audience estimates included. 0 = Program Audiences 1 = Total U.S. Program PUT Blank when not applicable.
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1 8 = Live + 2 I = Live + 35
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Identifies the originator as either a Broadcast or a Live Streaming originator B = Broadcast L = Live Streaming Effective with data of 8/28/23 Blank for data prior to 8/28/23
107-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Average Audience Projection (in units) (XXX,XXX,XXX) Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04.



Updated Big Data + Panel MIT Format

V1.12

- This record provides total program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.

- For Total National Sample:
 - One record for total program.
 - Two records for each clock half-hour for standard data.
 - Two records for each clock quarter-hour for standard data.

NAD Broadcast Program Data Record Sequence 04 - D Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National People Meter Sample
4-10	CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program.
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	ACN NETWORK CODE	See Table A - Network Code listing at the bottom of this document for listing of network codes. (left justified and blank filled)
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average *Note that if program airs in only two weeks of a month, the average will still show a 04 since the field indicates interval length.
44-50	START DATE	Start of month/week (Monday) for

NAD Broadcast Program Data Record Sequence 04 - D Record Type		
Position	Description	Range
		monthly/weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week/month (Sunday) for weekly/monthly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero filled. *Note that when a premiere is detected mid-interval, multiple program averages are generated: one containing telecasts prior to the premiere; and one from the premiere forward in time, including the end of the interval or the next premiere.
68-70	COMPONENT NUMBER	Zero (Not applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National People Meter Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	D = Program Descriptor Record
86-87	EVENT START HOUR	06 = 6 AM, 07 = 7 AM ... 29 (5 AM) If various start times are found, the most common is used. In case of a tie, the most recent is used.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD

NAD Broadcast Program Data Record Sequence 04 - D Record Type		
Position	Description	Range
		A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data is not available. In this situation, program descriptive information and half-hour time statements will be delivered, but program audience estimates are suppressed.
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Identifies the originator as either a Broadcast or a Live Streaming originator B = Broadcast L = Live Streaming Effective with data of 8/28/23 Blank for data prior to 8/28/23
107-114	FILLER	Always Blank
115-139	PROGRAM NAME	25-character alphabetic name of the program.
140-164	TRACKAGE NAME	Blank. Not applicable to network programs.
165-174	LIBRARY ID	Blank. Not applicable to network programs.
175-179	EPISODE ID	Blank. Not applicable to network programs.
180-211	EPISODE NAME	32-character alphabetic name for the creative being aired. Primarily usually utilized for Sports and Movies. When multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. Blank when no episode name has been assigned.
212-215	CLIENT-SPECIFIED EPISODE #	Blank (Not Applicable)
216-219	PROGRAM TYPE ALPHA	Standard program type Alpha Codes. Most common / most current rules apply. 2-character alpha field is left-justified and blank filled. See Appendix – Table C – Program Summary Type Code for details.
220-223	SUB-PROGRAM TYPE ALPHA	Blank (Not Applicable) NAD Future Enhancement: Detail Program Type Code associated with program / trackage / telecast. Most common / most current rules apply for program and trackage averages.
224-227	ACN EPISODE TYPE CODE	Blank (Not Applicable)
228	COMMERCIAL STATUS	S = Sustainer (Non-commercial) P = Sponsored Program

NAD Broadcast Program Data Record Sequence 04 - D Record Type		
Position	Description	Range
		Otherwise, blank.
229	MULTI-DAY/MULTI-TCAST INDICATOR	Y = Program normally airs multiple times during a single week. Otherwise, blank If various, most recent listed.
230	REPEAT INDICATOR	Y = Program / telecast is a repeat airing Otherwise, blank
231	COMPLEX PROGRAM INDICATOR	Y = Indicates this program is a multi-segment program -- with different segments airing at different times and durations. Otherwise, blank.
232	SHORT DURATION INDICATOR	Y = Indicates a program with less than five minutes duration
233	FEED PATTERN IND	Blank (Not Applicable)
234	LIVE EVENT INDICATOR	Blank (Not Applicable)
235	PROGRAM ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)
236	EPISODE ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)
237	VARIOUS INDICATOR	Descriptive data varies for telecasts in the average. Otherwise, blank. *Note that is the above data (pos. 115-236) is not true for all telecasts in the average, then the above indicators will represent the most common, or if a tie, the most current.
238	PROGRAM PREMIERE INDICATOR	Individual telecast is a premiere or the reported average contains a premiere (or re-premiere). Otherwise, blank. *Note that when this field is a 'Y', position 58-67 will hold the telecast number of the premiere.
239	GAPPED INDICATOR	Y = At least one gapped telecast within the report interval. Individual day - applies to telecast weekly/monthly average - indicates a gapped telecast is included. Otherwise, blank
240	TYPE DAYPART CODE	A daypart identification at a lower level than Reported Daypart (pos. 276-277) used to place programs in the proper daypart. 0 – Mon-Sun 6PM-7PM 1 - Mon-Sun 7PM-9PM 2 - Mon-Sun 9PM-11PM A - Mon-Sun 11PM-11:30PM B - Mon-Sun 11:30PM-1AM C - Mon-Sun 1AM-6AM D – Mon-Fri 6AM-7AM E – Mon-Fri 7AM-10AM 5 – Mon-Fri 10AM-1PM 6 – Mon-Fri 1PM-4:30PM 7 – Mon-Fri 4:30PM-6PM 8 – Sat-Sun 6AM-6PM If daypart varies among telecast, the most common is reported (or in case of a tie, the

NAD Broadcast Program Data Record Sequence 04 - D Record Type		
Position	Description	Range
		most current).
241-243	FILLER	Always blank
244-249	ALPHA PREFIX	For alphabetic sequencing of reports
250-253	SYNDICATOR ORIGINATOR IDENTIFIER	Blank (Not Applicable)
254-262	NETWORK SUPPLIED SHOW CODE	Blank (Not Applicable)
263-273	FILLER	Always Blank
274-275	SYNDICATOR INFO: NUMBER OF WEEKS IN TELECAST WINDOW	Blank (Not Applicable)
276-277	REPORTED DAYPART	PR = Prime Time EF = Early Fringe LF = Late Fringe WM = Weekday Morning WD = Weekday Daytime ED = Weekend Daytime If daypart varies across telecasts, the most common is reported (or in case of a tie, the most current).
278-281	EVENT DURATION	Used in conjunction with the START HOUR and START MINUTE (pos. 86-89 in common data) to describe actual duration or a program (or its gapped portion). 0000 – 1440 (in minutes)
(282-288)	DAYS OF WEEK INDICATORS	The days of telecast to which this descriptor's time information applies: 1: if telecast on a given day 2: if DNA'ed (Data Not Available) on a given day. Zero if not telecast.
282	MONDAY	2 or 1 or 0
283	TUESDAY	2 or 1 or 0
284	WEDNESDAY	2 or 1 or 0
285	THURSDAY	2 or 1 or 0
286	FRIDAY	2 or 1 or 0
287	SATURDAY	2 or 1 or 0
288	SUNDAY	2 or 1 or 0
(289-303)	WEEKS TELECAST INDICATOR	The weeks of the telecast to which this descriptor's time information applies. '0' if no sample count for that week. '1' if sample count for that week.
289	WEEK ONE	1 or 0
290	WEEK TWO	1 or 0
291	WEEK THREE	1 or 0
292	WEEK FOUR	1 or 0
293	WEEK FIVE	1 or 0
294	WEEK SIX	Zero (Not Applicable)
295	WEEK SEVEN	Zero (Not Applicable)
296	WEEK EIGHT	Zero (Not Applicable)
297	WEEK NINE	Zero (Not Applicable)

NAD Broadcast Program Data Record Sequence 04 - D Record Type		
Position	Description	Range
298	WEEK TEN	Zero (Not Applicable)
299	WEEK ELEVEN	Zero (Not Applicable)
300	WEEK TWELVE	Zero (Not Applicable)
301	WEEK THIRTEEN	Zero (Not Applicable)
302	WEEK FOURTEEN	Zero (Not Applicable)
303	WEEK FIFTEEN	Zero (Not Applicable)
304	FILLER	Always blank.
305-309	TOTAL PROGRAM STATION COUNT	Number of broadcast stations airing the program. For averages, the count will be an interval average. Zero if not applicable.
310-314	TOTAL PROGRAM HEADEND COUNT	Zero (Not Applicable)
315-316	TOTAL NATIONAL PROGRAM COVERAGE PERCENT	The program's coverage as an average across telecasts. Zero if not applicable
317-318	COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
319	VARIOUS TIMES / DURATIONS	Y = Telecasts within the average have different start times or durations.
320-326	FILLER	Always blank
327	VARIOUS UE FLAG	Blank (Not Applicable)
328-330	NUMBER OF TELECASTS / DAYS	Number of telecasts averaged. Always 001 for individual telecast reporting. 002 – 999 = Multi-telecast averages. 001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04) 035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)
331-336	TOTAL PROGRAM CONTRIBUTING DURATION	Duration for the individual telecast. Sum of durations for averages. Needed for the

NAD Broadcast Program Data Record Sequence 04 - D Record Type		
Position	Description	Range
		duration-weight averaging across programs or across weeks.
337-345	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE TOTAL US PROJECTION	Used to calculate the reported household projection, VPVH's, Total U.S. Rating and Share. XXX,XXX,XXX (in units)
346-348	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE TOTAL US RATING	The rating is calculated by dividing the projection in the previous field (pos. 337-345) by the Total U.S. Universe Estimate. XXX (implied precision XX.X)
349	TOTAL PROGRAM HOUSEHOLD AA TOTAL US RATING REPORTABILITY INDICATOR	Gives reportability for rating (pos. 346-348). 1 – Below minimum sample size (IFR) 2 – Below minimum rating level (<<) 3 – Below minimum projection level (LT) 0 – Reportable Otherwise, blank
350-352	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE COVERAGE AREA RATING	Zero (Not Applicable)
353	TOTAL PROGRAM HOUSEHOLD AA COVERAGE AREA RATING REPORTABILITY INDICATOR	Blank (Not Applicable)
354-362	TOTAL PROGRAM AVERAGE AUDIENCE TOTAL U.S. PROGRAM HUT PROJECTION	The Program HUT projections (XXX,XXX,XXX) (in units). Zero-filled for Market Breaks. Depending on this program's feed pattern, this estimate may or may not match the time period HUT estimate in Record Sequence = 03.
363-364	TOTAL PROGRAM TOTAL U.S. HOUSEHOLD SHARE PERCENT	The program share (XX) Zero filled for market breaks. Calculated by dividing the program projection (pos. 337-345) by the program HUT (pos. 354-362)
365-373	TOTAL PROGRAM AVERAGE AUDIENCE COVERAGE AREA PROGRAM HUT PROJECTION	Zero (Not Applicable)
374-375	TOTAL PROGRAM COVERAGE HOUSEHOLD SHARE PERCENT	Zero (Not Applicable)
376-384	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
385-387	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE RATING	Zero (Not Applicable)
388-392	NORMAL START TIME	Blank (Not Applicable)
393-400	FILLER	Always blank

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04.
- One monthly average record for each program for total sample and for each market break.
- This record provides total program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per



Updated Big Data + Panel MIT Format

V1.12

- program/special/breakout.
- For programs with various start times and durations within the month (gapped programs, various/various situations), the most common times for the month and the program's designated 'normal' duration are reported. Actual time statements by telecast are provided on the PocketPiece files. Also note that when a premiere is found mid-interval, multiple program averages are generated. One before the premiere and one from the premiere forward.

NAD Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National People Meter Sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program.
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	ACN NETWORK CODE	See Table A - Network Code listing at the bottom of this document for listing of network codes. (left justified and blank filled)
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average *Note that if a program airs in only two weeks, the monthly (4-week) average will still show 04, since this field indicates interval length.
44-50	START DATE	Start of month/week (Monday) for

NAD Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		monthly/weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week/month (Sunday) for weekly/monthly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National People Meter Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	H = Household Half-Hour
86-87	EVENT START HOUR	06 = 6 AM, 07 = 7 AM ... 29 (5 AM) *Note that if various time are found, the most common is used. In case of a tie, the most recent is used.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data not available
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)

NAD Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Identifies the originator as either a Broadcast or a Live Streaming originator B = Broadcast L = Live Streaming Effective with data of 8/28/23 Blank for data prior to 8/28/23
107-114	FILLER	Always Blank
115-118	EVENT DURATION	0001 – 0030 (minutes)
(119-125)	DAYS OF WEEK INDICATOR	'0' if not telecast on that day. '1' if telecast on a given day at least once. '2' if DNA'ed telecasts found (data not available)
119	MONDAY	2 or 1 or 0
120	TUESDAY	2 or 1 or 0
121	WEDNESDAY	2 or 1 or 0
122	THURSDAY	2 or 1 or 0
123	FRIDAY	2 or 1 or 0
124	SATURDAY	2 or 1 or 0
125	SUNDAY	2 or 1 or 0
(126 – 140)	WEEKS TELECAST INDICATOR	The weeks of the telecast to which this descriptor's time information applies. '0' if no sample count for that week. '1' if sample count for that week.
126	WEEK ONE	2 or 1 or 0
127	WEEK TWO	2 or 1 or 0
128	WEEK THREE	2 or 1 or 0
129	WEEK FOUR	2 or 1 or 0
130	WEEK FIVE	2 or 1 or 0
131	WEEK SIX	Zero (Not Applicable)
132	WEEK SEVEN	Zero (Not Applicable)
133	WEEK EIGHT	Zero (Not Applicable)
134	WEEK NINE	Zero (Not Applicable)
135	WEEK TEN	Zero (Not Applicable)
136	WEEK ELEVEN	Zero (Not Applicable)
137	WEEK TWELVE	Zero (Not Applicable)
138	WEEK THIRTEEN	Zero (Not Applicable)
139	WEEK FOURTEEN	Zero (Not Applicable)
140	WEEK FIFTEEN	Zero (Not Applicable)
141-143	HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
144-148	HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
149-150	HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
151-152	HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
153	VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
154-169	FILLER	Always blank
170	VARIOUS UE INDICATOR	Blank (Not Applicable)

NAD Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
171-173	NUMBER OF TELECASTS/ DAYS *Note that when an 'Excluded Day' occurs within a particular average, the number of telecasts will be lower. For instance, during a 4-week November interval which has both Thanksgiving Day and the following day designated as 'Excluded Days', the single-day Thursday average will show the number of days as 003 instead of 004. The Mon-Fri averages will show 018 instead of 020. The Mon-Sun averages will show 026 instead of 028.	Number of telecasts averaged. Always 001 for individual telecast reporting. 002 – 999 = Multi-telecast averages. 001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04) 035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)
174-179	HALF-HR CONTRIBUTING DURATION	Sum of durations across contributing half-hours. 1-30 minutes per half-hour. 2-999 for averages. Examples: 000030 – Single Day 1-week avg. 000120 – Single Day 4-week avg. 000150 – Mon-Fri 1-week avg. or Single Day 5-week avg. 000210 – Mon-Sun 1-week avg. 000600 – Mon-Fri 4-week avg. 000750 – Mon-Fri 5-week avg. 000840 – Mon-Sun 4-week avg. 001050 – Mon-Sun 5-week avg
180-188	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE PROJECTION	The program half-hour projection (in units) (XXX,XXX,XXX)
189-191	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The half-hour HUT rating (XX.X)
192	HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable *Note that low coverage half-hours for complex (multi-segment) programs are excluded from reporting.

NAD Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
193-195	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
196	HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not applicable)
197-205	HALF HOUR TOTAL U.S. PROGRAM HUT AVERAGE AUDIENCE PROJECTION	The average half-hour program HUT projection. XXX,XXX,XXX (in units)
206-207	HALF HOUR HOUSEHOLD TOTAL U.S. PROGRAM SHARE	The average half-hour program share XX (%)
208-216	HALF HOUR HOUSEHOLD COVERAGE AREA PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
217-225	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
226-228	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
229-250	FILLER	Always blank
251-253	FIRST QUARTER-HR NUMBER OF TELECASTS / DAYS	001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04) 035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)
254-259	FIRST QUARTER-HR CONTRIBUTING DURATION	Sum of durations across included quarter hours. Examples: 015 – Single day 1-week avg 060 – Single day 4-week avg 075 – Mon-Fri 1-wk avg or Single day 5-wk avg 105 – Mon-Sun 1-week avg 300 – Mon-Fri 4-week avg 375 – Mon-Fri 5-week avg 420 – Mon-Sun 4-week avg 525 – Mon-Sun 5-week avg

NAD Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
260-268	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	The quarter hour AA projection (in units) XXX,XXX,XXX
269-271	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The quarter hour Rating XX.X (implied precision XX.X)
272	FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
273-275	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
276	FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
277-285	FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
286-294	FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
295-299	FILLER	Always blank
300-302	SECOND QUARTER-HR NUMBER OF TELECASTS / DAYS	001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04) 035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)
303-308	SECOND QUARTER-HR CONTRIBUTING DURATION	Sum of durations across included quarter hours. Examples: 015 – Single day 1-week avg 060 – Single day 4-week avg 075 – Mon-Fri 1-week avg or Single day 5-week avg 105 – Mon-Sun 1-week avg 300 – Mon-Fri 4-week avg 375 – Mon-Fri 5-week avg 420 – Mon-Sun 4-week avg

NAD Broadcast Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		525 – Mon-Sun 5-week avg
309-317	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	The quarter hour projection (in units) XXX,XXX,XXX
318-320	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The quarter hour Rating XX.X (implied precision XX.X)
321	SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
322-324	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
325	SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
326-334	SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
335-343	SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
344-400	FILLER	Always blank

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04.
- One monthly average record for each program half hour for total sample. Not available for market breaks.
- This record provides half hour and quarter hour program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.

NAD Broadcast Program Data Record Sequence 04 - P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National People Meter Sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program.
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	ACN NETWORK CODE	See Table A - Network Code listing at the bottom of this document for listing of network codes. (left justified and blank filled)
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average *Note that if a program airs in only two weeks, the monthly (4-week) average will still show 04, since this field indicates interval length.

NAD Broadcast Program Data Record Sequence 04 - P Record Type		
Position	Description	Range
44-50	START DATE	Start of month/week (Monday) for monthly/weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week/month (Sunday) for weekly/monthly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National People Meter Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates 01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	P = Household Half-Hour
86-87	EVENT START HOUR	06 = 6 AM, 07 = 7 AM ... 29 (5 AM) *Note that if various time are found, the most common is used. In case of a tie, the most recent is used.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record

Updated Big Data + Panel MIT Format

V1.12

NAD Broadcast Program Data Record Sequence 04 - P Record Type		
Position	Description	Range
		For market breaks: 501 for first record 520 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	0 = Program Audiences 1 = Total U.S. Program PUT
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data not available
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Identifies the originator as either a Broadcast or a Live Streaming originator B = Broadcast L = Live Streaming Effective with data of 8/28/23 Blank for data prior to 8/28/23
107-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Average Audience Projection (in units) (XXX,XXX,XXX) Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.

Example

- Total U.S. Total Program Audiences – Pos. 37 = 1, Pos. 81-82 = 00, Pos. 95 = 0, Pos. 78-80 = 000
- Total U.S. Total Program PUT Audiences – Pos. 37 = 1, Pos. 81-82 = 00, Pos. 95 = 1, Pos. 78-80 = 000
- Total U.S. Half-Hour Program Audiences – Pos. 37 = 1, Pos. 81-82 > 00, Pos. 95 = 0, Pos. 78-80 = 000
- Total U.S. Half-Hour Program PUT Audiences – Pos. 37 = 1, Pos. 81-82 > 00, Pos. 95 = 1, Pos. 78-80 = 000
- Market Break Total Program Audiences – Pos. 37 = 1, Pos. 81-82 = 00, Pos. 95 = 0, Pos. 78-80 > 000

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only

Updated Big Data + Panel MIT Format

V1.12

delivered when record sequence code = 04. This record provides demographic program information at the total National Sample level.

- Two records for total program carrying persons average audience estimates. Follows the Program Descriptor ("D") record.
- Two records for each clock half-hour containing program PUT estimates. Follows each program half-hour ("H") record.
- Two records per market break (for total program) carrying average audience estimates. Follows each market break Program Descriptor ("D").
- No program PUT data for market breaks.

Broadcast Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 05 = Station Group Time Period Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	DATA TYPE CODE	AGG – Aggregated Station Groups (left justified and blank filled)
21-30	STATION GROUP CODE	Identifies a group of stations which are aggregated for reporting, regardless of the type of programming aired during any given time period. See Station Group Code listing at the bottom of this document for listing of station groups.
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYMMDD)
58-67	TELECAST NUMBER	Zero (Not Applicable)
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National Sample
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank for half hour records. For quarter hour records, the Clock

Broadcast Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
		Quarter Hour for the first component quarter hour of the reported half hour. 01 = 6:00 a.m., 03 = 6:30 a.m., 05 = 7:00 am ... 95 = 5:30 a.m
85	RECORD TYPE	H = Household Half-Hour Detail Record
86-87	EVENT START HOUR	06 = 6 AM, 07 = 7 AM ... 29 (5 AM)
88-89	EVENT START MINUTE	00 or 30
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
107-114	FILLER	Always Blank
115-118	EVENT DURATION	0001 – 0030 (minutes)
(119-125)	DAYS OF WEEK INDICATOR	'0' if record does not report that day. '1' if record does report that day.
119	MONDAY	1 or 0
120	TUESDAY	1 or 0
121	WEDNESDAY	1 or 0
122	THURSDAY	1 or 0
123	FRIDAY	1 or 0
124	SATURDAY	1 or 0
125	SUNDAY	1 or 0
(126 – 140)	WEEKS TELECAST INDICATOR	Zero (Not Applicable)
126	WEEK ONE	Zero (Not Applicable)
127	WEEK TWO	Zero (Not Applicable)
128	WEEK THREE	Zero (Not Applicable)
129	WEEK FOUR	Zero (Not Applicable)
130	WEEK FIVE	Zero (Not Applicable)
131	WEEK SIX	Zero (Not Applicable)
132	WEEK SEVEN	Zero (Not Applicable)
133	WEEK EIGHT	Zero (Not Applicable)
134	WEEK NINE	Zero (Not Applicable)
135	WEEK TEN	Zero (Not Applicable)
136	WEEK ELEVEN	Zero (Not Applicable)
137	WEEK TWELVE	Zero (Not Applicable)
138	WEEK THIRTEEN	Zero (Not Applicable)
139	WEEK FOURTEEN	Zero (Not Applicable)

Broadcast Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
140	WEEK FIFTEEN	Zero (Not Applicable)
141-143	HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
144-148	HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
149-150	HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
151-152	HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
153	VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
154-169	FILLER	Always blank
170	VARIOUS UE INDICATOR	Blank (Not Applicable)
171-173	NUMBER OF TELECASTS/ DAYS *Note that when an 'Excluded Day' occurs within a particular average, the number of telecasts will be lower. For instance, during a 4-week November interval which has both Thanksgiving Day and the following day designated as 'Excluded Days', the single-day Thursday average will show the number of days as 003 instead of 004.	001 – Individual Day (pos. 42-43 = 00)
174-179	HALF-HR CONTRIBUTING DURATION	000030 – Single Day 1-week avg.
180-188	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE PROJECTION	The half-hour projection (in units) (XXX,XXX,XXX)
189-191	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The half-hour rating (XX.X)
192	HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
193-195	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
196	HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not applicable)
197-205	HALF HOUR TOTAL U.S. PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
206-207	HALF HOUR HOUSEHOLD TOTAL U.S. PROGRAM SHARE	Zero (Not Applicable)
208-216	HALF HOUR HOUSEHOLD COVERAGE AREA PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
217-225	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
226-228	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
229-250	FILLER	Always blank
251-253	NUMBER OFTELECASTS/ DAYS	001 – Individual Day (pos. 42-43 = 00)
254-259	FIRST QUARTER-HR CONTRIBUTING DURATION	000015 – Individual day
260-268	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. HUT PROJECTION	The quarter hour projection (in units) XXX,XXX,XXX
269-271	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The quarter hour Rating XX.X (implied precision XX.X)

Broadcast Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
272	FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
273-275	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
276	FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
277-285	FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
286-294	FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
295-299	FILLER	Always blank
300-302	NUMBER OF TELECASTS/ DAYS	001 – Individual Day (pos. 42-43 = 00)
303-308	SECOND QUARTER-HR CONTRIBUTING DURATION	Sum of durations across included quarter hours. Examples: 015 – Single day 1-week avg
309-317	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	The quarter hour projection (in units) XXX,XXX,XXX
318-320	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The quarter hour Rating XX.X (implied precision XX.X)
321	SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
322-324	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
325	SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
326-334	SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
335-343	SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
344-400	FILLER	Always blank

Time Period Record Sequence 05 Description

- One record for each station group for each half-hour.

Broadcast Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 05 = Station Group Time Period Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	DATA TYPE CODE	AGG – Aggregated Station Groups (left justified and blank filled)
21-30	STATION GROUP CODE	Identifies a group of stations which are aggregated for reporting, regardless of the type of programming aired during any given time period. See Station Group Code listing at the bottom of this document for listing of station groups.
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS / WEEKS	00 = Individual Day
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYMMDD)
58-67	TELECAST NUMBER	Zero (Not Applicable)
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National Sample
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc

Broadcast Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
83-84	QUARTER HOUR ID	Blank for half hour records. For quarter hour records, the Clock Quarter Hour for the first component quarter hour of the reported half hour. 01 = 6:00 a.m., 03 = 6:30 a.m., 05 = 7:00 am ... 95 = 5:30 a.m
85	RECORD TYPE	P = Persons Record
86-87	EVENT START HOUR	06 = 6 AM, 07 = 7 AM ... 29 (5 AM)
88-89	EVENT START MINUTE	00 or 30
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
107-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Half-hour Projection (in units) (XXX,XXX,XXX) Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.



Updated Big Data + Panel MIT Format

V1.12

Time Period Record Sequence 05 Description

- One record for each station group for each half-hour.
- For Total National Sample, three records per half-hour per day plus Mon-Sun averages per station category.
- Mon-Sun estimates available for 6:00 AM through 5:59 AM.
- Weekly averages are also optionally available including individual day estimates for all Half Hours.

Note – Record Sequence 05 is reported in the Broadcast Hispanic NAD MIT Files

NAD Broadcast Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 05 = Station Group Time Period Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	DATA TYPE CODE	AGG – Aggregated Station Groups (left justified and blank filled)
21-30	STATION GROUP CODE	Identifies a group of stations which are aggregated for reporting, regardless of the type of programming aired during any given time period. See Station Group Code listing at the bottom of this document for listing of station groups.
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average *Note that if a program airs in only two weeks, the monthly (4-week) average will still show 04, since this field indicates interval length.
44-50	START DATE	Start of month/week (Monday) for monthly/weekly averages. Report date for individual day data. Format (CYYMMDD)

NAD Broadcast Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
51-57	END DATE	End of week/month (Sunday) for weekly/monthly averages. Report date for individual day data. Format (CYYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
58-67	TELECAST NUMBER	Zero (Not Applicable)
68-70	COMPONENT NUMBER	Used as a sort field. Combination of Record Counter (pos. 99) and Half-Hour ID (pos. 81-82). Component Number values: 101 – 148 = Monday, half-hours 1-48 201 – 248 = Tuesday, half-hours 1-48 ... 701 - 748 = Sunday, half-hours 1-48 801 – 848 = Mon. – Fri. Averages, half-hours 1 – 48 This field should be used in conjunction with the days of week and weeks telecast fields. If the Component Number is 101 and the Days of Week field is 1000000 and Weeks Indicator is 11111, this would be an average of all of the Mondays for half-hour 1. (5-day total) If the Component Number is 815 and the Days of Week field is 1111100 and Weeks Indicator is 11111, this would be an average of all of the Mon-Fri for half-hour 1. (25-day total) If the Component Number is 223 and the Days of Week field is 0100000 and Weeks Indicator is 00000, this would be an average for the Tuesday for a specific date for half-hour 23. (1-day total)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.

NAD Broadcast Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	H = Household Half-Hour Detail Record
86-87	EVENT START HOUR	06 = 6 AM, 07 = 7 AM ... 29 (5 AM)
88-89	EVENT START MINUTE	00 or 30
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	1-8; used when fields within positions 1-98 are identical across records. 1 = an avg. across Mondays, 2 = an avg. across Tuesdays ...etc. for 3,4,5,6, 7 = an avg. across Sundays. 8 = an avg. across Mon-Fri Example: The 8:00-8:30PM average for Monday will show a 1 in this field, Tuesday will show a 2, etc. Can be used to distinguish the day of the week for single day averages.
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
107-114	FILLER	Always Blank
115-118	EVENT DURATION	0001 – 0030 (minutes)
(119-125)	DAYS OF WEEK INDICATOR	'0' if record does not report that day. '1' if record does report that day.
119	MONDAY	1 or 0
120	TUESDAY	1 or 0
121	WEDNESDAY	1 or 0
122	THURSDAY	1 or 0
123	FRIDAY	1 or 0
124	SATURDAY	1 or 0
125	SUNDAY	1 or 0
(126 – 140)	WEEKS TELECAST INDICATOR	The weeks of the telecast to which this descriptor's time information applies. '0' if no sample count for that week. '1' if sample count for that week.
126	WEEK ONE	1 or 0
127	WEEK TWO	1 or 0

NAD Broadcast Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
128	WEEK THREE	1 or 0
129	WEEK FOUR	1 or 0
130	WEEK FIVE	1 or 0
131	WEEK SIX	Zero (Not Applicable)
132	WEEK SEVEN	Zero (Not Applicable)
133	WEEK EIGHT	Zero (Not Applicable)
134	WEEK NINE	Zero (Not Applicable)
135	WEEK TEN	Zero (Not Applicable)
136	WEEK ELEVEN	Zero (Not Applicable)
137	WEEK TWELVE	Zero (Not Applicable)
138	WEEK THIRTEEN	Zero (Not Applicable)
139	WEEK FOURTEEN	Zero (Not Applicable)
140	WEEK FIFTEEN	Zero (Not Applicable)
141-143	HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
144-148	HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
149-150	HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
151-152	HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
153	VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
154-169	FILLER	Always blank
170	VARIOUS UE INDICATOR	Blank (Not Applicable)
171-173	NUMBER OF TELECASTS / DAYS *Note that when an 'Excluded Day' occurs within a particular average, the number of telecasts will be lower. For instance, during a 4-week November interval which has both Thanksgiving Day and the following day designated as 'Excluded Days', the single-day Thursday average will show the number of days as 003 instead of 004.	001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04) 035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)
174-179	HALF-HR CONTRIBUTING DURATION	000030 – Single Day 1-week avg. 000120 – Single Day 4-week avg. 000150 – Mon-Fri 1-week avg. or Single Day 5-week avg. 000210 – Mon-Sun 1-week avg. 000600 – Mon-Fri 4-week avg.

NAD Broadcast Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
		000750 – Mon-Fri 5-week avg. 000840 – Mon-Sun 4-week avg. 001050 – Mon-Sun 5-week avg
180-188	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE PROJECTION	The half-hour projection (in units) (XXX,XXX,XXX)
189-191	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The half-hour rating (XX.X)
192	HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
193-195	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
196	HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not applicable)
197-205	HALF HOUR TOTAL U.S. PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
206-207	HALF HOUR HOUSEHOLD TOTAL U.S. PROGRAM SHARE	Zero (Not Applicable)
208-216	HALF HOUR HOUSEHOLD COVERAGE AREA PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
217-225	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
226-228	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
229-250	FILLER	Always blank
251-253	FIRST QUARTER-HR NUMBER OF TELECASTS / DAYS	001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04) 035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)
254-259	FIRST QUARTER-HR CONTRIBUTING	Sum of durations across included quarter

NAD Broadcast Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
	DURATION	hours. Examples: 015 – Single day 1-week avg 060 – Single day 4-week avg 075 – Mon-Fri 1-week avg or Single day 5-week avg 105 – Mon-Sun 1-week avg 300 – Mon-Fri 4-week avg 375 – Mon-Fri 5-week avg 420 – Mon-Sun 4-week avg 525 – Mon-Sun 5-week avg
260-268	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. HUT PROJECTION	The quarter hour projection (in units) XXX,XXX,XXX
269-271	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The quarter hour Rating XX.X (implied precision XX.X)
272	FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
273-275	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
276	FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
277-285	FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
286-294	FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
295-299	FILLER	Always blank
300-302	SECOND QUARTER-HR NUMBER OF TELECASTS / DAYS	001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04) 035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)

NAD Broadcast Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
303-308	SECOND QUARTER-HR CONTRIBUTING DURATION	Sum of durations across included quarter hours. Examples: 015 – Single day 1-week avg 060 – Single day 4-week avg 075 – Mon-Fri 1-week avg or Single day 5-week avg 105 – Mon-Sun 1-week avg 300 – Mon-Fri 4-week avg 375 – Mon-Fri 5-week avg 420 – Mon-Sun 4-week avg 525 – Mon-Sun 5-week avg
309-317	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	The quarter hour projection (in units) XXX,XXX,XXX
318-320	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The quarter hour Rating XX.X (implied precision XX.X)
321	SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
322-324	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
325	SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
326-334	SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
335-343	SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
344-400	FILLER	Always blank

Time Period Record Sequence 05 Description

- One record per half-hour for each day plus Mon-Fri for each station group. Applies to Total Hispanic and to each market break.

*Note: Some monthly intervals contain “exclude days”. These dates are not used for monthly TV Usage averages. When this occurs, the excluded days are noted in the corresponding hard copy report. The tape will show different durations, days, etc., when a day is excluded from the average.

NAD Broadcast Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 05 = Station Group Time Period Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	DATA TYPE CODE	AGG – Aggregated Station Groups (left justified and blank filled)
21-30	STATION GROUP CODE	Identifies a group of stations which are aggregated for reporting, regardless of the type of programming aired during any given time period. See Station Group Code listing at the bottom of this document for listing of station groups.
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS / WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average *Note that if a program airs in only two weeks, the monthly (4-week) average will still show 04, since this field indicates interval length.
44-50	START DATE	Start of week/month (Monday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
51-57	END DATE	End of week/month (Sunday) for weekly/monthly averages. Report date for individual day data. Format (CYYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
58-67	TELECAST NUMBER	Zero (Not Applicable)

NAD Broadcast Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
68-70	COMPONENT NUMBER	Used as a sort field. Combination of Record Counter (pos. 99) and Half-Hour ID (pos. 81-82). Component Number values: 101 – 148 = Monday, half-hours 1-48 201 – 248 = Tuesday, half-hours 1-48 ... 701 - 748 = Sunday, half-hours 1-48 801 – 848 = Mon. – Fri. Averages, half-hours 1 – 48 This field should be used in conjunction with the days of week and weeks telecast fields. If the Component Number is 101 and the Days of Week field is 1000000 and Weeks Indicator is 11111, this would be an average of all of the Mondays for half-hour 1. (5-day total) If the Component Number is 815 and the Days of Week field is 1111100 and Weeks Indicator is 11111, this would be an average of all of the Mon-Fri for half-hour 1. (25-day total) If the Component Number is 223 and the Days of Week field is 0100000 and Weeks Indicator is 00000, this would be an average for the Tuesday for a specific date for half-hour 23. (1-day total)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	P = Persons Record
86-87	EVENT START HOUR	06 = 6 AM, 07 = 7 AM ... 29 (5 AM)
88-89	EVENT START MINUTE	00 or 30
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the

NAD Broadcast Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
		sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record For market breaks: 501 for first record 520 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	1-8; used when fields within positions 1-98 are identical across records. 1 = an avg. across Mondays, 2 = an avg. across Tuesdays ...etc. for 3,4,5,6, 7 = an avg. across Sundays. 8 = an avg. across Mon-Fri Example: The 8:00-8:30PM average for Monday will show a 1 in this field, Tuesday will show a 2, etc. Can be used to distinguish the day of the
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
107-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Half-hour Projection (in units) (XXX,XXX,XXX) Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.



Updated Big Data + Panel MIT Format

V1.12

Time Period Record Sequence 05 Description

- One record for each station group for each half-hour.
- For Total Hispanic, three records per half-hour per day plus Mon-Fri averages per station category.
- For market breaks, two records per half-hour per day plus Mon-Fri averages for each station group.

Broadcast Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 06 = Commercial Audience Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program.
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	ACN NETWORK CODE	See Table A - Network Code listing at the bottom of this document for listing of network codes. (left justified and blank filled)
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week (Sunday) for weekly averages.

Broadcast Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
		Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date For multi-day program averages, for above, equals start end and end of week
58-67	TELECAST NUMBER	For individual telecast program data, used to hold the telecast number. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero-filled. This is a five digit numeric, right-justified and zero-filled.
68-70	COMPONENT NUMBER	Zero (Not applicable)
71-76	ORIGINATOR ID	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank = Total U.S.
78-80	MARKET BREAK IDENTIFIER	000 = Total National Sample
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates PP = Prime Portion Estimates Not Applicable for half hour data
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	C = Commercial Descriptor Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live

Broadcast Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
		2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1 8 = Live + 2 I = Live + 35
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data is not available. In this situation, program descriptive information and half-hour time statements will be delivered, but program audience estimates are suppressed.
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Identifies the originator as either a Broadcast or a Live Streaming originator B = Broadcast L = Live Streaming Effective with data of 8/28/23 Blank for data prior to 8/28/23
107-114	FILLER	Always Blank
115-139	PROGRAM NAME	25-character alphabetic name of the program.
140-164	TRACKAGE NAME	Blank (Not Applicable)
165-174	LIBRARY ID	Blank (Not Applicable)
175-179	EPISODE ID	Blank (Not Applicable)
180-211	EPISODE NAME	32-character alphabetic name for the creative being aired. Primarily usually utilized for Sports and Movies. When multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. Blank when no episode name has been assigned.
212-215	CLIENT-SPECIFIED EPISODE #	Blank (Not Applicable)
216-219	PROGRAM TYPE ALPHA	Standard program type Alpha Codes. Most common / most current rules apply. 2-character alpha field is left-justified and blank filled. See Appendix – Table C – Program Summary Type Code for details.

Broadcast Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
220-223	DETAILED PROGRAM TYPE CODE	Detailed program type code associated with the program / trackage / telecast. Most common / most current rules apply for program and trackage averages. Effective May 11, 2020 Detailed Program Type Codes will be reported for all Broadcast programs.
224-227	ACN EPISODE TYPE CODE	Blank (Not Applicable)
228	COMMERCIAL STATUS	S = Sustainer (Non-commercial) Otherwise, blank. Note that sustainer information is special analysis data and is only supplied to ordering clients.
229	MULTI-DAY/MULTI-TCAST INDICATOR	Y = Program normally airs multiple times during a single week. Otherwise, blank
230	REPEAT INDICATOR	Indicates that the program is a repeat. Data was proprietary to the owning client prior to Aug. 29, 2011. Y = Program / telecast is a repeat airing otherwise, blank.
231	COMPLEX PROGRAM INDICATOR	Y = Indicates this program is a multi-segment program – with different segments airing at different times and durations. Station counts and coverages are reported by half hour. Otherwise, blank.
232	SHORT DURATION INDICATOR	Y = Indicates a program with less than five minutes duration otherwise blank.
233	FEED PATTERN IND	Blank (Not Applicable)
234	LIVE EVENT INDICATOR	Blank (Not Applicable)
235	PROGRAM ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)
236	EPISODE ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)
237	VARIOUS INDICATOR	Y = Descriptive data varies for telecasts in the average. Otherwise, blank. *Note that is the above data (pos. 115-236) is not true for all telecasts in the average, then the above indicators will represent the most common, or if a tie, the most current.
238	PROGRAM PREMIERE INDICATOR	Y = Individual telecast is a premiere or the reported average contains a premiere (or re-premiere). Otherwise, blank. *Note that when this field is a 'Y', position 58-67 will hold the telecast number of the premiere.
239	GAPPED INDICATOR	Y = At least one gapped telecast within the report interval. Individual day - applies to telecast weekly/monthly average - indicates a gapped telecast is included. Otherwise, blank
240	TYPE DAYPART CODE	Blank (Not Applicable)

Broadcast Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
241-243	FILLER	Always blank
244-249	ALPHA PREFIX	For alphabetic sequencing of reports
250-253	SYNDICATOR ORIGINATOR IDENTIFIER	Blank (Not Applicable)
254-262	NETWORK SUPPLIED SHOW CODE	Blank (Not Applicable)
263-268	COMMERCIAL PROGRAM DURATION	Number of contributing commercial seconds. 000001-xxxxxx.
269-273	NUMBER OF CONTRIBUTING COMMERCIAL TELECASTS	For program and trackage averages, the number of telecasts that had commercial minutes to contribute to the commercial audience data. For individual telecasts, this will always be 0001.
274-275	SYNDICATOR INFO: NUMBER OF WEEKS IN TELECAST WINDOW	Blank (Not Applicable)
276-277	REPORTED DAYPART	PR = Prime Time EF = Early Fringe LF = Late Fringe WM = Weekday Morning WD = Weekday Daytime ED = Weekend Daytime If daypart varies across telecasts, the most common is reported (or in case of a tie, the most current).
278-281	EVENT DURATION	Used in conjunction with the START HOUR and START MINUTE (pos. 86-89 in common data) to describe actual duration or a program (or its gapped portion). 0000 – 1440 (in minutes)
(282-288)	DAYS OF WEEK INDICATORS	The days of telecast to which this descriptor's time information applies: 1: if telecast on a given day 2: if DNA'ed (Data Not Available) on a given day. Zero if not telecast.
282	MONDAY	2 or 1 or 0
283	TUESDAY	2 or 1 or 0
284	WEDNESDAY	2 or 1 or 0
285	THURSDAY	2 or 1 or 0
286	FRIDAY	2 or 1 or 0
287	SATURDAY	2 or 1 or 0
288	SUNDAY	2 or 1 or 0
(289-303)	WEEKS TELECAST INDICATOR	Zero (Not Applicable)
289	WEEK ONE	Zero (Not Applicable)
290	WEEK TWO	Zero (Not Applicable)
291	WEEK THREE	Zero (Not Applicable)
292	WEEK FOUR	Zero (Not Applicable)
293	WEEK FIVE	Zero (Not Applicable)
294	WEEK SIX	Zero (Not Applicable)
295	WEEK SEVEN	Zero (Not Applicable)
296	WEEK EIGHT	Zero (Not Applicable)

Broadcast Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
297	WEEK NINE	Zero (Not Applicable)
298	WEEK TEN	Zero (Not Applicable)
299	WEEK ELEVEN	Zero (Not Applicable)
300	WEEK TWELVE	Zero (Not Applicable)
301	WEEK THIRTEEN	Zero (Not Applicable)
302	WEEK FOURTEEN	Zero (Not Applicable)
303	WEEK FIFTEEN	Zero (Not Applicable)
304	FILLER	Always blank.
305-309	TOTAL PROGRAM STATION COUNT	Number of broadcast stations airing the program. For averages, the count will be an interval average. Zero if not applicable.
310-314	TOTAL PROGRAM HEADEND COUNT	Zero (Not Applicable)
315-316	TOTAL U.S. NPM PROGRAM COVERAGE PERCENT	Individual day or interval average Zero if not applicable
317-318	COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
319	VARIOUS TIMES / DURATIONS	Blank (Not Applicable)
320-326	FILLER	Always blank
327	VARIOUS UE FLAG	Blank (Not Applicable)
328-330	NUMBER OF TELECASTS / DAYS	Number of telecasts averaged. Always 001 for individual telecast reporting. 002 – 007 = Multi-telecast averages.
331-336	TOTAL PROGRAM CONTRIBUTING DURATION	Duration for the individual telecast. Sum of durations for averages. Needed for the duration-weight averaging across programs or across weeks.
337-345	TOTAL PROGRAM HOUSEHOLD COMMERCIAL AVERAGE AUDIENCE TOTAL US PROJECTION -OR- TOTAL PROGRAM HOUSEHOLD LINEAR COMMERCIAL AVERAGE AUDIENCE TOTAL US PROJECTION -OR- TOTAL PROGRAM HOUSEHOLD ADDRESSABLE COMMERCIAL AVERAGE AUDIENCE TOTAL US PROJECTION	XXX,XXX,XXX (in units)
346-348	TOTAL PROGRAM HOUSEHOLD COMMERCIAL AVERAGE AUDIENCE TOTAL US PROJECTION -OR- TOTAL PROGRAM HOUSEHOLD LINEAR COMMERCIAL AVERAGE AUDIENCE TOTAL US RATING -OR- TOTAL PROGRAM HOUSEHOLD ADDRESSABLE COMMERCIAL AVERAGE AUDIENCE TOTAL US RATING	Rating is XXX (Implied precision XX.X)
349	TOTAL PROGRAM HOUSEHOLD AA TOTAL US RATING REPORTABILITY INDICATOR	Zero Filled
350-352	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE COVERAGE AREA RATING	Zero Filled

Broadcast Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
353	TOTAL PROGRAM HOUSEHOLD AA COVERAGE AREA RATING REPORTABILITY INDICATOR	Blank (Not applicable)
354-362	TOTAL PROGRAM AVERAGE AUDIENCE TOTAL U.S. PROGRAM HUT PROJECTION	Zero Filled
363-364	TOTAL PROGRAM TOTAL U.S. HOUSEHOLD SHARE PERCENT	Zero Filled
365-373	TOTAL PROGRAM AVERAGE AUDIENCE COVERAGE AREA PROGRAM HUT PROJECTION	Zero Filled
374-375	TOTAL PROGRAM COVERAGE HOUSEHOLD SHARE PERCENT	Zero Filled
376-384	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE PROJECTION	Zero Filled
385-387	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE RATING	Zero Filled
388-392	NORMAL START TIME	Blank (Not Applicable)
393-400	FILLER	Always blank

Commercial Audience Data Record Sequence 06 Description

- The Commercial Descriptor record contains all program related codes, ID's and general descriptive information, as well as the Commercial Average Household Audience information. Corresponding persons audiences are all delivered using the 06 P records.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.

Broadcast Commercial Audience Data Record Sequence 06 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 06 = Commercial Audience Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program.
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	NETWORK CODE	See Table A - Network Code listing for listing of network codes. (left justified and blank filled)
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Telecast 01 = Weekly Average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week (Monday) for weekly averages. Report date for individual day data.

Updated Big Data + Panel MIT Format

V1.12

Broadcast Commercial Audience Data Record Sequence 06 – P Record Type		
Position	Description	Range
		Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date For multi-day program averages, for above, equals start end and end of week
58-67	TELECAST NUMBER	A unique number identifying specific airings of a program. Zero if not applicable.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	ORIGINATOR ID	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank = Total U.S.
78-80	MARKET BREAK IDENTIFIER	000 = Total National Sample
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates 01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc Not Applicable for half hour data
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	P = Persons Detail Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. *Note that if various time are found, the most common is used. In case of a tie, the most recent is used.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	Used with Record Sequence 04 and Record Type = P to indicate the type of audience estimates included. 0 = Program Audiences 1 = Total U.S. Program PUT Blank when not applicable.
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)

Broadcast Commercial Audience Data Record Sequence 06 – P Record Type		
Position	Description	Range
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1 8 = Live + 2 I = Live + 35
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106	PROGRAM DISTRIBUTOR TYPE CODE	Identifies the originator as either a Broadcast or a Live Streaming originator B = Broadcast L = Live Streaming Effective with data of 8/28/23 Blank for data prior to 8/28/23
107-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Commercial Average Audience Projection (in units) (XXX,XXX,XXX) Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.

Commercial Audience Data Record Sequence 06 Description

- The Commercial Descriptor record contains all program related codes, ID's and general descriptive information, as well as the Commercial Average Household Audience information. Corresponding persons audiences are all delivered using the 06 P records.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.

Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	When record contains the reprocessing information, denotes the start date of the weekly interval for which the corrected information applies. Only applicable to program records (rec seq = 04). Zero if not applicable.
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. Correction records are not provided in the daily file.
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	ACN NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Values are left justified. Examples include, but are not limited to: NICK = Nickelodeon HLN = Headline News USA = USA Network As new cable networks become reportable, additional records will be included.
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	3 digit ID that identifies a sub-grouping of telecast of a specific program. Only applies to cable programs. Example: Program = Andy Griffith Trackage 001 = Andy Griffith 10am Trackage 002 = Andy Griffith 2pm Blank of not applicable.

Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq = 03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYMMDD)
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero filled. *Note that when a premiere is detected mid-interval, multiple program averages are generated: one containing telecasts prior to the premiere; and one from the premiere forward in time, including the end of the interval or the next premiere.
68	SCALED COUNT INDICATOR	Zero (Not applicable)
69-70	COMPONENT NUMBER	Zero (Not applicable)
71-76	ORIGINATOR ID	Numeric code describing the originating cable network. Values include but are not limited to: 006521 = CNBC 006511 = Showtime
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated

Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	Zero – Not applicable
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program, FP = Fringe Portion PP = Prime Portion, LP = Late Portion 01-48 = clock half hours (e.g. 01 = 6a, 02 = 6.30a, etc)
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	D = Program Descriptor Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1 8 = Live + 2 I = Live + 35
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data is not available. In this situation, program descriptive information and half-hour time statements will be delivered, but program audience estimates are suppressed.
99	RECORD CTR	Used to distinguish multiple records that are

Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Only available for weekly cable program data. Y= Indicates that program data has changed since the overnight delivery.
102-105	VARIANCE REASON	Three digit reason code indicating the reason for the correction. Blank = Not applicable 100 = New information not previously sent 101 = Viewing estimates changed 102 = Standard descriptive information that could impact averages changed. 103 = "Informational Only" descriptive information changed. 200 = Proprietary data changed. 300 = Delete preliminary information.
106-114	FILLER	Always Blank
115-139	PROGRAM NAME	25-character alphabetic name of the program.
140-164	TRACKAGE NAME	25-character alphanumeric name of the trackage. Only active if Trackage ID (pos. 31-33) is non-zero.
165-174	LIBRARY ID	A unique numeric ID that when concatenated with Episode ID allows tracking of specific creatives across program and trackages. Currently only collected for movies. For non-movies, Library ID = Program ID. Only active on individual telecast records. Blank if not applicable.
175-179	EPISODE ID	An alphanumeric ID associated with a particular creative. Only active on individual telecast records. Blank if not applicable.
180-211	EPISODE NAME - A	First 32 of 40 characters of the alphabetic name for the creative being aired. Primarily usually utilized for Sports and Movies. When multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. Remaining 8 characters will be reported in positions 393-400. Blank when no episode name has been assigned.
212-215	CLIENT-SPECIFIED EPISODE #	Client assigned descriptive number that identifies a particular creative in the same manner as episode name.

Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
216-219	SUMMARY PROGRAM TYPE CODE / PROGRAM TYPE ALPHA	Standard program type Alpha Codes. Most common / most current rules apply. 2-character alpha field is left-justified and blank filled. See Appendix – Table C – Program Summary Type Code for details.
220-223	DETAILED PROGRAM TYPE CODE	Detailed program type code associated with the program / trackage / telecast. Most common / most current rules apply for program and trackage averages.
224-227	ACN EPISODE TYPE CODE	Blank (Not Applicable)
228	COMMERCIAL STATUS	S = Sustainer (Non-commercial) Otherwise, blank. Note that sustainer information is special analysis data and is only supplied to ordering clients.
229	MULTI-DAY/MULTI-TCAST INDICATOR	Y = Program normally airs multiple times during a single week. Otherwise, blank If various, most recent listed.
230	REPEAT INDICATOR	Indicates that the program is a repeat. Data was proprietary to the owning client prior to Aug. 29, 2011. Y = Program / telecast is a repeat airing otherwise, blank.
231	COMPLEX PROGRAM INDICATOR	Field is blank for cable reporting.
232	SHORT DURATION INDICATOR	Y = Indicates a program with less than five minutes duration otherwise blank.
233	FEED PATTERN IND	Denotes the feed pattern on which the program aired. Program feed pattern may differ from normal feed pattern in which a network airs. Most common / current for program / trackage averages. Values: D = Dual Y = Live U = Unknown E = East only W = West only Blank = unspecified
234	LIVE EVENT INDICATOR	L = Live event Blank = not live
235	PROGRAM ORIGINAL / ACQUIRED CODE	Indicates if the program episodes were acquired by the owning client, created by the client (originals) or a mixture of both. O = All episodes of the program were created by or on behalf of the airing cable network airing the program. A = All episodes of the program were acquired by the airing network from an independent source.

Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		V = Indicates that some episodes of the program episodes are originals and some are various. For program and trackage averages, a mixture of O's and A's at the contributing Blank if not applicable.
236	EPISODE ORIGINAL / ACQUIRED CODE	O = All episodes of the program were created by or on behalf of the airing cable network airing the program. A = All episodes of the program were acquired by the airing network from an independent source. Field is only active on individual telecast records. Blank if not applicable.
237	VARIOUS INDICATOR	Descriptive data varies for telecasts in the average. Otherwise, blank. *Note that is the above data (pos. 115-236) is not true for all telecasts in the average, then the above indicators will represent the most common, or if a tie, the most current. Y=Most common/most current decisions applied. Blank = All telecast had identical values for fields where most common/most current logic could have applied. Fields contributing to the various flag include: - Program Name - Trackage Name - Summary Program Type Codes - Detailed Program Type Codes - Commercial Status Codes - Short Duration Indicator - Feed Pattern Indicator - Live Event Indicator - Program Original Acquired Code - Episode Original Acquired Code
238	PROGRAM PREMIERE INDICATOR	Individual telecast is a premiere or the reported average contains a premiere (or re-premiere). Otherwise, blank. *Note that when this field is a 'Y', position 58-67 will hold the telecast number of the premiere.
239	GAPPED INDICATOR	Y = At least one gapped telecast within the report interval. Individual day - applies to telecast weekly/monthly average - indicates a gapped telecast is included. Otherwise, blank

Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
240	TYPE DAYPART CODE	Blank (Not Applicable)
241	MOVIE INDICATOR	Blank = not indicated Y = program is a movie N = program is not a movie
242	TEAM SPORTS INDICATOR	Blank = not indicated Y = program is a team sport N = program is not a team sport
243	FILLER	Always blank
244-249	ALPHA PREFIX	For alphabetic sequencing of reports
250-253	SYNDICATOR ORIGINATOR IDENTIFIER	Blank (Not Applicable)
254-262	NETWORK SUPPLIED SHOW CODE	Blank (Not Applicable)
263-273	FILLER	Always Blank
274-275	SYNDICATOR INFO: NUMBER OF WEEKS IN TELECAST WINDOW	Blank (Not Applicable)
276-277	REPORTED DAYPART	PR = Prime Time EF = Early Fringe LF = Late Fringe WM = Weekday Morning WD = Weekday Daytime ED = Weekend Daytime If daypart varies across telecasts, the most common is reported (or in case of a tie, the most current).
278-281	EVENT DURATION	Used in conjunction with the START HOUR and START MINUTE (pos. 86-89 in common data) to describe actual duration or a program (or its gapped portion). 0000 – 1440 (in minutes)
(282-288)	DAYS OF WEEK INDICATORS	The days of telecast to which this descriptor's time information applies: 1: if telecast on a given day 2: if DNA'ed (Data Not Available) on a given day. Zero if not telecast.
282	MONDAY	2 or 1 or 0
283	TUESDAY	2 or 1 or 0
284	WEDNESDAY	2 or 1 or 0
285	THURSDAY	2 or 1 or 0
286	FRIDAY	2 or 1 or 0
287	SATURDAY	2 or 1 or 0
288	SUNDAY	2 or 1 or 0
(289-303)	WEEKS TELECAST INDICATOR	Zero (Not Applicable)
289	WEEK ONE	Zero (Not Applicable)
290	WEEK TWO	Zero (Not Applicable)
291	WEEK THREE	Zero (Not Applicable)
292	WEEK FOUR	Zero (Not Applicable)
293	WEEK FIVE	Zero (Not Applicable)
294	WEEK SIX	Zero (Not Applicable)
295	WEEK SEVEN	Zero (Not Applicable)

Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
296	WEEK EIGHT	Zero (Not Applicable)
297	WEEK NINE	Zero (Not Applicable)
298	WEEK TEN	Zero (Not Applicable)
299	WEEK ELEVEN	Zero (Not Applicable)
300	WEEK TWELVE	Zero (Not Applicable)
301	WEEK THIRTEEN	Zero (Not Applicable)
302	WEEK FOURTEEN	Zero (Not Applicable)
303	WEEK FIFTEEN	Zero (Not Applicable)
304	FILLER	Always blank.
305-309	TOTAL PROGRAM STATION COUNT	Zero (Not Applicable)
310-314	TOTAL PROGRAM HEADEND COUNT	Zero (Not Applicable)
315-316	TOTAL U.S. NPM PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
317-318	COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
319	VARIOUS TIMES / DURATIONS	Zero (Not Applicable)
320-326	FILLER	Always blank
327	VARIOUS UE FLAG	Blank (Not Applicable)
328-330	NUMBER OF TELECASTS / DAYS	Number of telecasts averaged. Always 001 for individual telecast reporting. 002 – 007 = Multi-telecast averages.
331-336	TOTAL PROGRAM CONTRIBUTING DURATION	Duration for the individual telecast. Sum of durations for averages. Needed for the duration-weight averaging across programs or across weeks.
337-345	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE TOTAL US PROJECTION	For program and trackage averages, contains the duration weighted average audience projection, derived from the contributing telecasts. See averaging rules for computation. For individual telecast contacts the average audience projection. XXX,XXX,XXX (in units)
346-348	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE TOTAL US RATING	The rating is calculated by dividing the projection in the previous field (pos. 337-345) by the Total U.S. Universe Estimate.
349	TOTAL PROGRAM HOUSEHOLD AA TOTAL US RATING REPORTABILITY INDICATOR	Gives reportability for rating (pos. 346-348). 1 – Below minimum sample size (IFR) 2 – Below minimum rating level (<<) 3 – Below minimum projection level (LT) 0 – Reportable Otherwise, blank
350-352	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE COVERAGE AREA RATING	Contains the rating computed by dividing the projection in Pos. 337-345 by the coverage area household universe estimate.
353	TOTAL PROGRAM HOUSEHOLD AA COVERAGE AREA RATING REPORTABILITY INDICATOR	Gives the minimum reportability for rating (pos. 350-352). 1 – Below minimum sample size (IFR) 2 – Below minimum rating level (<<) 3 – Below minimum projection level (LT) 0 – Reportable

Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
354-362	TOTAL PROGRAM AVERAGE AUDIENCE TOTAL U.S. PROGRAM HUT PROJECTION	For program and trackage averages, contains the duration weighted Total U.S. Program HUT projection for the time period and feed pattern matching the contributing telecasts used to compute the corresponding average audience projection. For individual telecasts, contains the corresponding Program HUT projection. Projection is XXX,XXX,XXX. Reported in units, right justified and zero filled.
363-364	TOTAL PROGRAM TOTAL U.S. HOUSEHOLD SHARE PERCENT	Contains the share (in units) computed by dividing the Program Average Audience Projection (Pos. 337 – 345) by the Total U.S. Program HUT Projection (Pos. 354 – 362). Share is in units. Right justified and zero filled.
365-373	TOTAL PROGRAM AVERAGE AUDIENCE COVERAGE AREA PROGRAM HUT PROJECTION	For program and trackage averages, contains the duration weighted Coverage Area Program HUT projection for the time period and feed pattern matching the contributing telecasts used to compute the corresponding average audience projection. For individual telecasts, contains the corresponding Program HUT projection. Projection is XXX,XXX,XXX. Reported in units, right justified and zero filled. Note: This will not be available and will be a Panel Only metric for Big Data currency.
374-375	TOTAL PROGRAM COVERAGE HOUSEHOLD SHARE PERCENT	Contains the share (in units) computed by dividing the Program Average Audience Projection (Pos. 337 – 345) by the Coverage Area Program HUT Projection (Pos. 354 – 362). Share is in units. Right justified and zero filled. Note: This will not be available and will be a Panel Only metric for Big Data currency.
376-384	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
385-387	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE RATING	Zero (Not Applicable)
388-392	NORMAL START TIME	Blank (Not Applicable)
393-400	EPISODE NAME – B	Last 8 of 40 characters of the alphabetic name for the creative being aired. Primarily usually utilized for Sports and Movies. When multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. First 32 characters will be reported in positions 180-211. Blank when no episode name has been

Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		assigned.

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04. This record provides total program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.

Cable Program Data Record Sequence 04 – E Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample
4-10	CORRECTION INTERVAL START DATE	When record contains the reprocessing information, denotes the start date of the weekly interval for which the corrected information applies. Only applicable to program records (rec seq = 04). Zero if not applicable.
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. Correction records are not provided in the daily file.
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	ACN NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Values are left justified. Examples include, but are not limited to: NICK = Nickelodeon HLN = Headline News USA = USA Network As new cable networks become reportable, additional records will be included.
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	3 digit ID that identifies a sub-grouping of telecast of a specific program. Only applies to cable programs. Example: Program = Andy Griffith Trackage 001 = Andy Griffith 10am Trackage 002 = Andy Griffith 2pm Blank if not applicable.
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq =

Cable Program Data Record Sequence 04 – E Record Type		
Position	Description	Range
		03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience (unduplicated aud.) 2 = Gross Average Audience (duplicated aud.)
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero filled. *Note that when a premiere is detected mid-interval, multiple program averages are generated: one containing telecasts prior to the premiere; and one from the premiere forward in time, including the end of the interval or the next premiere.
68	SCALED COUNT INDICATOR	Zero (Not applicable)
69-70	COMPONENT NUMBER	Zero (Not applicable)
71-76	ORIGINATOR ID	Numeric code describing the originating cable network. Values include but are not limited to: 006521 = CNBC

Cable Program Data Record Sequence 04 – E Record Type		
Position	Description	Range
		006511 = Showtime
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	Zero – Not applicable
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program, FP = Fringe Portion PP = Prime Portion, LP = Late Portion 01-48 = clock half hours (e.g. 01 = 6a, 02 = 6.30a, etc)
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	E = Program Proprietary Descriptor Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Daily and Weekly files: Blank = Live with VCR Record 1 = Live without VCR Record 2 = Live + SDP with VCR Record 3 = Live + SDP without VCR Record Effective with data of 12/30/19, Live + 7 files will be available daily and weekly 4 = Live + 7 with VCR Record 5 = Live + 7 without VCR Record For daily files only,

Cable Program Data Record Sequence 04 – E Record Type		
Position	Description	Range
		A = Live + 75 hours (Live+3) with VCR Record B=Live+75 hours (Live+3) without VCR Record
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data is not available. In this situation, program descriptive information and half-hour time statements will be delivered, but program audience estimates are suppressed.
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Only available for weekly cable program data. Y= Indicates that program data has changed since the overnight delivery.
102-105	VARIANCE REASON	Three digit reason code indicating the reason for the correction. Blank = Not applicable 100 = New information not previously sent 101 = Viewing estimates changed 102 = Standard descriptive information that could impact averages changed. 103 = “Informational Only” descriptive information changed. 200 = Proprietary data changed. 300 = Delete preliminary information.
106-114	FILLER	Always Blank
115-144	PROGRAM STAR NAME	Blank filled. Most common / most current for program and trackage averages.
145-174	PROGRAM CO-STAR NAME	Blank filled. Most common / most current for program and trackage averages.
175-204	PROGRAM PRODUCER	Blank filled. Most common / most current for program and trackage averages.
205-234	MISCELLANEOUS 1	Blank filled. Most common / most current for program and trackage averages.
235-264	MISCELLANEOUS 2	Blank filled. Most common / most current for program and trackage averages.
265-268	DEFAULT CUSTOM EPISODE TYPE CODE 1	4 byte alphanumeric code supplied to Nielsen at the program level as the default value for the corresponding code on the associated program episodes.
269-272	DEFAULT CUSTOM EPISODE TYPE CODE 2	4 byte alphanumeric code supplied to Nielsen at the program level as the

Cable Program Data Record Sequence 04 – E Record Type		
Position	Description	Range
		default value for the corresponding code on the associated program episodes.
277-284	INTERNAL CODE 1	4 byte alphanumeric code supplied to Nielsen at the telecast level for customer internal usage. Most common / most current for program and trackage averages. Left justified and blank filled. Retain customer embedded blanks.
285-289	INTERNAL CODE 2	4 byte alphanumeric code supplied to Nielsen at the telecast level for customer internal usage. Most common / most current for program and trackage averages. Left justified and blank filled. Retain customer embedded blanks.
290-294	INTERNAL CODE 3	4 byte alphanumeric code supplied to Nielsen at the telecast level for customer internal usage. Most common / most current for program and trackage averages. Left justified and blank filled. Retain customer embedded blanks.
295-298	CUSTOM PROGRAM TYPE CODE 1	4 byte alphanumeric code supplied to Nielsen at the program level for customer internal usage. Most common / most current for program and trackage averages. Left justified and blank filled. Retain customer embedded blanks.
299-302	CUSTOM PROGRAM TYPE CODE 2	4 byte alphanumeric code supplied to Nielsen at the program level for customer internal usage. Most common / most current for program and trackage averages. Left justified and blank filled. Retain customer embedded blanks.
303-306	CUSTOM PROGRAM TYPE CODE 3	4 byte alphanumeric code supplied to Nielsen at the program level for customer internal usage. Most common / most current for program and trackage averages. Left justified and blank filled. Retain customer embedded blanks.
307	REPEAT INDICATOR	For program and trackage averages, Y = one or more of the contributing telecasts is a repeat. Otherwise, blank.
308-309	REPEAT SEQUENCE CODE	A customer assigned code indicating a particular repeat sequence (e.g. first repeat, second repeat, etc).
310	PREMIERE INDICATOR	For program and trackage averages, Y = one or more of the contributing telecasts is a premiere. Otherwise, blank.
311-314	NORMAL DURATION	The normal duration of the program. For program and trackage averages, most common / most current apply. Field is right justified and zero filled. Zero if not applicable.
315-400	FILLER	Always blank.



Updated Big Data + Panel MIT Format

V1.12

Program Data Record Sequence 04 Program Record

- Proprietary data only available to ordering clients. This record will only be available in custom MITs. No standard MITs will report this record type.
- Reports proprietary program related descriptor information.
- The record type will be available at a daily and weekly level.

Cable Program Data Record Sequence 04 – F Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample
4-10	CORRECTION INTERVAL START DATE	When record contains the reprocessing information, denotes the start date of the weekly interval for which the corrected information applies. Only applicable to program records (rec seq = 04). Zero if not applicable.
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. Correction records are not provided in the daily file.
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	ACN NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Values are left justified. Examples include, but are not limited to: NICK = Nickelodeon HLN = Headline News USA = USA Network As new cable networks become reportable, additional records will be included.
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	3 digit ID that identifies a sub-grouping of telecast of a specific program. Only applies to cable programs. Example: Program = Andy Griffith Trackage 001 = Andy Griffith 10am Trackage 002 = Andy Griffith 2pm Blank if not applicable.
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq =

Cable Program Data Record Sequence 04 – F Record Type		
Position	Description	Range
		03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience (unduplicated aud.) 2 = Gross Average Audience (duplicated aud.)
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero filled. *Note that when a premiere is detected mid-interval, multiple program averages are generated: one containing telecasts prior to the premiere; and one from the premiere forward in time, including the end of the interval or the next premiere.
68	SCALED COUNT INDICATOR	Zero (Not applicable)
69-70	COMPONENT NUMBER	Zero (Not applicable)
71-76	ORIGINATOR ID	Numeric code describing the originating cable network. Values include but are not limited to: 006521 = CNBC

Cable Program Data Record Sequence 04 – F Record Type		
Position	Description	Range
		006511 = Showtime
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	Zero – Not applicable
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program, FP = Fringe Portion PP = Prime Portion, LP = Late Portion 01-48 = clock half hours (e.g. 01 = 6a, 02 = 6.30a, etc)
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	F = Episode Proprietary Descriptor Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Daily and Weekly files: Blank = Live with VCR Record 1 = Live without VCR Record 2 = Live + SDP with VCR Record 3 = Live + SDP without VCR Record Effective with data of 12/30/19, Live + 7 files will be available daily and weekly 4 = Live + 7 with VCR Record 5 = Live + 7 without VCR Record For daily files only,

Cable Program Data Record Sequence 04 – F Record Type		
Position	Description	Range
		A = Live + 75 hours (Live+3) with VCR Record B=Live+75 hours (Live+3) without VCR Record
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data is not available. In this situation, program descriptive information and half-hour time statements will be delivered, but program audience estimates are suppressed.
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Only available for weekly cable program data. Y= Indicates that program data has changed since the overnight delivery.
102-105	VARIANCE REASON	Three digit reason code indicating the reason for the correction. Blank = Not applicable 100 = New information not previously sent 101 = Viewing estimates changed 102 = Standard descriptive information that could impact averages changed. 103 = "Informational Only" descriptive information changed. 200 = Proprietary data changed. 300 = Delete preliminary information.
106-114	FILLER	Always Blank
115-264	PROGRAM EPISODE STAR NAME	Blank filled. Most common / most current for program and trackage averages.
145-174	PROGRAM EPISODE CO-STAR NAME	Blank filled. Most common / most current for program and trackage averages.
175-204	PROGRAM EPISODE PRODUCER	Blank filled. Most common / most current for program and trackage averages.
205-234	MISCELLANEOUS 1	Blank filled. Most common / most current for program and trackage averages.
235-264	MISCELLANEOUS 2	Blank filled. Most common / most current for program and trackage averages.
265-268	DEFAULT CUSTOM EPISODE TYPE CODE 1	4 byte alphanumeric code supplied to Nielsen at the program level as the default value for the corresponding code on the associated program episodes.
269-272	DEFAULT CUSTOM EPISODE TYPE CODE 2	4 byte alphanumeric code supplied to Nielsen at the program level as the

Cable Program Data Record Sequence 04 – F Record Type		
Position	Description	Range
		default value for the corresponding code on the associated program episodes.
273-276	DEFAULT CUSTOM EPISODE TYPE CODE 3	4 byte alphanumeric code supplied to Nielsen at the program level as the default value for the corresponding code on the associated program episodes.
277-400	FILLER	Always Blank

Program Data Record Sequence 04 Episode Record

- Proprietary data only available to ordering clients. This record will only be available in custom MITs. No standard MITs will report this record type.
- Reports proprietary episode related descriptor information.
- The record type will only be available at a daily level.

Cable Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	When record contains reprocessing information, denotes the start date of the weekly interval for which the corrected information applies. Only applicable to program records (sequence = 04).
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion For deletions of individual telecasts, all records with the same ACN Program Code / Trackage ID / Telecast Number should be removed. For averages, all records with the same ACN Program Code / Trackage ID / Start Date / End Date should be removed.
12-14	CORRECTION REASON	Three digit reason code indicating the severity of the correction indicated in position 11. Blank = not applicable 100 = New information note previously sent 101 = Viewing estimates changed 102 = Standard descriptive information that could impact averages changed. 103 = "Informational Only" descriptive info changed 200 = Proprietary data changed 300 = Deletion
15-20	NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Values are left justified. Examples include, but are not limited to: NICK = Nickelodeon HLN = Headline News USA = USA Network As new cable networks become reportable, additional records will be included.
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRackage ID	3 digit ID that identifies a sub-grouping of telecast of a specific program. Only applies to cable programs. Example:

Cable Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		Program = Andy Griffith Trackage 001 = Andy Griffith 10am Trackage 002 = Andy Griffith 2pm Blank or not applicable.
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq = 03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 – 99 = Number of weeks included in averages report.
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYMMDD)
58-67	TELECAST NUMBER	A unique number identifying specific airings of a program. Zero if not applicable.
68	SCALED COUNT INDICATOR	Zero (Not Applicable)
69-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	ORIGINATOR ID	Numeric code describing the originating cable network. Values include but are not limited to: 006521 = CNBC 006511 = Showtime
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S.

Cable Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	Zero (Not Applicable)
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program, FP = Fringe Portion PP = Prime Portion, LP = Late Portion 01-48 = clock half hours (e.g. 01 = 6a, 02 = 6.30a, etc)
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	H = Household Half-Hour
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast. Zero if not applicable.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast. Zero if not applicable
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1 8 = Live + 2
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data not available
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)

Cable Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
101	PRELIMINARY VARIANCE CABLE FLAG	Only available for weekly cable program data. Y= Indicates that program data has changed since the overnight delivery.
102-105	VARIANCE REASON	Three digit reason code indicating the reason for the correction. Blank = Not applicable 100 = New information not previously sent 101 = Viewing estimates changed 102 = Standard descriptive information that could impact averages changed. 103 = "Informational Only" descriptive information changed. 200 = Proprietary data changed. 300 = Delete preliminary information.
106-114	FILLER	Always Blank
115-118	EVENT DURATION	The contributing duration for the program estimates reported. Example: For program 'X', starting at 8:05pm and ending at 8:40pm, duration is 35 minutes.
(119-125)	DAYS OF WEEK INDICATOR	Indicates the days on which the program reported was telecast. '0' if not telecast on that day. '1' if telecast on a given day at least once. '2' if DNA'ed telecasts found (data not available) Included on both multi-day and individual telecast records.
119	MONDAY	2 or 1 or 0
120	TUESDAY	2 or 1 or 0
121	WEDNESDAY	2 or 1 or 0
122	THURSDAY	2 or 1 or 0
123	FRIDAY	2 or 1 or 0
124	SATURDAY	2 or 1 or 0
125	SUNDAY	2 or 1 or 0
(126 – 140)	WEEKS TELECAST INDICATOR	Zero (Not Applicable)
126	WEEK ONE	Zero (Not Applicable)
127	WEEK TWO	Zero (Not Applicable)
128	WEEK THREE	Zero (Not Applicable)
129	WEEK FOUR	Zero (Not Applicable)
130	WEEK FIVE	Zero (Not Applicable)
131	WEEK SIX	Zero (Not Applicable)
132	WEEK SEVEN	Zero (Not Applicable)
133	WEEK EIGHT	Zero (Not Applicable)
134	WEEK NINE	Zero (Not Applicable)
135	WEEK TEN	Zero (Not Applicable)
136	WEEK ELEVEN	Zero (Not Applicable)
137	WEEK TWELVE	Zero (Not Applicable)
138	WEEK THIRTEEN	Zero (Not Applicable)
139	WEEK FOURTEEN	Zero (Not Applicable)

Cable Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
140	WEEK FIFTEEN	Zero (Not Applicable)
141-143	HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
144-148	HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
149-150	HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
151-152	HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
153	VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
154-169	FILLER	Always blank
170	VARIOUS UE INDICATOR	Y = More than one universe estimate was used to compute the audience combined in the reported program average. Blank if not applicable.
171-173	NUMBER OF TELECASTS/DAYS *Note that when an 'Excluded Day' occurs within a particular average, the number of telecasts will be lower. For instance, during a 4-week November interval which has both Thanksgiving Day and the following day designated as 'Excluded Days', the single-day Thursday average will show the number of days as 003 instead of 004.	Number of telecasts contributing to a program average. Always 001 for individual telecasts.
174-179	HALF-HR CONTRIBUTING DURATION	The contributing clock half-hour duration for the program estimate reported. Example: For program "x" starting at 8:05pm and ending at 8:40pm, the first half hour would have a duration of 25 minutes and the second half hour would have a duration of 10 minutes.
180-188	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE PROJECTION	The program half-hour projection (in units) (XXX,XXX,XXX) If pos. 37 = 1, average audience
189-191	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Rating computed by dividing the projection in Pos. 180 – 188, by the applicable Total U.S. Household Universe Estimate. Format is XXX (implied precision XX.X).
192	HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	1 = IFR – Below minimum sample size. 2 = << - Below minimum rating level 3 = LT – Below minimum projection level 0 = Reportable
193-195	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Rating computed by dividing the projection in Pos. 180 – 188, by the applicable Coverage Area Household Universe Estimate. Format is XXX (implied precision XX.X).
196	HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	1 = IFR – Below minimum sample size – Not Applicable for Big Data 2 = << - Below minimum rating level 3 = LT – Below minimum projection level

Cable Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		0 = Reportable
197-205	HALF HOUR TOTAL U.S. PROGRAM HUT AVERAGE AUDIENCE PROJECTION	The Total U.S. Program HUT Projection associated with the Program Half Hour Audience reported in Pos. 180-188. XXX,XXX,XXX
206-207	HALF HOUR HOUSEHOLD TOTAL U.S. PROGRAM SHARE	The Total U.S. Share computed from the Audience Estimate (Pos. 180-188) and the TV Usage (Pos. 197-205). Format is XX. Precision is in units.
208-216	HALF HOUR HOUSEHOLD COVERAGE AREA PROGRAM HUT AVERAGE AUDIENCE PROJECTION	The Coverage Area Program HUT Projection associated with the Program Half Hour Audience reported in Pos. 180-188. XXX,XXX,XXX Note: This will not be available and will be a Panel Only metric for Big Data currency.
217-225	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
226-228	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
229-250	FILLER	Always blank
251-253	FIRST QUARTER HOUR NUMBER OFTELECASTS	Number of contributing telecasts for the quarter hour estimate, for the first quarter hour of the half hour. Zero if not applicable. Always 001 for individual telecasts.
254-259	FIRST QUARTER-HR CONTRIBUTING DURATION	The contributing clock quarter hour duration for the program estimates reported. Example: For program 'X', starting at 8:05pm and ending at 8:40pm, would have a duration of 10 minutes for the first quarter hour and 15 minutes for the second quarter hour.
260-268	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	First Quarter Hour Average Audience Projection delivered in units (XXX,XXX,XXX). Zero if not applicable. For program averages, the duration weighted average audience projection for the quarter hour. For individual telecast, the average audience estimate for the telecast quarter hour. If pos. 37 = 1, average audience
269-271	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Rating computed by dividing the projection in Pos. 260 – 268, by the applicable Total U.S. Household Universe Estimate. Format is XXX

Cable Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		(implied precision XX.X). Zero if not applicable. If pos. 37 = 1, average audience
272	FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	1 = IFR – Below minimum sample size. 2 = << - Below minimum rating level 3 = LT – Below minimum projection level 0 = Reportable
273-275	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Rating computed by dividing the projection in Pos. 260 – 268, by the applicable Coverage Area Universe Estimate. Format is XXX (implied precision XX.X). Zero if not applicable. If pos. 37 = 1, average audience
276	FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	1 = IFR – Below minimum sample size – Not Applicable for Big Data 2 = << - Below minimum rating level 3 = LT – Below minimum projection level 0 = Reportable
277-285	FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	First QHR Total U.S. Program HUT Projection delivered in units (XXX,XXX,XXX, associated with the Program Half Hour Audience reported in Pos. 260-268).
286-294	FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	First QHR Coverage Area Program HUT Projection delivered in units (XXX,XXX,XXX, associated with the Program Half Hour Audience reported in Pos. 260-268). Note: This will not be available and will be a Panel Only metric for Big Data currency.
295-299	FILLER	Always blank
300-302	SECOND QUARTER HOUR NUMBER OF TELECASTS/ DAYS	Number of contributing telecasts for the quarter hour estimate, for the second quarter hour of the half hour. Zero if not applicable. Always 001 for individual telecasts.
303-308	SECOND QUARTER-HR CONTRIBUTING DURATION	The contributing clock quarter hour duration for the program estimates reported. Example: For program 'X', starting at 8:05pm and ending at 8:40pm, would have a duration of 10 minutes for the first quarter hour and 15 minutes for the second quarter hour.
309-317	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	Second Quarter Hour Average Audience Projection delivered in units (XXX,XXX,XXX). Zero if not applicable. For program averages, the duration weighted average audience projection for the

Cable Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		quarter hour. For individual telecast, the average audience estimate for the telecast quarter hour. If pos. 37 = 1, average audience
318-320	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Rating computed by dividing the projection in Pos. 309 – 317, by the applicable Total U.S. Household Universe Estimate. Format is XXX (implied precision XX.X). Zero if not applicable. If pos. 37 = 1, average audience
321	SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	1 = IFR – Below minimum sample size. 2 = << - Below minimum rating level 3 = LT – Below minimum projection level 0 = Reportable
322-324	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Rating computed by dividing the projection in Pos. 309 – 317, by the applicable Coverage Area Universe Estimate. Format is XXX (implied precision XX.X). Zero if not applicable. If pos. 37 = 1, average audience
325	SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	1 = IFR – Below minimum sample size – Not Applicable for Big Data 2 = << - Below minimum rating level 3 = LT – Below minimum projection level 0 = Reportable
326-334	SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Second QHR Total U.S. Program HUT Projection delivered in units (XXX,XXX,XXX, associated with the Program Half Hour Audience reported in Pos. 309-317).
335-343	SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Second QHR Coverage Area Program HUT Projection delivered in units (XXX,XXX,XXX, associated with the Program Half Hour Audience reported in Pos. 309-317). Note: This will not be available and will be a Panel Only metric for Big Data currency.
344-400	FILLER	Always blank

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04. This record provides total program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement

Updated Big Data + Panel MIT Format

V1.12

information and full-duration program estimates are contained only on the first descriptor.

- For PP Reporting:
 - Extra records are generated for atypical airings:
 - Each clock half-hour – programs without gaps and multi-day programs without various start times and durations.
 - Each program segment within a half-hour – gapped programs.
 - Multi-day average with various start times and durations within this half-hour.
 - For programs with various start times and durations, the record lists (for each clock half-hour) the most common start time and duration. In the case of a tie, the most current is reported.

Cable Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	When record contains reprocessing information, denotes the start date of the weekly interval for which the corrected information applies. Only applicable to program records (sequence = 04).
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. Correction records are not provided in the daily file.
12-14	CORRECTION REASON	Three digit reason code indicating the severity of the correction indicated in position 11. Blank = not applicable 100 = New information note previously sent 101 = Viewing estimates changed 102 = Standard descriptive information that could impact averages changed. 103 = "Informational Only" descriptive info changed 200 = Proprietary data changed 300 = Deletion
15-20	NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Values are left justified. Examples include, but are not limited to: NICK = Nickelodeon HLN = Headline News USA = USA Network As new cable networks become reportable, additional records will be

Cable Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
		included.
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	3 digit ID that identifies a sub-grouping of telecast of a specific program. Only applies to cable programs. Example: Program = Andy Griffith Trackage 001 = Andy Griffith 10am Trackage 002 = Andy Griffith 2pm Blank if not applicable.
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq = 03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 – 99 = Number of weeks included in averages reported.
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
58-67	TELECAST NUMBER	A unique number identifying specific airings of a program. Zero if not applicable.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	ORIGINATOR ID	Numeric code describing the originating cable network. Values include but are not limited to: 006521 = CNBC 006511 = Showtime
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage

Updated Big Data + Panel MIT Format

V1.12

Cable Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
		area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	Zero (Not Applicable)
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates 01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	For demographic records, (rec. seq 03, 04, and 05) indicates the quarter hour for which the estimates are reported. 01 – 96 = Program Quarter Hours (e.g. 01 = 6 a.m., 02 = 6:15 a.m., etc.)
85	RECORD TYPE	P = Persons Detail Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. *Note that if various time are found, the most common is used. In case of a tie, the most recent is used.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	Used with Record Sequence 04 and Record Type = P to indicate the type of audience estimates included. 0 = Program Audiences 1 = Total U.S. Program PUT 2 = Coverage Area Program PUTs. Blank when not applicable.
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3

Cable Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
		4 = Live + 7 6 = Live + 1 8 = Live + 2 I = Live + 35
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data not available
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Only available for weekly cable program data. Y= Indicates that program data has changed since the overnight delivery.
102-105	VARIANCE REASON	Three digit reason code indicating the reason for the correction. Blank = Not applicable 100 = New information not previously sent 101 = Viewing estimates changed 102 = Standard descriptive information that could impact averages changed. 103 = “Informational Only” descriptive information changed. 200 = Proprietary data changed. 300 = Delete preliminary information.
106-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Average Audience Projection (in units) (XXX,XXX,XXX) Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc. Note: Coverage Area Average Audience Projections will not be available and will be a Panel Only metric for Big Data currency.

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04. This record provides total program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.
- For Total National Sample:
 - Two record for total program.
 - Two records for each clock half-hour for standard data.
 - Two records for each clock quarter-hour for standard data.

NAD Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	When record contains the reprocessing information, denotes the start date of the weekly interval for which the corrected information applies. Only applicable to program records (rec seq = 04). Zero if not applicable.
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. Correction records are not provided in the daily file.
12-14	CORRECTION REASON	Blank - RESERVED FOR FUTURES
15-20	ACN NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Values are left justified. Examples include, but are not limited to: NICK = Nickelodeon HLN = Headline News USA = USA Network As new cable networks become reportable, additional records will be included.
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	3 digit ID that identifies a sub-grouping of telecast of a specific program. Only applies to cable programs. Example: Program = Andy Griffith Trackage 001 = Andy Griffith 10am Trackage 002 = Andy Griffith 2pm Blank if not applicable.

NAD Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq = 03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average *Note that if a program airs in only two weeks, the monthly (4-week) average will still show 04, since this field indicates interval length.
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week/month (Sunday) for weekly/monthly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero filled. *Note that when a premiere is detected mid-interval, multiple program averages are generated: one containing telecasts prior to the premiere; and one from the premiere forward in time, including the end of the interval or the next premiere.
68-70	COMPONENT NUMBER	Zero (Not applicable)

NAD Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
71-76	ORIGINATOR ID	Numeric code describing the originating cable network. Values include but are not limited to: 006521 = CNBC 006511 = Showtime
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program, FP = Fringe Portion PP = Prime Portion, LP = Late Portion 01-48 = clock half hours (e.g. 01 = 6a, 02 = 6.30a, etc)
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	D = Program Descriptor Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Blank (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD

NAD Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data is not available. In this situation, program descriptive information and half-hour time statements will be delivered, but program audience estimates are suppressed.
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Three digit reason code indicating the reason for the correction. Blank = Not applicable 100 = New information not previously sent 101 = Viewing estimates changed 102 = Standard descriptive information that could impact averages changed. 103 = "Informational Only" descriptive information changed. 200 = Proprietary data changed. 300 = Delete preliminary information.
106-114	FILLER	Always Blank
115-139	PROGRAM NAME	25-character alphabetic name of the program.
140-164	TRACKAGE NAME	25-character alphanumeric name of the trackage. Only active if Trackage ID (pos. 31-33) is non-zero.
165-174	LIBRARY ID	Blank (Not Applicable) Future Enhancement: A unique numeric ID that when concatenated with Episode ID allows tracking of specific creatives across program and trackages. Currently only collected for movies. For non-movies, Library ID = Program ID. Only active on individual telecast records. Blank if not applicable.
175-179	EPISODE ID	An alphanumeric ID associated with a particular creative. Only active on individual telecast records. Blank if not applicable.
180-211	EPISODE NAME - A	First 32 of 40 characters of the alphabetic name for the creative being aired. Primarily usually utilized for Sports and Movies. When

NAD Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. Remaining 8 characters will be reported in positions 393-400. Blank when no episode name has been assigned.
212-215	CLIENT-SPECIFIED EPISODE #	Client assigned descriptive number that identifies a particular creative in the same manner as episode name.
216-219	SUMMARY PROGRAM TYPE CODE / PROGRAM TYPE ALPHA	Standard program type Alpha Codes. Most common / most current rules apply. 2-character alpha field is left-justified and blank filled. See Appendix – Table C – Program Summary Type Code for details.
220-223	DETAILED PROGRAM TYPE CODE	Detailed program type code associated with the program / trackage / telecast. Most common / most current rules apply for program and trackage averages.
224-227	ACN EPISODE TYPE CODE	Blank (Not Applicable)
228	COMMERCIAL STATUS	S = Sustainer (Non-commercial) Otherwise, blank. Note that sustainer information is special analysis data and is only supplied to ordering clients.
229	MULTI-DAY/MULTI-TCAST INDICATOR	Y = Program normally airs multiple times during a single week. Otherwise, blank If various, most recent listed.
230	REPEAT INDICATOR	Indicates that the program is a repeat. Y = Program / telecast is a repeat airing otherwise, blank.
231	COMPLEX PROGRAM INDICATOR	Field is blank for cable reporting.
232	SHORT DURATION INDICATOR	Y = Indicates a program with less than five minutes duration otherwise blank.
233	FEED PATTERN IND	Denotes the feed pattern on which the program aired. Program feed pattern may differ from normal feed pattern in which a network airs. Most common / current for program / trackage averages. Values: D = Dual Y = Live U = Unknown E = East only W = West only Blank = unspecified
234	LIVE EVENT INDICATOR	L = Live event Blank = not live
235	PROGRAM ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)

NAD Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		Future Enhancement: Indicates if the program episodes were acquired by the owning client, created by the client (originals) or a mixture of both. O = All episodes of the program were created by or on behalf of the airing cable network airing the program. A = All episodes of the program were acquired by the airing network from an independent source. V = Indicates that some episodes of the program episodes are originals and some are various. For program and trackage averages, a mixture of O's and A's at the contributing
236	EPISODE ORIGINAL / ACQUIRED CODE	Blank (Not Applicable) Future Enhancement: O = All episodes of the program were created by or on behalf of the airing cable network airing the program. A = All episodes of the program were acquired by the airing network from an independent source. Field is only active on individual telecast records. Blank if not applicable.
237	VARIOUS INDICATOR	Descriptive data varies for telecasts in the average. Otherwise, blank. *Note that is the above data (pos. 115-236) is not true for all telecasts in the average, then the above indicators will represent the most common, or if a tie, the most current. Y=Most common/most current decisions applied. Blank = All telecast had identical values for fields where most common/most current logic could have applied. Fields contributing to the various flag include: - Program Name - Trackage Name - Summary Program Type Codes - Detailed Program Type Codes - Commercial Status Codes - Short Duration Indicator - Feed Pattern Indicator - Live Event Indicator - Program Original Acquired Code - Episode Original Acquired Code
238	PROGRAM PREMIERE INDICATOR	Individual telecast is a premiere or the

NAD Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		reported average contains a premiere (or re-premiere). Otherwise, blank. *Note that when this field is a 'Y', position 58-67 will hold the telecast number of the premiere.
239	GAPPED INDICATOR	Y = At least one gapped telecast within the report interval. Individual day - applies to telecast weekly/monthly average - indicates a gapped telecast is included. Otherwise, blank
240	TYPE DAYPART CODE	Blank (Not Applicable)
241	MOVIE INDICATOR	Blank = not indicated Y = program is a movie N = program is not a movie
242	TEAM SPORTS INDICATOR	Blank = not indicated Y = program is a team sport N = program is not a team sport
243	FILLER	Always blank
244-249	ALPHA PREFIX	For alphabetic sequencing of reports
250-253	SYNDICATOR ORIGINATOR IDENTIFIER	Blank (Not Applicable)
254-262	NETWORK SUPPLIED SHOW CODE	Blank (Not Applicable)
263-273	FILLER	Always Blank
274-275	SYNDICATOR INFO: NUMBER OF WEEKS IN TELECAST WINDOW	Blank (Not Applicable)
276-277	REPORTED DAYPART	PR = Prime Time EF = Early Fringe LF = Late Fringe WM = Weekday Morning WD = Weekday Daytime ED = Weekend Daytime If daypart varies across telecasts, the most common is reported (or in case of a tie, the most current).
278-281	EVENT DURATION	Used in conjunction with the START HOUR and START MINUTE (pos. 86-89 in common data) to describe actual duration or a program (or its gapped portion). 0000 – 1440 (in minutes)
(282-288)	DAYS OF WEEK INDICATORS	The days of telecast to which this descriptor's time information applies: 1: if telecast on a given day 2: if DNA'ed (Data Not Available) on a given day. Zero if not telecast.
282	MONDAY	2 or 1 or 0
283	TUESDAY	2 or 1 or 0
284	WEDNESDAY	2 or 1 or 0
285	THURSDAY	2 or 1 or 0

NAD Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
286	FRIDAY	2 or 1 or 0
287	SATURDAY	2 or 1 or 0
288	SUNDAY	2 or 1 or 0
(289-303)	WEEKS TELECAST INDICATOR	The weeks of the telecast to which this descriptor's time information applies. '0' if no sample count for that week. '1' if sample count for that week.
289	WEEK ONE	1 or 0
290	WEEK TWO	1 or 0
291	WEEK THREE	1 or 0
292	WEEK FOUR	1 or 0
293	WEEK FIVE	1 or 0
294	WEEK SIX	1 or 0
295	WEEK SEVEN	Zero (Not Applicable)
296	WEEK EIGHT	Zero (Not Applicable)
297	WEEK NINE	Zero (Not Applicable)
298	WEEK TEN	Zero (Not Applicable)
299	WEEK ELEVEN	Zero (Not Applicable)
300	WEEK TWELVE	Zero (Not Applicable)
301	WEEK THIRTEEN	Zero (Not Applicable)
302	WEEK FOURTEEN	Zero (Not Applicable)
303	WEEK FIFTEEN	Zero (Not Applicable)
304	FILLER	Always blank.
305-309	TOTAL PROGRAM STATION COUNT	Blank (Not Applicable)
310-314	TOTAL PROGRAM HEADEND COUNT	Blank (Not Applicable)
315-316	TOTAL U.S. NPM PROGRAM COVERAGE PERCENT	Blank (Not Applicable)
317-318	COVERAGE AREA PROGRAM COVERAGE PERCENT	Blank (Not Applicable)
319	VARIOUS TIMES / DURATIONS	Blank (Not Applicable)
320-326	FILLER	Always blank
327-330	NUMBER OF TELECASTS / DAYS	Number of telecasts averaged. Always 001 for individual telecast reporting. 002 – 007 = Multi-telecast averages.
331-336	TOTAL PROGRAM CONTRIBUTING DURATION	Duration for the individual telecast. Sum of durations for averages. Needed for the duration-weight averaging across programs or across weeks.
337-345	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE TOTAL US PROJECTION	For program and trackage averages, contains the duration weighted average audience projection, derived from the contributing telecasts. See averaging rules for computation. For individual telecast contacts the average audience projection. XXX,XXX,XXX (in units) Zero (Not Applicable)
346-348	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE TOTAL US RATING	Future Enhancement The rating is calculated by dividing the projection in the previous field (pos. 337-

NAD Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		345) by the Total U.S. Universe Estimate.
349	TOTAL PROGRAM HOUSEHOLD AA TOTAL US RATING REPORTABILITY INDICATOR	Blank (Not Applicable) Future Enhancement Gives reportability for rating (pos. 346-348). 1 – Below minimum sample size (IFR) 2 – Below minimum rating level (<<) 3 – Below minimum projection level (LT) 0 – Reportable Otherwise, blank
350-352	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE COVERAGE AREA RATING	Zero (Not Applicable)
353	TOTAL PROGRAM HOUSEHOLD AA COVERAGE AREA RATING REPORTABILITY INDICATOR	Blank (Not Applicable)
354-362	TOTAL PROGRAM AVERAGE AUDIENCE TOTAL U.S. PROGRAM HUT PROJECTION	Zero (Not Applicable) Future Enhancement For program and trackage averages, contains the duration weighted Total U.S. Program HUT projection for the time period and feed pattern matching the contributing telecasts used to compute the corresponding average audience projection. For individual telecasts, contains the corresponding Program HUT projection. Projection is XXX,XXX,XXX. Reported in units, right justified and zero filled.
363-364	TOTAL PROGRAM TOTAL U.S. HOUSEHOLD SHARE PERCENT	Zero (Not Applicable) Future Enhancement Contains the share (in units) computed by dividing the Program Average Audience Projection (Pos. 337 – 345) by the Total U.S. Program HUT Projection (Pos. 354 – 362). Share is in units. Right justified and zero filled.
365-373	TOTAL PROGRAM AVERAGE AUDIENCE COVERAGE AREA PROGRAM HUT PROJECTION	Zero (Not Applicable)
374-375	TOTAL PROGRAM COVERAGE HOUSEHOLD SHARE PERCENT	Zero (Not Applicable)
376-384	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
385-387	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE RATING	Zero (Not Applicable)
388-392	NORMAL START TIME	Blank (Not Applicable)
393-400	EPISODE NAME – B	Zero (Not Applicable) Future Enhancement Last 8 of 40 characters of the alphabetic name for the creative being aired. Primarily usually utilized for Sports and Movies. When

NAD Cable Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. First 32 characters will be reported in positions 180-211. Blank when no episode name has been assigned.

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04.
- One monthly average record for each program for total sample and for each market break.
- This record provides total program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.

NAD Cable Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	When record contains reprocessing information, denotes the start date of the weekly interval for which the corrected information applies. Only applicable to program records (sequence = 04).
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. Correction records are not provided in the daily file.
12-14	CORRECTION REASON	Three digit reason code indicating the severity of the correction indicated in position 11. Blank = not applicable 100 = New information note previously sent 101 = Viewing estimates changed 102 = Standard descriptive information that could impact averages changed. 103 = "Informational Only" descriptive info changed 200 = Proprietary data changed 300 = Deletion
15-20	NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Values are left justified. Examples include, but are not limited to: NICK = Nickelodeon HLN = Headline News USA = USA Network As new cable networks become reportable, additional records will be

NAD Cable Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
		included.
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	3 digit ID that identifies a sub-grouping of telecast of a specific program. Only applies to cable programs. Example: Program = Andy Griffith Trackage 001 = Andy Griffith 10am Trackage 002 = Andy Griffith 2pm Blank if not applicable.
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq = 03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average *Note that if a program airs in only two weeks, the monthly (4-week) average will still show 04, since this field indicates interval length.
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week/month (Sunday) for weekly/monthly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
58-67	TELECAST NUMBER	A unique number identifying specific airings of a program. Zero if not applicable.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	ORIGINATOR ID	Numeric code describing the originating

NAD Cable Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
		cable network. Values include but are not limited to: 006521 = CNBC 006511 = Showtime
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates 01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	P = Persons Detail Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. *Note that if various time are found, the most common is used. In case of a tie, the most recent is used.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record For market breaks: 501 for first record 520 for second record See Appendix – Table D – Demographic

NAD Cable Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
		Group Categories for details.
95	PROGRAM PUT INDICATOR	Used with Record Sequence 04 and Record Type = P to indicate the type of audience estimates included. 0 = Program Audiences 1 = Total U.S. Program PUT 2 = Coverage Area Program PUTs. Blank when not applicable.
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data not available
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Three digit reason code indicating the reason for the correction. Blank = Not applicable 100 = New information not previously sent 101 = Viewing estimates changed 102 = Standard descriptive information that could impact averages changed. 103 = “Informational Only” descriptive information changed. 200 = Proprietary data changed. 300 = Delete preliminary information.
106-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Average Audience Projection (in units) (XXX,XXX,XXX) Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc. Note: Coverage Area Average Audience Projections will not be available and will be a Panel Only metric for Big Data currency.

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04. This record provides demographic program information at the total National Sample level.
- Two records for total program carrying persons average audience estimates. Follows the Program Descriptor ("D") record.
- Two records per market break (for total program) carrying average audience estimates. Follows each market break Program Descriptor ("D").
- No program PUT data for market breaks.

Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 05 = Station Group Time Period Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	DATA TYPE CODE	For non-program record types such as Universe Estimates, Intab Sample Counts, TV Usage and Tim Period data. Indicates the type of information included on the record. Values are: TVU = TV Usage (Record Sequence 03 or 05) BUC = Bucket Data within coverage area (Record Sequence 05) PAY = Individual Pay Services Time Period Estimates (Record Sequence 05) BAS = Individual non-pay cable network time period estimates (Record Sequence 05) UES = Universe Estimates (Record Sequence 01) INT = Intab Sample Counts (Record Sequence 02)
21-30	VIEWING SOURCE ID	Viewing source reported for time period data (Record Sequence = 05) within the coverage area specified in Pos 71-76. Example include but are not limited to: 0000000000 = Total U.S. 0000006521 = CNBC 0000006511 = Showtime
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq = 03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)

Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
58-67	TELECAST NUMBER	Zero (Not Applicable)
68	SCALED COUNT INDICATOR	Zero (Not Applicable)
69-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	Numeric code describing the Coverage Area for which estimates are delivered. Applicable for Record Sequences 01, 02, 03, 05. Values include but are not limited to: 0000000000 = Total U.S. 0000006521 = CNBC 0000006511 = Showtime 0000006523 = The Weather Channel 0000006635 = The Learning Channel
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	Zero (Not Applicable)
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates 01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	H = Household Half-Hour Detail Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the half hour. Possible values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. 08 = 8 a.m. ... 29 = 5 a.m.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the half hour. Possible values are 00 or

Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
		30.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank
115-118	EVENT DURATION	The contributing duration of the half hour estimates included on the record. Always 30 except for cable networks where the broadcast day starts or ends on a non-half hour boundary. 0001 – 0030 (minutes)
(119-125)	DAYS OF WEEK INDICATOR	'0' if record does not report that day. '1' if record does report that day. Always zero for Record Sequence 05.
119	MONDAY	Always zero for Record Sequence 05.
120	TUESDAY	Always zero for Record Sequence 05.
121	WEDNESDAY	Always zero for Record Sequence 05.
122	THURSDAY	Always zero for Record Sequence 05.
123	FRIDAY	Always zero for Record Sequence 05.
124	SATURDAY	Always zero for Record Sequence 05.
125	SUNDAY	Always zero for Record Sequence 05.
(126 – 140)	WEEKS TELECAST INDICATOR	Zero (Not Applicable)
126	WEEK ONE	Zero (Not Applicable)
127	WEEK TWO	Zero (Not Applicable)
128	WEEK THREE	Zero (Not Applicable)
129	WEEK FOUR	Zero (Not Applicable)
130	WEEK FIVE	Zero (Not Applicable)
131	WEEK SIX	Zero (Not Applicable)
132	WEEK SEVEN	Zero (Not Applicable)
133	WEEK EIGHT	Zero (Not Applicable)

Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
134	WEEK NINE	Zero (Not Applicable)
135	WEEK TEN	Zero (Not Applicable)
136	WEEK ELEVEN	Zero (Not Applicable)
137	WEEK TWELVE	Zero (Not Applicable)
138	WEEK THIRTEEN	Zero (Not Applicable)
139	WEEK FOURTEEN	Zero (Not Applicable)
140	WEEK FIFTEEN	Zero (Not Applicable)
141-143	HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
144-148	HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
149-150	HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
151-152	HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
153	VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
154-169	FILLER	Always blank
170	VARIOUS UE INDICATOR	Blank (Not Applicable)
171-173	HALF HOUR NUMBER OF TELECASTS/ DAYS *Note that when an 'Excluded Day' occurs within a particular average, the number of telecasts will be lower. For instance, during a 4-week November interval which has both Thanksgiving Day and the following day designated as 'Excluded Days', the single-day Thursday average will show the number of days as 003 instead of 004.	001 – Individual Day (pos. 42-43 = 00) 005 – Monday – Friday Averages Always 001 for Record Sequence 05
174-179	HALF-HR CONTRIBUTING DURATION	The contributing duration of the half hour estimates included on the record. Always 30 except for cable networks where the broadcast day starts or ends on a non-half hour boundary. 0001 – 0030 (minutes)
180-188	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE PROJECTION	The half-hour projection (in units) (XXX,XXX,XXX)
189-191	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Total U.S. AA Rating computed by dividing the projection in Pos. 180 – 188, by the applicable Total U.S. Household Universe Estimate. Format is XXX (implied precision XX.X).
192	HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	1 = IFR – Below minimum sample size. 2 = << - Below minimum rating level 3 = LT – Below minimum projection level 0 = Reportable
193-195	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Rating computed by dividing the projection in Pos. 180 – 188, by the applicable Coverage Area Household Universe Estimate. Format is XXX (implied precision XX.X).
196	HALF HOUR HOUSEHOLD COVERAGE AREA	1 = IFR – Below minimum sample size –

Updated Big Data + Panel MIT Format

V1.12

Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
	REPORTABILITY INDICATOR	Not Applicable for Big Data 2 = << - Below minimum rating level 3 = LT – Below minimum projection level 0 = Reportable
197-205	HALF HOUR TOTAL U.S. LIVE / DUAL HUT AVERAGE AUDIENCE PROJECTION	The Total U.S. Usage Projection for either Live or Dual feed as denoted by the Feed Pattern Indicator (pos. 34). Redundant with position 180-188 when Coverage Sample ID (pos. 71-76) is Total U.S. and sequence is 03. XXX,XXX,XXX
206-207	HALF HOUR HOUSEHOLD TOTAL U.S. SHARE	The Total U.S. Share computed from the Audience Estimate (Pos. 180-188) and the TV Usage (Pos. 197-205). Not applicable when the Audience Estimate in Pos. 180-188 is the Total U.S. Time Period HUT. Format is XX. Precision is in units.
208-216	HALF HOUR HOUSEHOLD COVERAGE AREA LIVE / DUAL HUT AVERAGE AUDIENCE PROJECTION	The Coverage Area Usage Projection for either Live or Dual feed as denoted by the Feed Pattern Indicator (pos. 34). XXX,XXX,XXX Note: This will not be available and will be a Panel Only metric for Big Data currency.
217-225	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
226-228	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
229-250	FILLER	Always blank
251-253	NUMBER OFTELECASTS/ DAYS	Number of contributing days. For cable reporting, this is always 001.
254-259	FIRST QUARTER-HR CONTRIBUTING DURATION	The contributing duration of the quarter hour estimates included on the record. Always 15, except for cable networks where the broadcast day starts or ends on a non-quarter hour boundary.
260-268	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. HUT PROJECTION	The quarter hour projection (in units) XXX,XXX,XXX
269-271	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Total U.S. AA Rating computed by dividing the projection in Pos. 260 – 268, by the applicable Total U.S. Household Universe Estimate. Format is XXX (implied precision XX.X).
272	FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
273-275	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Rating computed from the projected audience in pos. 260-268 and the Coverage Area Universe Estimate.

Updated Big Data + Panel MIT Format

V1.12

Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
		Format is XXX. Implied precision is XX.X.
276	FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	1- IFR – Below minimum sample size – Not Applicable for Big Data 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
277-285	FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	The Total U.S. Usage Projection for either live or dual feed, as denoted by the Feed Pattern Indicator (pos. 34). Redundant with pos. 260-268 when Coverage Sample ID (Pos. 71-76) is Total U.S.
286-294	FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	The Coverage Area Usage Projection for either live or dual feed, as denoted by the Feed Pattern Indicator (pos. 34) Note: This will not be available and will be a Panel Only metric for Big Data currency.
295-299	FILLER	Always blank
300-302	NUMBER OF TELECASTS/ DAYS	Number of contributing days. For cable reporting, this is always 001.
303-308	SECOND QUARTER-HR CONTRIBUTING DURATION	The contributing duration of the quarter hour estimates included on the record. Always 15, except for cable networks where the broadcast day starts or ends on a non-quarter hour boundary.
309-317	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	The quarter hour projection (in units) XXX,XXX,XXX
318-320	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Total U.S. AA Rating computed by dividing the projection in Pos. 309 – 317, by the applicable Total U.S. Household Universe Estimate. Format is XXX (implied precision XX.X).
321	SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
322-324	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Rating computed from the projected audience in pos. 309 - 317 and the Coverage Area Universe Estimate. Format is XXX. Implied precision is XX.X.
325	SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	1- IFR – Below minimum sample size – Not Applicable for Big Data 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
326-334	SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	The Total U.S. Usage Projection for either live or dual feed, as denoted by the Feed Pattern Indicator (pos. 34).

Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
		Redundant with pos. 309-317 when Coverage Sample ID (Pos. 71-76) is Total U.S.
335-343	SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	The Coverage Area Usage Projection for either live or dual feed, as denoted by the Feed Pattern Indicator (pos. 34) Note: This will not be available and will be a Panel Only metric for Big Data currency.
344-400	FILLER	Always blank

Time Period Record Sequence 05 Description

- One record for each station group for each half-hour.

Cable Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 05 = Station Group Time Period Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	DATA TYPE CODE	For non-program record types such as Universe Estimates, Intab Sample Counts, TV Usage and Tim Period data. Indicates the type of information included on the record. Values are: TVU = TV Usage (Record Sequence 03 or 05) BUC = Bucket Data within coverage area (Record Sequence 05) PAY = Individual Pay Services Time Period Estimates (Record Sequence 05) BAS = Individual non-pay cable network time period estimates (Record Sequence 05) UES = Universe Estimates (Record Sequence 01) INT = Intab Sample Counts (Record Sequence 02)
21-30	VIEWING SOURCE ID	Viewing source reported for time period data (Record Sequence = 05) within the coverage area specified in Pos 71-76. Example include but are not limited to: 0000000000 = Total U.S. 0000006521 = CNBC 0000006511 = Showtime
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq = 03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS	Blank (Not Applicable)

Cable Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
	INDICATOR	
42-43	NUMBER OF DAYS / WEEKS	00 = Individual Day
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
58-67	TELECAST NUMBER	Zero (Not Applicable)
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	Numeric code describing the Coverage Area for which estimates are delivered. Applicable for Record Sequences 01, 02, 03, 05. Values include but are not limited to: 0000000000 = Total U.S. 0000006521 = CNBC 0000006511 = Showtime 0000006523 = The Weather Channel 0000006635 = The Learning Channel
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	Zero (Not Applicable)
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	For demographic records, (rec. seq 03, 04, and 05) indicates the quarter hour for which the estimates are reported. 01 – 96 = Program Quarter Hours (e.g. 01 = 6 a.m., 02 = 6:15 a.m., etc.)
85	RECORD TYPE	P = Persons Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the half hour or quarter hour. Possible values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. 08 = 8a.m. ... 29 = 5 a.m.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the half hour or quarter hour. Possible values are 00, 15, 30 or 45.

Cable Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record See Appendix – Table D – Demographic Group Categories for details.
95	DUAL / LIVE TIME PERIOD PUT INDICATOR	0 = Time Period Audiences
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	For cable bucket data (Record Sequence = 05 and Record Type = B), indicates the sub-type of buckets reported.
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)

Cable Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
116-295	LIVE / DUAL TOTAL U.S. PUT PROJECTIONS -OR- COVERAGE AREA PUT PROJECTIONS -OR- TIME PERIOD PROJECTIONS	Half-Hour or Quarter-Hour Projection (in units) (XXX,XXX,XXX) Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc. For Live/Dual Total U.S. PUT Projections, Coverage Area (pos. 71-76) is Total U.S. and Data Type (pos. 15-20) = TVU For Coverage Area PUT Projections, Coverage Area (pos. 71-76) is NOT Total U.S. and Data Type (pos. 15-20) = TVU For Time Period Projections, this is the time period average audience projection for viewing to the viewing source specified in pos. 21-30 within the coverage area specified in pos. 71-76. Note: Coverage Area PUT and Time Period Projections will not be available and will be a Panel Only metric for Big Data currency.

Time Period Record Sequence 05 Description

- Two records for each station group for each half-hour.
- For Total National Sample, three records per half-hour per day plus Mon-Sun averages per station category.
- Mon-Fri estimates available for 6:00 AM through 5:59 AM.
- Weekly averages are also optionally available including individual day estimates for all Half Hours.

NAD Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 05 = Station Group Time Period Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	DATA TYPE CODE	For non-program record types such as Universe Estimates, Intab Sample Counts, TV Usage and Tim Period data. Indicates the type of information included on the record. Values are: TVU = TV Usage (Record Sequence 03 or 05) BUC = Bucket Data within coverage area (Record Sequence 05) PAY = Individual Pay Services Time Period Estimates (Record Sequence 05) BAS = Individual non-pay cable network time period estimates (Record Sequence 05) UES = Universe Estimates (Record Sequence 01) INT = Intab Sample Counts (Record Sequence 02)
21-30	VIEWING SOURCE ID	Viewing source reported for time period data (Record Sequence = 05) within the coverage area specified in Pos 71-76. Example include but are not limited to: 0000000000 = Total U.S. 0000006521 = CNBC 0000006511 = Showtime
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq = 03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)

NAD Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average *Note that if a program airs in only two weeks, the monthly (4-week) average will still show 04, since this field indicates interval length.
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
51-57	END DATE	End of week/month (Sunday) for weekly/monthly averages. Report date for individual day data. Format (CYYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
58-67	TELECAST NUMBER	Zero (Not Applicable)
68	SCALED COUNT INDICATOR	Zero (Not Applicable)
69-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	Numeric code describing the Coverage Area for which estimates are delivered. Applicable for Record Sequences 01, 02, 03, 05. Values include but are not limited to: 0000000000 = Total U.S. 0000006521 = CNBC 0000006511 = Showtime 0000006523 = The Weather Channel 0000006635 = The Learning Channel
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	Blank (Not Applicable)

NAD Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	H = Household Half-Hour Detail Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the half hour. Possible values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. 08 = 8 a.m. ... 29 = 5 a.m.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the half hour. Possible values are 00 or 30.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Blank (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank
115-118	EVENT DURATION	The contributing duration of the half hour estimates included on the record. Always 30 except for cable networks where the broadcast day starts or ends on a non-half hour boundary. 0001 – 0030 (minutes)
(119-125)	DAYS OF WEEK INDICATOR	'0' if record does not report that day. '1' if record does report that day. Always zero for Record Sequence 05.
119	MONDAY	Always zero for Record Sequence 05.
120	TUESDAY	Always zero for Record Sequence 05.
121	WEDNESDAY	Always zero for Record Sequence 05.
122	THURSDAY	Always zero for Record Sequence 05.
123	FRIDAY	Always zero for Record Sequence 05.
124	SATURDAY	Always zero for Record Sequence 05.
125	SUNDAY	Always zero for Record Sequence 05.
(126 –	WEEKS TELECAST INDICATOR	Zero (Not Applicable)

NAD Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
140)		
126	WEEK ONE	Zero (Not Applicable)
127	WEEK TWO	Zero (Not Applicable)
128	WEEK THREE	Zero (Not Applicable)
129	WEEK FOUR	Zero (Not Applicable)
130	WEEK FIVE	Zero (Not Applicable)
131	WEEK SIX	Zero (Not Applicable)
132	WEEK SEVEN	Zero (Not Applicable)
133	WEEK EIGHT	Zero (Not Applicable)
134	WEEK NINE	Zero (Not Applicable)
135	WEEK TEN	Zero (Not Applicable)
136	WEEK ELEVEN	Zero (Not Applicable)
137	WEEK TWELVE	Zero (Not Applicable)
138	WEEK THIRTEEN	Zero (Not Applicable)
139	WEEK FOURTEEN	Zero (Not Applicable)
140	WEEK FIFTEEN	Zero (Not Applicable)
141-143	HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
144-148	HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
149-150	HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
151-152	HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
153	VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
154-169	FILLER	Always blank
170	VARIOUS UE INDICATOR	Blank (Not Applicable)
171-173	HALF HOUR NUMBER OF TELECASTS/ DAYS *Note that when an 'Excluded Day' occurs within a particular average, the number of telecasts will be lower. For instance, during a 4-week November interval which has both Thanksgiving Day and the following day designated as 'Excluded Days', the single-day Thursday average will show the number of days as 003 instead of 004.	001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04) 035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)
174-179	HALF-HR CONTRIBUTING DURATION	The contributing duration of the half hour estimates included on the record.

NAD Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
		000030 – Single Day 1-week avg. 000120 – Single Day 4-week avg. 000150 – Mon-Fri 1-week avg. or Single Day 5-week avg. 000210 – Mon-Sun 1-week avg. 000600 – Mon-Fri 4-week avg. 000750 – Mon-Fri 5-week avg. 000840 – Mon-Sun 4-week avg. 001050 – Mon-Sun 5-week avg
180-188	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE PROJECTION	The half-hour projection (in units) (XXX,XXX,XXX)
189-191	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable) Future Enhancement Total U.S. AA Rating computed by dividing the projection in Pos. 180 – 188, by the applicable Total U.S. Household Universe Estimate. Format is XXX (implied precision XX.X).
192	HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	Blank (Not Applicable) Future Enhancement 1 = IFR – Below minimum sample size. 2 = << - Below minimum rating level 3 = LT – Below minimum projection level 0 = Reportable
193-195	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
196	HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
197-205	HALF HOUR TOTAL U.S. LIVE / DUAL HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable) Future Enhancement The Total U.S. Usage Projection for either Live or Dual feed as denoted by the Feed Pattern Indicator (pos. 34). Redundant with position 180-188 when Coverage Sample ID (pos. 71-76) is Total U.S. and sequence is 03. XXX,XXX,XXX
206-207	HALF HOUR HOUSEHOLD TOTAL U.S. SHARE	Zero (Not Applicable) Future Enhancement The Total U.S. Share computed from the Audience Estimate (Pos. 180-188) and the TV Usage (Pos. 197-205). Not applicable when the Audience Estimate in Pos. 180-188 is the Total U.S. Time Period HUT. Format is XX. Precision is in units.

NAD Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
208-216	HALF HOUR HOUSEHOLD COVERAGE AREA LIVE / DUAL HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
217-225	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
226-228	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
229-250	FILLER	Always blank
251-253	FIRST QUARTER-HR NUMBER OF TELECASTS / DAYS	Zero (Not Applicable) Future Enhancement 001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5- week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04) 035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)
254-259	FIRST QUARTER-HR CONTRIBUTING DURATION	Zero (Not Applicable) Future Enhancement The contributing duration of the quarter hour estimates included on the record. Sum of durations across included quarter hours. Examples: 015 – Single day 1-week avg 060 – Single day 4-week avg 075 – Mon-Fri 1-week avg or Single day 5-week avg 105 – Mon-Sun 1-week avg 300 – Mon-Fri 4-week avg 375 – Mon-Fri 5-week avg 420 – Mon-Sun 4-week avg 525 – Mon-Sun 5-week avg
260-268	FIRST QUARTER-HR HOUSEHOLD AVERAGE	Zero (Not Applicable)

NAD Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
	AUDIENCE TOTAL U.S. HUT PROJECTION	Future Enhancement The quarter hour projection (in units) XXX,XXX,XXX
269-271	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable) Future Enhancement Total U.S. AA Rating computed by dividing the projection in Pos. 260 – 268, by the applicable Total U.S. Household Universe Estimate. Format is XXX (implied precision XX.X).
272	FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	Blank (Not Applicable) Future Enhancement 1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
273-275	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
276	FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
277-285	FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
286-294	FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
295-299	FILLER	Always blank
300-302	SECOND QUARTER-HR NUMBER OF TELECASTS / DAYS	001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04)

NAD Cable Time Period Record Sequence 05 – H Record Type		
Position	Description	Range
		035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)
303-308	SECOND QUARTER-HR CONTRIBUTING DURATION	The contributing duration of the half hour estimates included on the record. Sum of durations across included quarter hours. Examples: 015 – Single day 1-week avg 060 – Single day 4-week avg 075 – Mon-Fri 1-week avg or Single day 5-week avg 105 – Mon-Sun 1-week avg 300 – Mon-Fri 4-week avg 375 – Mon-Fri 5-week avg 420 – Mon-Sun 4-week avg 525 – Mon-Sun 5-week avg
309-317	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	Zero (Not Applicable) Future Enhancement The quarter hour projection (in units) XXX,XXX,XXX
318-320	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable) Future Enhancement Total U.S. AA Rating computed by dividing the projection in Pos. 309 – 317, by the applicable Total U.S. Household Universe Estimate. Format is XXX (implied precision XX.X).
321	SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	Blank (Not Applicable) Future Enhancement 1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
322-324	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
325	SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
326-334	SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
335-343	SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
344-400	FILLER	Always blank

Time Period Record Sequence 05 Description

- One record for each station group for each half-hour.

NAD Cable Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 05 = Station Group Time Period Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
11	ORIGINAL / CORRECTION	Zero (Not Applicable)
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	DATA TYPE CODE	For non-program record types such as Universe Estimates, Intab Sample Counts, TV Usage and Tim Period data. Indicates the type of information included on the record. Values are: TVU = TV Usage (Record Sequence 03 or 05) BUC = Bucket Data within coverage area (Record Sequence 05) PAY = Individual Pay Services Time Period Estimates (Record Sequence 05) BAS = Individual non-pay cable network time period estimates (Record Sequence 05) UES = Universe Estimates (Record Sequence 01) INT = Intab Sample Counts (Record Sequence 02)
21-30	VIEWING SOURCE ID	Viewing source reported for time period data (Record Sequence = 05) within the coverage area specified in Pos 71-76. Example include but are not limited to: 0000000000 = Total U.S. 0000006521 = CNBC 0000006511 = Showtime
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq = 03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live
35	BREAKOUT INDICATOR	Blank (Not Applicable)
36	SPECIAL INDICATOR	Blank (Not Applicable)
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)

NAD Cable Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
42-43	NUMBER OF DAYS / WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average *Note that if a program airs in only two weeks, the monthly (4-week) average will still show 04, since this field indicates interval length.
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
51-57	END DATE	End of week/month (Sunday) for weekly/monthly averages. Report date for individual day data. Format (CYYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
58-67	TELECAST NUMBER	Zero (Not Applicable)
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	Numeric code describing the Coverage Area for which estimates are delivered. Applicable for Record Sequences 01, 02, 03, 05. Values include but are not limited to: 0000000000 = Total U.S. 0000006521 = CNBC 0000006511 = Showtime 0000006523 = The Weather Channel 0000006635 = The Learning Channel
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	Blank (Not Applicable)
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	P = Persons Record

NAD Cable Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the half hour or quarter hour. Possible values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. 08 = 8a.m. ... 29 = 5 a.m.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the half hour or quarter hour. Possible values are 00, 15, 30 or 45.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record For market breaks: 501 for first record 520 for second record See Appendix – Table D – Demographic Group Categories for details.
95	DUAL / LIVE TIME PERIOD PUT INDICATOR	Blank (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	For cable bucket data (Record Sequence = 05 and Record Type = B), indicates the sub-type of buckets reported.
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)

NAD Cable Time Period Record Sequence 05 – P Record Type		
Position	Description	Range
116-295	PERSONS TIME PERIOD AVERAGE AUDIENCE PROJECTIONS	Half-Hour or Quarter-Hour Projection (in units) (XXX,XXX,XXX) Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc. For Time Period Projections, this is the time period average audience projection for viewing to the viewing source specified in pos. 21-30. Note: Coverage Area PUT and Time Period Projections will not be available and will be a Panel Only metric for Big Data currency.

Time Period Record Sequence 05 Description

- Two records for each station group for each half-hour and each market break.
- For Total National Sample, three records per half-hour per day plus Mon-Sun averages per station category

Cable Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 06 = Commercial Audience Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	When record contains reprocessing information, denotes the start date of the weekly interval for which the corrected information applies. Zero if not applicable.
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code only. To apply deletion, remove all record for that program code from the corrected interval (week or month). IN the case of corrections, first remove all records from the corrected interval for the program code and then replace with the list of correction records for that program.
12-14	CORRECTION REASON	Three digit reason code indicating the severity of the correction indicated in position 11. Blank = Not applicable 100 = New information not previously sent 101 = Viewing estimates changed 102 = Standard descriptive information that could impact averages changed. 103 = "Information Only" descriptive information changed. 200 = Proprietary data changed. 300 = Deletion
15-20	ACN NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Values are left justified. Examples include, but are not limited to: NICK = Nickelodeon HLN = Headline News USA = USA Network As new cable networks become reportable, additional records will be included.
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	3 digit ID that identifies a sub-grouping of telecast of a specific program. Only applies to cable programs. Example:

Cable Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
		Program = Andy Griffith Trackage 001 = Andy Griffith 10am Trackage 002 = Andy Griffith 2pm Blank of not applicable.
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq = 03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL/ REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week (Sunday) for weekly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date For multi-day program averages, for above, equals start end and end of week
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero-filled. Note that when a premiere is detected mid-interval, multiple program averages are generated: one containing telecasts prior to the premiere; and one from the premiere forward in time, including the end of the interval or the next premiere.

Cable Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
68	SCALED COUNT INDICATOR	Zero (Not applicable)
69-70	COMPONENT NUMBER	Zero (Not applicable)
71-76	ORIGINATOR ID	Numeric code describing the originating cable network. Values include but are not limited to: 006521 = CNBC 006511 = Showtime
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	Zero – Not applicable
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	C = Commercial Descriptor Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1

Cable Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
		8 = Live + 2 I = Live + 35
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data is not available. In this situation, program descriptive information and half-hour time statements will be delivered, but program audience estimates are suppressed.
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Only available for weekly cable program data. Y= Indicates that program data has changed since the overnight delivery.
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank
115-139	PROGRAM NAME	25-character alphabetic name of the program.
140-164	TRACKAGE NAME	25-character alphanumeric name of the trackage. Only active if Trackage ID (pos. 31 – 33) is non-zero.
165-174	LIBRARY ID	A unique numeric ID that when concatenated with Episode ID allows tracking of specific creatives across program and trackages. Currently only collected for movies. For non-movies, Library ID = Program ID. Only active on individual telecast records. Blank if not applicable.
175-179	EPISODE ID	An alphanumeric ID associated with a particular creative. Only active on individual telecast records. Blank if not applicable.
180-211	EPISODE NAME	32-character alphabetic name for the creative being aired. Primarily usually utilized for Sports and Movies. When multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. Blank when no episode name has been assigned.
212-215	CLIENT-SPECIFIED EPISODE #	Client assigned descriptive number that identifies a particular creative in the same manner as episode name.
216-219	PROGRAM TYPE ALPHA	Standard program type Alpha Codes. Most common / most current rules apply.

Cable Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
		2-character alpha field is left-justified and blank filled. See Appendix – Table C – Program Summary Type Code for details.
220-223	DETAILED PROGRAM TYPE CODE	Detailed program type code associated with the program / trackage / telecast. Most common / most current rules apply for program and trackage averages.
224-227	ACN EPISODE TYPE CODE	Blank (Not Applicable)
228	COMMERCIAL STATUS	S = Sustainer (Non-commercial) Otherwise, blank. Note that sustainer information is special analysis data and is only supplied to ordering clients.
229	MULTI-DAY/MULTI-TCAST INDICATOR	Y = Program normally airs multiple times during a single week. Otherwise, blank
230	REPEAT INDICATOR	Indicates that the program is a repeat. Data was proprietary to the owning client prior to Aug. 29, 2011. Y = Program / telecast is a repeat airing otherwise, blank.
231	COMPLEX PROGRAM INDICATOR	Field is blank for cable reporting.
232	SHORT DURATION INDICATOR	Y = Indicates a program with less than five minutes duration otherwise blank.
233	FEED PATTERN IND	Denotes the feed pattern on which the program aired. Program feed pattern may differ from normal feed pattern in which a network airs. Most common / current for program / trackage averages. Values: D = Dual Y = Live U = Unknown E = East only W = West only Blank = unspecified
234	LIVE EVENT INDICATOR	L = Live event Blank = not live
235	PROGRAM ORIGINAL/ ACQUIRED CODE	Indicates if the program episodes were acquired by the owning client, created by the client (originals) or a mixture of both. O = All episodes of the program were created by or on behalf of the airing cable network airing the program. A = All episodes of the program were acquired by the airing network from an independent source. V = Indicates that some episodes of the program episodes are originals and some are various. For program and trackage averages, a mixture of O's and A's at the contributing

Cable Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
236	EPISODE ORIGINAL/ ACQUIRED CODE	O = All episodes of the program were created by or on behalf of the airing cable network airing the program. A = All episodes of the program were acquired by the airing network from an independent source. Field is only active on individual telecast records. Blank if not applicable.
237	VARIOUS INDICATOR	Descriptive data varies for telecasts in the average. Otherwise, blank. *Note that is the above data (pos. 115-236) is not true for all telecasts in the average, then the above indicators will represent the most common, or if a tie, the most current. Y = Most common/most current decisions applied. Blank = All telecast had identical values for fields where most common/most current logic could have applied. Fields contributing to the various flag include: Program Name Trackage Name Summary Program Type Codes Detailed Program Type Codes Commercial Status Codes Short Duration Indicator Feed Pattern Indicator Live Event Indicator Program Original Acquired Code Episode Original Acquired Code
238	PROGRAM PREMIERE INDICATOR	Individual telecast is a premiere or the reported average contains a premiere (or re-premiere). Otherwise, blank. *Note that when this field is a 'Y', position 58-67 will hold the telecast number of the premiere.
239	GAPPED INDICATOR	Y = At least one gapped telecast within the report interval. Individual day - applies to telecast weekly/monthly average - indicates a gapped telecast is included. Otherwise, blank
240	TYPE DAYPART CODE	Blank (Not Applicable)
241	MOVIE INDICATOR	Blank = not indicated Y = program is a movie N = program is not a movie
242	TEAM SPORTS INDICATOR	Blank = not indicated

Cable Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
		Y = program is a team sport N = program is not a team sport
243	FILLER	Always blank
244-249	ALPHA PREFIX	For alphabetic sequencing of reports
250-253	SYNDICATOR ORIGINATOR IDENTIFIER	Blank (Not Applicable)
254-262	NETWORK SUPPLIED SHOW CODE	Blank (Not Applicable)
263-268	COMMERCIAL PROGRAM DURATION	Number of contributing commercial seconds. 000001-xxxxxx.
269-273	NUMBER OF CONTRIBUTING COMMERCIAL TELECASTS	For program and trackage averages, the number of telecasts that had commercial minutes to contribute to the commercial audience data. For individual telecasts, this will always be 0001.
274-275	SYNDICATOR INFO: NUMBER OF WEEKS IN TELECAST WINDOW	Blank (Not Applicable)
276-277	REPORTED DAYPART	PR = Prime Time EF = Early Fringe LF = Late Fringe WM = Weekday Morning WD = Weekday Daytime ED = Weekend Daytime If daypart varies across telecasts, the most common is reported (or in case of a tie, the most current).
278-281	EVENT DURATION	Used in conjunction with the START HOUR and START MINUTE (pos. 86-89 in common data) to describe actual duration or a program (or its gapped portion). 0000 – 1440 (in minutes)
(282-288)	DAYS OF WEEK INDICATORS	The days of telecast to which this descriptor's time information applies: 1: if telecast on a given day 2: if DNA'ed (Data Not Available) on a given day. Zero if not telecast.
282	MONDAY	2 or 1 or 0
283	TUESDAY	2 or 1 or 0
284	WEDNESDAY	2 or 1 or 0
285	THURSDAY	2 or 1 or 0
286	FRIDAY	2 or 1 or 0
287	SATURDAY	2 or 1 or 0
288	SUNDAY	2 or 1 or 0
(289-303)	WEEKS TELECAST INDICATOR	Zero (Not Applicable)
289	WEEK ONE	Zero (Not Applicable)
290	WEEK TWO	Zero (Not Applicable)
291	WEEK THREE	Zero (Not Applicable)
292	WEEK FOUR	Zero (Not Applicable)
293	WEEK FIVE	Zero (Not Applicable)
294	WEEK SIX	Zero (Not Applicable)

Cable Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
295	WEEK SEVEN	Zero (Not Applicable)
296	WEEK EIGHT	Zero (Not Applicable)
297	WEEK NINE	Zero (Not Applicable)
298	WEEK TEN	Zero (Not Applicable)
299	WEEK ELEVEN	Zero (Not Applicable)
300	WEEK TWELVE	Zero (Not Applicable)
301	WEEK THIRTEEN	Zero (Not Applicable)
302	WEEK FOURTEEN	Zero (Not Applicable)
303	WEEK FIFTEEN	Zero (Not Applicable)
304	FILLER	Always blank.
305-309	TOTAL PROGRAM STATION COUNT	Zero (Not Applicable)
310-314	TOTAL PROGRAM HEADEND COUNT	Zero (Not Applicable)
315-316	TOTAL U.S. NPM PROGRAM COVERAGE PERCENT	Zero (Not applicable)
317-318	COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
319	VARIOUS TIMES / DURATIONS	Blank (Not Applicable)
320-326	FILLER	Always blank
327	VARIOUS UE FLAG	Blank (Not Applicable)
328-330	NUMBER OF TELECASTS / DAYS	Number of telecasts averaged. Always 001 for individual telecast reporting. 002 – 007 = Multi-telecast averages.
331-336	TOTAL PROGRAM CONTRIBUTING DURATION	Duration for the individual telecast. Sum of durations for averages. Needed for the duration-weight averaging across programs or across weeks.
337-345	TOTAL PROGRAM HOUSEHOLD COMMERCIAL AVERAGE AUDIENCE TOTAL US PROJECTION -OR- TOTAL PROGRAM HOUSEHOLD LINEAR COMMERCIAL AVERAGE AUDIENCE TOTAL US PROJECTION -OR- TOTAL PROGRAM HOUSEHOLD ADDRESSABLE COMMERCIAL AVERAGE AUDIENCE TOTAL US PROJECTION	For program and trackage averages, contains the duration weighted average audience projection, derived from the contributing telecasts. See average rules for computation. For individual telecast contacts the average audience projection. XXX,XXX,XXX (in units) Reported in units, right justified.
346-348	TOTAL PROGRAM HOUSEHOLD COMMERCIAL AVERAGE AUDIENCE TOTAL US PROJECTION -OR- TOTAL PROGRAM HOUSEHOLD LINEAR COMMERCIAL AVERAGE AUDIENCE TOTAL US RATING -OR- TOTAL PROGRAM HOUSEHOLD ADDRESSABLE COMMERCIAL AVERAGE AUDIENCE TOTAL US RATING	The rating is calculated by dividing the projection in the previous field (pos. 337-345) by the Total U.S. Universe Estimate.
349	TOTAL PROGRAM HOUSEHOLD AA TOTAL US RATING REPORTABILITY INDICATOR	Zero (Not Applicable)
350-352	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE COVERAGE AREA RATING	Contains the rating computed by dividing the projection in Pos. 337-345 by the coverage area household universe

Cable Commercial Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
		estimates.
353	TOTAL PROGRAM HOUSEHOLD AA COVERAGE AREA RATING REPORTABILITY INDICATOR	Blank (Not applicable)
354-362	TOTAL PROGRAM AVERAGE AUDIENCE TOTAL U.S. PROGRAM HUT PROJECTION	Blank (Not applicable)
363-364	TOTAL PROGRAM TOTAL U.S. HOUSEHOLD SHARE PERCENT	Blank (Not applicable)
365-373	TOTAL PROGRAM AVERAGE AUDIENCE COVERAGE AREA PROGRAM HUT PROJECTION	Blank (Not applicable)
374-375	TOTAL PROGRAM COVERAGE HOUSEHOLD SHARE PERCENT	Blank (Not applicable)
376-384	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
385-387	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE RATING	Zero (Not Applicable)
388-392	NORMAL START TIME	Blank (Not Applicable)
393-400	FILLER	Always blank

Commercial Audience Data Record Sequence 06 Description

- The Commercial Descriptor record contains all program related codes, ID's and general descriptive information, as well as the Commercial Average Household Audience information. Corresponding persons audiences are all delivered using the 06 P records.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.

Cable Commercial Audience Data Record Sequence 06 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 06 = Commercial Audience Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	When record contains reprocessing information, denotes the start date of the weekly interval for which the corrected information applies. Zero if not applicable.
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion
12-14	CORRECTION REASON	Three digit reason code indicating the severity of the correction indicated in position 11. Blank = Not applicable 100 = New information not previously sent 101 = Viewing estimates changed 102 = Standard descriptive information that could impact averages changed. 103 = "Information Only" descriptive information changed. 200 = Proprietary data changed. 300 = Deletion
15-20	NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Values are left justified. Examples include, but are not limited to: NICK = Nickelodeon HLN = Headline News USA = USA Network As new cable networks become reportable, additional records will be included.
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	3 digit ID that identifies a sub-grouping of telecast of a specific program. Only applies to cable programs. Example: Program = Andy Griffith Trackage 001 = Andy Griffith 10am Trackage 002 = Andy Griffith 2pm Blank of not applicable.
34	FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. Applies to Rec Seq = 03, 04, 05. Values are: Blank = Not applicable, E = East, W = West, D = Dual, L = Live, Y = Live

Cable Commercial Audience Data Record Sequence 06 – P Record Type		
Position	Description	Range
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL/ REPEAT COMBINED INDICATOR	Blank (Not Applicable)
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Telecast 01 – 99 = Number of weeks included in averages report.
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date For multi-day program averages, for above, equals start end and end of week
58-67	TELECAST NUMBER	A unique number identifying specific airings of a program. Zero if not applicable.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	ORIGINATOR ID	Numeric code describing the originating cable network. Values include but are not limited to: 006521 = CNBC 006511 = Showtime
77	COVERAGE CALCULATION INDICATOR	Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage area basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. 1 = Within cable network coverage area 2 = Total Cable Universe 3 = Other
78-80	MARKET BREAK IDENTIFIER	Zero (Not Applicable)
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates

Updated Big Data + Panel MIT Format

V1.12

Cable Commercial Audience Data Record Sequence 06 – P Record Type		
Position	Description	Range
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	P = Persons Detail Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. *Note that if various time are found, the most common is used. In case of a tie, the most recent is used.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	Used with Record Sequence 04 and Record Type = P to indicate the type of audience estimates included. 0 = Program Audiences 1 = Total U.S. Program PUT 2 = Coverage Area Program PUTs. Blank when not applicable.
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1 8 = Live + 2 I = Live + 35
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data not available
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 –

Cable Commercial Audience Data Record Sequence 06 – P Record Type		
Position	Description	Range
		98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Only available for weekly cable program data. Y= Indicates that program data has changed since the overnight delivery.
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Commercial Average Audience Projection (in units) (XXX,XXX,XXX) Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.

Commercial Audience Data Record Sequence 06 Description

- The Commercial Descriptor record contains all program related codes, ID's and general descriptive information, as well as the Commercial Average Household Audience information. Corresponding persons audiences are all delivered using the 06 P records.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.

Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. **Note, for a multi-day program within a week, the deletion record will only have the program code. All telecasts with the program code should be removed. The correction records will be sent for all telecasts during the week.
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	ACN NETWORK CODE	Used with program estimated (Rec Seq 04) to denote the network. Values are left justified. SYN
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting 2 = Recurring Special Note: Recurring Specials, like OTO specials, are reported individually but can be averaged when producing season to date or premier to date or quarter to date averaged estimates.
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience 2 = Gross Average Audience

Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		– not applicable 3 = GSA: Gross Spot Audience – not applicable 4 = Multi Barter Average Audience 5 = Multi Barter Gross Average Audience – not applicable 6 = TPA Average Audience 7 = TPA Gross Average Audience – not applicable
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	O = Original R = Repeat C = Combined M = Umbrella Title (several creatives reported under a single program name) Or Portions of an NSS program which are delivered in addition to the full-duration program
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	N = Program without spot ratings
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date For multi-day program averages for above equals start and end of week
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero filled. *Note that when a premiere is detected mid-interval, multiple program averages are generated: one containing telecasts prior to the premiere; and one from the premiere forward in time, including the end of the interval or the next premiere.
68-70	COMPONENT NUMBER	Zero (Not applicable)

Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National Sample
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	D = Program Descriptor Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. Values: Syndicated programs air at different time in different markets. Note: Effective with July 2000 data, this field will contain zero's
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59. Note: Effective with July 2000 data, this field will contain zero's
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1 8 = Live + 2 I = Live + 35
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data is not available. In this situation, program descriptive information and half-hour time statements will be delivered, but program audience estimates are suppressed.
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank

Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
115-139	PROGRAM NAME	25-character alphabetic name of the program.
140-164	TRACKAGE NAME	Blank. Not applicable to network programs.
165-174	LIBRARY ID	Blank. Not applicable to network programs.
175-179	EPISODE ID	Blank. Not applicable to network programs.
180-211	EPISODE NAME	32-character alphabetic name for the creative being aired. Primarily usually utilized for Sports and Movies. When multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. Blank when no episode name has been assigned.
212-215	CLIENT-SPECIFIED EPISODE #	Blank (Not Applicable)
216-219	PROGRAM TYPE ALPHA	Standard program type Alpha Codes. Most common / most current rules apply. 2-character alpha field is left-justified and blank filled. See Appendix – Table C – Program Summary Type Code for details.
220-223	DETAILED PROGRAM TYPE CODE	Detail Program Type Code associated with program / trackage / telecast. Most common / most current rules apply for program and trackage averages. Effective May 11, 2020 Detailed Program Type Codes will be reported for all Broadcast programs.
224-227	ACN EPISODE TYPE CODE	Blank (Not Applicable)
228	COMMERCIAL STATUS	S = Sustainer (Non-commercial) Otherwise, blank. Note that sustainer information is special analysis data and is only supplied to ordering clients.
229	MULTI-DAY/MULTI-TCAST INDICATOR	Y = Program normally airs multiple times during a single week. Otherwise, blank If various, most recent listed.
230	REPEAT INDICATOR	Indicates that the program is a repeat. Y = Program / telecast is a repeat airing otherwise, blank.
231	COMPLEX PROGRAM INDICATOR	Y = Indicates this program is a multi-segment program -- with different segments airing at different times and durations. Otherwise, blank.
232	SHORT DURATION INDICATOR	Y = Indicates a program with less than five minutes duration Otherwise, blank
233	FEED PATTERN IND	Blank (Not Applicable)
234	LIVE EVENT INDICATOR	Blank (Not Applicable)
235	PROGRAM ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)

Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
236	EPISODE ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)
237	VARIOUS INDICATOR	Y = Descriptive data varies for telecasts in the average. Otherwise, blank. *Note that is the above data (pos. 115-236) is not true for all telecasts in the average, then the above indicators will represent the most common, or if a tie, the most current.
238	PROGRAM PREMIERE INDICATOR	Y = Individual telecast is a premiere or the reported average contains a premiere (or re-premiere). Otherwise, blank. *Note that when this field is a 'Y', position 58-67 will hold the telecast number of the premiere.
239	GAPPED INDICATOR	Y = At least one gapped telecast within the report interval. Individual day - applies to telecast weekly/monthly average - indicates a gapped telecast is included. Otherwise, blank
240	TYPE DAYPART CODE	Blank (Not Applicable)
241-243	FILLER	Always blank
244-249	ALPHA PREFIX	For alphabetic sequencing of reports
250-253	SYNDICATOR ORIGINATOR IDENTIFIER	Originator mnemonic
254-262	NETWORK SUPPLIED SHOW CODE	Blank (Not Applicable)
263-268	COMMERCIAL PROGRAM DURATION	Blank (Not Applicable)
269-273	NUMBER OF CONTRIBUTING COMMERCIAL TELECASTS	Blank (Not Applicable)
274-275	SYNDICATOR INFO: NUMBER OF WEEKS IN TELECAST WINDOW	Indicates number of weeks elapsed between first station airing the telecast and las station airing the telecast. Program is reported in the week containing the last station air date. Only used for programs with multiple weeks in the telecast window. Otherwise, blank.
276-277	REPORTED DAYPART	PR = Prime Time EF = Early Fringe LF = Late Fringe WM = Weekday Morning WD = Weekday Daytime ED = Weekend Daytime If daypart varies across telecasts, the most common is reported (or in case of a tie, the most current).
278-281	EVENT DURATION	Used in conjunction with the START HOUR and START MINUTE (pos. 86-89 in common data) to describe actual duration or a program (or its gapped portion). 0000 – 1440 (in minutes)

Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
(282-288)	DAYS OF WEEK INDICATORS	The days of telecast to which this descriptor's time information applies: 1: if telecast on a given day 2: if DNA'ed (Data Not Available) on a given day. Zero if not telecast.
282	MONDAY	2 or 1 or 0
283	TUESDAY	2 or 1 or 0
284	WEDNESDAY	2 or 1 or 0
285	THURSDAY	2 or 1 or 0
286	FRIDAY	2 or 1 or 0
287	SATURDAY	2 or 1 or 0
288	SUNDAY	2 or 1 or 0
(289-303)	WEEKS TELECAST INDICATOR	Zero (Not Applicable)
289	WEEK ONE	Zero (Not Applicable)
290	WEEK TWO	Zero (Not Applicable)
291	WEEK THREE	Zero (Not Applicable)
292	WEEK FOUR	Zero (Not Applicable)
293	WEEK FIVE	Zero (Not Applicable)
294	WEEK SIX	Zero (Not Applicable)
295	WEEK SEVEN	Zero (Not Applicable)
296	WEEK EIGHT	Zero (Not Applicable)
297	WEEK NINE	Zero (Not Applicable)
298	WEEK TEN	Zero (Not Applicable)
299	WEEK ELEVEN	Zero (Not Applicable)
300	WEEK TWELVE	Zero (Not Applicable)
301	WEEK THIRTEEN	Zero (Not Applicable)
302	WEEK FOURTEEN	Zero (Not Applicable)
303	WEEK FIFTEEN	Zero (Not Applicable)
304	FILLER	Always blank.
305-309	TOTAL PROGRAM STATION COUNT	The program's count of stations as an average across telecasts.
310-314	TOTAL PROGRAM HEADEND COUNT	Zero (Not Applicable)
315-316	TOTAL NATIONAL PROGRAM COVERAGE PERCENT	Individual day or interval average
317-318	COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
319	VARIOUS TIMES / DURATIONS	Blank (Not Applicable)
320-326	FILLER	Always blank
327	VARIOUS UE FLAG	Blank (Not Applicable)
328-330	NUMBER OF TELECASTS / DAYS	Number of telecasts averaged. Always 001 for individual telecast reporting. 002 – 007 = Multi-telecast averages. Zero if not applicable
331-336	TOTAL PROGRAM CONTRIBUTING DURATION	Duration for the individual telecast. Sum of durations for averages. Needed for the duration-weight averaging across programs or across weeks. Zero if not applicable
337-345	TOTAL PROGRAM HOUSEHOLD AVERAGE	Used to calculate the reported household

Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
	AUDIENCE TOTAL US PROJECTION	projection, VPVH's, Total U.S. Rating and Share. XXX,XXX,XXX (in units)
346-348	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE TOTAL US RATING	The rating is calculated by dividing the projection in the previous field (pos. 337-345) by the Total U.S. Universe Estimate. Rating is XXX (implied precision XX.X)
349	TOTAL PROGRAM HOUSEHOLD AA TOTAL US RATING REPORTABILITY INDICATOR	Gives reportability for rating (pos. 346-348). 1 – Below minimum sample size (IFR) 2 – Below minimum rating level (<<) 3 – Below minimum projection level (LT) 0 – Reportable Otherwise, blank
350-352	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE COVERAGE AREA RATING	Zero (Not Applicable)
353	TOTAL PROGRAM HOUSEHOLD AA COVERAGE AREA RATING REPORTABILITY INDICATOR	Blank (Not Applicable)
354-362	TOTAL PROGRAM AVERAGE AUDIENCE TOTAL U.S. PROGRAM HUT PROJECTION	Zero (Not Applicable)
363-364	TOTAL PROGRAM TOTAL U.S. HOUSEHOLD SHARE PERCENT	Zero (Not Applicable)
365-373	TOTAL PROGRAM AVERAGE AUDIENCE COVERAGE AREA PROGRAM HUT PROJECTION	Zero (Not Applicable)
374-375	TOTAL PROGRAM COVERAGE HOUSEHOLD SHARE PERCENT	Zero (Not Applicable)
376-384	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE PROJECTION	XXX,XXX,XXX Note: This will not be available. ACM MIT: Zero (Not Applicable)
385-387	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE RATING	XXX (implied precision XX.X) Note: This will not be available. ACM MIT: Zero (Not Applicable)
388-392	NORMAL START TIME	Blank (Not Applicable)
393-400	FILLER	Always blank

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04. This record provides total program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.

Syndication Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL/ CORRECTION	0 = Original 1 = Correction
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	ACN NETWORK CODE	SYN (left justified and blank filled)
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL/ REPEAT COMBINED INDICATOR	O = Original R = Repeat C = Combined M = Umbrella Title (several creatives reported under a single NSS program name or portions of an NSS program which are delivered in addition to the full duration program).
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	N = Program without Spot Ratings
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
51-57	END DATE	Start of week (Sunday) for weekly averages. Report date for individual day data. Format (CYYMMDD)
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the

Syndication Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		premiere. For averages without a premiere, this field is zero.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National Sample
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	For quarter hour records, the Clock Quarter Hour for the first component quarter hour of the reported half hour. 01 = 6:00 a.m., 03 = 6:30 a.m., 05 = 7:00 am ... 95 = 5:30 a.m
85	RECORD TYPE	H = Household Half-Hour
86-87	EVENT START HOUR	06 = 6 AM, 07 = 7 AM ... 29 (5 AM) *Note that if various time are found, the most common is used. In case of a tie, the most recent is used. Effective with Sept 23, 2013, this data field will contain Event Start Hour for PBS PocketPiece
88-89	EVENT START MINUTE	00 or 59 Effective with Sept 23, 2013, this data field will contain Event Start Minute for PBS PocketPiece
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1 8 = Live + 2
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data not available
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)

Syndication Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
106-114	FILLER	Always Blank
115-118	EVENT DURATION	0001 – 0030 (minutes)
(119-125)	DAYS OF WEEK INDICATOR	'0' if not telecast on that day. '1' if telecast on a given day at least once. '2' if DNA'ed telecasts found (data not available)
119	MONDAY	2 or 1 or 0
120	TUESDAY	2 or 1 or 0
121	WEDNESDAY	2 or 1 or 0
122	THURSDAY	2 or 1 or 0
123	FRIDAY	2 or 1 or 0
124	SATURDAY	2 or 1 or 0
125	SUNDAY	2 or 1 or 0
(126 – 140)	WEEKS TELECAST INDICATOR	Zero (Not Applicable)
126	WEEK ONE	Zero (Not Applicable)
127	WEEK TWO	Zero (Not Applicable)
128	WEEK THREE	Zero (Not Applicable)
129	WEEK FOUR	Zero (Not Applicable)
130	WEEK FIVE	Zero (Not Applicable)
131	WEEK SIX	Zero (Not Applicable)
132	WEEK SEVEN	Zero (Not Applicable)
133	WEEK EIGHT	Zero (Not Applicable)
134	WEEK NINE	Zero (Not Applicable)
135	WEEK TEN	Zero (Not Applicable)
136	WEEK ELEVEN	Zero (Not Applicable)
137	WEEK TWELVE	Zero (Not Applicable)
138	WEEK THIRTEEN	Zero (Not Applicable)
139	WEEK FOURTEEN	Zero (Not Applicable)
140	WEEK FIFTEEN	Zero (Not Applicable)
141-143	HALF HOUR PROGRAM STATION COUNT	Only available for multi-segment (complex) programs such as football. Otherwise, Zero.
144-148	HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
149-150	HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
151-152	HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
153	VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
154-169	FILLER	Always blank
170	VARIOUS UE INDICATOR	Blank (Not Applicable)
171-173	NUMBER OF TELECASTS/ DAYS *Note that when an 'Excluded Day' occurs within a particular average, the number of telecasts will be lower. For instance, during a 4-week November interval which has both Thanksgiving Day and the following day designated as 'Excluded Days', the single-day Thursday average will show the number of days as 003 instead of 004.	001 – Individual Day (pos. 42-43 = 00) 002 – 007 - Averages
174-179	HALF-HR CONTRIBUTING DURATION	Sum of durations across contributing half-hours. 1-30 minutes per half-hour on a

Syndication Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		single day. 1-150 for sum of half-hour durations for averages. Examples: 000030 – Single Day 1-week avg. 000120 – Single Day 4-week avg. 000150 – Mon-Fri 1-week avg. or Single Day 5-week avg. Half-hour computed duration for complex programs.
180-188	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE PROJECTION	The program half-hour projection (in units) (XXX,XXX,XXX) If pos. 37 = 1, average audience
189-191	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The half-hour HUT rating (XX.X) If pos. 37 = 1, average audience
192	HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable *Note that low coverage half-hours for complex (multi-segment) programs are excluded from reporting.
193-195	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
196	HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not applicable)
197-205	HALF HOUR TOTAL U.S. PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
206-207	HALF HOUR HOUSEHOLD TOTAL U.S. PROGRAM SHARE	Zero (Not Applicable)
208-216	HALF HOUR HOUSEHOLD COVERAGE AREA PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
217-225	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	XXX,XXX,XXX Note: This will not be available.
226-228	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	XXX (implied precision of XX.X) Note: This will not be available.
229-250	FILLER	Always blank
251-253	NUMBER OFTELECASTS/ DAYS	001 – Individual Day (pos. 42-43 = 00) 002 – 007 - Averages
254-259	FIRST QUARTER-HR CONTRIBUTING DURATION	000015 for individual days 000075 for Mon-Fri averages
260-268	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	The quarter hour AA projection (in units) XXX,XXX,XXX If pos. 37 = 1, average audience
269-271	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The quarter hour Rating XX.X (implied precision XX.X)

Syndication Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		If pos. 37 = 1, average audience
272	FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
273-275	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
276	FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
277-285	FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
286-294	FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
295-299	FILLER	Always blank
300-302	NUMBER OF TELECASTS/ DAYS	001 – Individual Day (pos. 42-43 = 00)
303-308	SECOND QUARTER-HR CONTRIBUTING DURATION	002-007 – Mon-Fri Average 000015 for individual days 000075 for Mon-Fri averages
309-317	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	The quarter hour projection (in units) XXX,XXX,XXX
318-320	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	If pos. 37 = 1, average audience The quarter hour Rating XX.X (implied precision XX.X)
321	SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	If pos. 37 = 1, average audience 1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
322-324	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
325	SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
326-334	SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
335-343	SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
344-400	FILLER	Always blank

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04. This record provides total program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.

Updated Big Data + Panel MIT Format

V1.12

- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.
- For PP Reporting:
 - Extra records are generated for atypical airings:
 - Each clock half-hour – programs without gaps and multi-day programs without various start times and durations.
 - Each program segment within a half-hour – gapped programs.
 - Multi-day average with various start times and durations within this half-hour.
 - For programs with various start times and durations, the record lists (for each clock half-hour) the most common start time and duration. In the case of a tie, the most current is reported.

Syndication Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. **Note, for a multi-day program within a week, the deletion record will only have the program code. All telecasts with the program code should be removed. The correction records will be sent for all telecasts during the week.
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	ACN NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Value are left justified. SYN
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting 2 = Recurring Special Note: Recurring Specials, like OTO specials, are reported individually but can be averaged when producing season to date or premier to date or quarter to date averaged estimates.
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience

Updated Big Data + Panel MIT Format

V1.12

Syndication Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	O = Original R = Repeat C = Combined M = Umbrella Title (several creatives reported under a single program name) Or Portions of an NSS program which are delivered in addition to the full-duration program
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	N = Program without spot ratings
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD) Note: - For regularly once a week programs, the START DATE = END DATE = SUNDAY of Report Week For multi-day program averages, the above will be the start and end day of the report week.
58-67	TELECAST NUMBER	For individual telecast program data, used to hold the telecast number. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero-filled. This is a five digit numeric, right-justified and zero-filled.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National Sample
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates 01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	P = Person Detail Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast.

Syndication Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
		Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. *Note that if various time are found, the most common is used. In case of a tie, the most recent is used. Syndicated programs air at different time in different markets. This time is a placeholder and should be used with care in syndication analyses. Note: Effective with July 2000 data, this field will contain zero's
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	Used with Record Sequence 04 and Record Type = P to indicate the type of audience estimates included. 0 = Program Audiences Program PUTs are not delivered for syndication.
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1 8 = Live + 2 I = Live + 35
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Average Audience Projection (in units) (XXX,XXX,XXX)

Syndication Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
		Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.

Program Data Record Sequence 04 Description

- Reports program descriptive data, time statements, and total program household estimates. Only delivered when record sequence code = 04. This record provides total program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.
- For Total National Sample:
 - Two record for total program.
 - Two records for each clock half-hour for standard data.
 - Two records for each clock quarter-hour for standard data.

NAD Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. **Note, for a multi-day program within a week, the deletion record will only have the program code. All telecasts with the program code should be removed. The correction records will be sent for all telecasts during the week.
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	ACN NETWORK CODE	Used with program estimated (Rec Seq 04) to denote the network. Values are left justified. SYN
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting 2 = Recurring Special Note: Recurring Specials, like OTO specials, are reported individually but can be averaged when producing season to date or premier to date or quarter to date averaged estimates.
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)

NAD Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	O = Original R = Repeat C = Combined M = Umbrella Title (several creatives reported under a single program name) Or Portions of an NSS program which are delivered in addition to the full-duration program
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	N = Program without spot ratings
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average *Note that if a program airs in only two weeks, the monthly (4-week) average will still show 04, since this field indicates interval length.
44-50	START DATE	Start of week/month (Monday) for weekly/monthly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week/month (Sunday) for weekly/monthly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero filled. *Note that when a premiere is detected mid-interval, multiple program averages are generated: one containing telecasts prior to the premiere; and one from the premiere forward in time, including the end of the interval or the next premiere.
68-70	COMPONENT NUMBER	Zero (Not applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market

NAD Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	D = Program Descriptor Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. Values: Syndicated programs air at different time in different markets This field will contain zero's
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59. Syndicated programs air at different time in different markets This field will contain zero's
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data is not available. In this situation, program descriptive information and half-hour time statements will be delivered, but program audience estimates are suppressed.
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank
115-139	PROGRAM NAME	25-character alphabetic name of the program.
140-164	TRACKAGE NAME	Blank. Not applicable to network programs.
165-174	LIBRARY ID	Blank. Not applicable to network programs.
175-179	EPISODE ID	Blank. Not applicable to network programs.

NAD Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
180-211	EPISODE NAME	32-character alphabetic name for the creative being aired. Primarily usually utilized for Sports and Movies. When multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. Blank when no episode name has been assigned.
212-215	CLIENT-SPECIFIED EPISODE #	Blank (Not Applicable)
216-219	PROGRAM TYPE ALPHA	Standard program type Alpha Codes. Most common / most current rules apply. 2-character alpha field is left-justified and blank filled. See Appendix – Table C – Program Summary Type Code for details.
220-223	DETAILED PROGRAM TYPE CODE	Blank (Not Applicable) NAD Future Enhancement: Detail Program Type Code associated with program / trackage / telecast. Most common / most current rules apply for program and trackage averages.
224-227	ACN EPISODE TYPE CODE	Blank (Not Applicable)
228	COMMERCIAL STATUS	S = Sustainer (Non-commercial) Otherwise, blank. Note that sustainer information is special analysis data and is only supplied to ordering clients.
229	MULTI-DAY/MULTI-TCAST INDICATOR	Y = Program normally airs multiple times during a single week. Otherwise, blank If various, most recent listed.
230	REPEAT INDICATOR	Indicates that the program is a repeat. Y = Program / telecast is a repeat airing otherwise, blank.
231	COMPLEX PROGRAM INDICATOR	Y = Indicates this program is a multi-segment program -- with different segments airing at different times and durations. Otherwise, blank.
232	SHORT DURATION INDICATOR	Y = Indicates a program with less than five minutes duration Otherwise, blank
233	FEED PATTERN IND	Blank (Not Applicable)
234	LIVE EVENT INDICATOR	Blank (Not Applicable)
235	PROGRAM ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)
236	EPISODE ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)
237	VARIOUS INDICATOR	Y = Descriptive data varies for telecasts in the average. Otherwise, blank. *Note that is the above data (pos. 115-236)

NAD Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		is not true for all telecasts in the average, then the above indicators will represent the most common, or if a tie, the most current.
238	PROGRAM PREMIERE INDICATOR	Y = Individual telecast is a premiere or the reported average contains a premiere (or re-premiere). Otherwise, blank. *Note that when this field is a 'Y', position 58-67 will hold the telecast number of the premiere.
239	GAPPED INDICATOR	Y = At least one gapped telecast within the report interval. Individual day - applies to telecast weekly/monthly average - indicates a gapped telecast is included. Otherwise, blank
240	TYPE DAYPART CODE	A daypart identification at a lower level than Reported Daypart (pos. 276-277) used to place programs in the proper daypart. 0 – Mon-Sun 6PM-7PM 1 - Mon-Sun 7PM-9PM 2 - Mon-Sun 9PM-11PM A - Mon-Sun 11PM-11:30PM B - Mon-Sun 11:30PM-1AM C - Mon-Sun 1AM-6AM D – Mon-Fri 6AM-7AM E – Mon-Fri 7AM-10AM 5 – Mon-Fri 10AM-1PM 6 – Mon-Fri 1PM-4:30PM 7 – Mon-Fri 4:30PM-6PM 8 – Sat-Sun 6AM-6PM If daypart varies among telecast, the most common is reported (or in case of a tie, the most current).
241-243	FILLER	Always blank
244-249	ALPHA PREFIX	For alphabetic sequencing of reports
250-253	SYNDICATOR ORIGINATOR IDENTIFIER	Originator mnemonic
254-262	NETWORK SUPPLIED SHOW CODE	Blank (Not Applicable)
263-273	FILLER	Always Blank
274-275	SYNDICATOR INFO: NUMBER OF WEEKS IN TELECAST WINDOW	Indicates number of weeks elapsed between first station airing the telecast and las station airing the telecast. Program is reported in the week containing the last station air date. Only used for programs with multiple weeks in the telecast window. Otherwise, blank.
276-277	REPORTED DAYPART	PR = Prime Time EF = Early Fringe LF = Late Fringe WM = Weekday Morning WD = Weekday Daytime

NAD Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
		ED = Weekend Daytime If daypart varies across telecasts, the most common is reported (or in case of a tie, the most current).
278-281	EVENT DURATION	Used in conjunction with the START HOUR and START MINUTE (pos. 86-89 in common data) to describe actual duration or a program (or its gapped portion). 0000 – 1440 (in minutes)
(282-288)	DAYS OF WEEK INDICATORS	The days of telecast to which this descriptor's time information applies: 1: if telecast on a given day 2: if DNA'ed (Data Not Available) on a given day. Zero if not telecast.
282	MONDAY	2 or 1 or 0
283	TUESDAY	2 or 1 or 0
284	WEDNESDAY	2 or 1 or 0
285	THURSDAY	2 or 1 or 0
286	FRIDAY	2 or 1 or 0
287	SATURDAY	2 or 1 or 0
288	SUNDAY	2 or 1 or 0
(289-303)	WEEKS TELECAST INDICATOR	The weeks of the telecast to which this descriptor's time information applies. '0' if no sample count for that week. '1' if sample count for that week.
289	WEEK ONE	1 or 0
290	WEEK TWO	1 or 0
291	WEEK THREE	1 or 0
292	WEEK FOUR	1 or 0
293	WEEK FIVE	1 or 0
294	WEEK SIX	1 or 0
295	WEEK SEVEN	Zero (Not Applicable)
296	WEEK EIGHT	Zero (Not Applicable)
297	WEEK NINE	Zero (Not Applicable)
298	WEEK TEN	Zero (Not Applicable)
299	WEEK ELEVEN	Zero (Not Applicable)
300	WEEK TWELVE	Zero (Not Applicable)
301	WEEK THIRTEEN	Zero (Not Applicable)
302	WEEK FOURTEEN	Zero (Not Applicable)
303	WEEK FIFTEEN	Zero (Not Applicable)
304	FILLER	Always blank.
305-309	TOTAL PROGRAM STATION COUNT	Zero (Not Applicable)
310-314	TOTAL PROGRAM HEADEND COUNT	Zero (Not Applicable)
315-316	TOTAL NATIONAL PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
317-318	COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)

NAD Syndication Program Data Record Sequence 04 – D Record Type		
Position	Description	Range
319	VARIOUS TIMES / DURATIONS	Blank (Not Applicable)
320-326	FILLER	Always blank
327	VARIOUS UE FLAG	Blank (Not Applicable)
328-330	NUMBER OF TELECASTS / DAYS	Number of telecasts averaged. Always 001 for individual telecast reporting. 002 – 007 = Multi-telecast averages. Zero if not applicable
331-336	TOTAL PROGRAM CONTRIBUTING DURATION	Duration for the individual telecast. Sum of durations for averages. Needed for the duration-weight averaging across programs or across weeks. Zero if not applicable
337-345	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE TOTAL US PROJECTION	Used to calculate the reported household projection, VPVH's, Total U.S. Rating and Share. XXX,XXX,XXX (in units)
346-348	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE TOTAL US RATING	The rating is calculated by dividing the projection in the previous field (pos. 337-345) by the Total U.S. Universe Estimate. Rating is XXX (implied precision XX.X)
349	TOTAL PROGRAM HOUSEHOLD AA TOTAL US RATING REPORTABILITY INDICATOR	Gives reportability for rating (pos. 346-348). 1 – Below minimum sample size (IFR) 2 – Below minimum rating level (<<) 3 – Below minimum projection level (LT) 0 – Reportable Otherwise, blank
350-352	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE COVERAGE AREA RATING	Zero (Not Applicable)
353	TOTAL PROGRAM HOUSEHOLD AA COVERAGE AREA RATING REPORTABILITY INDICATOR	Blank (Not Applicable)
354-362	TOTAL PROGRAM AVERAGE AUDIENCE TOTAL U.S. PROGRAM HUT PROJECTION	Zero (Not Applicable)
363-364	TOTAL PROGRAM TOTAL U.S. HOUSEHOLD SHARE PERCENT	Zero (Not Applicable)
365-373	TOTAL PROGRAM AVERAGE AUDIENCE COVERAGE AREA PROGRAM HUT PROJECTION	Zero (Not Applicable)
374-375	TOTAL PROGRAM COVERAGE HOUSEHOLD SHARE PERCENT	Zero (Not Applicable)
376-384	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
385-387	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE RATING	Zero (Not Applicable)
388-392	NORMAL START TIME	Blank (Not Applicable)
393-400	FILLER	Always blank

Program Data Record Sequence 04 Description

- Reports program descriptive data and total program household estimates. Only delivered when record sequence code = 04.
- One monthly average record for each program for total sample and for each market break.
- This record provides total program information at the total National Sample level.



Updated Big Data + Panel MIT Format

V1.12

- For programs without various times and durations, one record set per program/special/breakout.
- For programs with various times and durations, extra descriptors are provided and full duration program estimates are contained only on the first descriptor.

NAD Syndication Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL/ CORRECTION	0 = Original 1 = Correction
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	ACN NETWORK CODE	SYN (left justified and blank filled)
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL/ REPEAT COMBINED INDICATOR	O = Original R = Repeat C = Combined M = Umbrella Title (several creatives reported under a single NSS program name or portions of an NSS program which are delivered in addition to the full duration program).
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	N = Program without Spot Ratings
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average *Note that if a program airs in only two weeks, the monthly (4-week) average will still show 04, since this field indicates interval length.
44-50	START DATE	Start of week/month (Monday) for weekly/monthly averages. Report date for individual day data. Format (CYYMMDD)
51-57	END DATE	End of week/month (Sunday) for weekly/monthly averages. Report date for individual day data. Format (CYYMMDD) Note:

NAD Syndication Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		For individual day reporting Start Date = End Date = Report Date
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	01 – 48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	For quarter hour records, the Clock Quarter Hour for the first component quarter hour of the reported half hour. 01 = 6:00 a.m., 03 = 6:30 a.m., 05 = 7:00 am ... 95 = 5:30 a.m
85	RECORD TYPE	H = Household Half-Hour
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. Values: Syndicated programs air at different time in different markets This field will contain zero's
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59. Syndicated programs air at different time in different markets This field will contain zero's
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available 1 = Data not available
99	RECORD CTR	Used to distinguish multiple records that are

NAD Syndication Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank
115-118	EVENT DURATION	0001 – 0030 (minutes)
(119-125)	DAYS OF WEEK INDICATOR	'0' if not telecast on that day. '1' if telecast on a given day at least once. '2' if DNA'ed telecasts found (data not available)
119	MONDAY	2 or 1 or 0
120	TUESDAY	2 or 1 or 0
121	WEDNESDAY	2 or 1 or 0
122	THURSDAY	2 or 1 or 0
123	FRIDAY	2 or 1 or 0
124	SATURDAY	2 or 1 or 0
125	SUNDAY	2 or 1 or 0
(126 – 140)	WEEKS TELECAST INDICATOR	The weeks of the telecast to which this descriptor's time information applies. '0' if no sample count for that week. '1' if sample count for that week.
126	WEEK ONE	1 or 0
127	WEEK TWO	1 or 0
128	WEEK THREE	1 or 0
129	WEEK FOUR	1 or 0
130	WEEK FIVE	1 or 0
131	WEEK SIX	1 or 0
132	WEEK SEVEN	Zero (Not Applicable)
133	WEEK EIGHT	Zero (Not Applicable)
134	WEEK NINE	Zero (Not Applicable)
135	WEEK TEN	Zero (Not Applicable)
136	WEEK ELEVEN	Zero (Not Applicable)
137	WEEK TWELVE	Zero (Not Applicable)
138	WEEK THIRTEEN	Zero (Not Applicable)
139	WEEK FOURTEEN	Zero (Not Applicable)
140	WEEK FIFTEEN	Zero (Not Applicable)
141-143	HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
144-148	HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
149-150	HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
151-152	HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
153	VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)

NAD Syndication Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
154-169	FILLER	Always blank
170	VARIOUS UE INDICATOR	Blank (Not Applicable)
171-173	NUMBER OF TELECASTS/ DAYS *Note that when an 'Excluded Day' occurs within a particular average, the number of telecasts will be lower. For instance, during a 4-week November interval which has both Thanksgiving Day and the following day designated as 'Excluded Days', the single-day Thursday average will show the number of days as 003 instead of 004.	001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04) 035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)
174-179	HALF-HR CONTRIBUTING DURATION	Sum of durations across contributing half-hours. 1-30 minutes per half-hour. 2-999 for averages. Examples: 000030 – Single Day 1-week avg. 000120 – Single Day 4-week avg. 000150 – Mon-Fri 1-week avg. or Single Day 5-week avg. 000210 – Mon-Sun 1-week avg. 000600 – Mon-Fri 4-week avg. 000750 – Mon-Fri 5-week avg. 000840 – Mon-Sun 4-week avg. 001050 – Mon-Sun 5-week avg
180-188	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE PROJECTION	The program half-hour projection (in units) (XXX,XXX,XXX) If pos. 37 = 1, average audience
189-191	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The half-hour HUT rating (XX.X) If pos. 37 = 1, average audience
192	HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable *Note that low coverage half-hours for complex (multi-segment) programs are excluded from reporting.
193-195	HALF HOUR HOUSEHOLD AVERAGE AUDIENCE	Zero (Not Applicable)

NAD Syndication Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
	COVERAGE RATING	
196	HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not applicable)
197-205	HALF HOUR TOTAL U.S. PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
206-207	HALF HOUR HOUSEHOLD TOTAL U.S. PROGRAM SHARE	Zero (Not Applicable)
208-216	HALF HOUR HOUSEHOLD COVERAGE AREA PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
217-225	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
226-228	PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
229-250	FILLER	Always blank
251-253	FIRST QUARTER-HR NUMBER OF TELECASTS / DAYS	001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04) 035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)
254-259	FIRST QUARTER-HR CONTRIBUTING DURATION	Sum of durations across included quarter hours. Examples: 015 – Single day 1-week avg 060 – Single day 4-week avg 075 – Mon-Fri 1-wk avg or Single day 5-wk avg 105 – Mon-Sun 1-week avg 300 – Mon-Fri 4-week avg 375 – Mon-Fri 5-week avg 420 – Mon-Sun 4-week avg 525 – Mon-Sun 5-week avg
260-268	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	The quarter hour AA projection (in units) XXX,XXX,XXX

NAD Syndication Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		If pos. 37 = 1, average audience The quarter hour Rating XX.X (implied precision XX.X)
269-271	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	If pos. 37 = 1, average audience
272	FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
273-275	FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
276	FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
277-285	FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
286-294	FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
295-299	FILLER	Always blank
300-302	SECOND QUARTER- HR NUMBER OF TELECASTS / DAYS	001 – Individual Day (pos. 42-43 = 00) 004 – Single day avg. across a 4-week month (e.g. all 4 Mondays in a month, pos. 42-43 = 04) 005 – Mon-Fri avg across a week (pos. 42-43=01) or single day avg across a 5-week month (pos. 42-43=05) 007 – Mon-Sun avg across a week (pos. 42-43 = 01) 020 – Mon-Fri avg across a 4-week month (pos. 42-43 = 04) 025 – Mon-Fri average across a 5-week month (pos. 42-43 = 05) 028 – Mon-Sun averages across 4-week (pos. 42-43 = 04) 035 – Mon-Sun averages across 5-week (pos. 42-43 = 05)
303-308	SECOND QUARTER-HR CONTRIBUTING DURATION	Sum of durations across included quarter hours. Examples: 015 – Single day 1-week avg 060 – Single day 4-week avg 075 – Mon-Fri 1-wk avg or Single day 5-wk avg 105 – Mon-Sun 1-week avg 300 – Mon-Fri 4-week avg

NAD Syndication Program Data Record Sequence 04 – H Record Type		
Position	Description	Range
		375 – Mon-Fri 5-week avg 420 – Mon-Sun 4-week avg 525 – Mon-Sun 5-week avg
309-317	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	The quarter hour projection (in units) XXX,XXX,XXX If pos. 37 = 1, average audience
318-320	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	The quarter hour Rating XX.X (implied precision XX.X) If pos. 37 = 1, average audience
321	SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	1- IFR – Below minimum sample size. 2-<< - Below minimum rating level 3-LT – Below minimum projection level 0-Reportable
322-324	SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
325	SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
326-334	SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
335-343	SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
344-400	FILLER	Always blank

Program Data Record Sequence 04 Description

- Reports program descriptive data and total program household estimates. Only delivered when record sequence code = 04.
- One monthly average record for each program half hour for total sample. Not available for market breaks.
- This record provides half hour and quarter hour program information at the total National Sample level.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times and durations, the record lists (for each clock half hour) the most common duration. In the case of a tie, the most current is reported.

NAD Syndication Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 04 = Program Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program. **Note, for a multi-day program within a week, the deletion record will only have the program code. All telecasts with the program code should be removed. The correction records will be sent for all telecasts during the week.
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	ACN NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Value are left justified. SYN
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting 2 = Recurring Special Note: Recurring Specials, like OTO specials, are reported individually but can be averaged when producing season to date or premier to date or quarter to date averaged estimates.

NAD Syndication Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	O = Original R = Repeat C = Combined M = Umbrella Title (several creatives reported under a single program name) Or Portions of an NSS program which are delivered in addition to the full-duration program
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	N = Program without spot ratings
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average 04 = 4-week average 05 = 5-week average *Note that if a program airs in only two weeks, the monthly (4-week) average will still show 04, since this field indicates interval length.
44-50	START DATE	Start of week/month (Monday) for weekly/monthly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week/month (Sunday) for weekly/monthly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
58-67	TELECAST NUMBER	For individual telecast program data, used to hold the telecast number. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero-filled. This is a five digit numeric, right-justified and zero-filled.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	COVERAGE SAMPLE IDENTIFICATION	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
78-80	MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates 01 – 48 = Clock half-hours, e.g. 01 =

NAD Syndication Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
		6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	P = Person Detail Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. Values: Syndicated programs air at different time in different markets This field will contain zero's
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59. Syndicated programs air at different time in different markets This field will contain zero's
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record For market breaks: 501 for first record 520 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	Used with Record Sequence 04 and Record Type = P to indicate the type of audience estimates included. 0 = Program Audiences Program PUTs are not delivered for syndication.
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
98	DNA (DATA NOT AVAILABLE) FLAG	Blank = Data is available
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank

NAD Syndication Program Data Record Sequence 04 – P Record Type		
Position	Description	Range
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Average Audience Projection (in units) (XXX,XXX,XXX) Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.

Examples

- Total U.S. Total Program Audiences – Pos. 37 = 1, Pos. 81-82 = 00, Pos. 95 = 0, Pos. 78-80 = 000
- Total U.S. Half-Hour Program Audiences – Pos. 37 = 1, Pos. 81-82 > 00, Pos. 95 = 0, Pos. 78-80 = 000
- Market Break Total Program Audiences – Pos. 37 = 1, Pos. 81-82 = 00, Pos. 95 = 0, Pos. 78-80 > 000

Program Data Record Sequence 04 Description

- Reports program descriptive data and total program household estimates. Only delivered when record sequence code = 04.
- This record provides demographic program information at the total National Sample level.
- Two records for total program carrying persons average audience estimates. Follows the Program Descriptor ("D") record.
- Two records per market break (for total program) carrying average audience estimates. Follows each market break Program Descriptor ("D").

Syndication Comm'l Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 06 = Commercial Audience Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program.
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	ACN NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Values are left justified. SYN
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting 2 = Recurring Special Note: Recurring Specials, like OTO specials, are reported individually but can be averaged when producing season to date or premier to date or quarter to date averaged estimates.
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience (unduplicated aud.) 2 = Gross Average Audience (duplicated aud.) – not applicable 3 = GSA: Gross Spot Audience – not applicable 4 = Multi Barter Average Audience 5 = Multi Barter Gross Average Audience

Syndication Comm'l Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
		– not applicable 6 = TPA Average Audience 7 = TPA Gross Average Audience – not applicable
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	O = Original R = Repeat C = Combined M = Umbrella Title (several creatives reported under a single program name) Or Portions of an NSS program which are delivered in addition to the full-duration program
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	N = Program without spot ratings
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Day 01 = 1-week average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week (Sunday) for weekly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date For multi-day program averages, for above, equals start end and end of week
58-67	TELECAST NUMBER	For individual telecast program data, used to hold the telecast number. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero-filled. This is a five digit numeric, right-justified and zero-filled.
68-70	COMPONENT NUMBER	Zero (Not applicable)
71-76	ORIGINATOR ID	000000 = Total National Sample
77	COVERAGE CALCULATION INDICATOR	Blank = Total U.S.
78-80	MARKET BREAK IDENTIFIER	000 = Total National Sample
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	C = Commercial Descriptor Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6

Syndication Comm'l Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
		a.m., 07 = 7 a.m. ... 29 = 5 a.m. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast. Syndicated programs air at different time in different markets. This time is a placeholder and should be used with care in syndication analyses. Note: Effective with July 2000 data, this field will contain zero's
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59. Values: For program averages, most common / most current start time hour. For individual telecasts, the start hour of the telecast.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
95	PROGRAM PUT INDICATOR	Zero (Not Applicable)
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1 8 = Live + 2 I = Live + 35
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank
115-139	PROGRAM NAME	25-character alphabetic name of the program.
140-164	TRACKAGE NAME	Blank (Not Applicable)
165-174	LIBRARY ID	Blank (Not Applicable)
175-179	EPISODE ID	Blank (Not Applicable)

Syndication Comm'l Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
180-211	EPISODE NAME	32-character alphabetic name for the creative being aired. Primarily usually utilized for Sports and Movies. When multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. Blank when no episode name has been assigned.
212-215	CLIENT-SPECIFIED EPISODE #	Blank (Not Applicable)
216-219	PROGRAM TYPE ALPHA	Standard program type Alpha Codes. Most common / most current rules apply. 2-character alpha field is left-justified and blank filled. See Appendix – Table C – Program Summary Type Code for details.
220-223	DETAILED PROGRAM TYPE CODE	Detailed program type code associated with the program / trackage / telecast. Most common / most current rules apply for program and trackage averages. Effective May 11, 2020 Detailed Program Type Codes will be reported for all Broadcast programs.
224-227	ACN EPISODE TYPE CODE	Blank (Not Applicable)
228	COMMERCIAL STATUS	S = Sustainer (Non-commercial) Otherwise, blank. Note that sustainer information is special analysis data and is only supplied to ordering clients.
229	MULTI-DAY/MULTI-TCAST INDICATOR	Y = Program normally airs multiple times during a single week. Otherwise, blank
230	REPEAT INDICATOR	Indicates that the program is a repeat. Data was proprietary to the owning client prior to Aug. 29, 2011. Y = Program / telecast is a repeat airing otherwise, blank.
231	COMPLEX PROGRAM INDICATOR	Y = Indicates this program is a multi-segment program – with different segments airing at different times and durations. Otherwise, blank.
232	SHORT DURATION INDICATOR	Y = Indicates a program with less than five minutes duration otherwise blank.
233	FEED PATTERN IND	Y = The program airs using a live feed pattern. Otherwise, blank
234	LIVE EVENT INDICATOR	Blank (Not Applicable)
235	PROGRAM ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)
236	EPISODE ORIGINAL / ACQUIRED CODE	Blank (Not Applicable)
237	VARIOUS INDICATOR	Y = Descriptive data varies for telecasts in the average. Otherwise, blank. *Note that is the above data (pos. 115-236)

Syndication Comm'l Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
		is not true for all telecasts in the average, then the above indicators will represent the most common, or if a tie, the most current.
238	PROGRAM PREMIERE INDICATOR	Y = Individual telecast is a premiere or the reported average contains a premiere (or re-premiere). Otherwise, blank. *Note that when this field is a 'Y', position 58-67 will hold the telecast number of the premiere.
239	GAPPED INDICATOR	Y = At least one gapped telecast within the report interval. Individual day - applies to telecast weekly/monthly average - indicates a gapped telecast is included. Otherwise, blank
240	TYPE DAYPART CODE	Blank (Not Applicable)
241-243	FILLER	Always blank
244-249	ALPHA PREFIX	For alphabetic sequencing of reports
250-253	SYNDICATOR ORIGINATOR IDENTIFIER	Originator mnemonic
254-262	NETWORK SUPPLIED SHOW CODE	Blank (Not Applicable)
263-268	COMMERCIAL PROGRAM DURATION	Number of contributing commercial seconds. 000001-xxxxxx.
269-273	NUMBER OF CONTRIBUTING COMMERCIAL TELECASTS	For program and trackage averages, the number of telecasts that had commercial minutes to contribute to the commercial audience data. For individual telecasts, this will always be 0001.
274-275	SYNDICATOR INFO: NUMBER OF WEEKS IN TELECAST WINDOW	Indicates number of weeks elapsed between first station airing the telecast and last station airing the telecast. Program is reported in the week containing the last station air date. Only used for programs with multiple weeks in the telecast window. Otherwise, blank.
276-277	REPORTED DAYPART	PR = Prime Time EF = Early Fringe LF = Late Fringe WM = Weekday Morning WD = Weekday Daytime ED = Weekend Daytime If daypart varies across telecasts, the most common is reported (or in case of a tie, the most current).
278-281	EVENT DURATION	Used in conjunction with the START HOUR and START MINUTE (pos. 86-89 in common data) to describe actual duration or a program (or its gapped portion). 0000 – 1440 (in minutes)

Syndication Comm'l Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
(282-288)	DAYS OF WEEK INDICATORS	The days of telecast to which this descriptor's time information applies: 1: if telecast on a given day 2: if DNA'ed (Data Not Available) on a given day. Zero if not telecast.
282	MONDAY	2 or 1 or 0
283	TUESDAY	2 or 1 or 0
284	WEDNESDAY	2 or 1 or 0
285	THURSDAY	2 or 1 or 0
286	FRIDAY	2 or 1 or 0
287	SATURDAY	2 or 1 or 0
288	SUNDAY	2 or 1 or 0
(289-303)	WEEKS TELECAST INDICATOR	Zero (Not Applicable)
289	WEEK ONE	Zero (Not Applicable)
290	WEEK TWO	Zero (Not Applicable)
291	WEEK THREE	Zero (Not Applicable)
292	WEEK FOUR	Zero (Not Applicable)
293	WEEK FIVE	Zero (Not Applicable)
294	WEEK SIX	Zero (Not Applicable)
295	WEEK SEVEN	Zero (Not Applicable)
296	WEEK EIGHT	Zero (Not Applicable)
297	WEEK NINE	Zero (Not Applicable)
298	WEEK TEN	Zero (Not Applicable)
299	WEEK ELEVEN	Zero (Not Applicable)
300	WEEK TWELVE	Zero (Not Applicable)
301	WEEK THIRTEEN	Zero (Not Applicable)
302	WEEK FOURTEEN	Zero (Not Applicable)
303	WEEK FIFTEEN	Zero (Not Applicable)
304	FILLER	Always blank.
305-309	TOTAL PROGRAM STATION COUNT	Number of broadcast stations airing the program. For averages, the count will be an interval average.
310-314	TOTAL PROGRAM HEADEND COUNT	Zero (Not Applicable)
315-316	TOTAL U.S. NPM PROGRAM COVERAGE PERCENT	Individual day or interval average
317-318	COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
319	VARIOUS TIMES / DURATIONS	Blank (Not Applicable)
320-326	FILLER	Always blank
327	VARIOUS UE FLAG	Blank (Not Applicable)
328-330	NUMBER OF TELECASTS / DAYS	Number of telecasts averaged. Always 001 for individual telecast reporting. 002 – 007 = Multi-telecast averages. Zero if not applicable.
331-336	TOTAL PROGRAM CONTRIBUTING DURATION	Duration for the individual telecast. Sum of durations for averages. Needed for the duration-weight averaging across programs or across weeks. Zero if not applicable.

Syndication Comm'l Audience Data Record Sequence 06 – C Record Type		
Position	Description	Range
337-345	TOTAL PROGRAM HOUSEHOLD COMMERCIAL AVERAGE AUDIENCE TOTAL US PROJECTION -OR- TOTAL PROGRAM HOUSEHOLD LINEAR COMMERCIAL AVERAGE AUDIENCE TOTAL US PROJECTION -OR- TOTAL PROGRAM HOUSEHOLD ADDRESSABLE COMMERCIAL AVERAGE AUDIENCE TOTAL US PROJECTION	XXX,XXX,XXX (in units) Reported in units, right justified.
346-348	TOTAL PROGRAM HOUSEHOLD COMMERCIAL AVERAGE AUDIENCE TOTAL US PROJECTION -OR- TOTAL PROGRAM HOUSEHOLD LINEAR COMMERCIAL AVERAGE AUDIENCE TOTAL US RATING -OR- TOTAL PROGRAM HOUSEHOLD ADDRESSABLE COMMERCIAL AVERAGE AUDIENCE TOTAL US	Rating is XXX (Implied precision XX.X)
349	TOTAL PROGRAM HOUSEHOLD AA TOTAL US RATING REPORTABILITY INDICATOR	Zero (Not Applicable)
350-352	TOTAL PROGRAM HOUSEHOLD AVERAGE AUDIENCE COVERAGE AREA RATING	Zero (Not Applicable)
353	TOTAL PROGRAM HOUSEHOLD AA COVERAGE AREA RATING REPORTABILITY INDICATOR	Blank (Not applicable)
354-362	TOTAL PROGRAM AVERAGE AUDIENCE TOTAL U.S. PROGRAM HUT PROJECTION	Zero (Not Applicable)
363-364	TOTAL PROGRAM TOTAL U.S. HOUSEHOLD SHARE PERCENT	Zero (Not Applicable)
365-373	TOTAL PROGRAM AVERAGE AUDIENCE COVERAGE AREA PROGRAM HUT PROJECTION	Zero (Not Applicable)
374-375	TOTAL PROGRAM COVERAGE HOUSEHOLD SHARE PERCENT	Zero (Not Applicable)
376-384	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
385-387	TOTAL PROGRAM HOUSEHOLD TOTAL U.S. TOTAL AUDIENCE RATING	Zero (Not Applicable)
388-392	NORMAL START TIME	Blank (Not Applicable)
393-400	FILLER	Always blank

Commercial Audience Data Record Sequence 06 Description

- The Commercial Descriptor record contains all program related codes, ID's and general descriptive information, as well as the Commercial Average Household Audience information. Corresponding persons audiences are all delivered using the 06 P records.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.

Syndication Comm'l Audience Data Record Sequence 06 – P Record Type		
Position	Description	Range
1-2	RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 06 = Commercial Audience Data
3	SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National sample L = National Hispanic sub-sample
4-10	CORRECTION INTERVAL START DATE	Blank (Not Applicable)
11	ORIGINAL / CORRECTION	0 = Original 1 = Correction 2 = Deletion *Note that in the event of a deletion, the record holds the program code and telecast number. To apply deletion, remove all records for that program code and telecast number from the corrected interval. In the case of corrections, first remove all records from the corrected interval for the program code and telecast number then replace with the list of correction records for that program.
12-14	CORRECTION REASON	Blank (Not Applicable)
15-20	NETWORK CODE	Used with program estimates (Rec Seq 04) to denote the network. Values are left justified. SYN
21-30	ACN PROGRAM CODE	Numeric program code for programs
31-33	TRACKAGE ID	Blank (Not Applicable)
34	FEED PATTERN IND	Blank (Not Applicable)
35	BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
36	SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting 2 = Recurring Special Note: Recurring Specials, like OTO specials, are reported individually but can be averaged when producing season to date or premier to date or quarter to date averaged estimates.
37	AUDIENCE ESTIMATE TYPE	1 = Average Audience 2 = Gross Average Audience – not applicable 3 = GSA: Gross Spot Audience – not applicable 4 = Multi Barter Average Audience 5 = Multi Barter Gross Average Audience

Syndication Comm'l Audience Data Record Sequence 06 – P Record Type		
Position	Description	Range
		– not applicable 6 = TPA Average Audience 7 = TPA Gross Average Audience – not applicable
38-39	DELIVERY OPTIONS	Blank (Not Applicable)
40	SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	O = Original R = Repeat C = Combined M = Umbrella Title (several creatives reported under a single program name) Or Portions of an NSS program which are delivered in addition to the full-duration program
41	SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	N = Program without spot ratings
42-43	NUMBER OF DAYS/ WEEKS	00 = Individual Telecast 01 = Weekly Average
44-50	START DATE	Start of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD)
51-57	END DATE	End of week (Monday) for weekly averages. Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date For multi-day program averages, for above, equals start end and end of week
58-67	TELECAST NUMBER	Telecast number for individual telecasts. For averages containing a premiere, used to hold the telecast number of the premiere. For averages without a premiere, this field is zero-filled. Note that when a premiere is detected mid-interval, multiple program averages are generated: one containing telecasts prior to the premiere; and one from the premiere forward in time, including the end of the interval or the next premiere. This is a five digit numeric, right-justified and zero-filled.
68-70	COMPONENT NUMBER	Zero (Not Applicable)
71-76	ORIGINATOR ID	000000 = Total National Sample

Syndication Comm'l Audience Data Record Sequence 06 – P Record Type		
Position	Description	Range
77	COVERAGE CALCULATION INDICATOR	Blank = Total U.S.
78-80	MARKET BREAK IDENTIFIER	000 = Total National Sample
81-82	TOTAL PROGRAM / HALF HOUR IDENTIFIER	00 = Total Program Estimates 01-48 = Clock half-hours, e.g. 01 = 6:00 AM, 02 = 6:30 AM, etc
83-84	QUARTER HOUR ID	Blank (Not Applicable)
85	RECORD TYPE	P = Persons Detail Record
86-87	EVENT START HOUR	Hour portion (HH) of the start time of the program / telecast. Values are 06 – 29, where 06 = 6 a.m., 07 = 7 a.m. ... 29 = 5 a.m. *Note that if various time are found, the most common is used. In case of a tie, the most recent is used.
88-89	EVENT START MINUTE	Minute portion (MM) of the start time of the program / telecast. Possible values are 00 – 59.
90-91	EVENT START SECOND	Zero (Not Applicable)
92-94	DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record See Appendix – Table D – Demographic Group Categories for details.
95	PROGRAM PUT INDICATOR	0 = Program Audiences Program PUTs are not delivered for syndication.
96	DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
97	VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7 6 = Live + 1 8 = Live + 2 I = Live + 35
98	DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
99	RECORD CTR	Zero (Not Applicable)
100	BUCKET TYPE	Blank (Not Applicable)
101	PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
102-105	VARIANCE REASON	Blank (Not Applicable)
106-114	FILLER	Always Blank
115	VARIOUS UE INDICATOR	Blank (Not Applicable)
116-295	DEMOGRAPHIC GROUP CATEGORIES	Commercial Average Audience Projection (in units)

Syndication Comm'l Audience Data Record Sequence 06 – P Record Type		
Position	Description	Range
		(XXX,XXX,XXX) Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.

Commercial Audience Data Record Sequence 06 Description

- The Commercial Descriptor record contains all program related codes, ID's and general descriptive information, as well as the Commercial Average Household Audience information. Corresponding persons audiences are all delivered using the 06 P records.
- For programs without various times/durations and without gaps, one record set per program/special/breakout.
- For programs with various times/durations and/or gaps, extra descriptors provide time statement information and full-duration program estimates are contained only on the first descriptor.

Updated Big Data + Panel MIT Format

V1.12

Note – Header Record Sequence 00 will be pipe delimited in the Individual Commercial Metrics (ICM) MITs

ICM Header Record Sequence 00	
Description	Range
RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 00 = Report Descriptor
SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
CORRECTION INTERVAL START DATE	Blank (Not Applicable)
ORIGINAL / CORRECTION	Zero (Not Applicable)
CORRECTION REASON	Blank (Not Applicable)
ACN NETWORK CODE	Blank (Not Applicable)
ACN PROGRAM CODE	Zero (Not Applicable)
TRACKAGE ID	Blank (Not Applicable)
FEED PATTERN IND	Blank (Not Applicable)
BREAKOUT INDICATOR	Blank (Not Applicable)
SPECIAL INDICATOR	Blank (Not Applicable)
AUDIENCE ESTIMATE TYPE	Zero (Not Applicable)
DELIVERY OPTIONS	Blank (Not Applicable)
SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
NUMBER OF DAYS/ WEEKS	01 = 1 week report 04 = 4 week report 05 = 5 week report
START DATE	Start of Week (Monday) Format (CYMMDD)
END DATE	End of Week (Sunday) Format (CYMMDD)
TELECAST NUMBER	Zero (Not Applicable)
COMPONENT NUMBER	Zero (Not Applicable)
COVERAGE SAMPLE IDENTIFICATION	Zero (Not Applicable)
COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
MARKET BREAK IDENTIFIER	Zero (Not Applicable)
TOTAL PROGRAM / HALF HOUR IDENTIFIER	Blank (Not Applicable) Note: Default "not applicable" value changed to match the new Universal Format.
QUARTER HOUR ID	Blank (Not Applicable)
RECORD TYPE	Blank (Not Applicable)
EVENT START HOUR	Zero (Not Applicable)
EVENT START MINUTE	Zero (Not Applicable)
EVENT START SECOND	Zero (Not Applicable)
DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
PROGRAM PUT IND	Zero (Not Applicable)
DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
VIEWING TYPE	Blank (Not Applicable)
DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
RECORD CTR	Zero (Not Applicable)

ICM Header Record Sequence 00	
Description	Range
BUCKET TYPE	Blank (Not Applicable)
PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
VARIANCE REASON	Blank (Not Applicable)
PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
FILLER	Always Blank
REPORT/FILE ID	See the Report Names in Header Record Sequence 00 section for the report names in each MIT.
FILLER	Blank
FILLER	Blank
Broadcast and Syndication NAD: Month and Year	Broadcast and Syndication NAD: Month and Year of the report interval as MMY, e.g. 0907
ACN COPYRIGHT	Field should reflect the copyright information at the time the record was created. "Copyright 20xx The Nielsen Company"
EXCLUDED DAYS ARRAY	Blank – Reserved for futures
START DATE – INTERVAL #1	Blank – Reserved for futures
END DATE – INTERVAL #1	Blank – Reserved for futures
START DATE – INTERVAL #2	Blank – Reserved for futures
END DATE – INTERVAL #2	Blank – Reserved for futures
START DATE – INTERVAL #3	Blank – Reserved for futures
END DATE – INTERVAL #3	Blank – Reserved for futures
START DATE – INTERVAL #4	Blank – Reserved for futures
END DATE – INTERVAL #4	Blank – Reserved for futures
START DATE – INTERVAL #5	Blank – Reserved for futures
END DATE – INTERVAL #5	Blank – Reserved for futures
START DATE – INTERVAL #6	Blank – Reserved for futures
END DATE – INTERVAL #6	Blank – Reserved for futures
START DATE – INTERVAL #7	Blank – Reserved for futures
END DATE – INTERVAL #7	Blank – Reserved for futures
START DATE – INTERVAL #8	Blank – Reserved for futures
END DATE – INTERVAL #8	Blank – Reserved for futures
START DATE – INTERVAL #9	Blank – Reserved for futures
END DATE – INTERVAL #9	Blank – Reserved for futures
START DATE – INTERVAL #10	Blank – Reserved for futures
END DATE – INTERVAL #10	Blank – Reserved for futures
FILLER	Always Blank

Header Record Description

- There is one Header Record Sequence 00 per MIT file. The header record file format is the same format for broadcast, cable and syndication MITs.

Updated Big Data + Panel MIT Format

V1.12

Note – Universe Estimate Record Sequence 01 will be pipe delimited in the Individual Commercial Metrics (ICM) MITs

ICM Universe Estimate Record Sequence 01 – H Record Type	
Description	Range
RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 01 = Universe Estimates
SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
CORRECTION INTERVAL START DATE	Blank (Not Applicable)
ORIGINAL / CORRECTION	Zero (Not Applicable)
CORRECTION REASON	Blank (Not Applicable)
DATA TYPE CODE	UES (left justified and blank filled)
ACN PROGRAM CODE	Zero (Not Applicable)
TRACKAGE ID	Blank (Not Applicable)
FEED PATTERN IND	Blank (Not Applicable)
BREAKOUT INDICATOR	Blank (Not Applicable)
SPECIAL INDICATOR	Blank (Not Applicable)
AUDIENCE ESTIMATE TYPE	Zero (Not Applicable)
DELIVERY OPTIONS	Blank (Not Applicable)
SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
NUMBER OF DAYS/ WEEKS	Zero (Not Applicable)
START DATE	Start of UE period (Monday) Format (CYYMMDD)
END DATE	End of UE period (Sunday) Format (CYYMMDD)
TELECAST NUMBER	Zero (Not Applicable)
COMPONENT NUMBER	Zero (Not Applicable)
COVERAGE SAMPLE IDENTIFICATION	Broadcast: 000000 = Total National Sample Cable: Numeric code describing the Coverage Area for which the estimates are delivered. Values include, but are not limited to: 000000 = Total U.S. 006521 = CNBC 006198 = MTV
COVERAGE CALCULATION INDICATOR	Broadcast: Blank = Total U.S. Cable: Indicates if the audience estimates delivered were calculated based on full sample or on a coverage area basis.

ICM Universe Estimate Record Sequence 01 – H Record Type	
Description	Range
	Blank = Total U.S.
MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
TOTAL PROGRAM / HALF HOUR IDENTIFIER	Blank (Not Applicable) Note: Default "not applicable" value changed to match the new Universal Format.
QUARTER HOUR ID	Blank (Not Applicable)
RECORD TYPE	H = Household
EVENT START HOUR	Zero (Not Applicable)
EVENT START MINUTE	Zero (Not Applicable)
EVENT START SECOND	Zero (Not Applicable)
DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
PROGRAM PUT INDICATOR	Zero (Not Applicable)
DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
VIEWING TYPE	Blank (Not Applicable)
DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
RECORD CTR	Zero (Not Applicable)
BUCKET TYPE	Blank (Not Applicable)
PRELIMINARY VARIANCE	Blank (Not Applicable)
VARIANCE REASON	Blank (Not Applicable)
PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
FILLER	Always Blank
EVENT DURATION	Zero (Not Applicable)
DAYS OF WEEK INDICATOR	Zero (Not Applicable)
WEEKS TELECAST INDICATORS	Zero (Not Applicable)
HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
FILLER	Always blank
VARIOUS UE INDICATOR	Blank (Not Applicable)
NUMBER OF TELECASTS/ DAYS	Zero (Not Applicable)
HALF-HR CONTRIBUTING DURATION	Zero (Not Applicable)
HOUSEHOLD UNIVERSE ESTIMATE	000,XXX,XX0 expressed as thousands
HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable)
HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	Blank (Not Applicable)
HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
TOTAL U.S. HOUSEHOLD UNIVERSE ESTIMATE	Broadcast: 000000000 = Total U.S. Cable: The Total U.S. Household Universe Estimate

ICM Universe Estimate Record Sequence 01 – H Record Type	
Description	Range
	000,XXX,XX0. Redundant with position 180-188 when Coverage Sample ID (pos. 71-76) is 000000 = Total U.S.
HALF HOUR HOUSEHOLD TOTAL U.S. PROGRAM SHARE	Zero (Not Applicable)
HALF HOUR HOUSEHOLD COVERAGE AREA PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
FILLER	Always blank
NUMBER OFTELECASTS/ DAYS	Zero (Not Applicable)
FIRST QUARTER-HR CONTRIBUTING DURATION	Zero (Not Applicable)
FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	Zero (Not Applicable)
FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable)
FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	Blank (Not Applicable)
FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
FILLER	Always blank
NUMBER OF TELECASTS/ DAYS	Zero (Not Applicable)
SECOND QUARTER-HR CONTRIBUTING DURATION	Zero (Not Applicable)
SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	Zero (Not Applicable)
SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable)
SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	Blank (Not Applicable)
SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
FILLER	Always blank

Universe Estimate Record Sequence 01 Description

- The same data is repeated in each file throughout the same season. Universe Estimates changed for the National sample at the beginning of the September National calendar.

Updated Big Data + Panel MIT Format

V1.12

Note – Universe Estimate Record Sequence 01 will be pipe delimited in the Individual Commercial Metrics (ICM) MITs

ICM Universe Estimate Record Sequence 01 – P Record Type	
Description	Range
RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 01 = Universe Estimates
SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
CORRECTION INTERVAL START DATE	Blank (Not Applicable)
ORIGINAL / CORRECTION	Zero (Not Applicable)
CORRECTION REASON	Blank - RESERVED FOR FUTURES
DATA TYPE CODE	UES (left justified and blank filled)
ACN PROGRAM CODE	Zero (Not Applicable)
TRACKAGE ID	Blank (Not Applicable)
FEED PATTERN IND	Blank (Not Applicable)
BREAKOUT INDICATOR	Blank (Not Applicable)
SPECIAL INDICATOR	Blank (Not Applicable)
AUDIENCE ESTIMATE TYPE	Zero (Not Applicable)
DELIVERY OPTIONS	Blank (Not Applicable)
SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
NUMBER OF DAYS / WEEKS	Zero (Not Applicable)
START DATE	Start of UE period (Monday) Format (CYYMMDD)
END DATE	End of UE period (Sunday) Format (CYYMMDD)
TELECAST NUMBER	Zero (Not Applicable)
COMPONENT NUMBER	Zero (Not Applicable)
COVERAGE SAMPLE IDENTIFICATION	Broadcast: 000000 = Total National Sample Cable: Coverage Sample ID: Numeric code describing the Coverage Area for which estimates are delivered. Applicable for Record Sequences 01, 02, 03, 05. Values include but are not limited to: 000000 = Total U.S. 006521 = CNBC 006198 = MTV Etc., etc.
COVERAGE CALCULATION INDICATOR	Blank = Total National Sample
MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.

ICM Universe Estimate Record Sequence 01 – P Record Type	
Description	Range
TOTAL PROGRAM / HALF HOUR IDENTIFIER	Blank (Not Applicable) Note: Default "not applicable" value changed to match the new Universal Format.
QUARTER HOUR ID	Blank (Not Applicable)
RECORD TYPE	P = Persons
EVENT START HOUR	Zero (Not Applicable)
EVENT START MINUTE	Zero (Not Applicable)
EVENT START SECOND	Zero (Not Applicable)
DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record For market breaks: 501 for first record 520 for second record See Appendix – Table D – Demographic Group Categories for details.
PROGRAM PUT INDICATOR	Zero (Not Applicable)
DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
VIEWING TYPE	Blank (Not Applicable)
DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
RECORD CTR	Zero (Not Applicable)
BUCKET TYPE	Blank (Not Applicable)
PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
VARIANCE REASON	Blank (Not Applicable)
PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
FILLER	Always Blank
VARIOUS UE INDICATOR	Blank (Not Applicable)
DEMOGRAPHIC GROUP CATEGORIES	Universe Estimate (000,XXX,XXX) expressed in thousands. Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.

Universe Estimate Record Sequence 01 Description

- The same data is repeated in each file throughout the same season. Universe Estimates changed for the National sample at the beginning of the September National calendar.

Updated Big Data + Panel MIT Format

V1.12

Note – Intab Scaled Counts Record Sequence 02 will be pipe delimited in the Individual Commercial Metrics (ICM) MITs

ICM Intab Scaled Counts Record Sequence 02 – H Record Type	
Description	Range
RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 02 = Intab Sample Counts
SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
ORIGINAL / CORRECTION	Zero (Not Applicable)
CORRECTION REASON	Blank - RESERVED FOR FUTURES
DATA TYPE CODE	INT (left justified and blank filled)
ACN PROGRAM CODE	Zero (Not Applicable)
TRACKAGE ID	Blank (Not Applicable)
FEED PATTERN IND	Blank (Not Applicable)
BREAKOUT INDICATOR	Blank (Not Applicable)
SPECIAL INDICATOR	Blank (Not Applicable)
AUDIENCE ESTIMATE TYPE	Zero (Not Applicable)
DELIVERY OPTIONS	Blank (Not Applicable)
SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
NUMBER OF DAYS/ WEEKS	00 = Individual Day
START DATE	Individual Day Format (CYYMMDD)
END DATE	Individual Day Format (CYYMMDD)
TELECAST NUMBER	Zero (Not Applicable)
SCALED COUNT INDICATOR	0 = Total Intab Sample Counts Note, Scaled Intab Sample Counts are not applicable for Big Data Note: NAD MITs will not have Scaled Intab Sample Count records.
COMPONENT NUMBER	Zero (Not Applicable)

ICM Intab Scaled Counts Record Sequence 02 – H Record Type	
Description	Range
COVERAGE SAMPLE IDENTIFICATION	Broadcast: 000000 = Total U.S. Cable: Coverage Sample ID: Numeric code describing the Coverage Area for which estimates are delivered. Applicable for Record Sequences 01, 02, 03, 05. Values include but are not limited to: 000000 = Total U.S. 006521 = CNBC 006198 = MTV Etc., etc.
COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
TOTAL PROGRAM / HALF HOUR IDENTIFIER	Blank (Not Applicable) Note: Default "not applicable" value changed to match the new Universal Format.
QUARTER HOUR ID	Blank (Not Applicable)
RECORD TYPE	H = Household
EVENT START HOUR	Zero (Not Applicable)
EVENT START MINUTE	Zero (Not Applicable)
EVENT START SECOND	Zero (Not Applicable)
DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
PROGRAM PUT INDICATOR	Zero (Not Applicable)
DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
VIEWING TYPE	Blank (Not Applicable)
DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
RECORD CTR	Zero (Not Applicable)
BUCKET TYPE	Blank (Not Applicable)
PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
VARIANCE REASON	Blank (Not Applicable)
PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
FILLER	Always Blank
EVENT DURATION	Zero (Not Applicable)
DAYS OF WEEK INDICATOR	'0' if no sample count for that day. '1' if sample count for that day.
MONDAY	1 or 0
TUESDAY	1 or 0
WEDNESDAY	1 or 0
THURSDAY	1 or 0
FRIDAY	1 or 0
SATURDAY	1 or 0
SUNDAY	1 or 0

ICM Intab Scaled Counts Record Sequence 02 – H Record Type	
Description	Range
WEEKS TELECAST INDICATOR	Zero (Not Applicable) NAD MITs The weeks of the telecast to which this descriptor's time information applies. '0' if no sample count for that week. '1' if sample count for that week.
WEEK ONE	1 or 0
WEEK TWO	1 or 0
WEEK THREE	1 or 0
WEEK FOUR	1 or 0
WEEK FIVE	1 or 0
WEEK SIX	1 or 0
WEEK SEVEN	Zero (Not Applicable)
WEEK EIGHT	Zero (Not Applicable)
WEEK NINE	Zero (Not Applicable)
WEEK TEN	Zero (Not Applicable)
WEEK ELEVEN	Zero (Not Applicable)
WEEK TWELVE	Zero (Not Applicable)
WEEK THIRTEEN	Zero (Not Applicable)
WEEK FOURTEEN	Zero (Not Applicable)
WEEK FIFTEEN	Zero (Not Applicable)
HALF HOUR PROGRAM STATION COUNT	Zero (Not Applicable)
HALF HOUR PROGRAM HEADEND COUNT	Zero (Not Applicable)
HALF HOUR TOTAL US PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
HALF HOUR COVERAGE AREA PROGRAM COVERAGE PERCENT	Zero (Not Applicable)
VARIOUS TIMES/ DURATIONS	Blank (Not Applicable)
FILLER	Always blank
VARIOUS UE INDICATOR	Blank (Not Applicable)
NUMBER OF TELECASTS / DAYS	001 – Individual Day
HALF-HR CONTRIBUTING DURATION	Zero (Not Applicable)
HOUSEHOLD SAMPLE COUNTS	000,00X,XXX households. Indicates the number of households that pass set edits on this date. Note: Scaled Intab Sample Counts are not available for Big Data and will be zero. Note: Coverage Area Intab Sample Counts are not available will be zero. Note: NAD MITs will not have Scaled Intab Sample Count records.
HALF HOUR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable)
HALF HOUR HOUSEHOLD REPORTABILITY INDICATOR	Blank (Not Applicable)
HALF HOUR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
HALF HOUR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)

ICM Intab Scaled Counts Record Sequence 02 – H Record Type	
Description	Range
TOTAL U.S. HOUSEHOLD INTAB SAMPLE COUNT	Broadcast: 000000000 = Total U.S. Cable: The Total U.S. Household Intab Sample Count 000,00X,XXX. Redundant with Pos. 180-188 when Coverage Sample ID (pos. 71-76) is Total U.S.
HALF HOUR HOUSEHOLD TOTAL U.S. PROGRAM SHARE	Zero (Not Applicable)
HALF HOUR HOUSEHOLD COVERAGE AREA PROGRAM HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE PROJECTION	Zero (Not Applicable)
PROGRAM 1/2 HR HOUSEHOLD TOTAL AUDIENCE RATING	Zero (Not Applicable)
FILLER	Always blank
NUMBER OF TELECASTS/ DAYS	Zero (Not Applicable)
FIRST QUARTER-HR CONTRIBUTING DURATION	Zero (Not Applicable)
FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	Zero (Not Applicable)
FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable)
FIRST QUARTER-HR HOUSEHOLD TOTAL U.S. REPORTABILITY INDICATOR	Blank (Not Applicable)
FIRST QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
FIRST QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
FIRST QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
FIRST QUARTER HOUR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
FILLER	Always blank
NUMBER OF TELECASTS/ DAYS	Zero (Not Applicable)
SECOND QUARTER-HR CONTRIBUTING DURATION	Zero (Not Applicable)
SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. PROJECTION	Zero (Not Applicable)
SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE TOTAL U.S. RATING	Zero (Not Applicable)
SECOND QUARTER-HR HOUSEHOLD REPORTABILITY INDICATOR	Blank (Not Applicable)
SECOND QUARTER-HR HOUSEHOLD AVERAGE AUDIENCE COVERAGE RATING	Zero (Not Applicable)
SECOND QUARTER-HR HOUSEHOLD COVERAGE AREA REPORTABILITY INDICATOR	Blank (Not Applicable)
SECOND QUARTER-HR TOTAL U.S. DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
SECOND QUARTER-HR COVERAGE AREA DUAL/LIVE HUT AVERAGE AUDIENCE PROJECTION	Zero (Not Applicable)
FILLER	Always blank



Updated Big Data + Panel MIT Format

V1.12

Intab Scaled Counts Record Sequence 02 Description

- Intab sample counts for each day of the week.
- Note: Scaled sample counts are not available for Big Data and will be 0 for each day of the week in the MITs.
- NAD MITs will not report zero records for Scaled Intab Sample Counts.

Updated Big Data + Panel MIT Format

V1.12

Note – Intab Scaled Counts Record Sequence 02 will be pipe delimited in the Individual Commercial Metrics (ICM) MITs

ICM Intab Scaled Counts Record Sequence 02 – P Record Type	
Description	Range
RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 02 = Intab Sample Counts
SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
CORRECTION INTERVAL START DATE	Blank - RESERVED FOR FUTURES
ORIGINAL / CORRECTION	Zero (Not Applicable)
CORRECTION REASON	Blank - RESERVED FOR FUTURES
DATA TYPE CODE	INT (left justified and blank filled)
ACN PROGRAM CODE	Zero (Not Applicable)
TRACKAGE ID	Blank (Not Applicable)
FEED PATTERN IND	Blank (Not Applicable)
BREAKOUT INDICATOR	Blank (Not Applicable)
SPECIAL INDICATOR	Blank (Not Applicable)
AUDIENCE ESTIMATE TYPE	Zero (Not Applicable)
DELIVERY OPTIONS	Blank (Not Applicable)
SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Blank (Not Applicable)
SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Blank (Not Applicable)
NUMBER OF DAYS / WEEKS	00 = Individual Day
START DATE	Individual Day Format (CYYMMDD)
END DATE	Individual Day Format (CYYMMDD) Note: for individual day reporting, START DATE = END DATE = BASE COUNT DATE
TELECAST NUMBER	Zero (Not Applicable)
SCALED COUNT INDICATOR	0 = Total Intab Sample Note, Scaled Intab Sample Counts are not applicable for Big Data Note: NAD MITs will not have Scaled Intab Sample Count records
COMPONENT NUMBER	Zero (Not Applicable)
COVERAGE SAMPLE IDENTIFICATION	Broadcast: 000000 = Total National Sample Cable: Coverage Sample ID: Numeric code describing the Coverage Area for which estimates are delivered. Applicable for Record Sequences 01, 02, 03, 05. Values include but are not limited to: 000000 = Total U.S.

ICM Intab Scaled Counts Record Sequence 02 – P Record Type	
Description	Range
	006521 = CNBC 006198 = MTV Etc., etc.
COVERAGE CALCULATION INDICATOR	Blank (Not Applicable)
MARKET BREAK IDENTIFIER	000 = Total National People Meter Sample 001-999 = Market Breaks See Appendix – Table E – NAD Market Breaks for details.
TOTAL PROGRAM / HALF HOUR IDENTIFIER	Blank (Not Applicable) Note: Default "not applicable" value changed to match the new Universal Format.
QUARTER HOUR ID	Blank (Not Applicable)
RECORD TYPE	P = Persons
EVENT START HOUR	Zero (Not Applicable)
EVENT START MINUTE	Zero (Not Applicable)
EVENT START SECOND	Zero (Not Applicable)
DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record For market breaks: 501 for first record 520 for second record See Appendix – Table D – Demographic Group Categories for details.
PROGRAM PUT INDICATOR	Zero (Not Applicable)
DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
VIEWING TYPE	Blank (Not Applicable)
DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
RECORD CTR	Zero (Not Applicable)
BUCKET TYPE	Blank (Not Applicable)
PRELIMINARY VARIANCE CABLE FLAG	Blank (Not Applicable)
VARIANCE REASON	Blank (Not Applicable)
PROGRAM DISTRIBUTOR TYPE CODE	Blank (Not Applicable)
FILLER	Always Blank
VARIOUS UE INDICATOR	Blank (Not Applicable)
DEMOGRAPHIC GROUP CATEGORIES	Persons Intab Sample Counts (000,00X,XXX) expressed in units. Note: Scaled Intab Sample Counts are not available for Big Data and will be zero. Note: Coverage Area Intab Sample Counts are not available and will be zero.

ICM Intab Scaled Counts Record Sequence 02 – P Record Type	
Description	Range
	Note: See Demographic Start ID (pos. 92-94) to determine the demographic groups reported by the first demographic group (pos. 116-124). Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.

Intab Scaled Counts Record Sequence 02 Description

- Intab sample counts for each day of the week.
- Note: Scaled sample counts are not available for Big Data and will be 0 for each day of the week in the MITs.
- NAD MITs will not report zero records for Scaled Intab Sample Counts.

Note – ICM Record Sequence 07 will be pipe delimited in the Individual Commercial Metrics (ICM) MITs

Individual Commercial Metrics Record Sequence 07 – J Record Type	
Description	Range
RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 07 = Individual Commercial Metrics Data
SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
CORRECTION INTERVAL START DATE	Blank (Not Applicable)
ORIGINAL / CORRECTION	0 = Original 1 = Correction (future) 2 = Deletion (future)
CORRECTION REASON	Blank (Not Applicable)
ACN NETWORK CODE	Used with program estimates to denote the network. Values are left justified and blank filled. For Broadcast Networks , see Table A - Network Code listing at the bottom of this document for listing of network codes. For Cable Networks , networks are added as they become reportable. Examples, NICK = Nickelodeon HLN = Headline News USA = USA Networks For Syndication , field is SYN.
ACN PROGRAM CODE	Numeric program code for programs
TRACKAGE ID	Cable: 3 digit ID that identifies a sub-grouping of telecast of a specific program. Only applies to cable programs. Example, Program = Andy Griffith Trackage 001 = Andy Griffith 10am Trackage 002 = Andy Griffith 2pm For Broadcast and Syndication , field will be blank (Not Applicable)
FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. For Cable programs the values are Blank = Not Applicable E = East W = West D = Dual

Individual Commercial Metrics Record Sequence 07 – J Record Type	
Description	Range
	L = Live Y = Live For Broadcast and Syndication , field will be blank (Not Applicable)
PROGRAM BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
PROGRAM SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting 2 = Recurring Special (Syndication Only) Note: Recurring Specials, like OTO specials, are reported individually but can be averaged when production season to date or quarter to date average estimates.
AUDIENCE ESTIMATE TYPE	1 = Average Audience
SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Syndication: O = Original R = Repeat C = Combined M = Umbrella Title (several creative reported under a single program name) or Portions of a NSS program which are delivered in addition to the full-duration program For Broadcast and Cable , field will be blank (Not Applicable)
SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Syndication: N = Program without spot ratings For Broadcast and Cable , field will be blank (Not Applicable)
NUMBER OF DAYS/ WEEKS	0 = Individual Day
START DATE	Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
END DATE	Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
TELECAST NUMBER	A unique number identifying specific airings of a program. Zero if not applicable. Telecast number for individual telecasts.
COVERAGE SAMPLE IDENTIFICATION	Cable: Numeric code describing the originating cable network. Values include but are not limited to: 006521 = CNBC

Individual Commercial Metrics Record Sequence 07 – J Record Type	
Description	Range
	006511 = SHOWTIME For Broadcast and Syndication the value is 0 = Total National Sample
COVERAGE CALCULATION INDICATOR	Cable: Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage are basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. For Broadcast and Syndication , the value is Blank = Total U.S.
MARKET BREAK IDENTIFIER	0 = Total Sample
RECORD TYPE	J = Commercial Descriptor Record
TELECAST START HOUR	Hour portion of the telecast start time
TELECAST START MINUTE	Minute portion of the telecast start time
COMMERCIAL START HOUR	Hour portion of the commercial start time
COMMERCIAL START MINUTE	Minute portion of the commercial start time
COMMERCIAL START SECOND	Second portion of the commercial start time
DEMOGRAPHIC GROUP START ID	Zero (Not Applicable)
PROGRAM PUT INDICATOR	Zero (Not Applicable)
DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
VARIANCE REASON	Blank (Not Applicable)
PROGRAM DISTRIBUTOR TYPE CODE	Identifies the originator as either a Broadcast or a Live Streaming originator B = Broadcast L = Live Streaming Effective with data of 8/28/23 Blank for data prior to 8/28/23 For Cable and Syndication , field will be blank (Not Applicable)
PROGRAM NAME	25-character alphabetic name of the program.
TRACKAGE NAME	Cable: 25-character alphabetic name of the trackage. Only active if Trackage ID (pos. 31-33) is non-zero.

Individual Commercial Metrics Record Sequence 07 – J Record Type	
Description	Range
	For Broadcast and Syndication , field will be blank (Not Applicable)
LIBRARY ID	Cable: A unique numeric ID that when concatenated with Episode ID allows tracking of specific creative across program and trackages. Currently only collected for movies. For non-movies, Library ID = Program ID. Only active on individual telecast records. Blank if not applicable. For Broadcast and Syndication , field will be blank (Not Applicable)
EPISODE ID	Cable: An alphanumeric ID associated with a particular creative. Only active on individual telecast records. Blank if not applicable. For Broadcast and Syndication: Note, Episode IDs will be reported if available.
EPISODE NAME	40-character alphabetic name for the creative being aired. Primarily usually utilized for Sports and Movies. When multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. Blank when no episode name has been assigned.
CLIENT-SPECIFIED EPISODE #	Client assigned descriptive number that identifies a particular creative in the same manner as episode name. For Broadcast and Syndication , field will be blank (Not Applicable)
SUMMARY PROGRAM TYPE CODE / PROGRAM TYPE ALPHA	Standard program type Alpha Codes. Most common / most current rules apply. 2-character alpha field is left-justified and blank filled. See Appendix – Table C – Program Summary Type Code for details.
DETAILED PROGRAM TYPE CODE	Detail Program Type Code associated with program / trackage / telecast.
ACN EPISODE TYPE CODE	Blank (Not Applicable)
COMMERCIAL STATUS	S = Sustainer (Non-commercial) Otherwise, blank.
PROGRAM MULTI-DAY/MULTI-TCAST INDICATOR	Y = Program normally airs multiple times during a single week. Otherwise, blank If various, most recent listed.
REPEAT INDICATOR	Indicates that the program is a report. Y = Program / telecast is a repeat airing Otherwise, blank
COMPLEX PROGRAM INDICATOR	Broadcast:

Individual Commercial Metrics Record Sequence 07 – J Record Type	
Description	Range
	Y = Indicates this program is a multi-segment program -- with different segments airing at different times and durations. Otherwise, blank. For Cable and Syndication, field will be blank (Not Applicable)
PROGRAM SHORT DURATION INDICATOR	Y = Indicates a program with less than five minutes duration Otherwise blank
FEED PATTERN IND	Cable: Denotes the feed pattern on which the program aired. Program feed pattern may differ from normal feed pattern in which a network airs. Values: D = Dual Y = Live U = Unknown E = East only W = West only Blank = unspecified For Broadcast and Syndication, field will be blank (Not Applicable)
LIVE EVENT INDICATOR	Cable: L = Live Event Blank = Not Live For Broadcast and Syndication, field will be blank (Not Applicable)
PROGRAM ORIGINAL / ACQUIRED CODE	Cable: Indicates if the program episodes were acquired by the owning client, created by the client (originals) or a mixture of both. O = All episodes of the program were created by or on behalf of the airing cable network airing the program. A = All episodes of the program were acquired by the airing network from an independent source. V = Indicates that some episodes of the program episodes are originals and some are various. For Broadcast and Syndication, field will be blank (Not Applicable)
EPISODE ORIGINAL / ACQUIRED CODE	Cable: O = All episodes of the program were created by or on behalf of the airing cable network airing the program. A = All episodes of the program were acquired by the airing network from an independent source. Field is only active on individual telecast records. Blank if not applicable.

Individual Commercial Metrics Record Sequence 07 – J Record Type	
Description	Range
	For Broadcast and Syndication , field will be blank (Not Applicable)
PROGRAM PREMIERE INDICATOR	Y = Individual telecast is a premiere Otherwise, blank.
PROGRAM GAPPED INDICATOR	Y = At least one gapped telecast within the report interval Otherwise, blank
PROGRAM MOVIE INDICATOR	Cable: Blank = no indicated Y = program is a movie N = program is not a movie For Broadcast and Syndication , field will be blank (Not Applicable)
PROGRAM TEAM SPORTS INDICATOR	Cable: Blank = no indicated Y = program is a team sport N = program is not a sport For Broadcast and Syndication , field will be blank (Not Applicable)
ALPHA PREFIX	For alphabetic sequencing of reports
SYNDICATOR ORIGINATOR IDENTIFIER	Syndication: Originator mnemonic For Broadcast and Cable , field will be blank (Not Applicable)
COMMERCIAL / PROMO DURATION IN SECONDS	Numeric (0000 – 9999)
COMMERCIAL / PROMO IDENTIFIER	C = Commercial P = Promo S = PSA
SYNDICATOR INFO: NUMBER OF WEEKS IN TELECAST WINDOW	Syndication: Indicates number of weeks elapsed between first station airing the telecast and last station airing the telecast. Program is reported in the week containing the last station air date. Only used for programs with multiple weeks in the telecast window. Otherwise, blank. For Broadcast and Cable , field will be blank (Not Applicable)
SEGMENT NUMBER	Syndication: Number that identified the individual feeds of a Barter Syndicated AT or Umbrella program. For Broadcast and Cable , field will be blank (Not Applicable)
MULTI-BARTER INDICATOR	Telecasts of a nationally-reported Barter Syndicated program which include a second airing

Individual Commercial Metrics Record Sequence 07 – J Record Type	
Description	Range
	of national commercials in lieu of Local commercials sold by the local TV station. Y= Program includes Multiple Barter N= Program does not include Multiple Barter For Broadcast and Cable , field will be blank (Not Applicable)
CASH BARTER INDICATOR	Syndication: Telecasts of a syndication program where all of the commercial time was made available to the station to sell local commercials. The syndicator receives a cash license fee from the station in lieu of national spots. Y = Cash telecast N = Contain national spots. Not Cash. For Broadcast and Cable , field will be blank (Not Applicable)
REPORTED DAYPART	PR = Prime Time EF = Early Fringe LF = Late Fringe WM = Weekday Morning WD = Weekday Daytime ED = Weekend Daytime
TELECAST DURATION	Numeric (000 – 999)
DAYS OF WEEK INDICATORS	The days of telecast to which this descriptor's time information applies: 1: if telecast on a given day 2: if DNA'ed (Data Not Available) on a given day. Zero if not telecast.
MONDAY	2 or 1 or 0
TUESDAY	2 or 1 or 0
WEDNESDAY	2 or 1 or 0
THURSDAY	2 or 1 or 0
FRIDAY	2 or 1 or 0
SATURDAY	2 or 1 or 0
SUNDAY	2 or 1 or 0
TOTAL PROGRAM STATION COUNT	Broadcast and Syndication: The program's count of stations as an average across telecasts. For Cable , field will be zero (Not Applicable)
TOTAL NATIONAL PROGRAM COVERAGE PERCENT	Syndication or Broadcast: Individual day Or For Cable , field will be zero (Not Applicable)
VARIOUS UE FLAG	Blank (Not Applicable)
NUMBER OF TELECASTS / DAYS	1
COMMERCIAL HOUSEHOLD AVERAGE AUDIENCE TOTAL US PROJECTION	Used to calculate the reported household projection, VPVH's, Total U.S. Rating and Share. XXX,XXX,XXX (in units)

Individual Commercial Metrics Record Sequence 07 – J Record Type	
Description	Range
COMMERCIAL HOUSEHOLD AVERAGE AUDIENCE TOTAL US RATING	The rating is calculated by dividing the projection in the previous field (pos. 337-345) by the Total U.S. Universe Estimate. Rating is XXX (implied precision XX.X)
COMMERCIAL HOUSEHOLD AA TOTAL US RATING REPORTABILITY INDICATOR	Gives reportability for rating (pos. 346-348). 1 – Below minimum sample size (IFR) 2 – Below minimum rating level (<<) 3 – Below minimum projection level (LT) 0 – Reportable Otherwise, blank
COMMERCIAL HOUSEHOLD AVERAGE AUDIENCE COVERAGE AREA RATING	Cable: Rating is XXX (implied precision XX.X) Broadcast and Syndication: Zero (Not Applicable)
COMMERCIAL HOUSEHOLD AA COVERAGE AREA RATING REPORTABILITY INDICATOR	Cable: Gives reportability for rating (pos. 346-348). 1 – Below minimum sample size (IFR) 2 – Below minimum rating level (<<) 3 – Below minimum projection level (LT) 0 – Reportable Otherwise, blank Broadcast and Syndication: Zero (Not Applicable)
COMMERCIAL PARENT COMPANY CODE	The numeric value that represents highest level company (Parent) that owns the advertiser present in the commercial
COMMERCIAL PARENT COMPANY DESCRIPTION	The text that names the highest level company (Parent) that owns the advertiser present in the commercial
COMMERCIAL ADVERTISER CODE	The numeric value that represents lowest level company (Subsidiary) that owns the advertiser present in the commercial
COMMERCIAL ADVERTISER DESCRIPTION	The text that names the lowest level company (Subsidiary) that owns the advertiser present in the commercial
COMMERCIAL BRAND CODE	The numeric value that represents the advertiser present in the commercial
COMMERCIAL BRAND DESCRIPTION	The text that names the advertiser present in the commercial. This includes the product category.

Individual Commercial Metrics Record Sequence 07 Description

Reports individual commercial metrics such as average audience ratings and projections. Also reports commercial or promo start time, duration, parent company, subsidiary and brand codes. Only delivered when record sequence code = 07.

Note – ICM Record Sequence 07 will be pipe delimited in the Individual Commercial Metrics (ICM) MITs

Individual Commercial Metrics Record Sequence 07 – P Record Type	
Description	Range
RECORD SEQUENCE CODE	Code used to identify and sequence various record types for more efficient processing. 07 = Individual Commercial Metrics Data
SAMPLE INDICATOR	Identifies which sample the estimates are derived from. Blank = National Sample L = National Hispanic sub-sample
CORRECTION INTERVAL START DATE	Blank (Not Applicable)
ORIGINAL / CORRECTION	0 = Original 1 = Correction (future) 2 = Deletion (future)
CORRECTION REASON	Blank (Not Applicable)
ACN NETWORK CODE	Used with program estimates to denote the network. Values are left justified and blank filled. For Broadcast Networks , see Table A - Network Code listing at the bottom of this document for listing of network codes. For Cable Networks , networks are added as they become reportable. Examples, NICK = Nickelodeon HLN = Headline News USA = USA Networks For Syndication , field is SYN.
ACN PROGRAM CODE	Numeric program code for programs
TRACKAGE ID	Cable: 3 digit ID that identifies a sub-grouping of telecast of a specific program. Only applies to cable programs. Example, Program = Andy Griffith Trackage 001 = Andy Griffith 10am Trackage 002 = Andy Griffith 2pm For Broadcast and Syndication , field will be blank (Not Applicable)
FEED PATTERN IND	Indicates what type of feed pattern is used for reporting. For Cable programs the values are Blank = Not Applicable E = East W = West D = Dual

Individual Commercial Metrics Record Sequence 07 – P Record Type	
Description	Range
	L = Live Y = Live For Broadcast and Syndication , field will be blank (Not Applicable)
PROGRAM BREAKOUT INDICATOR	0 = Not a breakout 1 = Breakout – only active for single telecast reporting
PROGRAM SPECIAL INDICATOR	0 = Not a special 1 = Special – only active for single telecast reporting 2 = Recurring Special (Syndication Only) Note: Recurring Specials, like OTO specials, are reported individually but can be averaged when production season to date or quarter to date average estimates.
AUDIENCE ESTIMATE TYPE	1 = Average Audience
SYNDICATOR INFORMATION: ORIGINAL / REPEAT COMBINED INDICATOR	Syndication: O = Original R = Repeat C = Combined M = Umbrella Title (several creative reported under a single program name) or Portions of a NSS program which are delivered in addition to the full-duration program For Broadcast and Cable , field will be blank (Not Applicable)
SYNDICATOR INFORMATION: PROGRAM SPOTS INDICATOR	Syndication: N = Program without spot ratings For Broadcast and Cable , field will be blank (Not Applicable)
NUMBER OF DAYS/ WEEKS	0 = Individual Day
START DATE	Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
END DATE	Report date for individual day data. Format (CYMMDD) Note: For individual day reporting Start Date = End Date = Report Date
TELECAST NUMBER	A unique number identifying specific airings of a program. Zero if not applicable. Telecast number for individual telecasts.
COVERAGE SAMPLE IDENTIFICATION	Cable: Numeric code describing the originating cable network. Values include but are not limited to: 006521 = CNBC 006511 = SHOWTIME For Broadcast and Syndication the value is

Individual Commercial Metrics Record Sequence 07 – P Record Type	
Description	Range
	0 = Total National Sample
COVERAGE CALCULATION INDICATOR	Cable: Indicates whether or not the audience estimates delivered were calculated based on full sample or on a coverage are basis. All projections delivered via the Cable MIT are computed on a Total US base. Blank = Total U.S. For Broadcast and Syndication, the value is Blank = Total U.S.
MARKET BREAK IDENTIFIER	0 = Total Sample
RECORD TYPE	P = Person Detail Record
TELECAST START HOUR	Hour portion of the telecast start time
TELECAST START MINUTE	Minute portion of the telecast start time
COMMERCIAL START HOUR	Hour portion of the commercial start time
COMMERCIAL START MINUTE	Minute portion of the commercial start time
COMMERCIAL START SECOND	Second portion of the commercial start time
DEMOGRAPHIC GROUP START ID	Only applicable for demographic records (e.g. position 85 = P). Indicates the sequential identifier of the first demographic category on each demographic record. Demographic data is delivered in groups of 20 building blocks per record. 001 for first record 021 for second record See Appendix – Table D – Demographic Group Categories for details.
COMMERCIAL PUT INDICATOR	Used with Record Sequence 07 and Record Type = P to indicate the type of audience estimates included. 0 = Commercial Audiences Blank when not applicable.
DEMOGRAPHIC AVERAGE IND.	Blank (Not Applicable)
VIEWING TYPE	Blank = Live 2 = Live + SD A = Live + 3 4 = Live + 7
DNA (DATA NOT AVAILABLE) FLAG	Blank (Not Applicable)
RECORD CTR	Used to distinguish multiple records that are identical in pos. 1 – 98. Used for various times and durations in the average and gapped. 0 = No other records with duplicate information in 1 – 98 1 – 9 = Sequential numbering of records with duplicate information in positions 1 – 98
VARIANCE REASON	Blank (Not Applicable)
PROGRAM DISTRIBUTOR TYPE CODE	Identifies the originator as either a Broadcast or a Live Streaming originator B = Broadcast L = Live Streaming Effective with data of 8/28/23 Blank for data prior to 8/28/23

Individual Commercial Metrics Record Sequence 07 – P Record Type	
Description	Range
	For Cable and Syndication, field will be blank (Not Applicable)
VARIOUS UE INDICATOR	Blank (Not Applicable)
EPISODE NAME	40-character alphabetic name for the creative being aired. Primarily usually utilized for Sports and Movies. When multiple telecasts are averaged together which have an episode name assigned, "VARIOUS" is listed. Blank when no episode name has been assigned.
DEMOGRAPHIC GROUP CATEGORIES	Average Audience Commercial Projection (in units) (XXX,XXX,XXX) Note: See Demographic Start ID to determine the demographic groups reported by the first demographic group. Increment the Start ID by one to determine the second demographic ID, increment by two for the third, etc.

Individual Commercial Metrics Record Sequence 07 P Description

Reports individual commercial metrics such as average audience person projections. Only delivered when record sequence code = 07.

Appendix – Table A – Network Code		
ACN Network Code Position 15-20	ACN Network Name	Note
ABC	ABC Affiliates	
CBS	CBS Affiliates	
NBC	NBC Affiliates	
FOX	FOX Affiliates	
ION	ION Affiliates	Added September 2002
UNI	Univision Affiliates	Added January 2006
TEL	Telemundo Affiliates	Added February 2006
AZA	Azteca Affiliates	Effective September 2006 to January 1, 2023
CW	CW Affiliates	Added September 2006
ETV	Estrella TV Affiliates	Added March 2010
UMA	Unimas	Telefutura (TF) Prior to January 2013
BOU	Bounce TV	Added April 2013
MET	ME TV	Added April 2013
COZ	Cozi TV	Added January 2015
GRT	Grit TV	Added May 2016
LAF	LAFF	Added April 2017
HI	Heroes & Icons	Added April 2018
COM	Comet	Added June 2018
STV	Start TV	Added December 2018
MYS	Court TV Mystery	Escape (ESC) Prior to 9/30/2019
TLX	Telexitos	Added June 29, 2020
CHG	Charge!	Added August 31, 2020
TBDT	TBD TV	Effective August 31, 2020 to October 11, 2020
TBD ROR	TBD TV ROAR	Effective October 12, 2020 Changed Effective April 28, 2025
NLX CRS	NBCLX American Crimes	Effective October 5, 2020 NBCLX changed to American Crimes effective July 29, 2024
ANT	Antenna TV	Effective June 28, 2021
DBL	DABL	Effective September 27, 2021
CRT	Court TV	Effective September 27, 2021
DFY IOP	Defy TV ION Plus	Effective March 28, 2022 Defy TV changed to ION Plus effective July 1, 2024
TRN	TrueReal	Effective March 28, 2022 to March 26, 2023
AMZ	Amazon	Effective August 22, 2022 to August 27, 2023
AMS	Amazon Spanish	Effective August 22, 2022 to August 27, 2023
SYT	Story Television	Effective September 26, 2022
CAT	Catchy Comedy	Effective May 15, 2023
PV	Prime Video	Effective August 28, 2023
PVS	Prime Video Spanish	Effective August 28, 2023
GET	GetTV	Effective September 25, 2023

Appendix – Table A – Network Code		
ACN Network Code Position 15-20	ACN Network Name	Note
PCK	Peacock	Effective December 23, 2023
SNS	Scripps News	Effective April 29, 2024 End Effective Date November 17, 2024
NUV	Nuestra Vision	Effective September 2, 2024 End Effective Date November 25, 2024
MST	Merit Street	Effective July 8, 2024
ATV	Apple TV	TBD
EP	ESPN Plus	Effective October 21, 2024
NFX	Netflix	Effective December 25, 2024
TNZ	MeTV Toons	Effective June 2, 2025

Appendix – Table B – Station Group Code		
Station Group Code - Position 21 - 30	Station Group Code - Position 21 - 30	Notes
0000000001	Independents plus Superstations (includes TBS & FOX)	Discontinued July 1999
0000000002	Superstations (includes TBS)	Discontinued July 1999
0000000003	All PBS Stations ('PBS Affiliates prior to Oct.'10)	
0000000004	Premium Pay Services ('Pay Services' prior to July '99)	
0000000005	Cable Originated Services (excludes TBS)	Discontinued July 1999
0000000006	FOX Affiliates	Discontinued July 1999
0000000007	Independents (excluding FOX, Superstations, TBS) (added April 2012)	
0000000008	Superstations (excluding TBS) (only reported in weekly PocketPiece files)	
0000000009	Cable Origination Plus TBS and FoxNet	Discontinued July 1999
0000000010	ABC Affiliates	Added April 2012
0000000011	CBS Affiliates	Added April 2012
0000000012	NBC Affiliates	Added April 2012
0000000013	All English Language Network Affiliates (including FOX)	Discontinued July 1999
0000000015	Telemundo Affiliates (including Telemundo cable affils)	Added Feb 2006
0000000016	Univision Affiliates (including Univision cable affils)	
0000000017	All Spanish Lang. Affils, incl. TEL, UNI, and Mexican stations that bdcst in Spanish	Discontinued
0000000018	Independents (excluding FOX, Superstations, TBS, and Spanish Language Affiliates)	Discontinued July 1999
0000000019	Azteca America Affiliates	Effective May 2006 to January 1, 2023
0000000020	Spanish Broadcast	Added May 2008
0000000021	FOX Affiliates	Added April 2012
0000000022	WB Affiliates	Added Sept 2002/Disc't Sept 2006
0000000023	ION Affiliates	Added April 2012
0000000024	Other Network Affiliates (WB, PAX, UPN and Multi Affiliates)	Discontinued Sept 2002
0000000025	UPN Affiliates	Added Sept 2002/Disc't Sept 2006
0000000026	Total English Language Network Affiliates	Added July 1999/Disc't Jan 2006
0000000027	Independent Broadcast	Added July 1999
0000000028	Ad Supported Cable Origination	Added July 1999
0000000029	All Other Cable Origination	Added July 1999
0000000030	English Lang. Broadcast Independents (incl. Full Power Broadcast Indies and Low Powers)	Discontinued
0000000031	Ad-Supported Cable (excludes Spanish Language cable nets)	Discontinued
0000000032	All Other Cable (excludes Spanish Language cable nets)	Discontinued
0000000033	Spanish Language Cable	Discontinued
0000000034	Spanish Language Independents	Discontinued
0000000035	Unimas Affiliates (Telefutura Affiliates prior to Jan 2013)	Added March 2006
0000000036	All Other Tuning	Added July 2005

Appendix – Table B – Station Group Code		
Station Group Code - Position 21 - 30	Station Group Code - Position 21 - 30	Notes
0000000037	Total Network Affiliates	Added Jan 2006
0000000038	CW Affiliates	Added April 2012
0000000040	Estrella TV Affiliates	Added March 2010
0000000042	PBS Primary Network Affiliates	Added July 2005
0000000043	DVD Playback	Added Dec 2011
0000000044	DVR Play	Added Dec 2011
0000000045	Video Game Play	Added July 2012
0000000046	MundoMax Affiliates (MundoFox prior to Oct 2015)	Added Nov 2012
0000000047	Bounce TV	Added April 2013
0000000048	MeTV	Added April 2013
0000000049	Cozi TV	Added January 2015
0000000051	Grit TV	Added May 2016
0000000053	LAFF	Added April 2017
0000000054	PBS Subchannels	Added May 2017
0000000056	Heroes & Icons	Added April 2018
0000000055	Comet	Added June 2018
0000000057	STV	Added December 2018
0000000050	Court TV Mystery (Escape prior to 9/30/2019)	Changed October 2019
0000000058	Telexitos	Added June 29, 2020
0000000059	Charge!	Added August 31, 2020
0000000060	TBD TV ROAR	Added August 31, 2020 Changed Effective April 28, 2025
0000000061	NBCLX NBCLX changed to American Crimes (CRS)	Added October 5, 2020 Changed July 15, 2024
0000000062	Antenna TV - ANT	Added June 28, 2021
0000000063	DABL - DBL	Added September 27, 2021
0000000066	Court TV - CRT	Added September 27, 2021
0000000068	Defy TV Defy TV changed to ION Plus	Added March 28, 2022 Changed July 1, 2024
0000000067	TrueReal	Effective March 28, 2022 to March 26, 2023
0000000069	Story Television	Added September 26, 2022
0000000070	Catchy Comedy	Added May 15, 2023
0000000071	GetTV	Effective September 25, 2023
0000000072	Scripps News	Added April 29, 2024 End Effective Date November 17, 2024
0000000074	Nuestra Vision	Effective September 2, 2024 End Effective Date November 25, 2024
0000000075	Merit Street	Effective July 8, 2024
0000000077	MeTV Toons	Effective June 2, 2025



Updated Big Data + Panel MIT Format
V1.12

Appendix – Table C – Program Summary Type Code

Program Type Alpha Code (pos. 216-219, Rec. Type 4-D) Listing

A	Adventure	GD	General Drama/Novela
AC	Award Ceremonies and Pageants	GV	General Variety
AP	Audience Participation	IA	Instructions
C	Child Multi-Weekly	MD	Musical Drama
CA	Child Day Animation	N	News
CC	Conversations and Colloquies	OP	Official Police
CE	Child Evening	P	Political
CL	Child Day-Live	PC	Popular Music
CM	Concert Music	PD	Private Detective
CN	Child News & Information	PS	Popular Music-Standard
CS	Situation Comedy	PV	Participation Variety
CV	Comedy Variety	QG	Quiz - Give Away
D	Devotional	QP	Quiz - Panel
DD	Daytime Drama/Novela	SA	Sports Anthology
DN	Documentary News	SC	Sports Commentary
DO	Documentary, General	SE	Sports Events
EA	Evening Animation	SF	Science Fiction
EW	Western Drama	SM	Suspense/Mystery other than OP,PD
FF	Feature Film	SN	Sports News
FV	Format Varies	U	Unclassified

Appendix – Table D – Demographic Group Categories			
Position	Group	Description (when pos. 92-94 = 001)	Description (when pos. 92-94 = 021)
116 – 124	First	Females 2 – 5	Males 18 – 20
125 – 133	Second	Females 6 – 8	Males 21 – 24
134 – 142	Third	Females 9 – 11	Males 25 - 29
143 -151	Fourth	Females 12-14	Males 30 – 34
152- 160	Fifth	Females 15-17	Males 35 – 39
161 – 169	Sixth	Females 18-20	Males 40 – 44
170 – 178	Seventh	Females 21-24	Males 45 – 49
179 – 187	Eighth	Females 25-29	Males 50 – 54
188 – 196	Ninth	Females 30-34	Males 55 – 64
197 – 205	Tenth	Females 35 – 39	Males 65+
206 – 214	Eleventh	Females 40 – 44	OPEN – Zero Filled
215 – 223	Twelfth	Females 45 – 49	OPEN – Zero Filled
224 – 232	Thirteenth	Females 50 – 54	OPEN – Zero Filled
233 – 241	Fourteenth	Females 55 – 64	OPEN – Zero Filled
242 – 250	Fifteenth	Females 65+	OPEN – Zero Filled
251 – 259	Sixteenth	Males 2 – 5	OPEN – Zero Filled
260 – 268	Seventeenth	Males 6 – 8	OPEN – Zero Filled
269 – 277	Eighteenth	Males 9 – 11	OPEN – Zero Filled
278 – 286	Nineteenth	Males 12 – 14	OPEN – Zero Filled
287 – 295	Twentieth	Males 15 – 17	OPEN – Zero Filled
296 – 400	Filler	Always Blank	n/a

Appendix – Table D – NAD Demographic Group Categories			
Position	Group	Description (when pos. 92-94 = 501)	Description (when pos. 92-94 = 521)
116 – 124	First	Females 2 – 5	Males 18 – 20
125 – 133	Second	Females 6 – 8	Males 21 – 24
134 – 142	Third	Females 9 – 11	Males 25 - 29
143 -151	Fourth	Females 12-14	Males 30 – 34
152- 160	Fifth	Females 15-17	Males 35 – 39
161 – 169	Sixth	Females 18-20	Males 40 – 44
170 – 178	Seventh	Females 21-24	Males 45 – 49
179 – 187	Eighth	Females 25-29	Males 50 – 54
188 – 196	Ninth	Females 30-34	Males 55 – 64
197 – 205	Tenth	Females 35 – 39	Males 65+
206 – 214	Eleventh	Females 40 – 44	OPEN – Zero Filled
215 – 223	Twelfth	Females 45 – 49	OPEN – Zero Filled
224 – 232	Thirteenth	Females 50 – 54	OPEN – Zero Filled
233 – 241	Fourteenth	Females 55 – 64	OPEN – Zero Filled
242 – 250	Fifteenth	Females 65+	OPEN – Zero Filled
251 – 259	Sixteenth	Males 2 – 5	OPEN – Zero Filled
260 – 268	Seventeenth	Males 6 – 8	OPEN – Zero Filled
269 – 277	Eighteenth	Males 9 – 11	OPEN – Zero Filled
278 – 286	Nineteenth	Males 12 – 14	OPEN – Zero Filled
287 – 295	Twentieth	Males 15 – 17	OPEN – Zero Filled
296 – 400	Filler	Always Blank	n/a

Appendix – Table E – NAD Market Breaks			
Market Section	Market Break Category	MIT ID	Service
Asian Household	Asian Household	247	NTI, NHI, NSS
Cable Status	Broadcast Only	068	NTI, NHI, NSS
	Cable Plus	159	NTI, NHI, NSS
County Size	County Size A	020	NTI, NHI, NSS
	County Size B	021	NTI, NHI, NSS
	County Size C	024	NTI, NHI, NSS
	County Size D	025	NTI, NHI, NSS
DVR Household	DVR Household	073	NTI, NHI, NSS
HHLD Income	\$50,000+	157	NTI, NHI, NSS
	\$75,000+	248	NTI, NHI, NSS
	\$100,000+	250	NTI, NHI, NSS
HHLD Size	1 Person	140	NTI, NHI, NSS
	2 Persons	141	NTI, NHI, NSS
	3 Persons	142	NTI, NHI, NSS
	4+ Persons – retired July 28, 2025	143	NTI, NHI, NSS
	4 Persons – new July 28, 2025	360	NTI, NHI, NSS
	5+ Persons – new July 28, 2025	361	NTI, NHI, NSS
HOH Age Range	< 25	160	NTI, NHI, NSS
	25-34	161	NTI, NHI, NSS
	35-44	050	NTI, NHI, NSS
	45-54	051	NTI, NHI, NSS
	55-64	163	NTI, NHI, NSS
	65+	164	NTI, NHI, NSS
HOH Gender	Female	135	NTI, NHI, NSS
	Male	134	NTI, NHI, NSS
HOH Origin	Hispanic Origin	094	NTI, NHI
	Non-Hispanic Origin	095	NTI, NHI
HOH Race	Black	320	NTI, NHI, NSS
	Other	091	NTI, NHI, NSS
	White	321	NTI, NHI, NSS
Number of TV Sets	1 TV Set	120	NTI, NHI, NSS
	2 TV Sets	121	NTI, NHI, NSS
	3 TV Sets	122	NTI, NHI, NSS
	4+ TV Sets	123	NTI, NHI, NSS
Presence of Children	Children	100	NTI, NHI, NSS
	No Children	350	NTI, NHI, NSS
	Any Children 2-5	111	NTI, NHI, NSS
	Any Children 6-11	354	NTI, NHI, NSS
	Any Children 12-17	355	NTI, NHI, NSS
	Age of Youngest Child 6-11	098	NTI, NHI, NSS
	Age of Youngest Child 12-17	099	NTI, NHI, NSS
	Number of Children = 1	101	NTI, NHI, NSS
	Number of Children = 2+	102	NTI, NHI, NSS
Territory	Northeast	001	NTI, NHI, NSS
	East Central	002	NTI, NHI, NSS
	West Central	003	NTI, NHI, NSS
	Southeast	004	NTI, NHI, NSS
	Southwest	005	NTI, NHI, NSS

Updated Big Data + Panel MIT Format

V1.12

	Pacific	006	NTI, NHI, NSS
Time Zone	Eastern	040	NTI, NHI, NSS
	Central	041	NTI, NHI, NSS
	Mountain	028	NTI, NHI, NSS
	Pacific	029	NTI, NHI, NSS
Hispanic Origin HHL Size	1 Person	291	NTIH
	2 Persons	292	NTIH
	3 Persons	293	NTIH
	4+ Persons – retired July 28, 2025	294	NTIH
	4 Persons – new July 28, 2025	362	NTIH
	5+ Persons – new July 28, 2025	363	NTIH
Hispanic Origin HOH Age Range	< 25	295	NTIH
	25-34	296	NTIH
	35-44	297	NTIH
	45-54	298	NTIH
	55-64	299	NTIH
	65+	300	NTIH
Hispanic Origin Household Language	Spanish/English Equal	530	NTIH
	Only Spanish	531	NTIH
	Mostly Spanish	532	NTIH
	Mostly English	533	NTIH
	Only English	534	NTIH
Hispanic Origin Territory	Northeast	560	NTIH
	East Central	262	NTIH
	West Central	263	NTIH
	Southeast	562	NTIH
	Southwest	563	NTIH
	Pacific	564	NTIH
Hispanic Origin Time Zone	Eastern	271	NTIH
	Central	272	NTIH
	Mountain	273	NTIH
	Pacific	274	NTIH

Updated Big Data + Panel Individual Comm'l Metrics (ICM) MIT Calculations

The new ICM MIT has commercial Total US AA ratings and projections. The 07 J records include Total US AA household ratings and projections while the 07 P records have the Total US AA building block demo projections. The Cable ICM MITs will also have the cable coverage area household AA ratings in the 07 J records.

The ICM MITs includes commercials for all programs including complex programs at the individual complexity level and commercials airing in Syndication (AT) and Umbrella programs at the individual segment level.

This section provides the steps that can be used to roll up the individual complexity or segment level data to derive to the Program Telecast Advertiser and Parent data. The steps are to duration weight the brand or advertiser or parent data within the complexity or segment then sum the data across all the complexities or segments to get the total program telecast number.

Note - Complex programs will have the episode name to identify the individual complexities while the Syndication (AT) and Umbrella programs will have segment number to identify the individual segments.

Below are complex program examples

Example of the MIT data

Program Name	Episode Name	ACN Program Code	Telecast Number
FOX NFL SUNDAY-REGIONAL	ATLANTA AT CINCINNATI	53621	250

When rolling up the Complexity data to the Telecast Brand, Advertiser or Parent levels, the projections must be duration weight averaged within the complexity.

Example for rolling up data from complexity commercial level (data in the 07 J records) to complexity brand level:

- For the above program name and episode name below are 3 commercials for the same brand airing in that complexity.

Updated Big Data + Panel MIT Format

V1.12

Parent Company	Advertiser	Brand	Com'l Start Hour	Com'l Start Minute	Com'l Start Second	Com'l or Promo Duration in Seconds
KYNETIC LLC	FANATICS INC	NFL SHOP ONLINE RTL-APPAREL	13	29	3	15
KYNETIC LLC	FANATICS INC	NFL SHOP ONLINE RTL-APPAREL	15	29	32	15
KYNETIC LLC	FANATICS INC	NFL SHOP ONLINE RTL-APPAREL	15	33	55	15

- AA Projections are available for each Brand:

Brand	Com'l Start Hour	Com'l Start Minute	Com'l Start Second	Com'l / Promo Duration in Seconds	AA Proj
NFL SHOP ONLINE RTL-APPAREL	13	29	3	15	758779
NFL SHOP ONLINE RTL-APPAREL	15	29	32	15	884104
NFL SHOP ONLINE RTL-APPAREL	15	33	55	15	924111

- Duration Weighted Average Calculation
 - AA Proj X Com'l or Promo Duration in Seconds

Brand	Com'l Start Hour	Com'l Start Minute	Com'l Start Second	Com'l / Promo Duration in Seconds	AA% X Duration
NFL SHOP ONLINE RTL-APPAREL	13	29	3	15	9
NFL SHOP ONLINE RTL-APPAREL	15	29	32	15	10.5

Updated Big Data + Panel MIT Format

V1.12

NFL SHOP ONLINE RTL-APPAREL	15	33	55	15	10.5
--------------------------------	----	----	----	----	------

- Sum AA Proj X Duration then divide by the sum of the durations
 - NFL Shop Online RTL-Apparel duration weighted average AA Projections = 855665

Example for rolling up data from complexity commercial level (data in the 07 J records) to complexity advertiser level:

- If there is only one brand for the advertiser within the complexity then the brand duration weighted average equals the advertiser for that complexity.
- If there is more than one brand for an advertiser within the complexity, sum the brand duration weighted average and divide by 2 to get the AA Projection for that advertiser and complexity.

Advertiser	Brand	Com'l Start Hour	Com'l Start Minute	Com'l Start Second	Com'l / Promo Duration in Seconds	AA Proj	Advertiser AA% within Complexity
FANDUEL INC	FANDUEL SPORTSBOOK ONLINE-GAMBLING	13	06	48	30	675359	
FANDUEL INC	FANDUEL ONLINE-GAMBLING	14	49	46	30	941156	
							808258

Note - The below table examples will have a commercial time rather than individual commercial hour, commercial minute and commercial second values. The MITs will always have the 3 individual values.

Example for rolling up brand data for the program telecast (across all complexities for that telecast):

Brand	Episode Name	Com'l Start Time	Com'l Duration	AA Proj
-------	--------------	------------------	----------------	---------

Updated Big Data + Panel MIT Format

V1.12

PROGRESSIVE INSURANCE-HOMEOWNERS	ATLANTA AT CINCINNATI	13:07:20	15	663,961
PROGRESSIVE INSURANCE-HOMEOWNERS	ATLANTA AT CINCINNATI	14:43:00	30	986,627
PROGRESSIVE INSURANCE-HOMEOWNERS	ATLANTA AT CINCINNATI	15:28:32	15	893,305
PROGRESSIVE INSURANCE-HOMEOWNERS	GREEN BAY AT WASHINGTON	13:08:13	15	2,341,952
PROGRESSIVE INSURANCE-HOMEOWNERS	GREEN BAY AT WASHINGTON	15:08:19	30	3,607,053
PROGRESSIVE INSURANCE-HOMEOWNERS	GREEN BAY AT WASHINGTON	15:43:23	15	4,197,705
PROGRESSIVE INSURANCE-HOMEOWNERS	KANSAS CITY AT SAN FRANCISCO	13:19:41	15	1,887,843
PROGRESSIVE INSURANCE-HOMEOWNERS	KANSAS CITY AT SAN FRANCISCO	14:17:19	15	1,726,904
PROGRESSIVE INSURANCE-HOMEOWNERS	KANSAS CITY AT SAN FRANCISCO	14:48:59	30	1,687,591
PROGRESSIVE INSURANCE-HOMEOWNERS	KANSAS CITY AT SAN FRANCISCO	15:28:01	15	1,613,774
PROGRESSIVE INSURANCE-HOMEOWNERS	NY GIANTS AT JACKSONVILLE	13:11:48	15	863,965
PROGRESSIVE INSURANCE-HOMEOWNERS	NY GIANTS AT JACKSONVILLE	15:02:05	30	1,272,798

Updated Big Data + Panel MIT Format

V1.12

PROGRESSIVE INSURANCE-HOMEOWNERS	NY GIANTS AT JACKSONVILLE	15:44:09	15	1,393,731
PROGRESSIVE INSURANCE-HOMEOWNERS	TAMPA BAY AT CAROLINA	13:08:30	15	727,358
PROGRESSIVE INSURANCE-HOMEOWNERS	TAMPA BAY AT CAROLINA	14:33:22	30	1,087,148
PROGRESSIVE INSURANCE-HOMEOWNERS	TAMPA BAY AT CAROLINA	15:18:34	15	1,136,441

- Duration weight average the individual complexity brands.

Brand	Episode	Com'l Start Time	Com'l Duration	AA Proj	AA Proj X Duration	Duration Weighted Average AA Proj
PROGRESSIVE INSURANCE-HOMEOWNERS	ATLANTA AT CINCINNATI	13:07:20	15	663,961	9,959,415	
PROGRESSIVE INSURANCE-HOMEOWNERS	ATLANTA AT CINCINNATI	14:43:00	30	986,627	29,598,810	
PROGRESSIVE INSURANCE-HOMEOWNERS	ATLANTA AT CINCINNATI	15:28:32	15	893,305	13,399,575	
Duration Weighted Average AA Proj						882,630
PROGRESSIVE INSURANCE-HOMEOWNERS	GREEN BAY AT WASHINGTON	13:08:13	15	2,341,952	35,129,280	
PROGRESSIVE INSURANCE-HOMEOWNERS	GREEN BAY AT WASHINGTON	15:08:19	30	3,607,053	108,211,590	

Updated Big Data + Panel MIT Format

V1.12

PROGRESSIVE INSURANCE- HOMEOWNERS	GREEN BAY AT WASHINGTON	15:43:23	15	4,197,705	62,965,575	
Duration Weighted Average AA Proj						3,438,441
PROGRESSIVE INSURANCE- HOMEOWNERS	KANSAS CITY AT SAN FRANCISCO	13:19:41	15	1,887,843	28,317,645	
PROGRESSIVE INSURANCE- HOMEOWNERS	KANSAS CITY AT SAN FRANCISCO	14:17:19	15	1,726,904	25,903,560	
PROGRESSIVE INSURANCE- HOMEOWNERS	KANSAS CITY AT SAN FRANCISCO	14:48:59	30	1,687,591	50,627,730	
PROGRESSIVE INSURANCE- HOMEOWNERS	KANSAS CITY AT SAN FRANCISCO	15:28:01	15	1,613,774	24,206,610	
Duration Weighted Average AA Proj						1,720,741
PROGRESSIVE INSURANCE- HOMEOWNERS	NY GIANTS AT JACKSONVILLE	13:11:48	15	863,965	12,959,475	
PROGRESSIVE INSURANCE- HOMEOWNERS	NY GIANTS AT JACKSONVILLE	15:02:05	30	1,272,798	38,183,940	
PROGRESSIVE INSURANCE- HOMEOWNERS	NY GIANTS AT JACKSONVILLE	15:44:09	15	1,393,731	20,905,965	
Duration Weighted Average AA Proj						1,200,823
PROGRESSIVE INSURANCE- HOMEOWNERS	TAMPA BAY AT CAROLINA	13:08:30	15	727,358	10,910,370	

Updated Big Data + Panel MIT Format

V1.12

PROGRESSIVE INSURANCE- HOMEOWNERS	TAMPA BAY AT CAROLINA	14:33:22	30	1,087,148	32,614,440	
PROGRESSIVE INSURANCE- HOMEOWNERS	TAMPA BAY AT CAROLINA	15:18:34	15	1,136,441	17,046,615	
Duration Weighted Average AA Proj						1,009,524
Program Telecast Brand AA Proj						8,252,158

- Sum all of the brand individual complexity AA Projections to get the AA Projections for the Program Telecast.

Program Telecast Brand AA Proj = 882,630 + 3,438,441 + 1,720,741 + 1,200,823 + 1,009,524 = 8,252,158

Note - ICM files will initially exclude Multi-Barter commercials for Syndication AT programming. These will be added in a subsequent release.



Updated Big Data + Panel MIT Format

V1.12

These reports and the estimates included are not accredited by the Media Rating Council (MRC). Please see the MRC accreditation tab on the home page of the Nielsen Portal for accreditation status.

Digital in TV Ratings (DTVR: Mobile & Computer in TV Ratings) is not available for Households & Working Women Demographics, HUT/PUT, & Time Period Viewing. Mobile in TV Ratings estimates are available, through 5/20/18, for the HOH Hispanic Origin market break and the Hispanic Sample but Computer in TV Ratings are not. DTVR was implemented on 9/21/15 and is not accredited by the Media Rating Council (MRC). The list of DTVR participating networks is posted on the National Report Library. Please check the National Reference Supplement for implementation dates for Mobile and Computer in TV Ratings.

With the January 2016 National sample expansion to include Local Set Meter households, the data reported in Nielsen's National TV estimates include audience data ascribed from statistical models, specifically the Viewer Assignment and Unidentified Audience Attribution methodologies. Quantification of data attributable to Viewer Assignment can be found in the National Viewer Assignment Disclosure Report, while data attributable to Unidentified Audience Attribution is quantified in the Unidentified Audience in NPM Sample Report. These reports are hosted in the National Report Library on the Nielsen Portal. Please refer to the National Reference Supplement available on Nielsen Portal for additional information regarding the aforementioned methodologies.

Please refer to the National Reference Supplement available on Nielsen Portal for implementation dates for Mobile and Computer in TV Ratings. In addition, posted on the National Report Library is a list of participating networks.

As of August 31, 2020, OOH Estimates are included as part of the currency data for those Broadcast, Cable, and Syndicated Originators which have Opted In to the OOH NPM Measurement. A list of Networks that have Opted In and therefore have OOH included as part of their estimates will be available on Nielsen Portal at the start of Currency. OOH is not accredited by the Media Rating Council (MRC).

All Out-of-Home audience estimates reported in MITs are derived through a statistical model whereby PPM data is fused to NPM data. Please refer to the National Reference Supplement and the Out-of-Home Description of Methodology for details on the data fusion process.

The National People Meter estimates include data from Nielsen's Portable People Meter (PPM) service to represent out-of-home viewing.

Please note that PPM OOH panelist exposure is fused to National panelists for persons ages 6+. Additionally, OOH is only included in the 44 DMAs that also contain PPM panels (65% of US).

Portable People Meter (PPM) data is collected in its entirety within the Metro areas of 44 Nielsen DMAs across the United States. In the non-metro areas of the DMAs, PPM panelists are subsampled to match the covered area. The fused data will include that from all panelists that are permanent residents in the home age 6+. There is no PPM for tv measurement outside of the 44 covered DMAs; for the remainder geographies and persons under age 6 the measurement continues to use short term visitors from NPM households.