

The Genesis Information Project

The Master Reference for the Genesis Information System Programme

Alexander Pisani & Claude (Anthropic) · June 2026 · version 3.1 · living document

How to read this

This is the master reference for the exploratory work beneath the resistance-isomorphism papers (Papers 1–8): the programme of understanding a *genesis information system* — built from the axioms below — out of which mathematics, and number theory in particular, could fall as a projection. Version 3 consolidates the earlier reference with the results of the June 2026 sessions: the succession mechanism, the memory model and the Turing-completeness result, the cumulant identity, the Weil criterion in resistance variables, the Fisher computations and their verdicts, the Connes–Consani convergence, and — added this cycle — Axiom 5 (the probe), the three-pillar account of in-principle incompleteness, and the circuits/probe findings (virtual numbers, conserved charges, the resistance ledger, destructive testing, and two-slit erasure). A further cycle (June 2026) added the proto/shadow layer (front matter), the manufactured-phase result (§2.5), the Gaussian resistance-atom reading, and the erasure-as-carrier direction (§3.1, §9). The detailed records live in the companion notes (*The Weil Criterion in Resistance Variables*; *Primon Fisher Computation and C–C Digest*; *Innovation is Connected Correlation*; *Nesting Chain = Mode Ladder = Carry Register*; *Circuits at Genesis*; *The Probe and the Two Ignorances*; *Resistance Atoms in the Gaussian Integers*; *Phase from the Probe*; *Erasure as the Carrier of Mathematics*); this document is the map and the hub — it grades and points, and never duplicates the proofs the spokes carry.

Conventions, applied throughout.

- **Fact** — a classical or newly proven mathematical result; load-bearing; checkable. (Marked *(Fact)* inline.)
- **Lead** — a structural similarity used to choose a direction; explicitly not a claim. A lead is promoted only when it reduces to a single hard invariant, and discarded when it dissolves into soft overlap. (These two — *fact* and *lead* — were the *wall* and *candle* of the retired metaphor; see the note below.)
- **Reading** — an interpretation of a fact in the framework’s vocabulary; the contribution layer; never load-bearing for any equation.
- Terms with formal definitions in Papers 1–8 or the companion notes are used in their defined senses (*resistance* $\Omega(1/n) = \ln n$; *probe*; *innovation measure*; *phase rate*). Where a word is imagery rather than definition, it is marked or avoided.

The honesty boundary. None of the classical mathematics here is ours — Euler, Rota, Steinitz, Shannon, Minsky, Conway, Weil, Selberg, Montgomery, Odlyzko, Julia, Bost–Connes, Connes–Consani, Jaynes, Bennett, Landauer, Chaitin, and the rest. The contribution is interpretive: the

axioms, the genesis framing, the translations, and a small number of new formal observations, each marked. Where a connection is a description we say so; where it is a derivation we say so.

The method. Discovery proceeds by naming structural similarities before they are earned, then submitting each to the reduction test: does it bottom out in one arithmetic fact that survives? Mathematics is the verification step. The hierarchy is held fixed: the information system is treated as the deeper layer; mathematical objects are studied as its projections, and when an argument drifts into treating quantity-native structure as ground truth, the correction is to pull back to the information layer. Several of the results below were found by exactly that correction.

The proto/shadow layer (provisional terminology — June 2026). A refinement of the method, adopted this cycle. The system is read as *inverse-integer symbols as objects first* — unique pieces of information, orthogonal, pre-quantitative (Axiom 1) — carrying a small set of *proto*-objects. Conventional mathematics — continuous phase, π , e , the primes-as-numbers, number theory at large — is treated as the *shadow* these cast. “Shadow” is chosen over “projection” deliberately: a projection is a known map whose discarded part can be named, whereas a shadow is a projection whose kernel — *what was lost* — we may not fully know, which leaves room for genesis-layer structure the conventional image does not record. The split is the lexical form of the method’s standing correction: a proto-term keeps the discipline honest only while it carries both (a) a precise pre-quantitative meaning and (b) a named completion into its shadow; a proto-term with no completion is a vagueness-sink, to be discarded. *Both “proto” and “shadow” are provisional names — load-bearing but unfixed — flagged so future work keeps or replaces them deliberately.*

The proto-glossary (provisional).

- **Symbol** — an inverse-prime as object: a unique irreducible informational distinction, a new orthogonal direction, no quantity; its shadow *dims* (positive resistance, loss). (Axiom 1 in object form.)
- **Gain-image** — a positive integer: the same symbol read through the reciprocal, resistance sign-flipped, loss $\rightarrow$ gain ($\ln(1/p) = -\ln p$). Reciprocal and the distinction-sign are the two generators of the $\{0, 1, \infty\}$ symmetry (§2.1), rebuilt from the informational side.
- **Proto-phase** — the bare two-valued relational mark $\{+, -\}$: the *unary* distinction, carried by how symbols relate (not by a symbol alone), magnitude-free. Completes to continuous **phase** ($e^{i\theta}$) through the roots of unity, its rational-fraction interpolants (§4). Contained in proto- π .
- **Proto- π** — the bare *binary* relation between two symbols (“are they related?”), magnitude-free. Completes to **π** (“how much, over all pairs at once”) through the all-at-once toll (§6); arity 2 is why its completion is $\zeta(2)$.
- **Proto-e** — the exponential/integrating bridge: the operation turning a generator into a finite operation, inverse of the hinge ($\ln$ takes multiplication to addition; proto-e takes it back). Completes to **e**. The most quantitatively-loaded proto-term; watched.

On the retired framing (the architectural metaphor)

Earlier versions of this work were organised around an architectural metaphor and carried the name *The Dark Cathedral*. The programme was pictured as a vast, mostly dark interior explored by candlelight — a structure too large to see all at once, mapped one illuminated patch at a time. The imagery is retired here in favour of plain terms, but it did specific and useful work, and the

method it encoded is unchanged. What each piece meant:

- **The structure being explored** was the single hypothesised object under study — a genesis information system out of which mathematics, and number theory in particular, could fall as a projection. Treating the disparate areas of mathematics as parts of *one* structure was the substantive bet: that number theory, analysis, statistical mechanics, information theory, and computation are not separate subjects but views into one informational object.
- **The darkness** was our ignorance of that object, and — more sharply — its in-principle inexhaustibility: the result, now resting on three pillars (§2.4), that no finite repertoire of questions can ever bring the whole structure into view. “It can never be fully lit” was the metaphor’s name for genuine, provable incompleteness.
- **Bringing light** was the act of reading a piece of mathematical structure *as information* — taking a familiar theorem into the framework’s vocabulary (resistance, probe, innovation, phase) and seeing what it then connects to.
- **A wall** was a load-bearing fact one could lean on; **a candle** was a tentative structural similarity held up to choose a direction, kept only if it reduced to one hard invariant and abandoned if it dissolved into soft overlap. These survive, renamed, as **fact** and **lead**.
- **Rooms, wings, boundaries, and unlaidd stones** were, respectively, the mathematical domains explored, the deepest and least-finished of them (the spectrum programme around the Riemann zeros), the joins between domains, and the questions not yet placed.

The exercise the metaphor served — and which this document continues — is to walk across the domains of mathematics treating each as information, testing at every step whether a single genesis information system could *project* the mathematics found there. The scaffolding is gone; the object it helped survey is the subject of everything below.

1. The Axioms

Axiom 1 — The Ontological Ladder. Reality admits a hierarchy grounded by reduction: biology $\rightarrow$ chemistry $\rightarrow$ particle physics $\rightarrow$ mathematics $\rightarrow$ primes $\rightarrow$ information $\rightarrow$ existence/inexistence. At the floor, reality begins undifferentiated — OFF/ON with no difference in meaning. The first act of differentiation creates the first orthogonal identity; repeated, it unfolds the integers. (The relation “ $\rightarrow$ ” is compositional below the mathematics line and grounding above it; this join is real and left marked.)

Axiom 2 — Excited information presupposes a system. Information found in an excited (observed) state presupposes at least one *possible* system capable of exciting it; a coherent hypothetical suffices. Formal residue: the observation voltage of Paper 8 — necessary for a concept to be found “on,” cancelling in every ratio; a gauge degree of freedom. **Theorem-form (new):** Axiom 2 is the GNS/Kolmogorov principle — a positive-definite correlation implies a system realising it as a covariance (§7.3). The direction of that implication matters and is handled honestly there.

Axiom 3 — Behind the barrier, the system is in superposition. When the generating system lies behind an epistemic barrier, it is, for the observer, in superposition over all systems consistent with the observation. Two superpositions are kept apart: over *outputs* and over *generators*; the second is the one the corpus quantifies (Papers 6, 7). Consequences now in active use: the disqualification of pairwise/per-zero tools in the spectrum programme (§7), and the maximal-entropy-over-generators reading of the GUE statistics (§7.6).

Axiom 4 — All concepts carry resistance; numbers are the quantifiable subset. Every excited concept has a cost of being projected — its resistance. The isomorphism of Paper 1 measures the part with a ruler (the numbers, anchored at $\ln 1 = 0$); a general concept’s resistance is orthogonal to the number axis and has no shared ruler against it. Formal home: the imaginary direction of the resistance plane (§4). (*Candidate axiom — owned, not derived.*)

Axiom 5 — The Probe. Every information system carries a native probe set: the repertoire of questions it can put to a state. Actuality is relative to that repertoire — structure readable by native probes is *actual*; structure conserved by the dynamics but unreadable by them is *virtual*. An epistemic barrier is nothing over and above the complement of a probe set, and an observer is nothing over and above a probe set holding records behind a barrier. Conversion between virtual and actual is computation, and it is never free. (*Owned, not derived — adopted June 2026; same standing as Axiom 4.*)

Standing commentary on Axiom 5 (kept lean, by decision). Probe returns *constrain* the generator, they never disclose it — the superposition of Axiom 3 is pruned and re-spreads at maximum entropy over the survivors (mechanics in the *Probe* note). The single occurrence of “observer” is the deflation clause and is exhaustive. The genesis instance of the probe is the meet-atom. The final clause has a theorem under it (the resistance ledger, §8).

Definition — Excited information. Information found “on” — observed, active — relative to a supporting system.

Convergence at the floor (promoted candidate). Bare existence = zero resistance = the empty message = the ground state: the integer 1 is $\ln 1 = 0$, the empty product, the most probable state of the primon gas, and the unobservable identity of the isomorphism. Four independent descriptions, one object.

Orthogonality before quantity. At the floor, quantity does not yet exist; differentiation creates *directions*, not counts — three distinctions are three orthogonal identities, and cardinality is an overlay painted from an already-numbered vantage. Mature multiplicative form: the prime axes, $\{\ln p\}$ linearly independent over $\mathbb{Q}$. The invariant joining genesis and prime structure is independence.

2. The Genesis Information System

2.1 NOT is the primitive

The differentiating act at the floor is negation: to distinguish 0 from 1 is to assert each is *not* the other (Spencer-Brown’s mark). NOT is taken as the lone primitive; it sits inside Axiom 2 (to find a thing on is to negate its off). On this reading numbers are operators, not objects — consistent with Paper 1’s monoid of inverse integers.

Quantity is broken idempotence. Two tokens of the same symbol have no internal difference; the distinction must be posited against the grain of identity. In the lattice and in Boolean algebra, $1 \vee 1 = 1$: repetition never escapes the singleton; the only multiplicative idempotents are 0 and 1, the two poles. Quantity is the non-idempotent interior, and the first step into it is 2, the first prime, costing $\ln 2$. Only a *unary* operation can birth twoness from oneness — AND and OR already presuppose two. (*Fact on the idempotent structure; the genesis reading is the contribution.*)

The two poles. ON = 1 = zero resistance = $\ln 1 = 0$ = the empty product = the lattice bottom. OFF = 0 = infinite resistance = $\prod_p p^\infty$ = the lattice top. NOT exchanges them; $-\ln 0 = \infty$ is NOT carrying ON to OFF.

Two NOTs, and why phase is forced. The divisibility lattice natively supplies only intuitionistic negation, for which double negation is not identity: $\neg\neg$ collapses exponents to present-or-absent — the projection onto the squarefree semantic skeleton. The classical NOT ($1 - P$, double application returning home, $e^{i\pi}$ then $e^{2\pi i} = 1$) is not free: phase is exactly what upgrades the lossy lattice negation into the involution that comes home. This is why closing the isomorphism under addition forces the wave layer (Paper 8 §3). (*Fact on Heyting structure; reading as marked.*)

The symmetry of $\{0, 1, \infty\}$. NOT ($z \mapsto 1 - z$) and the reciprocal ($z \mapsto 1/z$) each have order 2; their composite has order 3; together they generate S_3 , permuting exactly $\{0, 1, \infty\}$ — the first road to “three,” reached as the order of a composite rather than by counting. (*Fact. The status of “inverse” relative to NOT is partially settled in §7.1.*) A hard consequence used later: $\langle 1 - z, 1/z \rangle$ is **finite**, so no composition of the two value-maps alone has infinite order — no dynamics, no counting, no Fibonacci. Infinite order requires a carrier.

2.2 Succession: NOT propagated through nesting (*new — settled this cycle*)

The carrier the framework already owns is **nesting depth** (Paper 8, Obs. 3.2: $\Omega(1/p^k) = k \ln p$, k resistors in series). Binary increment decomposes exactly into the framework’s two faces: the sum bit is a toggle (phase face, NOT), the carry is a move one nesting level up (quantity face, depth). **Succession = NOT propagated through nesting.** An involution acquires infinite order the moment it acts on an unbounded register; the S_3 obstruction dissolves. This is the formal account of how the forced NOT “manufactures the second from the one”: as an act it posits a new token; as a value-map it merely toggles; the act is recorded in depth.

2.3 The memory model, and Turing completeness (*new — settled this cycle; fact*)

One object wears three dresses: the **nesting chain** (genesis: same-axis repetition, the forced-NOT stack), the **mode ladder** (statistics: energy levels $k \ln p$ of the primon gas, §3.2), and the **carry register** (computation). The computational dress supplies the missing memory model:

The state of a computation is a single point of the prime lattice — one integer. Register p holds the depth k_p ; there are infinitely many registers, all but finitely many empty. Memory is not attached to the framework; it *is* the framework’s basic object, read computationally.

The operation inventory is native: increment register p = multiply by p = one carry step up the chain; decrement = multiply by $1/p$; test-for-zero = “does p divide n ” = the single p -adic containment atom (the meet primitive, §5.3). Control is an ordered list of allowed moves — the one chosen (gauge-like) ingredient.

Fact (Minsky 1961/67; Conway 1987): this machine is Turing complete. Conway’s FRAC-TRAN — state one integer, step = multiply by the first fraction preserving integrality — *is* the monoid of inverse integers acting on its own lattice with the meet-atom as its only test, and it is proven universal. Verified by execution: addition runs as **chain transfer** (program $\{3/2\}$: $2^a 3^b \rightarrow 3^{a+b}$, one resistor relocated per step — the adder at genesis, literally); Conway’s six-fraction multiplier runs with chains 7, 11, 13 spent as control states. The Turing-completeness question for the symbolic layer is closed, and was closed in 1987 in an untranslated vocabulary.

Quantity is the price of universality (*new; the finite-state observation is elementary and solid; the genesis reading is the contribution*). Cap every chain at depth ≤ 1 — the squarefree/phase face that Papers 2 and 7.5 compute on — and each register is one bit; finitely many bits under finite control is a finite-state machine. The squarefree face alone is *not* Turing complete. Universality enters exactly when nesting is unbounded: the phase face carries aboutness and logic; the quantity face carries memory; and breaking idempotence — admitting quantity — is what lets the system remember, and remembering is what makes it universal.

Boundary note. This universality concerns the symbolic lattice machine. It is a separate, unmade claim for the analog wave hardware of Papers 4–7; the two must not be conflated in any external document.

2.4 The framework can never be fully decided — three pillars (*consolidated this cycle*)

In the retired imagery this was “it can never be fully lit.” Stated plainly: the genesis system can never be exhaustively known by any finite repertoire of questions. The claim now rests on two proven pillars, with a third identified.

Pillar 1 (statistical). Any finite sequence of probe returns is consistent with infinitely many generators; the generator-superposition never collapses to a point. (Axiom 3 underdetermination.)

Pillar 2 (logical, imported). The lattice machine is universal (§2.3), so undecidability imports verbatim: no finite probe repertoire decides all questions about the lattice’s own dynamics. (Gödel 1931, Turing 1936 — facts; the import through the universality identification is the contribution.)

Pillar 3 (information-theoretic, identified as the next note). Incompleteness is not an artifact of Gödel *encoding* — any encoding rich enough for arithmetic inherits it; the limit is finite description. Chaitin’s form is the framework-native one: a system of complexity c cannot prove statements of complexity much beyond c , and the halting probability Ω is an infinite binary string whose first n bits decide halting for all programs up to n bits. In resistance vocabulary: **decidability is purchased at a resistance price; a repertoire of resistance c decides a bounded region; deciding the whole framework costs infinite resistance — the 0 terminal.** (Chaitin — classical; the resistance mapping is the proposed short note, §9.)

2.5 Phase is manufactured, not postulated (*new — June 2026; companion note Phase from the Probe*)

$i = \sqrt{\text{NOT}}$ (§4) need not be assumed; it is the product of the two genesis operations failing to commute. Represent a computation state in the number basis; succession is the shift $S : |n\rangle \mapsto |n+1\rangle$, and the genesis probe (the meet-atom, §2.3) is the divisibility projection $D_p : |n\rangle \mapsto |n\rangle$ if $p \mid n$ else 0. Their commutator is nonzero, supported exactly at the divisibility-transitions ($+1$ before each multiple of p , -1 after; period p): **testing-for- p and stepping do not commute.** Reduced mod p , succession is the shift X and the probe is a spectral projection of the clock Z , satisfying the Weyl relation $ZX = \omega XZ$ with $\omega = e^{2\pi i/p}$ — so the obstruction to “measure then step” versus “step then measure” is a **phase**, a root of unity. (*Fact; the clock-shift / Weyl / generalised-Pauli structure is classical — Weyl — and the reading of the genesis probe and dynamics as that pair is the contribution.*)

At the **genesis prime** $p = 2$ the pair is the Pauli algebra: succession is the bit-flip X (the Boolean NOT — §2.1’s intuitionistic negation, $X^2 = I$), the probe is the parity-sign Z (the proto-phase mark), they anticommute ($\omega = -1$, the phase NOT), and **their product is** $XZ = \begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix} =$

$\sqrt{\text{NOT}}$. Both of the two NOTs surface in one construction — the bit-flip is a factor, the phase NOT is the square of the product — and two anticommuting order-2 genesis operations multiply to the order-4 alphabet element, realising “ $4 = 2 \times 2 = \text{order}(\sqrt{\text{NOT}})$ ” concretely. (*Fact — verified by execution.*)

Reading: phase is the price the probe and the dynamics pay for not commuting, and at the first prime that price is exactly $\sqrt{\text{NOT}}$. **Scope:** the result needs only the parity 2-cycle — one bit, the flip, the sign — not the integer ladder; it sits at the 1-bit floor. Its information shadow is Shannon’s 1 bit: the parity probe cuts the line into halves of density $\frac{1}{2}$ (the maximum-entropy split), and *information* (1 bit) and *disturbance* (phase π) both peak at $p = 2$, each decreasing for larger primes ($H(1/p)$ and $2\pi/p$ respectively). Detail, the Shannon shadow, and the verification live in the companion note.

3. The Hinge — the Logarithm

The most load-bearing object in the programme, now doing three jobs that turn out to be one.

3.1 Resistance = code length = energy. $\ln n$ is the resistance of $1/n$, the self-information of probability $1/n$, the Boltzmann energy of the primon-gas state n , and the ideal codeword length; the Dirichlet variable s is an inverse temperature; the Kraft budget corresponds to the normaliser $\zeta(s)$. (*Fact; the unification across the corpus is the framing.*) **And resistance is the erasure cost** (*June 2026; the bridge to the next direction*): Landauer supplies the missing leg — erasing H nats costs $kT \cdot H$, so $\Omega(n) = \ln n$ is precisely the energy, in units of kT , to *forget* the integer n . The framework’s central quantity is a thermodynamic erasure cost; whether number theory at large is the *shadow of erasure* is the next major direction (companion note *Erasure as the Carrier of Mathematics*; §9). (*Resistance = erasure cost is Fact, given resistance = code length above + Landauer; the carrier claim is a Lead with a kill-test.*) And the same operation extracts the atoms from the whole: $\ln \zeta(s) = P(s) + (\text{small})$ — the primes are the logarithm of the integers. One integration below it sits Paper 8’s central instrument: ζ'/ζ is resistance-weighting composed with the Möbius projection, with the von Mangoldt function Λ as pure prime-power resistance.

3.2 The hinge is the cumulant functor (*new — proven; companion note Innovation is Connected Correlation*). For the primon gas at $\beta > 1$ (random integer N , $\Pr(N = n) \propto n^{-\beta}$; occupations K_p independent geometric — the Euler product *is* mode independence), the moment generating function of the energy is $\mathbb{E}[N^t] = \zeta(\beta - t)/\zeta(\beta)$, so the *log* of the all-integers object generates the **cumulants**, and the master identity holds for every order $m \geq 1$:

$$\kappa_m(\ln N) = \sum_{n \geq 2} \Lambda(n) (\ln n)^{m-1} n^{-\beta} = (-1)^m (\ln \zeta)^{(m)}(\beta).$$

(*Fact — proven via mode additivity and the per-mode formula $\kappa_m(K_p) = \sum_k k^{m-1} x^k$; verified numerically through $m = 4$.*) Consequences:

- **Innovation = connected correlation.** Every cumulant lives on atoms at prime-power resistances with base mass $\Lambda(n) = \ln p$; composite positions carry no atom at any order, because composites are products of independent modes and independent things have no connected correlation. Raw moments, by contrast, have atoms at every integer. The Möbius stripping of quantity is, statistically, the moments→cumulants projection: **quantity lives in the moments; the innovation skeleton is what survives the cumulant functor.** This is the statistical identity of “studying numbers stripped of quantity.”

- **Mass is innovation; position is accumulation.** The atom at $k \ln p$ carries mass $\ln p$ independent of depth: nesting moves the atom out but adds no mass — the cost of the one new symbol versus the accumulated cost of repeating it. The chains that carry the atoms are the registers of §2.3.
- **Only compositional probes see the atoms.** Observables additive over the prime modes have cumulants on the skeleton; any function of the scalar $\ln N$ alone re-mixes the modes and its variance sees every integer. Paper 3’s magnitude/direction split as a statement about which measurements exist.
- **The two-Möbius caution** (*lead, deliberately unbanked*). Cumulants are classically the Möbius inversion of moments over the *partition* lattice (Rota); the framework’s μ is the Möbius function of the *divisibility* lattice. Both are Rota inversions on different posets; one logarithm performs both passages at once in the free gas. Whether that coincidence is forced or specific to independent structures is open; free probability (non-crossing partitions) is the named test.

3.3 Notation is the hinge applied to itself (*new*). A unary presentation of n costs n tokens; a positional numeral costs $\sim \log n$ digits — the unary→symbolic move *is* the logarithm at the notation layer, which is why loss is invisible in symbolic arithmetic: the compression was paid before arithmetic began. The dimming of n tokens under a fixed observation budget has the same floor: individuating one token among n costs $\ln n$, the self-information of address; gain (negative resistance) is an external supply paying the n -versus- $\ln n$ gap. And a numeral **base is a choice of which innovations are locally decodable**: primes dividing the base are detected at $O(1)$ cost in the final digit; primes coprime to it are taxed across the whole symbol. The resistance line privileges no atom.

4. The Resistance Plane

Extending the hinge to the complex domain: resistance generalises to impedance $Z = R + iX$. The real part is Paper 1’s $\ln$ -resistance — numeric, ratio-able, anchored; the imaginary part stores rather than dissipates and is invisible to a real probe. **Numbers live on the real axis; the cost of NOT lives on the imaginary axis, orthogonal to it** — the formal home of Axiom 4, and the Möbius sign already lives there.

Phase is real but unseen. The genesis distinction between identical tokens is carried by phase; resistance is a magnitude, phase-blind by construction — which is *why* $1 \cdot 1 = 1$ collapses them. Phase becomes apparent resistance only under composition of phasors. (*The phase-affects-apparent-resistance thread remains open and active by explicit request — §9.*)

i is the square root of NOT. $i^2 = -1$; $\ln i = i\pi/2$ is half the resistance of NOT; orthogonality is negation’s square root. The imaginary direction is a circle of circumference 2π (the plane is a cylinder); two NOTs are the full turn home. (*Fact.*) That $\sqrt{\text{NOT}}$ is not merely postulated here but *manufactured* by the two genesis operations — succession and the probe — failing to commute is shown in §2.5.

The transcendence floor. Every resistance on the plane is transcendental except $\ln 1 = 0$ (Hermite–Lindemann): taking $\ln$ is the act of leaving the algebraic numbers, fixing only the origin. NOT’s path $i\pi$ is transcendental *because* the involution must come home to an algebraic number. (*Fact; reading as marked.*)

No road from NOT to the primes. The real axis carries infinitely many independent atoms ($\ln p$, $\mathbb{Q}$ -independent for free, from unique factorisation); the imaginary axis carries one atom ($2\pi i$), of which NOT, i , every root of unity and Dirichlet character is a rational fraction. Schanuel’s conjecture predicts no algebraic relation between π and the $\ln p$ at any degree. **NOT gives the stage, not the actors:** the additive line, the orthogonal axes, the poles, phase, the (ζ, μ) codec fall out of distinction; *which* axes are prime is handed over by irreducibility (FTA). The grammar is genesis-native; the vocabulary is given. (*Fact at the linear level; Schanuel conjectural.*)

5. Three Domains (condensed)

5.1 Density — why $1/\ln x$. Prime density is the reciprocal of resistance, and the *form* is forced: $\zeta \sim 1/(s-1)$ near $s=1$, so $P \approx \ln \zeta \sim -\ln(s-1)$, whose density-shadow is $1/\ln x$. The constant and the rigour (the Tauberian transfer hiding $\zeta \neq 0$ on $\operatorname{Re} s = 1$) are the hard heart of PNT and are *not* claimed. The clean $1/\ln$ is the fingerprint of maximal randomness under the multiplicative constraint (Cramér); the corrections are the zeros, themselves maximally random (Montgomery–Odlyzko). The barrier this domain cannot pass is structural and now stated twice in the corpus: coding does not *select* the primes; the legitimate programme is to build the deeper layer from which both number theory and information theory fall — which is this document’s purpose.

5.2 Meaning. Shannon information is the magnitude of the resistance vector; semantics is its direction (Paper 3: $64 = 2^6$ and $66 = 2 \cdot 3 \cdot 11$ are Shannon-near-identical and semantically orthogonal — depth versus breadth). Shared meaning is gcd; combined is lcm; unrelated is coprimality; meaning composes additively because concepts multiply. The squarefree face is the semantic skeleton — which Papers 2 and 7.5 compute on, and which §2.3 now shows is exactly the sub-universal (finite-state) fragment: aboutness without memory. The genesis floor inverts Shannon: orthogonal meaning primary, quantity the overlay. Open: whether meaning has a forced embedding into primes (cheap primes for common meanings) or only the gauge labelling.

5.3 Commonality. The meet is one operation worn many ways: common measure, lattice meet, componentwise min of spectra, shared aboutness — transported by the spectrum map. Euclid’s non-halting on incommensurables *is* the discovery of incommensurability; coprimality is its discrete shadow. Completing the lattice gives the supernatural numbers; the prize is the relational web, and that web is the Euler product: by Rota’s incidence-algebra theory, ζ is the zeta function of the divisibility lattice, μ its Möbius function, and the EPF is that lattice’s zeta factored over its orthogonal prime chains. The pair (ζ, μ) is a codec — expanded view and signed squarefree encoding, Möbius inversion the decoder — which is Paper 8’s two faces named, and §3.2’s moments/cumulants pair found again. The constants $1/\zeta(k)$ are the codec’s samples: joint coprimality of k -tuples.

6. The Boundary — π , the All-at-Once Toll, and the Approximation Axis

Where π enters. The discrete relational skeleton (orthogonal axes, gcd, binary coprimality) is π -free combinatorics. π enters when “are they related” becomes “how much” — graded, angular relationship; phase. In $1/\zeta(2) = \prod_p (1 - p^{-2})$, each factor is one prime’s NOT-gate; the gates in series have resistances summing toward $\ln(6/\pi^2)$; and **every finite truncation is rational** — $3/4$, $2/3$, $16/25$, $768/1225$, $\dots$ — sitting on the number lattice with no π anywhere. π is the cost of taking infinitely many gates at once: the toll at the all-at-once border. (*Fact on the rationality*)

of truncations; the toll reading as marked.) The operator-2 (NOT's order, pinned) and the arity-2 (the exponent, a dial) coincide at the pairwise case: coprimality is a $\zeta(2)$ because relating begins at two.

The approximation axis (*new*). How fast can the rational lattice approach a boundary value? The truncations above approach $6/\pi^2$ with error $\sim 1/(\ln q \cdot \ln \ln q)$ in the denominator q — about as slowly as a convergent sequence can: the opposite pole from Liouville numbers, which are transcendental by being approached *too fast*. The axis this opens is the **irrationality measure**, with continued fractions as its coordinate: Liouville numbers at one extreme (huge partial quotients; almost-rational in information terms), and at the other exactly one number — the golden ratio, $[1; 1, 1, 1, \dots]$, minimal information per step, the hardest number for rationals to reach, fixed point of the simplest loop in succession-plus-inversion (the modular group, where Euclid's algorithm is dynamics). Its badly-approximable extremity is the rigorous core of golden-ratio robustness against mode-locking in oscillators. This enriches the ratios thread (§9) and connects §2.2: the map fixing φ needs succession, which NOT-as-value-map cannot supply and NOT-as-carry can.

7. The Spectrum Programme

The deepest part of the programme, substantially rebuilt this cycle. Companion notes carry the details and the verification flags.

7.1 The functional equation and the two involutions (*found this cycle; classical facts, reading as marked*)

The classical proof of $\xi(s) = \xi(1-s)$ runs through the theta function: the modular relation $\theta(1/t) = \sqrt{t}\theta(t)$, pushed through a Mellin transform. The involution on the modular side is **inversion** $t \mapsto 1/t$; on the Dirichlet side it is **NOT**, $s \mapsto 1-s$; and the conjugating transform — Mellin — is Fourier analysis in $E = \ln t$: *the hinge*. Under the hinge, inversion is additive negation ($\ln(1/t) = -\ln t$, reflection about 0), partially settling the old “is inverse a second primitive” stone: at the linear level, inversion *is* NOT in the resistance coordinate, reflected about 0 rather than about $\frac{1}{2}$; the modular weight $\frac{1}{2}$ (with the depth-2 stretch from the Gaussian's n^2) supplies the shift between the two mirrors. **The critical line is the fixed locus of NOT acting on decay rates**, and the two poles of ξ sit at $s = 0$ and 1 — the decay-rate images of the primordial pair, swapped by NOT, with the zeros conjectured to live on negation's mirror between them. Flag kept attached: this NOT acts on the *conjugate* variable, not on concept-values; whether it is one involution at two layers or a pun on $1-z$ is an open lead/fact test.

7.2 The explicit formula in resistance variables (*normalisation now verified*)

Definitions: the resistance line $E = \ln x$; the phase rate r (its Fourier conjugate); **probes** $g(E)$, smooth and compactly supported, with power spectrum $|h_g(r)|^2$; the **innovation measure** $d\mu_P = \sum_{n \geq 2} \Lambda(n) e^{-E_n/2} \delta(E - \ln n)$ — atoms at prime-power resistances, mass = innovation $\ln p$, critical damping $e^{-E/2}$.

The Riemann–Weil explicit formula then reads as a budget: *spectral content at the zeros = pole gain + continuum – atomic sampling*, with the pole term a $2 \cosh(E/2)$ kernel (the exact reciprocal of the atoms' damping), the continuum supplied by the Γ -factor (mean zero-density $\sim \frac{1}{2\pi} \ln \frac{r}{2\pi}$ — the density of modes proportional to the resistance of the frequency), and the atoms entering as

deductions. **Numerically verified this cycle (the flow test):** with Gaussian probes, zero side and geometric side agree to 10^{-24} across 51 zeros (normalisation debt cleared); in the wide-probe regime the budget cancels internally to 10^{-22} , with the residual *equal to the first zero's contribution* — gain 2.129 audited as 0.646 (normalisation) + 0.779 (continuum) + 0.704 (atoms).

7.3 The Weil criterion, the programme sentence, and Axiom 2's two directions

Fact (Weil): $\text{RH} \iff Q(g) := W(g \star g^*) \geq 0$ for every probe — positivity is what “all frequencies are real” looks like to a quadratic probe. **Fact (Bochner):** equivalently, the arithmetic side is a positive-definite distribution, i.e. a **covariance function**. **GNS/Kolmogorov:** a positive-definite correlation is realised by a system — Axiom 2 in theorem form. But GNS runs from positivity *to* system; RH needs the converse. The fixed target of the programme, stated once:

Find a stationary information source on the resistance line whose covariance function is the arithmetic side of the explicit formula — pole gain, plus Gaussian-place continuum, minus the innovation atoms — constructed without assuming RH.

Axiom 2 predicts the source exists; Axiom 3 requires it be exhibited globally, in one act, disqualifying per-zero tools.

Shape tests any candidate must pass, in kill-order: (i) atom masses $\ln p$, not $\ln n$; (ii) atoms at prime-power positions only (the vocabulary is given, never derived); (iii) damping exactly $e^{-E/2}$; (iv) the sign structure (atoms as deductions against positive gain and continuum); (v) globality.

7.4 The Fisher verdicts, and lags-not-positions (*computed and proven this cycle*)

The primon gas at criticality was the first candidate run against the tests. Results: the gas's **mean energy density at $\beta = \frac{1}{2}$ is exactly the innovation measure** — masses, positions, damping all forced — but it is linear, not quadratic; the **Fisher information** (canonical family) is the second cumulant, masses $\Lambda(n) \cdot \ln n$ — failing test (i) by exactly one position factor; and by the master identity (§3.2) the pattern is total: the m -th order form carries $m - 1$ extra position factors. **The order–position lock is a theorem:** no cumulant of the static gas has Weil's shape. Moreover the gas has *no state anywhere in the critical strip* — $\zeta(\beta)$ diverges for $\beta \leq 1$ (the Bost–Connes transition; prior art) — the critical line lies in the equilibrium-forbidden zone.

The repair is forced by the mismatch itself: $Q(g)$ is quadratic in the probe but linear in the arithmetic distribution, which enters as a kernel at the **lag $E - E'$** . The source must be a **stationary flow in resistance whose autocovariance has atoms in its lags** — self-correlated under translation by prime-power resistances, i.e. under multiplicative dilation. That is the **scaling action**, derived here from the shape tests rather than imported.

7.5 The Connes–Consani convergence (*read directly this cycle*)

The deepest existing positivity result (Connes–Consani 2021, the archimedean place) confirms the picture from the other side, in detail: their working coordinates are the resistance variables (the $\lambda^{1/2}$ weight absorbing critical damping; $d^* \lambda = dE$; Mellin-on-the-critical-line replaced by plain Fourier); their positivity root is $\text{Tr}(\vartheta(g) S \vartheta(g)^*)$ — positive *because it is a system trace*, the GNS direction made concrete — with the Weil distribution exhibited as that compressed trace plus a controlled remainder; their support conditions are lag windows ($|E| < \ln 2$ touches no atoms; adjoining places $\{\infty, 2, \dots, p\}$ widens the window one innovation at a time — a data-processing-shaped induction

over prime channels); and their controlling apparatus — the Sonin space as the complement of a finite phase-space cell, prolate spheroidal functions, Toeplitz theory — is the Slepian–Pollak–Landau mathematics of band-limited channel capacity. **The strongest existing attack on Weil positivity is conducted in this framework’s variables with Shannon’s toolkit.** Flagged as convergence, not evidence. The known global obstruction — every finite set of places works; all places at once does not yet — has the same shape as the boundary’s all-at-once toll; that rhyme is a lead, explicitly unbanked.

7.6 Statistics of the spectrum

If the generating system is maximally generic subject to its symmetry constraints (Axiom 3 over generators, the Cramér logic lifted), the zero statistics should be the maximal-entropy matrix ensemble of the system’s symmetry class; forced irreducible phase (no anti-unitary symmetry) selects GUE — which is what Montgomery–Odlyzko found. (*A heuristic with prior art in the field; the framework-native derivation of the ensemble is the reading.*) The variance is not noise on the structure; it is the signature of the unresolved generator-superposition.

7.7 The inequality catalogue (standing)

Candidates for the upstairs origin of positivity, each with its first hurdle: covariance/Bochner (exact by construction; reduces to building the source); operator compression / data processing (C–C’s mechanism; seek the monotone of the place-by-place induction); Fisher/ χ^2 as the quadratic shadow of KL (now constrained by the order–position lock — must couple to something other than energy); Gaussian extremality at the archimedean place (lead: the one proven place is the maximum-entropy place); Lee–Yang interaction positivity (the one physics mechanism that pins a zero set to a line by system positivity in a single act — Knauf’s spin chain; verify before citing).

8. The Circuits and the Probe

The circuits/probe sessions of June 2026 added a layer beneath the symbolic machine: the genesis system read as a circuit that *projects* numbers, with the probe (Axiom 5) as the instrument that reads it. Source notes: *Circuits at Genesis: Virtual Numbers, Conserved Charges, and the Resistance Ledger; The Probe and the Two Ignorances; One Object, Three Dresses*. Verification scripts archived (verification_scripts_june2026.zip).

8.1 Results (graded)

- **The triangle (fact, banked at stated scope):** Paper 6’s geometric information gap = the charge-surface entropy of the projecting circuit = its temperature-independent Jarzynski violation. Three results, previously edge-free, now one structure.
- **The bilinear obstruction (fact):** no circuit holds a product as a linear charge; control exists *because* the computed function is nonlinear.
- **Control is the phase face (fact, verified):** control tokens never exceed depth 1; data uses unbounded depth — the two faces dividing labour inside one running machine.
- **The destructive-test mechanism (fact) and the $\Theta(ab)$ phase-ledger law (lead, promotable):** the exact $i\pi \cdot 2ab$ form is killed; the scaling survives with a program-dependent constant.

- **The two-slit erasure experiment (facts; Bennett/Landauer prior art):** $R_{\text{burned}} = \tau(12) + 12$ exactly, β -independent — the additive and multiplicative atom-counts summed in one observable; ignorance is free, forgetting is not; no interference sought or found — the epistemic reading passing its own control.
- **Statistics is observer ignorance (lead; components are facts):** microstate-ignorance forces the Gibbs/primon density (Jaynes); unit-ignorance (the voltage gauge) forces stationarity; the ensemble and the flow are the observer’s two ignorances systematized.

8.2 Vocabulary (circuits and probe)

Actual / virtual (probe-relative; *Circuits* §2). **Charge surface** and **realisation entropy** (the gap’s circuit identity; *Circuits* §6). **The resistance ledger** ($\Delta\Omega = \ln f$ per step; only the identity computes free). **Rent and toll** (the two costs of the probe; *Probe* §4). **Destructive test** (native tests consume; test-and-keep forces a NOT; *Probe* §5). **Glued invariant** (nonlinear virtual numbers staged as piecewise-linear charges, glued by control). **Record-to-heat hand-off** (erasure located at the burn step and priced; *Probe* §7).

9. Open Threads

Settled this cycle and moved into the body: the memory model; Turing completeness of the symbolic layer; succession; “inverse vs NOT” at the linear level (§7.1); the explicit-formula normalisation; Axiom 5 and the three-pillar incompleteness account; the circuits/probe results map.

Still open, carried forward:

- **Erasure as the carrier of mathematics** (*new — June 2026; the next major direction; companion note* Erasure as the Carrier of Mathematics). Pillar already standing: resistance = the Landauer erasure cost (§3.1). The probe’s only fundamental cost is the erasure it performs — actualising one branch erases the alternatives (Axiom 5’s “never free”) — so erasure and the probe collapse to one mechanism. Hypothesis (*Lead*): the shadows read as number theory are cast by erasure, the only information-processing step with an energy requirement, with the resistance/dissipative axis (§4) the visible part and the phase/storage axis the reversible part inferred rather than weighed. Kill-or-promote test: the energy ledger of any genesis computation should be spent *only* at erasures, totalling the resistance erased (§7’s two-slit fragment already paid exactly $\ln$ marker). Requires stepping into the storage/memory level — a stored register configuration, of which the integer is the multiplicative shadow — so settling that ontology and running the ledger test is the immediate next step.
- **The source** (§7.3): a constructible stationary flow passing the shape tests — even a toy with wrong constants; what each failure teaches about the missing geometry. The current sharpest sub-question: the Fisher form of the *scaling flow* proper (construction, not the bookkeeping verified in §7.2).
- **The semilocal monotone**: the information quantity whose preservation under adjoining one prime channel is C–C’s induction.
- **The two Möbius functions** (§3.2): forced coincidence or free-structure accident; test in free probability.
- **Phase affects apparent resistance** (§4): how phase reaches into resultant magnitude under composition — open and active, explicitly not parked.

- **Even/odd zeta closure:** $\zeta(2)$ closes into $\pi^2/6$; $\zeta(3)$ refuses; even = NOT-NOT closure as the candidate genesis reason, resting on the hard even/odd fact.
- **The two π 's:** the Basel π (real, born at the all-at-once limit) and the phase π (imaginary, NOT's half-turn) — one object or shared symbol; §7.1's involution finding is adjacent but does not settle it.
- **The exact Basel mechanism** in resistance language: why precisely $\pi^2/6$.
- **Meaning's embedding:** forced or gauge (§5.2); the same wall as selected-vs-available coding optimality.
- **The ratios thread**, now enriched: continued fractions as the information rate of rational approximation; the irrationality-measure axis with Liouville and φ as poles (§6); statistics of partial quotients.
- **Li's coefficients** as resistance moments; whether the discrete family is a natural probe basis.
- **Axiom 1's join** (compositional vs grounding) and **Axiom 3's clause structure** (outputs, generators, or both).
- **A genesis-native worked example:** one small FRACTRAN program presented entirely in NOT/nesting/meet vocabulary.
- **Wave-layer universality:** the analog architecture's computational class — a separate question from §2.3, deliberately unclaimed.
- **Time (*new*):** information is suspended in duration; the only self-built clock is a NOT-oscillator; the imaginary axis is periodic by construction. A clock-shaped axis in a framework with no account of elapsed time — one marked open structure.
- **The ensemble of runs (*new*):** make “washing out the origin” precise — a measure over circuit trajectories with translation-invariant statistics in resistance, the first genesis-native object that could be asked the lags question. (Door-shaped: superposition-over-histories as the road to the continuum.)
- **Chaitin in resistance variables (*new*):** Pillar 3 of §2.4 written up — a short note, proof imports, framework reading.
- **The $\Theta(ab)$ lower bound (*new*):** from the destructive-test property — the promotion path for the phase-ledger lead (§8.1).
- **The embeddings conjecture (*new; carried, parked, falsifiable*):** whether trained models' number-representations converge toward prime coordinates.

10. Document role (recorded decision)

Hub and spokes. This document is the **hub**: axioms, vocabulary, the graded map of results with pointers, the open-thread register, the programme sentence. Papers 1–8 and the working notes are the **spokes** — stable, citable, individually status-headed evidence files. The hub never duplicates proofs or runs; it grades and points. Rationale: the lead/fact discipline requires stable units whose status headers stay true; a single mega-document rots silently. (Recorded jointly, June 2026.)

11. Closing

The programme now has a floor that computes (NOT as primitive; succession as NOT-with-carry; the lattice as its own memory; universality purchased by quantity), a hinge that does three jobs (resistance, atom-extraction, the cumulant functor), a plane that separates number from phase

and marks where the algebraic world is left, a probe that makes actuality repertoire-relative and prices every conversion of the virtual into the actual, a three-pillar account of why the whole can never be exhaustively known, and a spectrum programme with a fixed target sentence, a verified budget, a set of shape tests that have already killed one candidate informatively, and an external programme — pursued by others at the highest level, in these same variables, with information theory’s own toolkit — converging on the same target from the other side. The vocabulary is given; the grammar is genesis-native; the remaining work is to build the source the grammar predicts, and to keep refusing to claim a breakthrough where only an established fact has been found.

The axioms and the originating observations are Alexander Pisani’s. The formalisation, the connective mathematics, the computations, and this compilation were developed jointly with Claude (Anthropic). Adoption and amendment recorded jointly, June 2026. Living document; rebuilt as the system is better understood.