

Skeleton and Drafting Plan — The Genesis Information Paper

Number theory as the erasure trace of a quantity-free counting substrate

Alexander Pisani & Claude (Anthropic) · June 2026 · drafting scaffold (living)

Purpose. The section-by-section architecture for the paper, with each block mapped to its source note(s), its central-claim grade (Fact / Reading / Lead), the exact results it carries, and its honesty-boundary flags. Built to the drafting-guidance arc and to the four framing calls fixed this session (see *Framing charter* below). This is the plan we draft against and bank section by section.

0. Working title (adopted)

The Genesis Information System: Number Theory as the Erasure Trace of a Quantity-Free Computation.

Adopted this session — “Genesis Information System” foregrounded as the fundamental object; “shadow” kept out of the title (reserved for the technical proto/shadow and ordinal-shadow senses in the body); the repeated “Information System” tightened to “Computation.” Held as a working title, open to revision.

1. The thesis, in one paragraph (the abstract’s core)

A *genesis information system* sits above the resistance isomorphism $\Omega(1/n) = \ln n$ (Paper 1), and that isomorphism may be one of its shadows. The system is **quantity-free** — symbols and relations, no numbers. Most of its computation is **reversible and therefore invisible**: a one-to-one step leaves no permanent trace. The only thing it deposits into our universe is the heat of its **irreversible erasures**, which Landauer prices at $kT \cdot \ln(\text{multiplicity})$. The paper develops and corroborates one reading: **number theory is the erasure-shadow of that system** — what we read as arithmetic is the ledger of where the genesis computation was forced to forget. The individual mathematics throughout is classical; the contribution is the axioms, the erasure framing and its systematic mapping in erasure variables, the reframe that the substrate merely *counts*, and a small number of new formal observations, each graded.

Voice. A hypothesis developed into a coherent, internally-consistent system — not a set of proofs. Every substantive claim is graded **Fact** (verified mathematics/computation), **Reading** (a well-grounded interpretation in the framework’s vocabulary), or **Lead** (a flagged conjecture or direction). No Reading or Lead is ever dressed as a Fact.

2. Framing charter (the load-bearing decisions — apply everywhere)

These are fixed for the whole draft:

- **The erasure axiom is a confirmed *consistent accounting*, not a promoted physical fact.** The end-to-end energy ledger shows energy located only at erasures, equal to the resistance erased, every reversible step free, and both §6 kill conditions untriggered — but *in simulation this is Landauer’s principle applied to the bijection-vs-many-to-one distinction, an identity true by construction*. Simulation can confirm the Landauer identity; it cannot *risk* it. Genuine falsifiability lives in the physical-systems direction (the primon gas), which is parked. State this boundary every time the ledger is invoked.
- **No metaphysics in the text.** The genesis system’s existence is unfalsifiable by construction (the epistemic barrier is the formal complement of a probe set, Axiom 5), so the paper presents the erasure reading in clean information-theoretic and thermodynamic terms and does *not* argue it via brain-in-a-vat / simulation-of-reality framing. The barrier appears only in its formal (probe-complement) form.
- **The relational result reaches the framework, it does not escape it.** Relay in substance: $I = \ln \text{gcd}$ reaches the resistance isomorphism’s Ω_{gcd} term rather than escaping the framework, and coprimality emerges-but-isn’t-derived.
- **All three domains stay central at full depth.** Information theory, statistical mechanics (entropy/erasure), and number theory each keep their meaning; nothing is thinned for a target reader. This is a complete capture; audience/journal tailoring is a later, separate operation.
- **The standing negatives.** No leverage on the Riemann Hypothesis; primality-as-output is *relocated, not solved*; “the substrate is plain succession” is the simplest hypothesis consistent with the shadow, not a deduction; no new mathematics is presented as new. Preserve proto/shadow hygiene throughout.

3. Architecture at a glance

- **Part I — The quantity-free floor.** The known mature structure (Paper 1), the axioms that posit a deeper layer, the genesis substrate (NOT, succession, lattice-as-memory, universality), the proto/shadow discipline, and phase manufactured from the probe.
- **Part II — The erasure turn.** The erasure axiom; its one hard pillar (resistance = Landauer cost); erasure and the probe as one mechanism; the end-to-end energy ledger as consistent accounting; the organising principle ($\ln(\text{fan-in})$, the two-legged ledger).
- **Part III — The ledger machinery.** The systematic erasure cartography: the succession-channel, the additive merge and its reverse, phase on the merge, and the operation catalog up to the modulo gateway.
- **Part IV — The relational core.** $I = \ln \text{gcd}$; coprimality as zero correlation; the identification with Ω_{gcd} ; Innovation = Connected Correlation given its arithmetic face, on the primon-gas cumulant foundation.
- **Part V — The reframe.** The genesis system *counts*; primes are the ordinal shadow forced by the filter (discreteness + uniqueness + irreversibility), not by the geometry; data structure over semantics; Paper 2’s Natural OS recovered backward; the syntax/semantics filter.
- **Part VI — The primality shadow.** The von Mangoldt ledger via Möbius inversion; primes as the rows with an empty erasure column; the unification of the Euler product, the $\ln \text{gcd}$ coprimality, and the primality shadow as three faces of unique factorisation.

- **Part VII — Frontier and honest boundary.** Primality-as-output (relocated, open); the no-leverage critical-line bridge; the genesis-bit recurrence as one phenomenon seen five times; the parked threads.
 - **Part VIII — Discussion.** What is established, what is not, the contribution restated.
 - **Appendices.** Verification map (result $\rightarrow$ script $\rightarrow$ numeric confirmation); the classical-results honesty boundary; the proto-glossary.
-

4. Section-by-section skeleton

Each entry: **Job** (what it earns) $\cdot$ **Carries** (results/equations) $\cdot$ **Sources** $\cdot$ **Grade** $\cdot$ **Boundary**.

PART I — THE QUANTITY-FREE FLOOR

§1 Introduction. - *Job.* State the programme, the thesis, the method, and the hierarchy (information system as the deeper layer; mathematical objects as its projections). Set the Fact/Reading/Lead discipline and the honesty boundary up front. - *Carries.* The one-paragraph thesis (§1 above); the claim that the paper contributes framing and synthesis, not new theorems. - *Sources.* Genesis spine (front matter, method, honesty boundary); *Erasure at the Genesis Layer* §Status. - *Grade.* Framing. *Boundary.* Name the standing negatives here so they govern the reader from the start.

§2 The axioms (preserved as they drove the research). - *Job.* Give the five axioms that generated the programme, before the erasure reading, so the foundational drivers are not lost. - *Carries.* Axiom 1 (ontological ladder; differentiation unfolds the integers; orthogonality before quantity). Axiom 2 (excited information presupposes a system; the observation-voltage gauge; the GNS/Kolmogorov theorem-form). Axiom 3 (behind the barrier, superposition over generators — kept distinct from superposition over outputs). Axiom 4 (all concepts carry resistance; numbers are the quantifiable subset; the imaginary direction of the resistance plane). Axiom 5 (the probe; actuality is probe-relative; the barrier is the formal complement of a probe set; virtual $\rightarrow$ actual conversion is never free). - *Sources.* Genesis spine §1. - *Grade.* Axioms 4 and 5 are *owned, not derived*; state that standing explicitly (it is the same standing the erasure axiom will take). - *Boundary.* Present Axioms 2–3 in their formal residues (voltage gauge; generator-superposition), not as metaphysical narrative.

§3 The genesis substrate (quantity-free, and it computes). - *Job.* Build the floor the whole paper stands on: distinction, counting, memory, universality — with no quantity imported. - *Carries.* NOT as the lone primitive (Spencer-Brown’s mark); quantity as broken idempotence ($1 \vee 1 = 1$; the first step into the interior is 2, cost $\ln 2$; only a *unary* operation can birth twoness). The two poles ($1 = \ln 1 = 0 = \text{empty product} = \text{lattice bottom}$; $0 = \infty\text{-resistance} = \text{lattice top}$). The $\{0, 1, \infty\}$ symmetry: NOT ($z \mapsto 1 - z$) and reciprocal ($z \mapsto 1/z$) generate S_3 — the road to “three” as the order of a composite — and the hard consequence that $\langle 1 - z, 1/z \rangle$ is finite, so **infinite order requires a carrier**. Succession = NOT propagated through nesting (the carrier is nesting depth; increment = toggle (phase face) + carry (depth face); the S_3 obstruction dissolves). The memory model: the state of a computation is a single lattice point — one integer — register p holds depth k_p ; increment = $\times p$, test-for-zero = “ $p \mid n$ ” (the meet-atom). Turing completeness via FRACSTRAN (Minsky/Conway) — the monoid of inverse integers acting on its own lattice with the meet-atom as its only test; **quantity is the price of universality** (the squarefree/phase face alone is finite-state; universality enters exactly when nesting is unbounded). - *Sources.* Genesis

spine §2.1–§2.3. - *Grade*. Idempotent structure, S_3 , FRACSTRAN universality: Fact. The genesis readings: marked Reading. - *Boundary*. Universality is of the symbolic lattice machine only — *not* the analog wave hardware of Papers 4–7; keep them unconfated.

§4 The resistance isomorphism and the proto/shadow discipline (the mature shadow).

- *Job*. Introduce the known structure the genesis floor projects to (Paper 1), and the terminological hygiene that keeps pre-quantitative objects distinct from their quantitative completions. - *Carries*. The isomorphism $\Omega(1/n) = \ln n$ (monoid iso, unique up to scale by Cauchy’s equation); series combination = addition of resistance; the union law $\Omega_{\text{lcm}} = \Omega_a + \Omega_b - \Omega_{\text{gcd}}$ (inclusion–exclusion in resistance); prime coordinate vectors and $\{\ln p\}$ independent over $\mathbb{Q}$ (unique factorisation); the four-layer coprimality result $P(\text{gcd} = 1) = 6/\pi^2 = 1/\zeta(2)$. The proto/shadow split: proto-pi (the bare binary relation, completes to π via the all-at-once toll; arity 2 is why $\zeta(2)$), proto-phase (the $\{+, -\}$ mark, completes to continuous phase via roots of unity), proto-e (the integrating bridge); “shadow” chosen over “projection” because the kernel — what was lost — may be unknown. - *Sources*. Paper 1 §2–§5; Genesis spine front matter (proto-glossary), §4 (resistance plane). - *Grade*. Isomorphism, union law, independence, $6/\pi^2$: Fact (classical). Proto/shadow: provisional discipline. - *Boundary*. Flag “proto” and “shadow” as load-bearing but provisional names.

§5 Phase manufactured from the probe (foundational, and it recurs). - *Job*. Show that the imaginary unit is *constructed*, not postulated — needed because phase returns as the carrier of erased information in Part III. - *Carries*. Succession $S : |n\rangle \mapsto |n+1\rangle$ and the divisibility probe D_p fail to commute; reduced mod p they satisfy the Weyl relation $ZX = \omega XZ$, $\omega = e^{2\pi i/p}$ — the obstruction to “measure then step” is a phase (a root of unity). At the genesis prime $p = 2$ the pair is the Pauli algebra; $XZ = \sqrt{\text{NOT}}$; information (1 bit) and disturbance (phase π) both peak at $p = 2$ and decline for larger primes. - *Sources*. Genesis spine §2.5, §4 ($i = \sqrt{\text{NOT}}$); *Phase from the Probe*. - *Grade*. Weyl/Pauli structure: Fact (classical). Genesis reading of the pair: Reading. - *Boundary*. Result sits at the 1-bit floor; needs only the parity 2-cycle, not the integer ladder.

PART II — THE ERASURE TURN

§6 The erasure axiom. - *Job*. Introduce the reading adopted this cycle as a new axiom of the same standing as Axioms 4–5: the genesis system is observable *only* through its erasures. - *Carries*. Reversible processing leaves no permanent trace; the only information-processing step with an energy requirement is erasure (Landauer; any logically irreversible operation, of which erasure is minimal and canonical). The hypothesis: the shadows read as number theory are cast by erasure — the permanent record left by the only costly step; the probe casts a shadow precisely where it erases. - *Sources*. *Erasure as the Carrier of Mathematics* §1; *Erasure at the Genesis Layer* §2. - *Grade*. The central carrier claim: **Lead** (adopted, corroborated as accounting — see §8 — never proven). - *Boundary*. Adopted, not deduced. Present in information-theoretic terms; no metaphysics.

§7 The one hard pillar: resistance is the erasure cost. - *Job*. Anchor the axiom on the single Fact that makes it more than re-description. - *Carries*. Resistance = code length (Paper 3) + Landauer (erase H nats costs $kT \cdot H$) gives $\Omega(n) = \ln n = (\text{energy to forget } n)/kT$. The framework’s entire central quantity is a thermodynamic erasure cost — recognition of what resistance *is*, not a new construction. The two snap-ons: the resistance (real) axis dissipates = erases; the phase (imaginary) axis stores = reversible (Genesis spine §4). A prime is the irreducible quantum of forgetting-cost; a composite inherits its cost additively. The divisibility-probe chain rule $\ln p = H(1/p) + (1 - \frac{1}{p})\ln(p-1)$, with the erased term 0 at $p = 2$ (the genesis bit is pure

kept information). - *Sources*. *Erasure as the Carrier* §2; *Erasure at the Genesis Layer* §3. - *Grade*. Resistance = erasure cost: **Fact** (given resistance = code length + Landauer). Prime-as-erasure-quantum: Reading. - *Boundary*. Landauer is classical ().

§8 The energy ledger: a confirmed consistent accounting. - *Job*. Report the end-to-end §6 test and fix its exact epistemic standing (the framing charter’s first pillar). - *Carries*. A composed lattice-machine computation ($n = 2^a 3^b$, FRACTRAN-style, four reversible steps + one deliberate erasure). Uniform ensemble: reversible steps cost 0.0000; RESET $\mathbf{b} \rightarrow 0$ costs $1.7918 = \ln 6 = \ln K$ (the resistance of the forgotten register); total equals it exactly. Arbitrary (random) ensemble: reversible steps cost 0 to 10^{-16} ; the erasure costs $H(b | a) = 1.6587$; total equals the one erasure. Both §6 kill conditions untriggered: energy at a non-erasure step $\leq 4 \times 10^{-16}$; total-minus-erasure $\leq 2 \times 10^{-16}$. Ties back to the universal two-legged ledger (below) — the operation-by-operation form of the same discipline. (*Verified this session.*) - *Sources*. *The Energy Ledger Test* (and `energy_ledger.py`); *Erasure as the Carrier* §6. - *Grade*. The composed ledger balances; energy located at the erasure and equal to the resistance forgotten; reversibles free; both kill conditions untriggered: **Fact** (as an accounting). The carrier claim: **not promoted** by this. - *Boundary*. **Load-bearing**: in simulation this is Landauer applied to bijection-vs-many-to-one, an identity true by construction; it confirms consistent, correctly-located accounting but cannot risk a physical dissipation that could disagree. Genuine kill-or-promote needs physical heat measurement (the primon gas), which is parked. Carrier stays a Lead.

§9 The organising principle: $\ln(\text{fan-in})$ and the two-legged ledger. - *Job*. State the single law and the single conservation shape that structure the entire mapping. - *Carries*. Every irreducible operation’s erasure is $\ln(\text{fan-in})$ — the log of how many inputs collapse onto the output; the $\ln$ is the generic Landauer signature, **the fan-in is the content**. Every operation satisfies the two-legged ledger (the chain rule of entropy): $H(\text{input} | \text{output}) + H(\text{output}) = H(\text{input})$ — system erasure + demon reset = input information. $\ln n = \Omega(1/n)$, so every erasure value is a resistance value: the isomorphism is present throughout, not bolted on. - *Sources*. *Erasure at the Genesis Layer* §2; *Catalog of Erasure Operations* framing. - *Grade*. Chain rule / conservation: **Fact**. “ $\ln$ generic, fan-in the content”: Reading. - *Boundary*. None beyond the standing ones.

PART III — THE LEDGER MACHINERY

§10 The succession-channel and the two-legged stream. - *Job*. The first substrate: map the erasure ledger of the simplest structure succession can build alone (a cycle), and its emitted stream. - *Carries*. A channel is a succession-cycle of girth g ; superposition = uniform max-entropy state, entropy $\ln g$; the destructive meet-atom probe (“is the state the origin?”). The chain rule $\ln g = H(1/g) + (1 - \frac{1}{g}) \ln(g - 1)$: **one budget, two faces** (recorded + dumped + retained), not two addends. The genesis bit $g = 2$ is the unique lossless channel (erased term = 0); extraction efficiency $H(1/g)/\ln g$ falls from 1, the erased fraction $\rightarrow 1$ (resistance is erasure-dominated, anchored at the genesis bit). The stream: a bank of clocks emits a bitstring; per read-reset cycle $(\ln L - H(B)) + H(B) = \ln L$ (coarsening leg + Maxwell’s-demon reset leg); the kept leg is *deferred erasure*. The composition law — **Innovation = Connected Correlation in the ledger**: $H(B) = \sum_i H_i$ – redundancy; redundancy is exactly zero iff the bank is coprime (CRT); shared structure buys a cheaper demon bill at the cost of carrying less information. The genesis bit is the cheapest source. - *Sources*. *Stage1 Succession-Channel and the Two-Legged Ledger* (and `stage1_erasure_channels.py`, `stage1_stream.py`). - *Grade*. Chain rule, lossless $g = 2$, stream total = $\ln L$, additivity-iff-coprime: **Fact**. Erasure-domination and demon-discount: Reading. - *Boundary*. **The primality-as-relabel correction**: the sub-period test returns exactly

the primes with no factoring, but indexing channels by $\mathbb{Z}/g$ puts the divisor structure in at the door — a faithful *relabel*, not a derivation. The erasure accounting itself is non-circular (holds for any g). Graded down from an earlier “primality as output” claim. Also: the system here is still reversible (clocks only tick); the processing erasure is the demon’s reset.

§11 The additive merge, storage, and the reverse. - *Job.* The system’s first *irreversible* operation, its thermodynamics of storage, and the reverse that makes the erased information manifest. - *Carries.* $(a, b) \rightarrow n = a + b$ forgets the split; merge-erasure $\varepsilon(m) = \ln(m + 1)$ ($m + 1$ ordered splits, uniform), temperature-independent under both bounded-uniform and geometric priors (the realisation factor $R = m + 1$ reproduces the gas test on bare tallies). Off-by-one hygiene: the merged multiplicity is $m + 1$, not m — the marker that the proto-layer quantity is the split count, not the integer wearing a resistance hat. Storage is a **path function, not a state function**: a build through $m_1, \dots, m_k$ costs $\ln \prod (m_i + 1)$; floor = single merge = $\ln(N + 1)$; smallest-first/balanced (Huffman) minimises; repeated-same is not special. The reverse: force-reversing is one-to-many, scattering uniformly over $n + 1$ preimages with entropy $\ln(n + 1)$ — the erased information made manifest. The preimage space carries the Weyl clock-shift algebra $ZX = \omega XZ$; at $n = 1$ (genesis bit, two preimages) it is exactly Pauli / $\sqrt{\text{NOT}}$ — but classical scattering is the **phase-blind shadow** (probabilities, no i ; interference is the missing ingredient). - *Sources.* *Additive Merge: Heat, Storage, and the Reverse* (and `stage1_additive_merge.py`, `stage1_build_paths.py`, `reverse_merge_weyl.py`). - *Grade.* Merge-erasure, temperature-independence, path-function with floor and Huffman minimiser, scattering entropy = erased, Weyl relation and $n=1 \rightarrow$ Pauli: **Fact.** “Same 2” and Huffman link: Reading. - *Boundary.* Phase is the one missing ingredient (enables interference); whether the dynamics supply it is the open lead answered in §12.

§12 Phase on the merge: generated, and its cost. - *Job.* Show the missing phase is generated by the genesis operations already in hand, and that its cost *is* the merge-erasure — so irreversibility is decoherence. - *Carries.* S (succession-shift on the split index) and D (origin meet-atom) fail to commute and generate the Weyl phase Z for every n ; at the genesis bit $[S, D] = -i\sigma_y$ — the i of $\sqrt{\text{NOT}}$, now general in n , not only at $p = 2$. Phase cost via decoherence: classical scattering is maximally mixed (entropy $\ln(n + 1)$); a coherent phased superposition is pure (entropy 0); decohering it creates exactly $\ln(n + 1)$ — matching the merge-erasure at every n . So **the merge’s irreversibility is its decoherence**, and phase carries the erased split; a phase-preserving merge would be reversible. Split-blindness: the per-split phase *angle* is positional (distinguishes splits) but the per-split *cost* is uniform $\ln(n+1)$ — so the additive system cannot single out any arithmetically-distinguished split; distinguishing splits by *cost* would need multiplicative structure the additive system lacks. - *Sources.* *Phase on the Merge* (and `phase_from_merge.py`, `phase_cost.py`). - *Grade.* $[S, D] = -i\sigma_y$, Z generated from $\{S, D\}$, phase-cost = merge-erasure: **Fact.** Irreversibility = decoherence: Reading (standard decoherence-as-erasure). - *Boundary.* Only structural *availability* of phase is shown; that the merge dynamics produce a definite phased state is open. The additive cost is arithmetically blind at this stage — an expected limitation, since primality is absent from a purely additive system.

§13 The operation catalog and the multiplicative gateway. - *Job.* Extend the mapping across substrates, and locate exactly where multiplicative structure enters. - *Carries.* Additive batch: projection/reset are *flat* (fan-in $M + 1$, value-independent; reset records nothing); max/min are *graded* ($2m + 1$, $2(M - m) + 1$, exact mirrors); merge graded ($n + 1$) — the fan-in profile is the operation’s signature. String-rewriting family (truncate/delete/substitute): **conditional erasure** — gated by a pattern match, so test and forgetting are fused; non-matching inputs pass losslessly (fan-in 1); expected cost depends on pattern frequency; fan-in ranks them truncate > delete >

substitute; Turing-complete, no quantum shadow. **Modulo — the multiplicative gateway:** $a \rightarrow a \bmod m$ forgets the quotient; fan-in is the **quotient** $(M+1)/m$ — the first division in the catalog; interpolates reset ($m = 1$) to identity ($m = M+1$); and its two-legged ledger becomes a **factorisation** $\ln \frac{M+1}{m} + \ln m = \ln(M+1)$ — a factor pair, where every earlier ledger was additive. Reconnects to Stage 1: $a \bmod m$ is the full readout of the m -clock. The two-legged ledger is universal across every substrate; only the multiplicity inside the $\ln$ differs; at modulo it becomes a factor pair. - *Sources.* *Catalog of Erasure Operations* (and `erasure_operations.py`, `rewriting_erasure.py`, `modulo_erasure.py`). - *Grade.* All fan-in counts, flat/graded, conditional cost, modulo-as-factorisation, universal ledger: **Fact.** “Fan-in profile is the signature”: Reading. - *Boundary.* Reading primality off “which m split cleanly” re-imports the divisor structure — the Stage 1 circularity, recurring at the gateway. The erasure values stay non-circular.

PART IV — THE RELATIONAL CORE

§14 Channel correlation is $\ln \gcd$. - *Job.* The first *relational* question, producing the first two-variable arithmetic quantity — and the point where the multiplicative/prime structure becomes a thermodynamic signal. - *Carries.* Run $a \bmod m_1$ and $a \bmod m_2$ on the same a (uniform over $N = \text{lcm}$): $I(a \bmod m_1; a \bmod m_2) = \ln \gcd(m_1, m_2)$, confirmed to machine precision ($\leq 2 \times 10^{-16}$ over all pairs 2..8; re-verified this session). CRT makes it exact: both channels pin down $a \bmod \gcd$ and nothing more, and $I = \ln m_1 + \ln m_2 - \ln \text{lcm} = \ln \gcd$. **Coprimality is exactly zero correlation** — two number-channels share information iff they share a prime, and exactly $\ln(\text{shared part})$ of it. **The identification:** $\ln \gcd$ is $\Omega_{\gcd}$, the subtracted correlation term in the union law $\Omega_{\text{lcm}} = \Omega_a + \Omega_b - \Omega_{\gcd}$ — so $I = \ln \gcd$ reaches the resistance isomorphism’s $\Omega_{\gcd}$ term rather than escaping the framework. Innovation = Connected Correlation gains its arithmetic face. - *Sources.* *Channel Correlation is $\ln \gcd$* (and `channel_correlation.py`); Paper 1 (union law); Genesis spine §3.2, §5.3. - *Grade.* $I = \ln \gcd$, coprimality = zero correlation, identification with $\Omega_{\gcd}$: **Fact.** “Relational core, not single-integer rung”: Reading. - *Boundary.* *Coprimality emerges-but-isn’t-derived:* m_1, m_2 are inputs, so this is correlation-as-divisibility-test, not primes-from-nothing — the same standing problem the gateway named.

§15 The cumulant foundation (Innovation = Connected Correlation, in full). - *Job.* Give the statistical-mechanics backbone that makes “innovation = connected correlation” a theorem, and connect it to the relational face. - *Carries.* The primon gas ($\Pr(N = n) \propto n^{-\beta}$; occupations K_p independent geometric — the Euler product *is* mode independence); energy $\ln N = \sum_p K_p \ln p$, additive over modes. The master identity for every $m \geq 1$:

$$\kappa_m(\ln N) = \sum_{n \geq 2} \Lambda(n) (\ln n)^{m-1} n^{-\beta} = (-1)^m (\ln \zeta)^{(m)}(\beta).$$

Every cumulant lives on the innovation skeleton (atoms at prime-power resistances, base mass $\Lambda(n) = \ln p$); composites carry *no* connected correlation at any order (independent modes have moments but no connected correlation) while raw moments have atoms at every integer. **The hinge is the cumulant functor:** quantity lives in the moments; the innovation skeleton is what survives. The order–position lock (the m -th form carries $m-1$ extra position factors) — used later to keep the critical-line reading honest. - *Sources.* *Innovation is Connected Correlation; Primon Fisher Computation and CC Digest*; Genesis spine §3.2. - *Grade.* Master identity and per-mode formula: **Fact** (verified numerically through $m = 4$). Innovation-skeleton reading: Reading. - *Boundary.* The two-Möbius caution (partition-lattice vs divisibility-lattice inversion; forced or free-structure accident; free-probability test) stays an unbanked Lead.

PART V — THE REFRAME (THE CONCEPTUAL CENTRE)

§16 The natural key: primes forced by the filter, not the geometry. - *Job*. The paper’s interpretive spine — establish *where* the prime basis comes from. - *Carries*. Irreducible resistances ($\ln n$ never $\ln a + \ln b$, $a, b > 1$) are exactly the primes; they additively generate every $\ln n$ (unique factorisation) — a **natural key exists**. But the geometry does not pick it: a random rotation preserves every pairwise distance while destroying integrality, so distances/overlaps (everything the erasure-reconstruction recovers) leave the basis free up to rotation. What forces the prime basis is the **discreteness** — the non-negative integer lattice closed under addition-of-resistances — and that discreteness is **succession**. Split: geometry alone $\rightarrow$ surrogate keys (rotational gauge); geometry + discreteness $\rightarrow$ natural keys (primes forced). (*Re-verified this session: irreducibles = primes, generation to 10^{-16} , rotation-invariant distances, discreteness forces the basis.*) - *Sources*. *Natural Key and the Ordinal Shadow* §1–2 (and `natural_key_test.py`). - *Grade*. Generator structure = unique factorisation; geometry rotation-free while discreteness forces the basis: **Fact**. Surrogate-vs-natural resolution: Reading. - *Boundary*. The forcing is the filter’s, not the genesis data’s.

§17 The genesis system counts; primality lives in the observer’s frame. - *Job*. State the central conceptual move: the reframe from “erasure reveals meaning” to “erasure reveals a data structure.” - *Carries*. The genesis “rows” are plain ordinals $1, 2, 3, \dots$ in the system’s own frame — nothing prime about them. What reaches us is the ordinal combined with **uniqueness** (unique factorisation) and **irreversibility** (the $\ln$), and that shadow is the inverse prime. Primes are what plain counting looks like once pushed through the filter — *primeness exists here, not there*. **Data structure, not semantics**: if the rows are bare positions, there is nothing to *refer*; the honest target is the data structure (the free monoid on succession) whose unique-factorisation shadow is the whole prime lattice, the gcd/lcm joins, the divisibility order. - *Sources*. *Natural Key and the Ordinal Shadow* §3–5. - *Grade*. **Reading** — supported and elegant but interpretive: the substrate stays behind the barrier, so “plain ordinals” is the simplest hypothesis consistent with the shadow, not a deduction. - *Boundary*. No claim to see behind the barrier.

§18 Paper 2 recovered backward, and the syntax/semantics filter. - *Job*. Show the recovered data structure is exactly the Natural OS, and that the reconstruction results support the reframe. - *Carries*. The divisibility lattice with its Möbius function — Paper 2’s inclusion–exclusion engine — is exactly what falls out of the shadow. Paper 2 built the Natural OS *forward* (from the integers’ organisation); the erasure work recovers the same OS *backward* (from its erasure-shadow), with succession underneath and unique factorisation as the filter. Same OS, opposite direction. The meaning-reconstruction test: from erasure alone the meaning-*geometry* reconstructs exactly (meet-erasure = squared distance; $\Omega(\text{gcd})$ recovered to 10^{-16} ; classical MDS returns the true primitive count; geometry recovered up to isometry) but the *labels* do not cross — they are the rotational gauge distances cannot see. **The syntax/semantics filter**: erasure passes meaning-structure (geometry, the overlap lattice) and withholds syntax (the labels, surrogate keys). - *Sources*. *Natural Key* §4; *Reconstructing Meaning from Erasure*; Paper 2 (Natural OS, master equation). - *Grade*. MDS/geometry facts: **Fact**. Paper 2 recovered backward, syntax/semantics filter: Reading. - *Boundary*. The clean, fully-observed case only; noise/partial observation and whether a natural key is recoverable as a *sparse* basis are open (the sparse-axis-recovery frontier).

§19 Bearing on primality: a computational account, not a quantitative derivation. - *Job*. State precisely what the reframe contributes and where it stops — the two kept differentiated. - *Carries*. The contribution: a prime is given a **computational** identity — an **irreducible**

resistance, an ordinal whose forgetting-cost is not a sum of smaller ones — a genuine structural property of the shadow rather than something the genesis system computes. This explains what primality *is* in the framework’s terms; the multiplicative structure is intrinsic to the shadow (handed over by the filter: ln from irreversibility, integers from succession) rather than imported. Where it stops: this account is *not* linked to the **quantitative content** of primality — which integers are prime is still established only via the divisor structure, since testing irreducibility engages that very structure. So the reframe **explains primality computationally while relocating the circularity into the filter**, not removing it. - *Sources*. *Natural Key and the Ordinal Shadow* §5. - *Grade*. The computational reframe: Reading (a genuine contribution). Residual circularity: flagged. - *Boundary*. Differentiate the two throughout: primality is explained in computational terms; its quantitative content is not derived free of the multiplicative structure.

PART VI — THE PRIMALITY SHADOW

§20 The primality shadow is the von Mangoldt function. - *Job*. Give the closed form of the primality shadow and read it as an inclusion–exclusion erasure ledger. - *Carries*. Two verified identities: $\ln n = \sum_{d|n} \Lambda(d)$ (resistance built from innovations) and $\Lambda(n) = -\sum_{d|n} \mu(d) \ln d$ (the irreversibility test: invert it), with $\Lambda(n) = \ln p$ if $n = p^k$ and 0 otherwise. The second is a signed inclusion–exclusion over the divisor lattice (Paper 2’s Möbius engine). For a prime ($n = 5$): the ON state ($d = 1$, $\mu = +1$, contributes 0) + the certificate ($+\ln 5$), no composite divisor $\rightarrow$ **no erasure term** $\rightarrow$ the full $\ln 5$ survives (the prime *locks up*). For a composite ($n = 6$): the certificates $+\ln 2 + \ln 3$ are cancelled exactly by $-\ln 6$, so $\Lambda(6) = 0$ (the composite *reduces away*). **A prime is exactly a number with an empty erasure column.** (*Re-verified this session.*) - *Sources*. *Primality Shadow as Inclusion–Exclusion* §1–2 (and `primality_shadow_ledger.py`). - *Grade*. Both identities: **Fact** (classical; verified to 10^{-12}). Primes as rows with nothing to cancel: Reading. - *Boundary*. Extracting $\Lambda(n)$ still requires n ’s divisor lattice — the circularity is deepened, not dissolved.

§21 Three faces of unique factorisation. - *Job*. Close the arc: unify the whole paper’s arithmetic content as one structure. - *Carries*. The von Mangoldt series is the Euler product’s log-derivative: $-\zeta'/\zeta(s) = \sum_n \Lambda(n)n^{-s}$, $\zeta(s) = \prod_p (1 - p^{-s})^{-1}$. The product factorises *because* divisibility by distinct primes is independent — and that independence is the coprimality measured in §14 ($I(a \bmod p; a \bmod q) = \ln \gcd = 0$). So three things are one: **Paper 2’s Euler product, the $\ln \gcd$ coprimality, and the primality-shadow ledger are three faces of unique factorisation written in information** — the product factorises because the prime channels are uncorrelated; its log-derivative is the von Mangoldt; and the von Mangoldt is the ON – erasure + certificate ledger with primes the irreducible survivors. - *Sources*. *Primality Shadow as Inclusion–Exclusion* §3. - *Grade*. The identities: **Fact**. The synthesis across the three: Reading. - *Boundary*. No new mathematics; the value is coherence.

PART VII — FRONTIER AND HONEST BOUNDARY

§22 The genesis bit, one phenomenon seen five times. - *Job*. Pull together the recurring special point as a single through-line (a motif threaded since §3). - *Carries*. $g = 2 / n = 1$ is: the unique lossless channel (§10); the merge-to-length-1’s two preimages carrying Pauli / $\sqrt{\text{NOT}}$ (§11); the point where $[S, D] = -i\sigma_y$ generates the imaginary unit (§12, §5); the alternation $(-1)^{n-1} =$ the character mod 2 = the 2-phase that sits at the convergence boundary of the critical-line bouquet (§23); and the maximal-information/maximal-disturbance point (§5). One phenomenon,

five faces. - *Sources*. Genesis spine (§2.5, §4); the erasure notes' recurring $g=2/n=1$ findings. - *Grade*. Each face is Fact where cited; “one phenomenon” is the Reading that unifies them.

§23 The critical-line bridge — mechanism, no leverage. - *Job*. Take the disciplined first step toward the zeros while keeping the no-leverage flag loud. - *Carries*. The discrete cancellation seed: the d -th roots of unity sum to zero for every d ; the genesis bit is $1 + (-1) = 0$. The resistance-phasor bouquet $\eta(\frac{1}{2} + it) = \sum_{n \geq 1} (-1)^{n-1} n^{-1/2} e^{-it \ln n}$ falls to $\sim 10^{-7}$ exactly at the classical zeros ($t \approx 14.135, 21.022, \dots$) and runs $O(1)$ between — so the critical-line cancellation is literally destructive phasor interference. The connective tissue: the **spin rates are the forgetting-costs** ($t \cdot \ln n$, and $\ln n$ is the resistance/erasure cost catalogued all cycle); the **genesis bit sits at the convergence boundary** (the eta/zeta factor is $(1 - 2^{1-s})$, the character mod 2 taming the divergent bouquet). - *Sources*. *Weyl-Clock-Cancellation Bridge* (and `weyl_clock_cancellation.py`); *Channel Correlation* §4 (the direction flag); Paper 8; Weil note; Primon-Fisher digest. - *Grade*. Roots-of-unity cancellation, bouquet cancels at the classical zeros, alternation = 2-phase: **Fact**. Mechanism = phasor interference, spin rates = forgetting-costs, genesis bit bookends: Reading. - *Boundary*. **No leverage on the location of the zeros, and none is claimed.** The zeros were taken as known; the bouquet must cancel there because it *is* the continued zeta. The uniform cancellation does not deform into the zeta cancellation — same mechanism, one trivial, one hard. If this section is to be more than a bounded flag, read Paper 8 / Weil / Primon-Fisher in full first.

§24 Parked threads (flagged only). - *Job*. Record the open directions without pursuing them. - *Carries*. The observation-probability lead (cheaper-to-generate more probable to observe). The two-Möbius question (partition vs divisibility lattice; free-probability test). The primon gas as the physical vehicle for genuine falsifiability of the erasure axiom (the parked physical direction). The cross- m divisibility pattern (the channel-bank) as the concrete next territory for primality-as-output, to be entered with the circularity caution. - *Sources*. The notes' parked-lead sections; Genesis spine §9. - *Grade*. Leads, explicitly unbanked. - *Boundary*. Each carries its own no-leverage / not-yet flag.

PART VIII — DISCUSSION

§25 What is established, and what is not. - *Job*. State the paper's reach plainly. - *Carries*. Established: a coherent, internally-consistent account of number theory as the erasure trace of a quantity-free counting substrate — the axioms, the erasure mechanism on its one hard pillar, the universal $\ln(\text{fan-in})$ ledger, the modulo gateway to multiplicative structure, the relational $\ln \gcd = \Omega_{\gcd}$, the reframe that the substrate counts, the computational account of what primality *is*, and the unification of the three faces of unique factorisation. Not established: the genesis system's existence (unfalsifiable by construction; the erasure axiom is a corroborated *consistent accounting*, not a physical fact); the quantitative content of primality (given a computational identity here, but which integers are prime is still established via the divisor structure — the circularity is relocated, not removed); anything about the Riemann Hypothesis. The contribution restated: the axioms, the erasure framing and its systematic mapping in erasure variables, the reframe, the computational account of primality, and a small number of new formal observations, each marked — **not** new mathematics. - *Sources*. Whole corpus; the honesty boundaries throughout. - *Grade*. Framing. - *Boundary*. Close on the discipline: refuse to claim a breakthrough where only an established fact has been found.

APPENDICES

- **A. Verification map.** A table: each Fact $\rightarrow$ its script $\rightarrow$ the numeric confirmation (chain rule; lossless $g=2$; merge $\ln(n+1)$ and path-function; Weyl / Pauli at $n=1$; $[S, D] = -i\sigma_y$ and phase-cost; modulo factor-pair; $I = \ln \gcd$ to 2×10^{-16} ; cumulant identity to $m=4$; natural-key test; von Mangoldt to 10^{-12} ; energy ledger; bouquet at the zeros). All scripts named.
 - **B. The classical-results honesty boundary.** Landauer/Bennett (erasure cost, the demon's reset), Shannon (entropy, chain rule, mutual information), Weyl/Pauli clock-shift, von Neumann entropy of decoherence, Möbius/von Mangoldt/Euler, CRT, Rota (incidence-algebra inversion), classical MDS/Procrustes, the resistance-isomorphism union law — flagged where used. The contribution is interpretive/synthetic.
 - **C. The proto-glossary.** Symbol, gain-image, proto-phase, proto-pi, proto-e — with the discipline that a proto-term is kept only while it carries both a pre-quantitative meaning and a named completion.
-

5. Recurring motifs (thread these, don't silo them)

- **The two-legged ledger** ($H(\text{in} \mid \text{out}) + H(\text{out}) = H(\text{in})$) is the structural through-line — reappear with it on every substrate (§9–§13), then show it going multiplicative at modulo (§13) and relational at gcd (§14).
 - **The genesis bit** as the special point (§22) — plant it at each occurrence (§3, §5, §10, §11, §12, §23) and collect it once.
 - **Phase is generated and is the erased information** (§5, §11, §12) — dissolve any sense that phase was added by hand.
 - **The relocated circularity** (§10, §13, §14, §19, §20) — every time primality seems to appear, name where the divisor structure entered.
 - **Erasures divides the labour** — dynamics-merge erasure produces gauge-invariant counting; probe-coarsening erasure produces prime-specific structure including the uniqueness of $p = 2$. Use as a lens across Parts III–VI.
-

6. Drafting plan (order and process)

Order. Draft in narrative order (Part I $\rightarrow$ VIII), because each part earns the next and the honest boundaries compound. Two exceptions worth considering: draft **§8 (energy ledger)** and **§14 (relational core)** early as standalone set-pieces — they are the two most-attackable claims and the two with the fixed verbatim framings, so nailing their prose first de-risks the rest.

Per-section process (the project's incremental discipline). 1. Re-read the source note(s) for the section. 2. Re-run the section's script(s) and quote the confirmed numbers (bank before writing). 3. Draft the section with every substantive claim carrying its Fact/Reading/Lead grade inline and its honesty-boundary flag. 4. You review; correct any drift (especially vocabulary conflation — mathematical vs pre-quantitative genesis terms — and any place formalisation outruns the ontology). 5. Bank the section; advance.

Cadence. One part per pass, reviewed and banked before the next — no long unreviewed stretches. New terms or findings that surface during drafting go to a companion note, not silently into the paper.

Format. Long-form; the full paper as a markdown deliverable in `/mnt/user-data/outputs/`, section-numbered to this skeleton so edits map cleanly. A PDF export (ReportLab) is a later, separate step once the prose is banked.

7. Source-to-section map

Section	Primary source note(s)	Verifying script(s)
§2 axioms	Genesis spine §1	—
§3 substrate	Genesis spine §2.1–2.3	(FRACTRAN in corpus)
§4 isomorphism / proto-shadow	Paper 1; Genesis spine front matter, §4	—
§5 phase from probe	<i>Phase from the Probe</i> ; spine §2.5	(in <i>Phase from the Probe</i>)
§6–§7 erasure axiom / pillar	<i>Erasure as the Carrier</i> §1–2; <i>Erasure at the Genesis Layer</i> §2–3	—
§8 energy ledger	<i>The Energy Ledger Test</i>	<code>energy_ledger.py</code>
§9 organising principle	<i>Erasure at the Genesis Layer</i> §2; <i>Catalog</i> framing	—
§10 succession-channel / stream	<i>Stage1 Succession-Channel</i>	<code>stage1_erasure_channels.py</code> , <code>stage1_stream.py</code>
§11 additive merge / reverse	<i>Additive Merge</i>	<code>stage1_additive_merge.py</code> , <code>stage1_build_paths.py</code> , <code>reverse_merge_weyl.py</code>
§12 phase on the merge	<i>Phase on the Merge</i>	<code>phase_from_merge.py</code> , <code>phase_cost.py</code>
§13 catalog / gateway	<i>Catalog of Erasure Operations</i>	<code>erasure_operations.py</code> , <code>rewriting_erasure.py</code> , <code>modulo_erasure.py</code>
§14 channel correlation	<i>Channel Correlation is lngcd</i> ; Paper 1 union law	<code>channel_correlation.py</code>
§15 cumulant foundation	<i>Innovation is Connected</i> <i>Correlation</i> ; <i>Primon</i> <i>Fisher...CC Digest</i>	(<code>mpmath</code> , in note)
§16–§19 the reframe	<i>Natural Key and the Ordinal</i> <i>Shadow</i> ; <i>Reconstructing</i> <i>Meaning</i> ; Paper 2	<code>natural_key_test.py</code> , <code>toy_language_reconstruction.py</code>
§20–§21 primality shadow	<i>Primality Shadow as</i> <i>Inclusion–Exclusion</i>	<code>primality_shadow_ledger.py</code>
§22 genesis bit	Genesis spine §2.5, §4; erasure notes	—
§23 critical-line bridge	<i>Weyl-Clock-Cancellation</i> <i>Bridge</i> ; Paper 8; Weil; Primon-Fisher	<code>weyl_clock_cancellation.py</code>

Section	Primary source note(s)	Verifying script(s)
§24 parked threads	notes' parked-lead sections; spine §9	—

8. Explicitly out of scope (recorded)

- **The “all proofs are statements in the genesis system” aspiration.** Parked for a separate later conversation, by the owner’s decision — not in this paper.
- **Audience/journal tailoring.** Deferred; this draft captures everything at full depth across all three domains and is not thinned for a target reader.

Originating theory, axioms, direction, and the four framing calls are Alexander Pisani’s; the skeleton, the section mapping, the gradings, and this plan were developed jointly with Claude (Anthropic). June 2026. Drafting scaffold — section-numbered so the draft maps to it cleanly.