

Your grade: 100%

Your latest: 100% • Your highest: 100% • To pass you need at least 70%. We keep your highest score.

Next item →

1. Which of the following statements about built-in database functions is correct?

1 / 1 point

- ☐ Built-in database functions may increase processing time.
- ☐ Built-in database functions must be called from a programming language like Python.
- ☒ Built-in database functions reduce the amount of data that is retrieved.
- ☐ Built-in database functions may increase network bandwidth consumed.

✔ Correct
Correct. Built-in database functions process within the database itself, so the amount of data that is retrieved to the client machine is significantly reduced.

2. Which of the following SQL queries would return the day of the week each dog was rescued?

1 / 1 point

- ☐ SELECT RescueDate From PetRescue WHERE Animal = ‘Dog’;
- ☒ SELECT DAYOFWEEK(RescueDate) From PetRescue WHERE Animal = ‘Dog’;
- ☐ SELECT DAYOFWEEK(RescueDate) From PetRescue;
- ☐ SELECT DAY(RescueDate) From PetRescue WHERE Animal = ‘Dog’;

✔ Correct
Correct. The DAYOFWEEK() function returns the day of the week, and the WHERE clause correctly specifies the animal as a dog.

3. What is the result of the following query: **SELECT (Current_Date – RescueDate) FROMPetRescue**

1 / 1 point

- ☐ Returns the rescue date for each rescue.
- ☒ Returns how long it has been since each rescue.
- ☐ Returns today’s date.
- ☐ Returns the current date and rescue date columns.

✔ Correct
Correct. This query returns how long it has been since the rescue.

4. Which of the following queries will return the employees who earn less than the average salary?

1 / 1 point

- ☐ SELECT AVG(Salary) FROM Employees WHERE Salary < AVG(Salary)
- ☐ SELECT * FROM Employees WHERE Salary < (SELECT AVG(Salary))
- ☐ SELECT * FROM Employees WHERE Salary < AVG(Salary)
- ☒ SELECT * FROM Employees WHERE Salary < (SELECT AVG(Salary) FROM Employees);

✔ Correct
Correct. The AVG(Salary) function must be included in a sub-query within the WHERE clause.

5. What are the three ways to work with multiple tables in the same query?

1 / 1 point

- ☐ Built-in functions, implicit joins, JOIN operators
- ☒ Sub-queries, Implicit joins, JOIN operators
- ☐ Sub-queries, Implicit joins, normalization.
- ☐ Sub-queries, APPEND, JOIN operators

✔ Correct
Correct: You can retrieve information from more than one table by using a sub-query, an implicit join, or a JOIN operator like INNER JOIN, LEFT OUTER JOIN, RIGHT OUTER JOIN, or FULL OUTER JOIN.