NFRGuide.com

DEVELOPER MASTER REQUIREMENTS | VERSION 2.0

Independent NFR-first rodeo editorial website + custom publishing CMS + SEO Intelligence

Prepared: 28 October 2026 | Status: Approved functional architecture; visual direction pending final sign-off

Purpose: A buildable specification for a developer or development team. No code is authorized by this document alone.

Document control

Item	Decision
Product	NFRGuide.com — independent rodeo information publisher
Editorial reference	SportingSpy publishing philosophy and CMS field structure; separate brand
Approved	Content architecture, article-first model, logical data architecture, admin UX and 24 admin acceptance tests
Selected design direction	Concept C: cinematic dark header/hero + clean light editorial reading surfaces
Not yet final	Exact visual mockups, brand tokens, implementation stack/deployment, executable Prisma schema and migrations
Out of scope	Stream hosting, ticket transactions, live score ingestion, official competitor statistics database

How to use this document

1. Review Sections 1–5 for scope, information architecture and page behavior.
2. Implement Section 6 as the editorial CMS contract and Section 7 as the data-model contract.
3. Implement Sections 8–11 for SEO, security, performance and operational reliability.
4. Use Sections 12–14 as delivery phases, acceptance gates and open decision log.
5. Raise any conflicting or unspecified requirement before implementation; do not silently invent event facts or publishing policies.

1. Product mission and non-negotiable rules

NFRGuide is an independent information and editorial publication covering the National Finals Rodeo (NFR) and wider rodeo world. It helps fans find reliable schedules, competition explanations, results coverage, legitimate viewing information, tickets and travel guidance, entertainment and other fan experiences.

- Independent publisher: no representation as an official NFR, PRCA, broadcaster, ticketing provider or event organizer. Include clear independent-site identity and editorial/about/disclosure pages.
- Article-first: articles are the primary editorial unit. Competitor profiles, results, schedules and news are articles with optional structured relationships—not a live statistics platform.

- Original, sourced, accurate and useful content. Time-sensitive dates, viewing rights, ticket availability and prices require verification and review dates.
- No unauthorized stream hosting or embedded pirated feeds; direct users to legitimate sources.
- No fake statistics, SEO scores, event dates, countdowns, audience counts or search engine indexing claims.
- AdSense and affiliate monetization must be transparent, clearly disclosed and subordinate to the reader experience.
- Custom admin/CMS, not WordPress or Sanity; existing SportingSpy approach is a reference, not a shared brand or database.

2. Public information architecture

Primary section	Coverage and required discovery
NFR Competition	NFR overview; 10 rounds; seven disciplines; schedules; editorial results and standings; contestant-related articles
NFR Entertainment	Concerts, after-parties, watch parties, awards, meet-and-greets, fan experiences
NFR Events & Shopping	Cowboy Christmas, Junior NFR, Miss Rodeo America, exhibitions, merchandise-related guides
NFR Plan & Watch	Authorized TV/streaming information, tickets, hotels, travel, venue, transport and Las Vegas guides
More Rodeo	Permanent hubs by geography/theme; recurring rodeo events; annual editions; associated articles

Seven NFR disciplines: Bareback Riding, Steer Wrestling, Team Roping, Saddle Bronc Riding, Tie-Down Roping, Barrel Racing and Bull Riding.

2.1 Entity distinctions

Entity	Meaning	Example
Rodeo Hub	Permanent editorial landing page; geographic or thematic	Canadian Rodeo; College Rodeo
Rodeo Event	Stable recurring event identity independent of hub	Calgary Stampede
Event Edition	Specific occurrence/year with verified details	Calgary Stampede 2027
Article	Editorial story/guide; optional hub/event/edition/discipline relationships	How to Watch Calgary Stampede 2027

Events may belong to multiple hubs. Hub membership must not determine event canonical URLs. Evergreen articles need no edition. NFR may share event/edition data models but use dedicated flagship navigation and templates.

2.2 Canonical URL proposal

Type	Proposed pattern

More Rodeo index	/rodeo-events/
Hub	/rodeo-events/canada/
Event	/rodeo-events/calgary-stampede/
Edition	/rodeo-events/calgary-stampede/2027/
Article	/articles/how-to-watch-calgary-stampede-2027/
Admin	/admin/... (private and protected)

Final URL routing for the four NFR primary sections must be frozen before implementation. Enforce one resolved public path per published entity, and redirect on published slug changes. Do not derive event URLs from hub slugs.

3. Public website: page templates and behavior

Template	Required components
Homepage	Cinematic lead story; latest NFR; quick links; competition; Plan & Watch; entertainment; events/shopping; More Rodeo; evergreen content; footer
Primary section landing	Editorial introduction; featured story; topic subnavigation; latest and evergreen articles
Rodeo hub	Original introduction; linked recurring events; featured articles; SEO metadata; curated or filtered content
Recurring event	Evergreen identity, organizer, venue where verified, disciplines, editions and related articles
Event edition	Edition label/year, verified dates/timezone/venue, lifecycle, sources, schedules and related coverage
Article detail	Headline, optional deck, author/date, image, summary, rich content, sources, relevant disclosure, related articles
Category/archive	Clear title, description, filtered content, pagination and canonical/indexing logic
Discipline guide	Evergreen explanation, related NFR/event articles, relevant rules and terminology
Author profile	Bio, editorial credentials where applicable, published articles
Search	Published eligible content, type filters, pagination, zero-result guidance
Static/legal	About, contact, editorial policy, corrections, privacy, affiliate disclosure, terms as needed

3.1 Homepage composition

6. Site header and five-section navigation; prominent search.
7. Lead cinematic editorial hero with headline, description and article link; no invented claims.
8. Latest NFR coverage (automatic feed with manual editorial overrides).
9. NFR quick-access row: schedules, results, disciplines, how to watch, tickets.
10. Competition highlights and discipline guides.
11. Plan & Watch guides; entertainment and fan experiences.
12. Events & Shopping coverage.
13. More Rodeo hubs, events and selected worldwide guides.
14. Evergreen learning resources, clearly identified ads where applicable, trust/legal footer.

Homepage sections are controlled from admin using approved section types, manual curation and/or filtered feeds. Provide preview and publish controls; avoid an unrestricted page builder.

3.2 Article page behavior

- One H1, optional secondary editorial deck, distinct excerpt, author, published/updated/reviewed dates as appropriate.
- Featured image with rights/credit and contextual ALT text. Rich text with semantic headings, lists, quotes, tables, accessible links and responsive images.
- For relevant guides, concise answer near top; optional auto-generated table of contents for longer articles.
- Clear citations/sources and commercial disclosures; related articles and contextual links.
- Article type changes validation and optional components, not the core article storage or editor.
- Draft preview must be authenticated or securely tokenized, noindex and never exposed through public search/sitemaps.

4. Visual design specification — Concept C

Selected direction: Hybrid Premium Sports Publication. A cinematic, dark rodeo-inspired masthead and hero combined with clean light editorial content sections. The generated Step 5B design board is a concept reference, not an approved pixel-perfect implementation or verified source of event facts.

Token / component	Proposed design value / behavior
Primary charcoal	~#0F1115 — dark masthead, hero overlays and footer
Deep navy	~#1E293B — dark surfaces, utility components
Western gold accent	~#D4A757 — restrained buttons, active indicators, links
Terrain brown	~#8B5E3C — secondary heritage accent, sparingly
Warm sand	~#F7F3EA — editorial background
White	~#FFFFFF — article canvas and cards
Headings	Premium editorial display serif, e.g. Playfair Display; verify licensing and rendering
Body/UI	Legible modern sans, e.g. Inter; 16–18 px body target
Desktop grid	12-column system, max content width ~1200–1320 px
Article reading column	~680–760 px for readable long-form text
Spacing	Consistent 4/8-point spacing scale; clear editorial rhythm

Cards	Photo-led with restrained borders/shadows, category/date and clear titles
Buttons	Accessible primary accent CTA, secondary outline, visible focus
Images	16:9 editorial hero; consistent 3:2 or 4:3 cards; responsive srcset
Navigation	Desktop horizontal five-section nav; mobile expandable drawer and search

Colors, typefaces and dimensions are proposed starting tokens; final brand tokens and screen mockups require explicit visual approval. Do not reproduce inaccurate text/dates from generated imagery.

4.1 Responsive behavior

- Mobile-first layouts; practical viewport checks at ~360, 390, 768, 1024 and 1440 px, plus fluid resizing.
- Desktop: horizontal nav, wide hero, multi-column cards; optional article sidebar/table of contents.
- Tablet: reduced columns and simplified header as needed.
- Mobile: menu drawer, single-column article, 1–2-column cards where readable, no horizontal overflow.
- Touch targets, contrast, keyboard access, skip navigation, semantic landmarks, focus and reduced-motion preferences.
- Reserve ad/image dimensions to reduce layout shifts; never put intrusive ads between essential answer and source context.

4.2 Reusable public component library

- SiteHeader, MegaMenu/MobileDrawer, SearchTrigger, Breadcrumbs, Footer.
- EditorialHero, ArticleCard (feature/standard/compact), ArticleGrid, SectionHeading, TopicChips.
- QuickLinkGrid, DisciplineCard, RodeoHubCard, EventCard, EditionStatus, VerifiedDateDisplay.
- ArticleHeader, AuthorByline, ArticleBody, TableOfContents, SourceList, RelatedArticles, DisclosureBanner.
- AdSlot with explicit labeling and reserved space, Pagination, EmptyState, ErrorState, ImageWithCredit.

5. Custom CMS: 12 admin modules

Module	Required screens and actions
Overview	Publishing counts, assigned drafts, review queue, scheduled items, SEO priorities, edition reminders, job failures
Articles	List/filter/search; new/edit; preview; revisions; validation; publish/schedule/archive
Rodeo Coverage	Hubs, recurring events, editions, disciplines, venues; associations and editorial links
Editorial Organization	Categories, tags, article types, SEO profiles and related article controls
Media Library	Upload, asset search, metadata, credit/rights, usages and safe deletion
Sources & References	Source directory, type, official status, verification date, linked articles

SEO Intelligence	Overview, issues, content audit, rules, sitemaps/robots, redirects, integrations, reports
Website & Navigation	Menus, page sections, curated content, preview and publication
Analytics & Search	Connected analytics, internal search queries, zero-result reports
Monetization	Commercial links, sponsorship/affiliate disclosures, ad placement configuration
Team & Permissions	Users, invitations, roles, permissions, sessions and access history
System Settings	Site defaults, integrations, jobs, logs, backups and operational health

5.1 Admin interaction standards

- Persistent sidebar/topbar, breadcrumbs, global search, New Article, notifications and environment label.
- Server-side pagination, sorting, filters and permission-safe bulk actions on lists.
- All forms: explicit required markers, inline validation, save feedback, loading/error/empty states.
- Autosave reports Saving/Saved/Failed honestly and protects unsaved changes.
- Destructive actions require confirmation and are logged.
- Desktop-first admin with usable mobile workflows; no reliance on hover-only interactions.

6. Editorial editor and workflow

6.1 Required SportingSpy-aligned field order

15. Main Headline (required to publish).
16. Secondary Editorial Deck (optional; one-line subheading).
17. Editorial Excerpt / Summary (required for published article cards/previews).
18. Article Body (validated structured rich-text JSON).
19. SEO Title (independently editable; length advisory, not a rigid universal cutoff).
20. Meta Description (independently editable; may be suggested from excerpt).
21. Image SEO Title.
22. Image ALT Text (contextual, editable per placement).

Additional editor panels: article type, primary category, tags, optional hub/event/edition/discipline associations, featured media, image credit/rights, sources, author/reviewer, canonical/robots, affiliate/sponsor disclosure, publication schedule, revisions and audit history.

6.2 Configurable article types

Seed types: News; Event Update; Event Guide; Schedule; Results & Standings; How to Watch; Preview; Competitor Profile; Rules & Format; History; Records & Past Winners; Entertainment Guide; Ticket Guide; Venue Guide; Travel Guide; Product Buying Guide; Product Review; General Information. Types are configurable through admin and share one editor; type-specific SEO profiles and conditional validation.

6.3 Workflow

Draft → In Review → Approved/Scheduled → Published → Archived, with preview, unpublish, corrections, review dates and revision restoration. “Approved” can be represented as a review state rather than a public content status. Solo Super Admin may move through stages without separate users, but authorization is still enforced.

23. Create draft; autosave and record revisions.
24. Assign classification and optional rodeo relationships; attach sources and media.
25. Run field, integrity, rights, disclosure and SEO checks.
26. Submit for review or self-approve if authorized.
27. Preview exact public rendering.
28. Publish immediately or schedule with explicit timezone.
29. At scheduled execution, revalidate; on failure leave unpublished and notify/log.
30. On updates, maintain dates, revisions, canonical paths and redirects.

6.4 Publishing blockers versus advice

Confirmed security, legal/compliance, ownership/rights, required fields, invalid URL/relationship and critical technical failures block publication. Routine SEO suggestions warn but do not block. Uncertain automated factual checks request human review rather than asserting a claim is false. Suppression of confirmed blockers is not available to ordinary editors.

7. Logical database schema contract

PostgreSQL relational design; UUID IDs for most entities; timestamps in UTC with display timezone; explicit foreign keys, unique constraints, indexes and deletion rules. Prisma is the preferred ORM but executable models, SQL constraints and migrations remain developer deliverables. The table inventory is logical and may expand for auth/ownership infrastructure.

7.1 Core entities

Group	Tables / associations
Editorial	articles, article_types, categories, tags, article_tags, authors, article_revisions, article_relations
Rodeo	rodeo_hubs, rodeo_events, hub_events, event_editions, venues, disciplines, event_disciplines
Article links	article_hub_links, article_event_links, article_edition_links, article_discipline_links
Evidence/media	media_assets, article_media, sources, article_sources
Commercial	commercial_links, article_commercial_disclosures
Website	navigation_menus, navigation_items, page_layouts, page_sections
Identity	users, roles, permissions, user_roles, role_permissions, auth_sessions, audit_logs
SEO	seo_profiles, seo_metadata, seo_rules, seo_rule_scopes, seo_scans, seo_findings, seo_scan_findings, seo_finding_events, redirects, url_registry
Operations	background_jobs, job_attempts,

	search_query_analytics, site_settings

7.2 Entity fields and constraints

Entity	Minimum fields and invariants
articles	id; type_id; primary_category_id; author_id; headline; deck?; excerpt; body_json; slug; status; published_at?; scheduled_at?; reviewed_at?; featured_media_id?; unique resolved public path
rodeo_hubs	id; parent_id?; title; slug; introduction; status; sort_order; no hierarchy cycles
rodeo_events	id; name; slug; description; organizer_name?; official_url?; status; is_flagship; unique stable slug
event_editions	id; event_id; edition_slug; label; year?; start_at?; end_at?; timezone?; venue_id?; status; verified_at?; unique(event_id,edition_slug); end >= start
article_*_links	Composite uniqueness on each pair; optional associations; edition must be consistent with its parent event
media_assets	id; storage_key; mime_type; bytes; dimensions; credit; rights_status; uploaded_by; unique storage key
article_media	article_id; media_id; usage_key; contextual alt_text; caption; sort_order
sources	id; title; publisher?; url; source_type; last_checked_at?
article_revisions	id; article_id; revision_no; snapshot; edited_by; created_at; unique(article_id,revision_no)
seo_rules	id; unique code; category; severity; enabled; config_json; version
seo_findings	id; rule_id; owner reference; stable fingerprint; status; severity; first/last seen; resolution; historical events
redirects	id; normalized source_path; target_path; status_code; active; unique active source; no loops
url_registry	unique normalized public path and enforceable entity ownership
background_jobs	id; type; payload; status; run_after; dedupe_key; attempt_count; idempotent processing

7.3 Database integrity requirements

- One stable event record may link to many hubs and editions; do not duplicate events for each hub.
- Edition uniqueness is (event_id, edition_slug), not merely (event_id, year). Some events may have multiple occurrences per year.
- All article associations use junction tables with composite unique keys.
- Protect referenced entities from destructive deletion; archive or soft-delete where appropriate.
- Normalize and reserve public URLs transactionally; ensure redirect generation when published slugs change.

- No unchecked polymorphic owner references: SEO metadata/findings and URL registry require explicit FK ownership or a validated ownership registry.
- Enforce data constraints in DB where feasible and repeat business validations in application services.
- Do not store arrays of relational IDs in JSON when a proper junction table is available.

7.4 Deliverables required from developer

- Complete Prisma schema, enum definitions, relations, indexes, unique constraints and SQL migrations.
- Physical ERD including junction tables, SEO ownership, sessions and job infrastructure.
- Seed data for five primary sections, seven NFR disciplines, article types, roles and SEO profiles.
- Migration plan, rollback strategy, backup/restore test and automated referential-integrity tests.

8. SEO Intelligence specification

One configurable rule engine shared by editor checks and scheduled audits. Do not create separate competing SEO engines. Checks must be explainable and rule-scoped, with persisted scan and finding history.

12 groups	Expected checks
1. On-page	SEO title, meta description, headings, primary topic clarity
2. Search appearance	Duplicate titles/descriptions, snippet readiness
3. Technical	Canonicals, noindex, URL collisions, sitemap eligibility
4. Content/topic	Completeness, readability, useful answers, factual context
5. External links	Official source verification, link health, sponsored classification
6. Internal links	Orphan content, broken references, contextual linking
7. Image SEO	ALT, credit, image rights, optimization
8. Structured data	Article/NewsArticle, CollectionPage, SportsEvent only when warranted
9. AI search readiness	Direct answers, source clarity, entity context
10. Freshness	Review dates, stale event/viewing/ticket information
11. Event SEO	Hub/event/edition consistency and lifecycle
12. Redirects	Loops, chains, invalid targets and status codes

8.1 SEO data and lifecycle

- seo_profiles configure checks by article type; seo_rules store code, severity, enabled state, version and thresholds; seo_rule_scopes override applicability.
- seo_scans track scope, status, engine version, timestamps and initiator.
- seo_findings use stable fingerprint, severity, owner, status (open/resolved/reopened/suppressed where permitted), first/last detection.
- seo_scan_findings record evidence from each scan; seo_finding_events record all status changes and reasons.
- Editors can navigate from issue to affected content/field. Only authorized roles can suppress non-blocking findings, with reason and optional expiry.

- No fabricated SEO score, ranking, indexing or analytics. Connected Search Console/Bing data must be labeled as actual verified integration data.
- Expensive full-site scans and link checks execute asynchronously, not on public page requests.

8.2 Metadata, indexing and link policy

- Canonical, robots and sitemap eligibility must derive from one central policy. Draft/unpublished/private/noindex pages are excluded from public XML sitemaps.
- Normal editorial source links are followable by default; internal links use normal anchor markup.
- Affiliate/paid links use rel="sponsored" and visible disclosure. Untrusted links may use nofollow; UGC uses ugc if introduced.
- Use JSON-LD types that reflect actual content. An article about an event is not automatically a SportsEvent page.
- Redirects must avoid loops/chains; use 301/302/307/308 as appropriate and validate destination safety.

9. Search, monetization and content operations

9.1 Internal search

Launch with PostgreSQL full-text search over published, eligible articles, hubs, events and editions. Provide content-type filters, pagination, relevant ranking and useful zero-results guidance. Record aggregate normalized search queries and result counts with a retention policy; do not collect unnecessary personal data.

9.2 Commercial controls

Commercial link registry records destination, partner, relationship type, status and optional tracking configuration. Editorial link insertion distinguishes normal, sponsored, untrusted and future UGC links. Visible disclosures are mandatory where appropriate. Ad slots must be labeled, reserved in layout, policy-compliant and not mistaken for editorial recommendations.

9.3 Media and sources

Use object storage for media, with safe upload validation, resizing, credit/rights fields and contextual ALT text. Keep a reusable source directory and article-source verification notes. Time-sensitive viewing/ticket information must have suitable references and review dates.

10. Security, authorization and operations

- Use vetted authentication libraries; secure password hashing, session rotation, MFA for privileged roles, rate limits and secure reset/recovery flows.
- Role-based permissions: Super Admin, Administrator, Editor, Author and SEO Manager. Enforce on server and APIs, not only sidebar visibility.
- Audit create/edit/publish/unpublish/permission/SEO rule/redirect/commercial changes.
- Protect against XSS, CSRF, injection, SSRF through URL fetches, unsafe uploads and open redirects; validate rich-text nodes and external URLs.
- Persistent background job queue for scheduled publishing, SEO scans, sitemap updates and link checks; retries, idempotency, deduplication, failure monitoring.
- Backups, restore testing, error monitoring, log retention, secrets management and environment separation (development/staging/production).

- Respect copyright and privacy; no unauthorized live-stream content or copyrighted media without appropriate rights.

10.1 Recommended stack (subject to technical sign-off)

Next.js (App Router), React, TypeScript, PostgreSQL, Prisma, Tailwind CSS, Tiptap/ProseMirror, object storage, a durable worker/queue, Vitest and Playwright. Deployment vendor, auth library, cache, queue provider and analytics integrations require a documented implementation decision before development. Avoid hard-coding infrastructure assumptions.

11. Performance, accessibility and SEO delivery

- Indexable public content should use server-side rendering or static generation with appropriate revalidation.
- Responsive image optimization, lazy loading below the fold, caching, pagination and minimal client-side JavaScript.
- Target good Core Web Vitals at p75: LCP <= 2.5 s, INP <= 200 ms, CLS <= 0.1; measure rather than guarantee.
- Target WCAG 2.2 AA for key user journeys: keyboard access, focus, contrast, labels, landmarks, skip links and reduced motion.
- Robots, XML sitemaps, canonical tags, redirects, structured data and preview protections must be validated in staging.
- Use verified event data; do not manufacture dates, tickets, prices, streaming availability, athlete results or countdowns.

12. Acceptance tests — admin (24 approved)

ID	Pass condition
ADM-01	Authorized login creates secure session with correct permissions
ADM-02	Unauthorized API/admin action rejected server-side
ADM-03	Article create/autosave persists; status accurate
ADM-04	Restore revision creates new revision; history intact
ADM-05	Evergreen article publishes without edition
ADM-06	Edition link enforces matching parent event
ADM-07	Missing required field blocks publication with actionable error
ADM-08	Nonblocking SEO warning allows authorized publication
ADM-09	Confirmed compliance blocker prevents publication
ADM-10	Scheduled publish uses explicit timezone and correct execution
ADM-11	Scheduled validation failure leaves article unpublished and logs alert
ADM-12	Event in multiple hubs remains single canonical event
ADM-13	Changing hub association does not change event URL
ADM-14	Published slug change creates valid redirect
ADM-15	Repeated SEO scan does not duplicate active finding

ADM-16	Resolved issue reappears as reopened with history
ADM-17	Affiliate link uses correct classification/disclosure
ADM-18	Missing required media rights blocks unsafe publication
ADM-19	Article search/filter/pagination correct and permission-safe
ADM-20	Homepage reordering previews before publication
ADM-21	Job retry does not duplicate publication/side effects
ADM-22	Admin essential flows work on mobile
ADM-23	Disconnected SEO integration shows no fabricated metrics
ADM-24	Archiving referenced event preserves related content

13. Acceptance tests — public website (20 baseline)

ID	Pass condition
WEB-01	Five-section navigation works on desktop and mobile
WEB-02	Homepage sections curated from admin
WEB-03	Article page renders approved editorial fields
WEB-04	Valid page metadata and canonical
WEB-05	Hub lists associated events without duplication
WEB-06	Event links valid editions and articles
WEB-07	Edition shows verified or explicitly unknown dates
WEB-08	Evergreen articles do not require edition
WEB-09	Search returns relevant published eligible content
WEB-10	Draft/private previews inaccessible publicly
WEB-11	Slug changes redirect correctly
WEB-12	Sitemap/robots follow central indexability policy
WEB-13	Structured data matches page type
WEB-14	Responsive images with accessible text
WEB-15	Affiliate disclosures and rel attributes correct
WEB-16	Keyboard-accessible navigation and article content
WEB-17	Ads do not cause avoidable layout shifts
WEB-18	Layouts work across agreed responsive viewports
WEB-19	Public pages expose no admin-only data
WEB-20	404/error states help reader recover

14. Delivery plan, handoff and decisions

14.1 Recommended build sequence

Phase	Deliverable / exit gate
0. Design and technical freeze	Approve final Concept C mockups, route map, stack/deployment, ERD, Prisma and migration design
1. Platform foundation	Auth/RBAC, database, admin shell, media storage, audit logging, staging
2. Editorial core	Article editor/listing, types/categories/tags, sources, revisions, publishing
3. Rodeo relationships	Hubs, events, editions, disciplines, venues and article links
4. Public pages	Homepage, five sections, article, hub/event/edition, search and legal pages
5. SEO and commercial	Metadata, schema, sitemaps, redirects, rules, findings, disclosures and ad slots
6. Operational hardening	Scheduling, background jobs, analytics integrations, security, accessibility and performance
7. UAT and launch	Pass agreed acceptance tests, restore rehearsal, content QA, staging sign-off, production launch

14.2 Required developer handoff artifacts

- Final physical ERD and executable Prisma models plus SQL migrations.
- Screen designs and responsive component inventory; route-to-template map.
- API contracts, validation rules, role-permission matrix and publishing state machine.
- SEO rules catalog with IDs, severities, scopes and sample findings.
- Seed data and staging content; migration/backup/rollback instructions.
- Automated unit/integration/e2e tests and acceptance test results.
- Deployment architecture, environment variables list (without secrets), monitoring and operations runbook.
- Editor/operator guide covering articles, sources, editions, SEO issues, homepage curation and commercial disclosures.

14.3 Explicit open items requiring sign-off

31. Approve final pixel-level Concept C screens for homepage, article, NFR landing, More Rodeo hub and mobile. The current generated board is illustrative only.
32. Confirm final NFR section URL paths, article URL pattern and public navigation dropdown structure.
33. Select actual brand fonts, logo artwork, licensed imagery and exact color tokens.
34. Approve implementation stack versions, hosting, storage, authentication library, queue and integrations.
35. Review developer-produced physical ERD, Prisma schema, migration strategy and ownership constraints.
36. Agree content publishing policy, source verification thresholds, correction policy and commercial disclosure wording.
37. Agree launch content inventory, editorial owners, performance test targets and deployment readiness gates.

CHANGE CONTROL: Any departure from the approved article-first architecture, five primary sections, CMS editorial field order, canonical URL principles, SEO Intelligence rule model or acceptance criteria requires documented approval before implementation.

END OF DEVELOPER REQUIREMENTS — v2.0