

DAILY IDENTITY V3.6

Grand Sealed Feature Register

200 explicit features for Daily Names, Daily Mail, marketing rewards and administration

Environment: DLY Testnet | Consolidated planning version: V3.6 | Date: July 2026

This document consolidates the 118 locked V3.0 features, the accepted V3.2 and V3.3 amendments, UX-186 to UX-194, and six new safe V3.6 additions.

Important scope position: the original signed/contractual scope remains the 118-feature V3.0 register until this consolidated 200-feature planning register is approved in writing. HTML implementation means simulator behavior, not completed production contracts, backend, audits or mainnet deployment.

1. Consolidated decision

Daily Names remains an ENS-inspired naming protocol for .dly, .day and .daily. Daily Mail remains encrypted name-to-name communication. The marketing layer remains voluntary and funded in native DLY. Readable message content is encrypted before upload and never stored on-chain.

Register stage	Count	Meaning
Original V3.0 locked specification	118	Contractual baseline.
Accepted V3.2 amendments	38	Planning total became 156.
Accepted V3.3 amendments	29	Planning total became 185.
Accepted V3.4 amendments	9	Planning total became 194.
New safe V3.6 additions	6	Grand consolidated planning total becomes 200.

2. Locked technology and architecture

Standard / technology	Locked use
ERC-137 / ENS architecture	Registry, registrar, resolver, hierarchical namehash and subname control.
ENSIP-15	Name normalization and confusable-name protection.
ENSIP-9 + SLIP-0044	Multichain address records using registered coin-type identifiers.
ENSIP-19 principles	Multichain primary-name and reverse-resolution compatibility where applicable.
ERC-165	Resolver interface discovery.
ERC-721	Transferable ownership of second-level names.
ERC-3668 / CCIP Read	Verified retrieval of larger off-chain resolver records.
EIP-712	Typed signatures for mail envelopes and campaign engagement receipts.
ERC-1271	Signature validation for multisigs and smart-contract wallets.
OpenZeppelin	AccessControl, default-admin rules, Pausable, ReentrancyGuard, ERC721 and signature helpers.
AES-256-GCM	Client-side encryption of mail bodies and attachments.
Native DLY	Registration, renewal and campaign payments use native DLY; ERC-20 and EIP-2612 are not used.

3. Final safe decisions in V3.6

Geography CSV: Admin can import country, state/region, city, price and optional aggregate user count. Invalid rows are previewed and rejected.

Pricing fallback: City pricing overrides state/region, which overrides country, which overrides global pricing.

Canonical marketer alias: Only {24-alphanumeric}.marketing.daily is used. The alternate marketing.{id}.daily form is removed.

Recipient privacy and payment safety: The application masks the resolved wallet by default but allows deliberate full verification before MetaMask signing.

Payment requests: Users can create a Daily payment URI, memo and QR request for another compatible wallet.

External storage: Google Drive or OneDrive can be selected as user-controlled encrypted storage. One connector is included in testnet production scope; the second requires separate approval.

4. Grand 200-feature register

Every row below is explicit. Original DLY features retain their V3.0 IDs. Management amendments use UX IDs. Status wording distinguishes contractual baseline, accepted planning amendment and guardrail.

ID	Feature	Explicit behavior	Release	Source group	Status
DLY-001	Wallet connection with MetaMask	Connect MetaMask and use the connected EVM wallet as the authenticated Daily account.	Core	V3.0 locked specification	Included
DLY-002	DLY testnet detection and switching	Detect the configured DLY testnet and prompt the wallet to switch when the active chain is wrong.	Core	V3.0 locked specification	Included
DLY-003	Owned-name profile	Show the connected wallet's owned Daily names and account profile.	Core	V3.0 locked specification	Included
DLY-004	Search across .dly, .day and .daily	Search the same label across .dly, .day and .daily.	Core	V3.0 locked specification	Included
DLY-005	Availability, reserved and premium status	Show whether each result is available, reserved or premium.	Core	V3.0 locked specification	Included
DLY-006	Alternative name suggestions	Suggest alternative labels when the requested name is unavailable or restricted.	Core	V3.0 locked specification	Included
DLY-007	ENSIP-15-compatible normalization	Normalize labels using ENSIP-15-compatible rules before search or registration.	Core	V3.0 locked specification	Included
DLY-008	Confusable-name warning	Warn about or block visually confusable characters and unsafe labels.	Core	V3.0 locked specification	Included
DLY-009	Commit-reveal registration	Use commitment and reveal transactions to reduce registration front-running.	Core	V3.0 locked specification	Included
DLY-010	Native DLY registration payment	Accept registration fees in native DLY through payable contract calls.	Core	V3.0 locked specification	Included
DLY-011	ERC-721 name minting	Mint transferable ERC-721 ownership for second-level Daily names.	Core	V3.0 locked specification	Included
DLY-012	Registration duration selection	Let users choose the permitted registration term.	Core	V3.0 locked specification	Included
DLY-013	Bundle registration for multiple TLDs	Register the same available label across multiple supported TLDs in one guided flow.	Core	V3.0 locked specification	Included
DLY-014	Configurable bundle discounts	Apply admin-configured discounts when two or three TLDs are purchased together.	Core	V3.0 locked specification	Included
DLY-015	Standard length-tier pricing	Calculate standard-name price from configurable length tiers.	Core	V3.0 locked specification	Included
DLY-016	Premium-name request	Submit a free premium-name request instead of allowing immediate payment.	Core	V3.0 locked specification	Included
DLY-017	Admin quote and quote expiry	Let admin issue a custom quote with an expiry time before registration payment.	Core	V3.0 locked specification	Included
DLY-018	Registration and renewal price effective date	Schedule when registration or renewal price changes become effective.	Core	V3.0 locked specification	Included
DLY-019	Renewal before expiry	Renew an owned name before its expiry date.	Core	V3.0 locked specification	Included
DLY-020	Grace-period renewal	Allow renewal during the configured grace period under the locked policy.	Core	V3.0 locked specification	Included
DLY-021	Name transfer	Transfer ERC-721 name ownership to a new wallet after explicit confirmation.	Core	V3.0 locked specification	Included
DLY-022	Primary reverse name	Map a wallet back to its selected primary Daily name.	Core	V3.0 locked specification	Included
DLY-023	Domain dashboard	Provide one dashboard for owner, expiry, resolver, records, subnames, renewal and transfer.	Core	V3.0 locked specification	Included
DLY-024	Expiry reminders in app	Show in-app reminders before a name expires.	Core	V3.0 locked specification	Included
DLY-025	Address record editor	Create and update the primary address record for a name.	Core	V3.0 locked specification	Included
DLY-026	ENSIP-9 multichain address records	Store multichain address records using ENSIP-9 and SLIP-0044 coin types.	Core	V3.0 locked specification	Included
DLY-027	Text records	Store supported text/profile records such as display name, website and bio.	Core	V3.0 locked specification	Included
DLY-028	Contenthash records	Store a contenthash or content URI for websites, dApps or documentation.	Core	V3.0 locked specification	Included
DLY-029	Mail-key hash and version	Publish the mailbox public-key hash, algorithm and version without publishing private keys.	Core	V3.0 locked specification	Included
DLY-030	ERC-3668 extended record resolution	Resolve larger verified off-chain records through ERC-3668 CCIP Read.	Core	V3.0 locked specification	Included
DLY-031	Subname creation	Create controlled subnames below an owned Daily name.	Core	V3.0 locked specification	Included
DLY-032	Subname transfer and revoke	Transfer or revoke a subname under the parent owner's control.	Core	V3.0 locked specification	Included
DLY-033	Per-subname resolver selection	Select the resolver used by each managed subname.	Core	V3.0 locked specification	Included
DLY-034	Multiple coin-type addresses per name	Publish several supported coin-type addresses for one name.	Core	V3.0 locked specification	Included

ID	Feature	Explicit behavior	Release	Source group	Status
DLY-035	Transaction fee estimation	Estimate network fees before blockchain transactions.	Core	V3.0 locked specification	Included
DLY-036	Transaction history	Show indexed registration, record, transfer, payment and reward activity.	Core	V3.0 locked specification	Included
DLY-037	Resolver interface detection	Use ERC-165 to detect supported resolver interfaces.	Core	V3.0 locked specification	Included
DLY-038	Public TypeScript SDK	Provide a TypeScript SDK for normalization, namehash, resolution and contract calls.	Core	V3.0 locked specification	Included
DLY-039	Mailbox activation for an owned name	Activate an encrypted mailbox for a name owned by the connected wallet.	Core	V3.0 locked specification	Included
DLY-040	Local mailbox key generation	Generate mailbox cryptographic keys locally on the user device.	Core	V3.0 locked specification	Included
DLY-041	Encrypted local key vault	Protect mailbox private keys in an encrypted local vault.	Core	V3.0 locked specification	Included
DLY-042	Encrypted recovery export	Export an encrypted mailbox recovery package controlled by the user.	Core	V3.0 locked specification	Included
DLY-043	Key rotation	Rotate mailbox keys and publish the new public-key version.	Core	V3.0 locked specification	Included
DLY-044	Recipient name resolution	Resolve the recipient Daily name before sending mail.	Core	V3.0 locked specification	Included
DLY-045	Recipient key verification	Verify the recipient mail-key hash, algorithm and version before encryption.	Core	V3.0 locked specification	Included
DLY-046	Client-side AES-256-GCM encryption	Encrypt message bodies and attachments locally with AES-256-GCM.	Core	V3.0 locked specification	Included
DLY-047	Encrypted attachments with size limit	Support encrypted attachments within configured size limits.	Core	V3.0 locked specification	Included
DLY-048	EIP-712 signed envelope	Sign a structured EIP-712 envelope containing message integrity and routing metadata.	Core	V3.0 locked specification	Included
DLY-049	Nonce and deadline replay protection	Use nonce and deadline fields to prevent replayed message envelopes.	Core	V3.0 locked specification	Included
DLY-050	ERC-1271 signer support	Verify signatures from multisigs and contract wallets through ERC-1271.	Core	V3.0 locked specification	Included
DLY-051	Encrypted payload upload	Upload only encrypted payload bytes to the selected storage adapter.	Core	V3.0 locked specification	Included
DLY-052	Mailbox relay	Relay encrypted envelopes and ciphertext without receiving mailbox private keys.	Core	V3.0 locked specification	Included
DLY-053	Inbox and sent folders	Provide inbox and sent-mail folders for each activated mailbox identity.	Core	V3.0 locked specification	Included
DLY-054	Read and unread state	Track local or indexed read and unread state.	Core	V3.0 locked specification	Included
DLY-055	Reply	Reply inside encrypted Daily Mail.	Core	V3.0 locked specification	Included
DLY-056	Forward inside Daily Mail	Forward a message inside the Daily Mail ecosystem.	Core	V3.0 locked specification	Included
DLY-057	Archive and delete metadata	Archive or delete mailbox metadata according to user action and storage policy.	Core	V3.0 locked specification	Included
DLY-058	Block sender	Block a sender from future personal-mail delivery.	Core	V3.0 locked specification	Included
DLY-059	Spam report	Report spam or abusive mail for moderation.	Core	V3.0 locked specification	Included
DLY-060	Delivery status	Show queued, delivered, failed or acknowledged delivery status.	Core	V3.0 locked specification	Included
DLY-061	Signed acknowledgement	Create a signed acknowledgement when the recipient confirms receipt or a paid action.	Core	V3.0 locked specification	Included
DLY-062	Optional on-chain message anchoring	Optionally anchor an important message hash or acknowledgement on-chain without plaintext.	Core	V3.0 locked specification	Included
DLY-063	Role-based admin access	Separate administrative permissions through role-based access control.	Core	V3.0 locked specification	Included
DLY-064	Two-step default-admin transfer	Transfer the highest admin role using a delayed two-step acceptance flow.	Core	V3.0 locked specification	Included
DLY-065	Registration pause	Pause new name registration during emergencies.	Core	V3.0 locked specification	Included
DLY-066	Mail relay pause	Pause mail relay activity without exposing mailbox keys.	Core	V3.0 locked specification	Included
DLY-067	Pricing manager role	Assign pricing updates to a limited pricing-manager role.	Core	V3.0 locked specification	Included
DLY-068	Reserved-name manager role	Assign reserved-name controls to a limited manager role.	Core	V3.0 locked specification	Included
DLY-069	Gateway manager role	Assign ERC-3668 gateway controls to a limited manager role.	Core	V3.0 locked specification	Included
DLY-070	Treasury role	Assign treasury settings to a limited treasury role.	Core	V3.0 locked specification	Included
DLY-071	TLD enable and disable controls	Enable or disable each supported Daily TLD through admin policy.	Core	V3.0 locked specification	Included
DLY-072	Pricing matrix	Maintain the standard and premium pricing matrix.	Core	V3.0 locked specification	Included
DLY-073	Premium quote management	Review premium requests and issue, expire or reject quotes.	Core	V3.0 locked specification	Included

ID	Feature	Explicit behavior	Release	Source group	Status
DLY-074	Bundle discount configuration	Configure bundle discounts for multi-TLD registration.	Core	V3.0 locked specification	Included
DLY-075	Grace-period configuration	Configure the renewal grace period.	Core	V3.0 locked specification	Included
DLY-076	Commitment timing configuration	Configure commitment minimum and maximum timing.	Core	V3.0 locked specification	Included
DLY-077	Reserved keyword exact matching	Reserve exact keywords across supported namespaces.	Core	V3.0 locked specification	Included
DLY-078	Reserved keyword prefix/suffix matching	Reserve keyword prefixes or suffixes according to policy.	Core	V3.0 locked specification	Included
DLY-079	Official-name assignment with audit event	Assign official names with an auditable event.	Core	V3.0 locked specification	Included
DLY-080	Treasury destination configuration	Configure the treasury destination for protocol income.	Core	V3.0 locked specification	Included
DLY-081	Direct native DLY forwarding	Forward native DLY fees to the configured treasury according to contract rules.	Core	V3.0 locked specification	Included
DLY-082	Contract address registry	Keep a registry of deployed contract addresses for each environment.	Core	V3.0 locked specification	Included
DLY-083	ERC-3668 gateway URL management	Manage the approved ERC-3668 gateway URL set.	Core	V3.0 locked specification	Included
DLY-084	Gateway signer rotation	Rotate the authorized gateway response signer.	Core	V3.0 locked specification	Included
DLY-085	Indexer health monitor	Monitor indexer health, block position and lag.	Core	V3.0 locked specification	Included
DLY-086	RPC latency monitor	Monitor RPC response latency and availability.	Core	V3.0 locked specification	Included
DLY-087	Relay and storage health monitor	Monitor mail relay and encrypted-storage adapter health.	Core	V3.0 locked specification	Included
DLY-088	Searchable protocol event logs	Search indexed protocol events for operations and support.	Core	V3.0 locked specification	Included
DLY-089	CSV report export	Export approved operational and reporting data as CSV.	Core	V3.0 locked specification	Included
DLY-090	Voluntary marketing opt-in	Let users voluntarily opt into paid marketing mail.	Economic	V3.0 locked specification	Included
DLY-091	Separate Paid Attention Inbox	Keep paid marketing messages in a mailbox separate from personal mail.	Economic	V3.0 locked specification	Included
DLY-092	Communication-category preferences	Let users choose consent categories for marketing selection.	Economic	V3.0 locked specification	Included
DLY-093	Marketer campaign creation	Let marketers prepare campaign audience, creative and timing rules.	Economic	V3.0 locked specification	Included
DLY-094	Campaign audience count	Calculate aggregate matching opted-in recipients without exposing personal lists.	Economic	V3.0 locked specification	Included
DLY-095	DLY campaign budget deposit	Deposit native DLY campaign funding into escrow.	Economic	V3.0 locked specification	Included
DLY-096	Minimum campaign budget	Enforce a configurable minimum campaign budget.	Economic	V3.0 locked specification	Included
DLY-097	Admin campaign review	Validate campaigns through admin or policy controls; later amendments use automatic checks plus complaint moderation.	Economic	V3.0 locked specification	Included
DLY-098	Trusted-marketer allowlist	Original trusted-marketer control was superseded by uniform policy validation and complaint-based moderation.	Economic	V3.0 locked specification	Included
DLY-099	Campaign rate limits	Apply campaign creation and delivery rate limits.	Economic	V3.0 locked specification	Included
DLY-100	No file attachments in marketing messages	Disable file attachments in marketing messages while allowing approved image creative and links.	Economic	V3.0 locked specification	Included
DLY-101	Campaign escrow	Hold reward budget, platform fee, expiry and refunds in native-DLY campaign escrow.	Economic	V3.0 locked specification	Included
DLY-102	Configurable platform fee	Configure and disclose the non-refundable platform fee.	Economic	V3.0 locked specification	Included
DLY-103	Configurable recipient acknowledgement reward	Configure the reward paid for a valid signed acknowledgement.	Economic	V3.0 locked specification	Included
DLY-104	Optional verified reply reward	Optionally configure a reward for a verified reply receipt.	Economic	V3.0 locked specification	Included
DLY-105	Optional tracked-link claim reward	Optionally configure a reward for a verified tracked-link claim.	Economic	V3.0 locked specification	Included
DLY-106	Signed EIP-712 engagement receipts	Use EIP-712 signed receipts to prove paid engagement actions.	Economic	V3.0 locked specification	Included
DLY-107	Batch/Merkle reward distribution	Distribute or claim rewards through batch or Merkle proofs.	Economic	V3.0 locked specification	Included
DLY-108	Unused-budget refund after deadline	Refund unallocated campaign budget after the deadline and applicable platform fee.	Economic	V3.0 locked specification	Included
DLY-109	IPFS-compatible encrypted storage adapter	Provide an IPFS-compatible adapter for encrypted payloads when selected.	Optional	V3.0 locked specification	Included
DLY-110	S3-compatible encrypted storage adapter	Provide an S3-compatible adapter for encrypted payloads when selected.	Optional	V3.0 locked specification	Included
DLY-111	User-selected storage adapter interface	Expose a user-selected storage-adapter interface so encrypted mail is not tied to one provider.	Optional	V3.0 locked specification	Included

ID	Feature	Explicit behavior	Release	Source group	Status
DLY-112	On-chain hash anchoring for selected mail	Optionally anchor selected encrypted-mail hashes on-chain.	Optional	V3.0 locked specification	Included
DLY-113	Multisig governance integration	Support multisig administration when the environment is ready.	Optional	V3.0 locked specification	Included
DLY-114	Timelock for high-risk configuration	Support timelocks for high-risk configuration changes.	Optional	V3.0 locked specification	Included
DLY-115	Additional language SDKs after TypeScript	Allow future SDKs in languages beyond TypeScript.	Optional	V3.0 locked specification	Included
DLY-116	Contract upgrade migration tooling	Provide tooling for future contract or deployment migrations.	Optional	V3.0 locked specification	Included
DLY-117	Multiple gateway redundancy	Support multiple gateway endpoints for redundancy.	Optional	V3.0 locked specification	Included
DLY-118	Mainnet redeployment scripts	Provide scripts for a later, separate mainnet redeployment.	Optional	V3.0 locked specification	Included
UX-119	Search all TLD results together	One search displays .dly, .day and .daily with selectable availability.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-120	Full registration checkout	Review, commit, wait, reveal, payment and success are separate screens.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-121	Separate premium request and quote received sections	Application and approved quotes have separate tabs.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-122	No charge when applying for premium name	DLY payment is possible only after the user accepts an admin quote.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-123	Portfolio list in domain overview	Overview displays all domains owned by the connected wallet.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-124	Parent-domain selector for subname creation	User selects one registered domain before creating a subname.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-125	Renewal term from 1 to 10 years	User can choose a whole-year renewal term up to the admin maximum.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-126	Clear transfer confirmation	Show the selected domain and a risk checkbox instead of asking the user to retype an unclear name.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-127	Optional profile fields	Avatar, website and bio are visibly marked optional.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-128	Guided dApp pointer form	Contenthash UI explicitly supports dApp frontend, website, manifest and documentation.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-129	Wallet-gated messages and marketing	Messages, reward enrollment and Marketer Studio remain hidden until wallet connection.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-130	Multi-domain mailbox activation	Checkboxes allow a user to activate mailboxes for selected owned domains.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-131	Mailbox identity tabs	Users switch between several activated Daily mailbox identities.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-132	System-issued marketing alias	Marketer receives a 24-character alias under marketing.daily mapped to the wallet.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-133	Single-line mailbox rows and sorting	Sender, subject, preview and date appear on one line with recent/oldest sorting.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-134	Full marketing creative display	Opened campaign shows letter body, image, clickable image URL and optional second URL.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-135	Immediate read-reward status	Opening displays the earned read amount while the signed receipt and deadline remain visible.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-136	Verified image and URL click rewards	Both allowed links can create a verified click reward receipt.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-137	Verified reply reward status	Reply action records the admin-configured reward amount.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-138	No-link reward redistribution	If no link exists, the click share can be split equally between read and reply by admin policy.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-139	Reward claim countdown	Earned rewards remain pending until the campaign response window ends.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-140	Response windows of 1, 3, 7, 14 or 30 days	Marketer chooses from admin-approved response/refund windows.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-141	Rename opt-in title	User-facing title becomes Opt in for marketing email rewards.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-142	One-time automatic location capture	Browser permission captures location once without a manual country form.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-143	Country lock after enrollment	User cannot directly edit the campaign country after consent.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-144	Country change request	User requests a country change and gives a reason.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-145	Admin country-change approval queue	Admin sees current country, requested country and last change date, then approves or rejects.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-146	All Others campaign category	Adds an admin-configurable catch-all category.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-147	All Categories selection	Marketer can target every consent category in one selection.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-148	Live category audience counts	Every campaign step displays the current matched opt-in audience.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-149	Aggregate country, state and city targeting	Counts dynamically narrow without exposing individual users.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-150	Read-only recipient count	Recipient count equals all matching opted-in users and cannot be manually inflated or reduced.	V3.2 amendment	V3.2 accepted amendment	Accepted

ID	Feature	Explicit behavior	Release	Source group	Status
UX-151	Dynamic location cost breakdown	Each selected country shows matched users, unit price and reward budget; removing a filter recalculates totals.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-152	Separate reward budget and platform fee	Total deposit equals user reward budget plus a separately shown non-refundable platform fee.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-153	Marketing alias used as campaign sender	Recipient sees the marketing alias rather than the marketer's personal mailbox.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-154	Blocked marketer restriction	Blocked marketer cannot create campaigns but may still receive campaigns and earn rewards.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-155	Automatic policy validation	Escrow, creative format, rate limits and privacy are validated automatically; admin handles reports and abuse.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-156	Aggregate campaign audit report	Reports show delivery, read, click, reply, rewards and refunds by country/category.	V3.2 amendment	V3.2 accepted amendment	Accepted
UX-157	Wallet-gated My Domains	My Domains remains hidden or locked until MetaMask is connected.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-158	Wallet-gated Settings	Identity, country, transfer and backup settings are visible only after wallet connection.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-159	Persistent mailbox manager	A mailbox manager remains available after first-time mail activation.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-160	Post-registration mailbox activation	A user can create a mailbox later for any newly registered owned domain.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-161	Select all marketing categories	User enrollment includes Select All and Clear All controls for campaign categories.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-162	Multi-domain renewal	One renewal screen can select and renew several owned domains together.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-163	Select expiring domains first	A shortcut selects the domains expiring soonest before payment.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-164	Per-domain renewal terms up to 10 years	Each selected domain can use an independent 1 to 10 year renewal term.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-165	Read-only renewal total	The system-calculated renewal total is displayed as non-editable information.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-166	Functional subdomain management	Manage opens real subdomain record, resolver, ownership and revoke controls.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-167	Subdomain dApp and content mapping	Subdomains can publish their own content URI, dApp frontend or documentation pointer.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-168	Unified wallet activity ledger	History combines domains, resolver changes, campaign spending, rewards and refunds.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-169	Mailbox backup-password change	Settings includes a local encrypted-recovery password change flow.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-170	Country-change evidence upload	A request may include up to five images or PDF documents.	V3.3 amendment	V3.3 safe amendment register	Accepted with security controls
UX-171	Secure evidence review and retention	Admin can view evidence through access-controlled off-chain storage with deletion rules.	V3.3 amendment	V3.3 safe amendment register	Accepted with security controls
UX-172	Decision reason and automatic Daily Mail notice	Approval or rejection includes a reason delivered to the user's Daily mailbox.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-173	Domain-to-domain native DLY transfer	Users can send native DLY by entering a recipient .dly, .day or .daily name.	V3.3 amendment	V3.3 safe amendment register	Accepted as scope amendment
UX-174	Resolved transfer review and monitoring	The UI shows verified resolution, fee and confirmation; admin monitoring shows the resolved transfer.	V3.3 amendment	V3.3 safe amendment register	Accepted as scope amendment
UX-175	Restart same campaign	A marketer can restart an earlier campaign as a new campaign with a new payment.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-176	Edit and restart campaign	An old campaign can be copied, edited and saved as a separately funded new campaign.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-177	Corrected campaign audit report	Reports explicitly show Delivered, Read, Clicked, Replied, reward budget and platform fee by location.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented

ID	Feature	Explicit behavior	Release	Source group	Status
UX-178	Annual admin revenue dashboard	Admin can filter and review platform income by year.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-179	Detailed revenue categories	Standard registration, standard renewal, premium registration, premium renewal and campaign fees are shown separately.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-180	Escrow liabilities separated from earnings	Refundable campaign balances and user rewards are not counted as platform revenue.	V3.3 amendment	V3.3 safe amendment register	Accepted as accounting guardrail
UX-181	Global keyword catalogue	One keyword catalogue applies premium, reserved and official rules across all supported TLDs.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-182	Short-label premium estimate and payment lock	Labels below eight characters show a minimum estimate but cannot pay until admin issues a final quote.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-183	Reported-campaign evidence viewer	Admin can inspect the campaign image, message, URL, report count and reason.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-184	Pause, release and block moderation	Admin can pause a reported campaign, release it after review or block the marketer.	V3.3 amendment	V3.3 safe amendment register	Accepted and implemented
UX-185	Safe blocked-campaign settlement	Valid earned rewards remain payable; unearned escrow follows predefined refund or capped-penalty rules.	V3.3 amendment	V3.3 safe amendment register	Accepted with mandatory guardrail
UX-186	Premium brand-claim evidence workflow	Brand, company, official or reserved-name applicants may voluntarily upload proof; ordinary personal premium requests do not require company documents.	V3.4 amendment	Management review and accepted V3.4 scope	Accepted with encrypted off-chain evidence
UX-187	Admin brand-evidence review and reasoned decision	Admin can view protected evidence, approve and issue a quote, or reject with a reason sent through Daily Mail.	V3.4 amendment	Management review and accepted V3.4 scope	Accepted and implemented
UX-188	Expanded admin-managed category taxonomy	Admin manages the expanded campaign category catalogue and publisher restrictions.	V3.4 amendment	Management review and accepted V3.4 scope	Accepted with hazardous-content restrictions
UX-189	Unique-recipient deduplication across categories	One opted-in wallet is counted and charged once even when it matches several selected categories.	V3.4 amendment	Management review and accepted V3.4 scope	Accepted and implemented
UX-190	Admin-managed aggregate geography catalogue	Admin manages aggregate country, state/region and city availability, users and per-user pricing.	V3.4 amendment	Management review and accepted V3.4 scope	Accepted; no exact postcode targeting
UX-191	Authenticated staging/preview environment	Daily team can test features through a separate authenticated preview URL without representing it as mainnet.	V3.4 amendment	Management review and accepted V3.4 scope	Accepted and implemented
UX-192	Scheduled maintenance window and notices	Admin schedules maintenance start/end times, notices and allowed team wallets.	V3.4 amendment	Management review and accepted V3.4 scope	Accepted and implemented
UX-193	Explicit signed wallet-linking	Wallets are connected to one identity only through signatures or verified administrative evidence.	V3.4 amendment	Management review and accepted V3.4 scope	Accepted privacy-safe anti-evasion control
UX-194	Moderation enforcement across verified linked identities	Campaign restrictions follow verified linked wallets, domains and aliases but never silently attach unrelated wallets.	V3.4 amendment	Management review and accepted V3.4 scope	Accepted with identity-proof guardrail
UX-195	Bulk geography and pricing CSV import	Admin can upload a CSV containing country, state/region, city, price and optional aggregate opted-in-user count.	V3.6 amendment	Current accepted safe changes	Accepted and implemented in V3.6 simulator
UX-196	CSV validation and row-level import report	The system validates headers and numeric fields, previews every row, rejects invalid rows and imports only valid entries.	V3.6 amendment	Current accepted safe changes	Accepted and implemented in V3.6 simulator
UX-197	Hierarchical location pricing fallback	Pricing resolves in deterministic order: city, then state/region, then country, then global fallback.	V3.6 amendment	Current accepted safe changes	Accepted; exact postcode/local-area targeting remains excluded
UX-198	Payment request with note and QR	A user can create a Daily payment URI containing receiving name, amount, note and expiry, then display a QR for another compatible wallet.	V3.6 amendment	Current accepted safe changes	Accepted; production requires a registered Daily payment URI format
UX-199	Privacy-preserving recipient-resolution display	The application shows the recipient name and a masked resolved wallet by default, while allowing deliberate full-address verification before MetaMask signing.	V3.6 amendment	Current accepted safe changes	Accepted safety correction
UX-200	User-controlled external encrypted storage connection	Mail users can select a Google Drive or OneDrive adapter; encryption occurs locally before upload. One production connector is included in the testnet scope and the second requires separate approval.	V3.6 amendment	Current accepted safe changes	Accepted within DLY-111 storage-adapter boundary

5. Requests excluded or corrected

Request	Decision	Reason / safe replacement
Exact postcode or local-area targeting	Excluded	Use aggregate country, state/region and city counts. Exact postal targeting remains outside the locked privacy boundary.
Both Google Drive and OneDrive guaranteed as production integrations in the same base scope	Corrected	The UI may demonstrate both adapters. The testnet production scope includes one selected connector; the second requires separate OAuth, security and maintenance approval.
Hide the recipient wallet with no verification path	Corrected	The app masks the wallet by default, but the sender can deliberately verify the full address and MetaMask shows the real destination before signing.
Secretly connect or remember unrelated wallets	Rejected	Wallet links require signatures or verified evidence. Restrictions follow only proven links.
Mainnet enable switch in the prototype	Excluded	The release remains DLY testnet plus authenticated preview. Mainnet requires deployment, testing and independent audit.
Public Gmail/Outlook use of Daily aliases	Excluded	Daily aliases are internal blockchain-mail identities. SMTP interoperability requires a separately funded gateway and real Internet domain.
Passive open reward without a signed receipt	Corrected	The UI may show a pending reward, but production payment requires a signed acknowledgement.
Unused click/reply allocations automatically become admin revenue	Rejected	The explicit platform fee is revenue. Unallocated reward escrow remains refundable under the contract rules.
Admin takes all funds or cuts earned rewards after blocking	Rejected	Valid signed rewards remain payable. Unearned escrow follows predefined refund or capped-penalty terms.
Hazardous or controlled chemical marketing	Rejected	Only non-regulated supplies may use ordinary categories. Official emergency alerts require verified publishers.

6. External encrypted mail storage rule

Users may connect a supported user-owned storage provider such as Google Drive or OneDrive. Message bodies and attachments are encrypted locally before upload. The storage provider sees ciphertext only. Mailbox private keys remain on the user device or inside an encrypted user-controlled recovery package. The locked scope does not promise simultaneous production integration and maintenance of every provider.

7. Implementation and approval status

Item	Status
V3.6 user and marketer HTML	Completed as an interactive dummy simulator.
V3.6 admin HTML	Completed as an interactive dummy simulator.
Grand feature count	200 explicit planning features.
Original contractual lock	118 V3.0 features until a written change approval adopts this consolidated register.
Production contracts and backend	Not created by the HTML simulator; require development, tests, deployment and operations.
Mainnet	Not included; testnet and authenticated preview only.
Independent security audit	Required before mainnet and separately funded.

8. Approval block

Prepared for	Daily Blockchain Network
Consolidated planning version	V3.6 - 200 features
Management approval	Name / signature / date
Engineering acceptance	Name / signature / date