

Cheat Sheet: Plotly and Dash

Function	Description	Syntax	Example
Plotly Express			
scatter	Create a scatter plot	px.scatter(dataframe, x=x_column, y=y_column)	px.scatter(df, wage_array, yincome_array)
line	Create a line plot	px.line(x=x_column, y=y_column, title="")	px.line(months_array, ym_bicycle_said_array)
bar	Create a bar plot	px.bar(x=x_column, y=y_column, title="")	px.bar(upgrade_array, yincome_array, title="New Percentage")
sunburst	Create a sunburst plot	px.sunburst(dataframe, path=[col1,col2...], values="column", title="")	px.sunburst(data, path=["Month", "Distribution"], values="Flight", title="Flight Distribution Hierarchy")
histogram	Create a histogram	px.histogram(x=x, title="")	px.histogram(weights_array, title="Distribution of weights")
bubble	Create a bubble chart	px.scatter(dataframe, x=x, y=y, size=size, title="")	px.scatter(dsh_data, x="City", y="Number of times", size="Number of times", name="City", title="Urban Statistics")
pie	Create a pie chart	px.pie(values, names, title="")	px.pie(values=eq_percent, names=eqs, title="Mountain Expedition")
Plotly Graph Objects			
Scatter	Create a scatter	go.Scatter(x=x, y=y, mode='markers')	go.Scatter(wage_array, yincome_array, mode='markers')
	Create a line plot	go.Scatter(x=x, y=y, mode='lines')	go.Bar(months_array, ym_bicycle_said_array, mode='lines')
add_trace	Add additional traces to an existing figure	fig.add_trace(go.Scatter(x=x, y=y, mode='lines'))	fig.add_trace(go.Scatter(months_array, ym_bicycle_said_array))
update_layout	Update the layout of a figure, such as title, axis labels, and annotations.	fig.update_layout(layout_object)	fig.update_layout(title="Bicycle Sales", xaxis_title="Month", yaxis_title="Number of Bicycles Sold")
Dash			
dash_core_components.Input	Create an input component	dcc.Input(value="", type="text")	dcc.Input(value="Hello", type="text")
dash_core_components.Graph	Create a graph component	dcc.Graph(figure=fig)	dcc.Graph(figure=fig)
dash_html_components.Div	Create a div element	html.Div(children=[html.H1("Hello Dash"), html.P("welcome to Dash!")])	html.Div(children=[html.H1("Hello Dash"), html.P("welcome to Dash!")])
dash_core_components.Dropdown	Create a dropdown component	dcc.Dropdown(options=options_list, value=default_value)	dcc.Dropdown(options=[{"label": "Option 1", "value": "1"}, {"label": "Option 2", "value": "2"}], value="1")

Author(s)

Dr. Pooja

