EXP_2026Q2_RECS_V2 · VERDICT REPORT · OPERATOR

RECOMMENDATIONS · PERSONALIZATION · 2026-06-05 · 30,000 UNITS · 14 DAYS

Ship with caveat.

Real benefit-side lift, but smaller than half the pre-registered MDE.

TL;DR

SHIP WITH CAVEAT. **Ship — but the effect is smaller than the pre-registered MDE/2. Document and revisit.**

Lift of +0.73pp is real (CI excludes zero) but below half the pre-registered MDE. The effect is real but the business case may not clear the per-user cost.

LIFT ON ADD_TO_CART_RATE

+0.73pp

treatment vs control · +7.4% relative

95% CI ON LIFT

[+0.05, +1.41]pp

P-VALUE

0.0368

CONFIDENCE

highly likely positive


DECISION STEP

step 6

PRIMARY METRIC · ADD_TO_CART_RATE

Treatment 10.57% vs Control 9.84%

Treatment and control rates on the same axis. The dark blue segment on the treatment bar is the absolute lift; the dotted line shows the lift relative to the control end.




Per-arm conversion. The lift is +0.73pp absolute (+7.4% relative).

CONFIDENCE INTERVAL ON LIFT

95% CI on lift: (+0.05, +1.41)pp — clears zero on the benefit side.

The whole confidence interval lies above zero. We can rule out the null at $\alpha = 0.05$; the magnitude is what the verdict tree then weighs against the MDE.



The CI bar shows the range of plausible true lifts. The crossbars are the 95% bounds; the dot is the point estimate.


GUARDRAILS

Guardrail clear.

The pre-registered guardrails are revenue and (where wired) latency. None crossed their harm thresholds.

revenue_per_user

`threshold ≥ −5.0% · higher_is_better`



`90% CI [+2.13, +12.13]% · realized +7.13% ·`

CLEAR