EXP_6DD72D0B · PRE-REGISTERED DESIGN BRIEF · ENGINEER

· SEALED 2026-06-05T19:52:39.167221Z · DURATION

exp_6dd72d0b

AT A GLANCE

Primary metric is ; decision is binary against the pre-registered rules below.

SAMPLE REQUIRED (PER ARM)

0

to detect a relative effect at a = 0.05, power = 0.80

BASELINE

0.0%

TOTAL SAMPLE

0

DURATION

FEASIBILITY

VIABLE

MECHANISM

Why we think this works

METRICS


is the verdict-driving metric.

Primary is ; secondaries inform interpretation but do not influence the verdict. Guardrails block ship if their CI crosses the pre-registered non-inferiority margin in the adverse direction.

PRIMARY — Proportion · baseline 0.0% · MDE · direction higher is better

POWER

Detecting smaller effects requires much more sample.



Smaller effects require disproportionately more sample. Our design point is feasible inside the available user_id surface.

ASSIGNMENT + COHORTS

First-exposure attribution at the user_id level.

UNIT	**user_id** One row per (user_id, experiment_id) in the assignments table; first_exposure_at gates which events are attributed.
ARMS	

DECISION RULES

Pre-registered. The analyze verb walks the same tree against the same metrics.

SHIP	Primary 95% CI excludes zero on benefit side · no guardrail breach · novelty late-ratio ≥ 0.7
LIFT WITH CAVEAT	Real lift but below MDE/2 — surface the caveat in the readout but still consider rolling out
NO-SHIP · GUARDRAIL	Any guardrail's 90% CI lies past its harm threshold
NO-LIFT	Well-powered, primary CI straddles zero with half-width > 2 × MDE
INCONCLUSIVE	Underpowered (n < required) AND primary CI straddles zero
INVALID	SRM χ^2 $p < 0.0005$ and no override resolved — investigate assignment

INTEGRITY LOCK · THREE-PART SEAL

brief.sealed.yaml binds intent + metric definitions + expected shape.

Tampering with any of the three components after seal will fail `agentxp.schemas.brief_seal.verify_or_raise`*;* `agentxp analyze` *refuses to open a brief whose seal does not verify (R11). This is the architectural wall, not a guideline.*

```
DESIGN_CHAIN_HASH
28386f7e50030f856c8b50c8318adbe238a94dc5fc2ea3f835d41cbe4355a39e
METRIC_SNAPSHOT          4 metrics hashed
CONVERSION_RATE
f775e246e2992c91fa7a04f5d22bb93d2cb9ed5078144479b7792e6cdf9a5fe1
REVENUE_PER_USER
c4742f81560b2836b851f2c17bdd1bd3cb102fdf14a69a04cd9170b3cf9d69ae
PAGE_LOAD_TIME
f1914747b5fdf7aac000b3991e59262b5871c3fe85bfc18a82e8bfc7084563e4
CART_ABANDONMENT_RATE
6498a159e387655f28f9949108bee2f9954e7078afa745f6f0430c2c5eb36db5
EXPECTED_SHAPE           user_id ·
SEALED_AT                2026-06-05T19:52:39.167221Z
SEALED_BY
```

BRIEF.SEALED.YAML SEAL 28386F7E5003… · 2026-06-05T19:52:39.167221Z · R1 R11