Phase 4.25: Immediate Wrap-Up and Rank-Screen Cancellation

Tactix development report for Andrew

27 August 2026

1 Outcome

The repository remains on the accepted Tactix solver source at commit `3c3164d`; this checkpoint changes no solver behavior. After the prior Rank-32 negative-result wrap-up, a fresh immutable ranks 1–40 campaign was prepared and briefly submitted. The user then requested an immediate final wrap-up. Array 1652227 and dependent aggregate 1652264 were canceled rather than left running for the next session.

The campaign is frozen at `benchmarks/runs/20260827-0800-tierd-ranks1-40-accepted-refresh`. Its `cancellation.json` is the terminal authority. Ten tasks completed, all with independently verified UNSAT proofs; thirty tasks started and were canceled; forty tasks never started. No task remains pending or running. There is no campaign certificate or scratch residue. The partial result is not scorable and must not be used to select the next convergence witness.

2 Prepared protocol correction

The canceled campaign correctly excluded the mutable local Release binary, which still contained the rejected Rank-32 candidate. It instead pinned the accepted immutable Tactix binary SHA-256 `f2eecac1...dcf` and current instrumented Kissat SHA-256 `b6a9b1d0...44d5`. Its 80 independent tasks requested `-c 12 --mem=48000M`, no node constraint, no throttle, no `RLIMIT_AS`, and a 1,200-second solver limit.

The prior complete screen had three otherwise solved UNSAT rows invalidated by an auxiliary 4,800-second `drat-trim` ceiling. The prepared replacement kept the solver contract unchanged while widening only independent proof validation to 16,000 seconds. This is a checker-completeness correction, not a solver timing change, and should be retained in the next full campaign.

3 Next action

Start a new campaign in the next session rather than resuming the canceled claims. Reuse the same accepted Tactix/current-Kissat pins, immutable rank authorities, independent-task resources, 1,200-second solver limit, and wider checker window. Classify all 80 rows, independently validate every returned model/proof, and require zero residue. Only then select the largest verified UNSAT gap and confirm it with three paired timing waves before changing solver behavior. The rejected Rank-32 Congruence-admission candidate remains closed.