Alternating Series and Conditional Convergence

Avinash Iyer

Occidental College

November 1, 2023

Table of Contents

Contents

- The same series can converge to different values depending on the arrangement of terms — known as *conditional convergence*

- The same series can converge to different values depending on the arrangement of terms — known as *conditional convergence*
- We can use the *alternating series test* to find if a series converges conditionally.

- The same series can converge to different values depending on the arrangement of terms — known as *conditional convergence*
- We can use the *alternating series test* to find if a series converges conditionally.
- However, we would need to use other tools to find *absolute convergence*, stronger than conditional convergence.

Contents

A Series

Consider the following series:

A Series

Consider the following series:

$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n}$$

A Series

Consider the following series:

$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n} = 1$$

A Series

Consider the following series:

$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n} = 1 - \frac{1}{2}$$

A Series

Consider the following series:

$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n} = 1 - \frac{1}{2} + \frac{1}{3}$$

A Series

Consider the following series:

$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n} = 1 - \frac{1}{2} + \frac{1}{3} - \frac{1}{4}$$

A Series

Consider the following series:

$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n} = 1 - \frac{1}{2} + \frac{1}{3} - \frac{1}{4} + \frac{1}{5} - \cdots$$

A Series

Consider the following series:

$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n} = 1 - \frac{1}{2} + \frac{1}{3} - \frac{1}{4} + \frac{1}{5} - \cdots$$

This series appears to be related to the harmonic series, but also very different:

$$\sum_{n=1}^{\infty} \frac{1}{n} = 1 + \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \cdots \qquad \text{Harmonic Series}$$

Divergence of the Harmonic Series

We can show that the harmonic series is divergent using the series comparison test:

$$\sum_{n=1}^{\infty} \frac{1}{n} = 1 + \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{5} + \cdots$$

Divergence of the Harmonic Series

We can show that the harmonic series is divergent using the series comparison test:

$$\begin{aligned}\sum_{n=1}^{\infty}\frac{1}{n} &= 1+\frac{1}{2}+\frac{1}{3}+\frac{1}{4}+\frac{1}{5}+\cdots\\ &\geq 1+\frac{1}{2}+\frac{1}{4}+\frac{1}{4}+\frac{1}{8}+\cdots\end{aligned}$$

Divergence of the Harmonic Series

We can show that the harmonic series is divergent using the series comparison test:

$$\begin{aligned}\sum_{n=1}^{\infty} \frac{1}{n} &= 1 + \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{5} + \cdots \\ &\geq 1 + \frac{1}{2} + \frac{1}{4} + \frac{1}{4} + \frac{1}{8} + \cdots \\ &= 1 + \frac{1}{2} + \frac{1}{2} + \frac{1}{2} + \cdots\end{aligned}$$

Divergence of the Harmonic Series

We can show that the harmonic series is divergent using the series comparison test:

$$
\begin{aligned}
\sum_{n=1}^{\infty} \frac{1}{n} &= 1 + \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{5} + \cdots \\
&\geq 1 + \frac{1}{2} + \frac{1}{4} + \frac{1}{4} + \frac{1}{8} + \cdots \\
&= 1 + \frac{1}{2} + \frac{1}{2} + \frac{1}{2} + \cdots \\
&= \infty
\end{aligned}
$$

Differences

However, our alternating harmonic series is different. Let's look at partial sums.

Differences

However, our alternating harmonic series is different. Let's look at partial sums.

$$s_n = \sum_{k=1}^{n} \frac{(-1)^{n+1}}{n}$$

Differences

However, our alternating harmonic series is different. Let's look at partial sums.

$$s_n = \sum_{k=1}^{n} \frac{(-1)^{n+1}}{n}$$

$$s_1 = 1$$

Differences

However, our alternating harmonic series is different. Let's look at partial sums.

$$s_n = \sum_{k=1}^{n} \frac{(-1)^{n+1}}{n}$$

$$s_1 = 1$$

$$s_2 = \frac{1}{2}$$

Differences

However, our alternating harmonic series is different. Let's look at partial sums.

$$\begin{aligned} s_n &= \sum_{k=1}^{n} \frac{(-1)^{n+1}}{n} \\ s_1 &= 1 \\ s_2 &= \frac{1}{2} \\ s_3 &= \frac{5}{6} \end{aligned}$$

Differences

However, our alternating harmonic series is different. Let's look at partial sums.

$$
\begin{aligned}
s_n &= \sum_{k=1}^{n} \frac{(-1)^{n+1}}{n} \\
s_1 &= 1 \\
s_2 &= \frac{1}{2} \\
s_3 &= \frac{5}{6} \\
s_4 &= \frac{7}{12} \\
&\vdots
\end{aligned}
$$

Clearly, this sequence does not grow without bound — it is bounded above by 1, and doesn't seem to dip below $\frac{1}{2}$.



Convergence

The alternating harmonic does converge. Courtesy of Wolfram MathWorld, we know that the series converges to the following:

$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n} = \ln 2$$

Convergence

The alternating harmonic does converge. Courtesy of Wolfram MathWorld, we know that the series converges to the following:

$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n} = \ln 2$$

...or does it?

Rearranging the Alternating Harmonic Series

Rearrange the series as follows:

$$1-\frac{1}{2}+\frac{1}{3}-\frac{1}{4}+\cdots=\left(1-\frac{1}{2}\right)-\frac{1}{4}+\left(\frac{1}{3}-\frac{1}{6}\right)-\frac{1}{8}+\cdots$$

Rearranging the Alternating Harmonic Series

Rearrange the series as follows:

$$\begin{aligned} 1 - \frac{1}{2} + \frac{1}{3} - \frac{1}{4} + \cdots &= \left(1 - \frac{1}{2}\right) - \frac{1}{4} + \left(\frac{1}{3} - \frac{1}{6}\right) - \frac{1}{8} + \cdots \\ &= \frac{1}{2} - \frac{1}{4} + \frac{1}{6} - \frac{1}{8} + \cdots \end{aligned}$$

Rearranging the Alternating Harmonic Series

Rearrange the series as follows:

$$\begin{aligned}1-\frac{1}{2}+\frac{1}{3}-\frac{1}{4}+\cdots &= \left(1-\frac{1}{2}\right)-\frac{1}{4}+\left(\frac{1}{3}-\frac{1}{6}\right)-\frac{1}{8}+\cdots\\ &= \frac{1}{2}-\frac{1}{4}+\frac{1}{6}-\frac{1}{8}+\cdots\\ &= \frac{1}{2}\sum_{n=1}^{\infty}\frac{(-1)^{n+1}}{n}\\ &= \frac{1}{2}\ln 2\end{aligned}$$

Contents

Introduction to Conditional Convergence

- We saw that our alternating harmonic series converges to $\ln 2$, but should it not converge to $\ln 2$ all the time?

Introduction to Conditional Convergence

- We saw that our alternating harmonic series converges to $\ln 2$, but should it not converge to $\ln 2$ all the time?
- For example, no matter how we arrange

$$\sum_{n=0}^{\infty} \frac{1}{2^n},$$

The sum should always equal 1.

Introduction to Conditional Convergence

- We saw that our alternating harmonic series converges to $\ln 2$, but should it not converge to $\ln 2$ all the time?
- For example, no matter how we arrange

$$\sum_{n=0}^{\infty} \frac{1}{2^n},$$

The sum should always equal 1.

- Maybe we should redefine convergence?

Alternating Series

- The answer is that the alternating harmonic series is *conditionally* convergent.

Alternating Series

- The answer is that the alternating harmonic series is *conditionally* convergent.
- We can always rearrange the terms of the alternating harmonic series to form whatever sum we want.

Alternating Series

- The answer is that the alternating harmonic series is *conditionally* convergent.
- We can always rearrange the terms of the alternating harmonic series to form whatever sum we want.
- In general, alternating series, of the form

$$\sum_{n=1}^{\infty}(-1)^{n+1}a_n$$

can be convergent, while at the same time

$$\sum_{n=1}^{\infty}a_n$$

is divergent.

Alternating Series Test

- In general, we can find if an alternating series is *conditionally* convergent as follows:

Alternating Series Test

- In general, we can find if an alternating series is *conditionally* convergent as follows:
  - The (absolute value) series terms are strictly positive and decreasing.

$$0 < a_{n+1} < a_n$$

Alternating Series Test

- In general, we can find if an alternating series is *conditionally* convergent as follows:
  - The (absolute value) series terms are strictly positive and decreasing.

$$0 < a_{n+1} < a_n$$

  - The series terms tend to zero:

$$\lim_{n\to\infty} a_n = 0$$

Questions?

Thank you for listening. Any questions?