

Introduction to Game Theory

Game Theory analyzes the *interaction* among a *group of rational agents* who *behave strategically*.

- A group consists of at least two individuals who are free to make decisions.
- An interaction means that the decisions of at least one member of the group must affect at least one other member of the group.
- In strategic behavior, members of the group account for the interaction in their decision making process.
- Rational agents act in their best decisions based on their knowledge.

Keynes's Beauty Contest: Choose the face that is the most chosen in a newspaper contest.

In many games, we are not asked to pick *our* favorite, we are asked to pick *everyone else's* favorite.

Applications of Game Theory

- Labor Economics (compensation interactions, promotions)
- Industrial Organization (pricing, entry, exit, etc.)
- Public Finance (public goods games)
- Political Economy (strategic voting)
- Trade (tariff wars)
- Biology (hunting and mating)
- Linguistics

It's important to remember that game theory is a subfield of *mathematics*, not economics.

Static Games of Complete Information

We will begin by covering *static games of complete information*.

- Static: Play happens at once and payoffs are realized. Decisions are not necessarily made at the same time.
- Complete information: the following four are all common knowledge in the game
 - (i) all possible actions of the players
 - (ii) all possible outcomes
 - (iii) how each combination of actions of all players affects which outcome will materialize
 - (iv) the preferences of each and every player over outcomes
- An event, E , is common knowledge if everyone knows E , everyone knows everyone knows E , *ad infinitum*.

The Prisoner's Dilemma

- Two suspects are interrogated in separate rooms.
- There is enough evidence to convict each of them for a minor offense, but not enough to convict either of a major crime unless one finks (F).
- If they each stay quiet (Q), they only get 1 year in prison each.
- If only one finks, they are free, and the other gets 4 years in prison.
- If they both fink, they each will spend 3 years in prison.

We will try to write The Prisoner's Dilemma as a game. First, we can see this in a payoff matrix.

		Player Y	
		Q	F
Player X	Q	(2, 2)	(0, 3)
	F	(3, 0)	(1, 1)

Normal-Form Game

The constituents of a *normal-form game* G consist of the following:

- A finite set of players: $N = \{1, 2, \dots, n\}$.
- For each player i , a set S_i denotes the *strategy space* of player i . We will let $S = S_1 \times S_2 \times \dots \times S_n$ denote the strategy space of the entire game (i.e., the entire set of strategies possible).
 - Every element $s \in S$ is a *strategy profile*, where $s = (s_1, s_2, \dots, s_n)$.
 - We denote the strategy choices of all players except player i as $s_{-i} = (s_1, \dots, s_{i-1}, s_{i+1}, \dots, s_n)$.
- A payoff function: $v_i : S \rightarrow \mathbb{R}$. The payoff function depends on the strategies of *all players*.

Example

Let the following payoff matrix represent a game. Write the normal form.

		X	Y
A	X	(5, 1)	(2, 6)
	Y	(0, 9)	(3, 2)
	C	(4, 4)	(4, 7)

- $n = 2$
- $S_1 = \{A, B, C\}$
- $S_2 = \{X, Y\}$

Strategic Dominance

Recall the prisoner's dilemma.

		Player Y	
		Q	F
		Q	(2, 2) (0, 3)
Player X	Q	(2, 2) (0, 3)	
	F	(3, 0) (1, 1)	

Suppose you were player 1. If player 2 stays quiet, it is more optimal for you to fink than to stay quiet. Similarly, if player 2 finks, then it is more optimal for you to fink than to stay quiet.

In a similar vein, for player 2, it is more optimal to fink in both cases. Therefore, the proper strategy is (F, F) .

Dominated Strategy

A strategy s'_i is *strictly dominated* for i if there is one other strategy $s_i \in S_i$ such that $v_i(s_i, s_{-i}) > v_i(s'_i, s_{-i})$ for all $s_{-i} \in S_{-i}$.

Essentially, a strategy is strictly dominated if there is another strategy that yields a strictly greater payoff regardless of the other strategies.

A rational player will *never* play a strictly dominated strategy.

In the prisoner's dilemma, Q is strictly dominated by F in both cases. Oddly, this yields the worst outcome from a social perspective (i.e., it has the lowest aggregate welfare).

		L	M	R	
		T	2,2	1,1	4,0
		B	1,2	4,1	3,5

Through *iterated elimination of strictly dominated strategies* (IESDS), we start by removing M from the strategy profile of player 2 as playing L is strictly better. Then, Player 1 realizes that player 2 is rational, and thus does not play B (as B is strictly dominated by T once M is removed from the strategy space of player 2). Finally, Player 2 does not play R , as R is strictly dominated by L given that player 1 will play T . Thus, we get our answer of \mathbf{T}, \mathbf{L} .

A game is *dominance solvable* if it can be solved via iterated elimination of strictly dominated strategies. However, only a small number of games are not dominance solvable.

Strategic Dominance and Normal-Form Activity

Activity: Strategic Games and Dominance
Econ 305

Brandon Lehr

1 Strategic Games

For each of the games described below, determine the normal form of the game: number of players n , strategy space for each player S_i , and payoffs (as a matrix or function).

- a. Matching Pennies (a zero-sum game). Two players simultaneously place a penny on a table. If the pennies match (e.g., both placed heads up), player 2 pays player 1 a dollar. If the pennies do not match, player 1 pays player 2 a dollar.

$$\begin{aligned} \text{Players: } N &= \{1, 2\} \\ \text{Strategy Space: } S_1 &= \{H, T\} \\ \text{Payoff Functions: } v_1 &= \begin{cases} 1, & S_1 = S_2 \\ -1, & S_1 \neq S_2 \end{cases} \\ v_2 &= \begin{cases} 1, & S_1 \neq S_2 \\ -1, & S_1 = S_2 \end{cases} \end{aligned}$$

		Player 2	
		H	T
		H	-1, 1
		T	1, -1

- b. Bach or Stravinsky / Battle of the Sexes (a coordination game with some conflict). A couple wants to be together on their date night rather than alone, but they have different preferences over which type of concert they attend. They simultaneously — and without communication — choose to go to either the Bach or Stravinsky concert. (Conditional on being together, player 1 prefers Bach and player 2 prefers Stravinsky.)

$$\begin{aligned} \text{Players: } N &= \{1, 2\} \\ \text{Strategy Sets: } S_1 &= \{B, S\} \\ \text{Payoffs: } & \end{aligned}$$

		Player 2	
		B	S
		B	5, 3
		S	0, 0
			3, 5

- c. Hawk vs. Dove / Chicken (an anti-coordination game). Two teenagers ride their bikes at high speed towards each other along a narrow ride. Neither of them wants to "chicken out" and lose their pride, but even worse is getting hurt by crashing into the oncoming biker.

Players: $n=2$

Strategy Space: $\{D, H\}^2$

Payoffs:

		Player 2	
		D	H
Player 1	D	1, 1	1, 2
	H	2, 1	0, 0

- d. Cournot Competition (an industrial organization game). Two firms compete by simultaneously choosing how much to produce of a homogenous good (e.g., oil, soybeans) for a market.

Players: $n=2$

Strategy Space: $S_i = [0, \infty)$

$$P = d^{-1}(q_1 + q_2)$$

Payoff: $P_i = d^{-1}(q_1 + q_2)q_i - C_i(q_i)$

2 Strict Dominance

Are the following games dominance solvable? Justify your answers.

- a. A 4×4 game:

You, (B, X) is the result from TESDS on the game

	X	Y	Z
A	5,2	2,6	1,4
B	0,0	3,2	2,1
C	7,0	2,2	1,5
D	9,5	1,3	0,2

- b. The beauty contest game, i.e., to win, come closest to guessing two-thirds the average of numbers between 0 and 100 selected by players.

Yes, every strategy is strictly dominated by 0 the same & dominate solvable

Nash Equilibrium: Definition

A strategy profile s^* is a *pure strategy Nash equilibrium* if and only if the following holds.

$$v_i(s_i^*, s_{-i}^*) \geq v_i(s_i, s_{-i}^*)$$

for all players i and all strategies $s_i \in S_i$.

Given what all other players are doing, no single player has an incentive to deviate to another action. This does not inform us about how to get to the Nash equilibrium, it just tells us that it is one.

For example, the prisoner's dilemma has a pure strategy Nash equilibrium: (F, F)

- For any other strategy profile, there is a profitable deviation.
- Similarly, result corresponds to the outcome of IESDS.


	L	M	R
T	2,2	1,1	4,0
B	1,2	4,1	3,5

In the above game, the pure strategy Nash equilibrium is (T, L) . We can easily check that it is a Nash equilibrium, but in order to check that it is unique, we would need to look for deviations from the other strategy profiles. Or do we?

IESDS and Nash Equilibrium

- If s^* is a pure strategy Nash equilibrium of G , s^* survives IESDS.
- An action that is played in a Nash equilibrium is never eliminated in IESDS.
- If G is dominance solvable, then G has a unique Nash equilibrium:
 - The previous proposition tells us that G is dominance solvable \Rightarrow there is at most one Nash equilibrium.

The relationship between the strategy set, S , the set of strategies that survive IESDS, and the Nash equilibrium can be seen below:



Voter Participation and Nash Equilibrium Activity

Activity: Voter Participation

Econ 305

Brandon Lehr

Two candidates, Joe and Donald, compete in a national Presidential election. Of the 200 million registered voters in the U.S., 100 million support Joe and 100 million support Donald. Each citizen decides whether to vote, at a cost, for the candidate she supports, or to abstain. A citizen who abstains receives a payoff of 2 if the candidate she supports wins, 1 if this candidate ties, and 0 if this candidate loses. A citizen who votes receives the payoffs $2 - c$, $1 - c$, and $-c$ in these three cases, where $0 < c < 1$. Find the (pure strategy) Nash equilibria.

We can do this by considering different types of strategy profiles. For each case, we need to check whether or not any single citizen has an incentive to deviate to another strategy, given the strategies of all other citizens. If not, we have a Nash equilibrium.


Case 1: All Citizens Vote




Case 2: Not All Citizens Vote; the Candidates Tie



Case 3: A Candidate Wins by One Vote



Case 4: A Candidate Wins by at Least Two Votes



Bonus: Suppose that Joe has more supporters than Donald. What are the (pure strategy) Nash equilibria of this game?

Hint: Let n_J be the number of people who vote for Joe and n_D be the number of people who vote for Donald. Also, denote the number of Donald's supporters by $k < 100$ million. Proceed in cases as before.

There is no pure strategy Nash equilibrium

Bertrand Competition

Assumptions We have the following:

Players Homogenous good produced by $n > 1$ firms (i.e., oil, soybeans)

Cost The cost of producing q_i units to $c_i(q_i)$.

Demand Total Market Demand is given by $D(p)$

Strategy Set $S_i = \mathbb{R}^+$, where $p_i \in S_i$ denotes the price.

Normal-Form Game We have the following:

Players $n = 2$

Cost Function $c_i(q_i) = cq_i$ for some $c \in \mathbb{R}^+$ and for $i = 1, 2$

Payoffs $v_i(p_i, p_j) = \begin{cases} 0, & p_i > p_j \\ (p_i - c)(D(p_i)), & p_i < p_j \\ \frac{1}{2}(p_i - c)(D(p_i)), & p_i = p_j \end{cases}$

Bertrand Duopoly

Activity: Bertrand Duopoly
Econ 305

Brandon Lehr

We can write profits in the symmetric Bertrand duopoly game ($n = 2$) with marginal costs, c , and demand function, $D(p)$, as follows:

$$v_i(p_i, p_j) = \begin{cases} (p_i - c)D(p_i) & \text{if } p_i < p_j \\ (p_i - c)D(p_i)/2 & \text{if } p_i = p_j \\ 0 & \text{if } p_i > p_j \end{cases}$$

where $p_1, p_2 \in \mathbb{R}^+$.

Claim: The unique NE of the Bertrand game is $(p_1^*, p_2^*) = (c, c)$.

Proof: There are two parts we have to prove. First, we must show that the proposed action profile is in fact a NE. Next, we have to show that there is no other NE.

1. *Profile is NE*
- $\uparrow \text{charge} \rightarrow J = \emptyset \Rightarrow \text{NE}$ } no better than current
 - $\downarrow \text{charge} \rightarrow J \neq \emptyset \subset \text{NE}$ } situation

2. *Uniqueness*

Consider all other possible action profiles:

- (a) If $p_i < c$ for either $i = 1$ or $i = 2$:
 $\exists \epsilon > 0 \ni V(p_i, p_j) < 0 \rightarrow \text{profitable to charge}$
 $\text{marginal cost for } V(p_i, p_j) = 0$
- (b) If $p_i = c$ and $p_j > c$:
 $p_i \uparrow \text{by } \epsilon \in (p_j - \epsilon, p_j) \rightarrow V(p_i + \epsilon, p_j) > 0$

- (c) If $p_i > c$ and $p_j > c$ (without loss of generality let $p_i \geq p_j$):

$$V(p_i, p_j) = \begin{cases} 0 & p_i > p_j \\ \frac{1}{2}(p_i - c)D(p_j) / (p_i - p_j) & p_i \leq p_j \end{cases}$$

Profitable to go just below p_j , profit > 0

Bonus: Suppose we modify the game so that firms can only charge discrete prices measured to the precision of a cent (as opposed to all non-negative real numbers). Argue that $(c+1, c+1)$ is also a Nash equilibrium (where c is given in cents). Assume that $D(c+1) > 0$.

$$\text{Ld: } v_i = \frac{1}{2} D(c+1)$$

$$\text{Demand: } v_i = 0$$

$$\text{Demand: } v_i < 0$$

} all worse than
staying at $c+1$

$$\text{Up: } v_i = 0$$

Best Response Correspondence and finding Nash Equilibria

- To find a Nash Equilibrium, it is helpful to determine which actions are best for a player given the actions of their opponents.

- A *best response correspondence* is:

$$BR_i(s_{-i}) = \{s_i \in S \mid v_i(s_i, s_{-i}) \geq v_i(s'_i, s_{-i}) \forall s'_i \in S_i\}$$

- Any strategy in $BR_i(s_{-i})$ is at least as good for player i as every other strategy available to player i when the other players' strategies are given by s_{-i} .
- We call it a correspondence, as opposed to a function, since $BR_i(s_i)$ can be set-valued

A strategy profile s^* is a Nash Equilibrium of G if and only if every player's strategy is a best response to the other players' strategies:

$$s^* \in BR_i(s^*) \forall i$$

Essentially, every player is playing their best response given that everyone else is also playing their best response.

There are two primary ways to find a Pure Strategy Nash Equilibrium:

- Refining educated guesses (e.g., Bertrand competition), necessary when best responses are set-valued
- Intersection of best responses (e.g., Payoff Matrix, Cournot competition)

Calculus and Best Response

In many cases, $BR_i(s_{-i})$ is a solution to the following problem:

$$\max_{s_i} v_i(s_i, s_{-i})$$

Essentially, we have to solve an optimization problem: find the value of s_i such that $v_i(s_i, s_{-i})$ is maximized.

Consider the following payoff function:

$$v_1(x_1, x_2) = 3x_1x_2 - x_1^2$$

We must use partial derivatives (as we're holding the strategy of x_2 constant in order to find the best response):

$$\begin{aligned} 0 &= \frac{\partial v_1}{\partial x_1} \\ &= 3x_2 - 2x_1 \\ x_1 &= \frac{3x_2}{2} \end{aligned}$$

Therefore, $BR_1(x_2) = x_1 = \frac{3x_2}{2}$.

In order to find the Nash Equilibrium, we have to find the best response function for every player and take the intersections of all the best response functions.

Cournot Competition

- n firms.

- Selling a homogenous identical good.

- *Quantity* Competition: $S_i = \mathbb{R}^+$

- Payoff function:

$$v_i(q_i, q_{-i}) = q_i P \left(\sum_{j=1}^n q_j \right) - c(q_i)$$

What makes Cournot competition a game is that the payoff depends on the strategies of other players.

Cournot Duopoly: Example

- $n = 2$, $c(q_i) = 10q_i \forall i$

- $P(Q) = \begin{cases} 100 - Q, & Q \leq 100 \\ 0, & Q > 100 \end{cases}$

Three steps to find Nash Equilibrium:

(i) $BR_1(q_2)$

(ii) $BR_2(q_1)$

(iii) (q_1^*, q_2^*) is a Nash Equilibrium where $q_1^* = BR_1(BR_2(q_1^*))$ (this follows from the definition of a Nash Equilibrium).

$$\begin{aligned} \max_{q_1} q_1(100 - q_1 - q_2) - 10q_1 &= \max_{q_1} q_1(90 - q_1 - q_2) \\ 0 &= \frac{\partial v_1}{\partial q_1} \\ &= 90 - q_2 - 2q_1 \\ q_1 &= 45 - \frac{1}{2}q_2 \end{aligned}$$

$$\begin{aligned} \max_{q_2} q_2(100 - q_2 - q_1) - 10q_2 &= \max_{q_2} q_2(90 - q_1 - q_2) \\ 0 &= \frac{\partial v_2}{\partial q_2} \\ &= 90 - q_1 - 2q_2 \\ q_2 &= \frac{90 - q_1}{2} \end{aligned}$$

Note In a symmetric game, every player's best response is identical with respect to every other player. You can only use this shortcut *after* finding the best response.

$$q_1^* = BR_1(BR_2(q_1^*))$$

$$\begin{aligned} &= \frac{90 - \frac{90 - q_1^*}{2}}{2} \\ &= \frac{45}{2} + \frac{q_1^*}{4} \end{aligned}$$

$$q_1^* = 30$$

$$q_2^* = BR(30)$$

$$= 30$$

Note In a symmetric game, $q_1^* = q_2^*$, and similar for the n player case.

Cournot Duopoly Variations

Activity: Cournot Competition Econ 305

Brandon Lehr

Consider the standard duopoly ($n = 2$) Cournot competition game in which $c_1(q_1) = 10q_1$ and

$$P(Q) = \begin{cases} 100 - Q & \text{if } Q \leq 100 \\ 0 & \text{if } Q > 100 \end{cases}$$

In class I showed that the best response function for firm 1 is:

$$BR_1(q_2) = \begin{cases} \frac{1}{2}(90 - q_2) & \text{if } q_2 \leq 90 \\ 0 & \text{if } q_2 > 90 \end{cases}$$

Determine the Nash equilibrium of the following Cournot games.

Example 1: Asymmetric Costs where $c_2(q_2) = 40q_2$, but all else is unchanged.

$$\begin{aligned} BR_1(q_2) &= \frac{1}{2}(90 - q_2) \\ BR_2(q_1) &= \frac{1}{2}(60 - q_1 - q_2) = 40q_2 \\ &\quad \text{or, } q_2 = \frac{1}{2}(60 - q_1) \\ q_2^* &= BR_2(BR_1(q_2^*)) \\ &= \frac{1}{2}(60 - \frac{1}{2}(90 - q_2^*)) \\ q_2^* &= 30 + \frac{q_1^*}{4} \\ \boxed{\begin{array}{l} q_1^* = 40 \\ q_2^* = 10 \end{array}} \end{aligned}$$

Example 2: n Identical Firms, each with $c_i(q_i) = 10q_i$ for all $i = 1, 2, \dots, n$.

Hint: After finding the best response functions, you can assume that every firm will choose the same quantity in the Nash equilibrium.

$$BR_i(\mathbf{q}_i) = \max_{q_i} \pi_i(100 - \sum q_j) - 10q_i$$

$$= \max_{q_i} \pi_i(90 - \sum q_j)$$

$$\partial \subset 90 - 2q_i - \sum q_j$$

$$q_i = \frac{1}{2}(90 - \sum q_j)$$

$$BR_i(q_i) = \frac{1}{2}(90 - \sum q_j)$$

$$q_i^* = \frac{1}{2}(90 - (n-1)q_i^*)$$

$$2q_i^* = 90 - nq_i^* + q_i^*$$

$$q_i^* = \frac{90}{n+1}$$

Mixed Strategies

		IRS	
		Audit (A)	Don't (D)
Taxpayer	Honest (H)	10, 9	10, 10
	Cheat (C)	-35, 10	15, 5

In a game like Rochambeau or the Tax Audit game (above), there is no pure strategy Nash equilibrium (i.e., there is always some incentive to deviate regardless of the outcome). Many other games, especially in the realms of sports and the military, feature a lack of pure strategy Nash equilibria.

Players must randomize over the possible strategy spaces to maximize their payoff, rather than depending on a pure strategy.

- A *mixed strategy*, σ_i , of player i is a probability distribution over S_i .
- There are two primary properties of a probability distribution:
 - $\sigma_i(s_i) \geq 0$ for all $s_i \in S_i$ (something cannot have negative probability).
 - $\sum_{s_i \in S_i} \sigma_i(s_i) = 1$ (everything must happen).
- There are multiple ways to write the mixed strategy:
 - Functions: $\sigma_1(H) = 1/3, \sigma_1(T) = 2/3$
 - Vector: $\sigma_1 = \langle 1/3, 2/3 \rangle$
 - Type 2 Vector: $\sigma_1 = \frac{1}{3}H + \frac{2}{3}T$

Mixed Strategy Profiles and Expected Payoffs

A mixed strategy profile $\sigma = (\sigma_1, \sigma_2, \dots, \sigma_n)$ is a set of mixed strategies in the game.

The expected payoff to player i with the mixed strategy profile (σ_i, σ_{-i}) is as follows:

$$v_i(\sigma_i, \sigma_{-i}) = \sum_{s_i \in S_i} \sum_{s_{-i} \in S_{-i}} \sigma_i(s_i) \sigma_{-i}(s_{-i}) v_i(s_i, s_{-i})$$

Note: This is equivalent to the weighted average of the payoffs of the pure strategy profiles.

For example, in the tax game, let $\sigma_1 = \frac{3}{4}H + \frac{1}{4}C$ and $\sigma_2 = \frac{1}{3}A + \frac{2}{3}D$. Then, we have the total payoff as follows:

$$\begin{aligned} v_1(\sigma_1, \sigma_2) &= \frac{3}{4} \cdot \frac{1}{3} (10) + \frac{3}{4} \cdot \frac{2}{3} (10) + \frac{1}{4} \cdot \frac{1}{3} (-35) + \frac{1}{4} \cdot \frac{2}{3} (15) \\ &= \frac{85}{12} \end{aligned}$$

Therefore, $\frac{85}{12}$ is the *expected payoff*.

Mixed Strategy Nash Equilibrium

Let σ^* be a mixed strategy profile. Then, if

$$v_i(\sigma_i^*, \sigma_{-i}^*) \geq v_i(\sigma_i, \sigma_{-i}^*)$$

for all players i and all mixed strategies σ_i , σ_i^* is the *mixed strategy Nash equilibrium*.

Instead of checking all mixed strategies, we only need check if switching to any *pure* strategy makes a player better off. If it is not, the mixed strategy profile is a Nash equilibrium.

$$v_i(\sigma_i^*, \sigma_{-i}^*) \geq v_i(s_i, \sigma_{-i}^*) \quad \forall s_i \in S_i$$

Many mixed strategy Nash equilibria are not strict Nash equilibria (i.e., there are other strategies with similar payoffs).

Finding Mixed Strategy Nash Equilibria

In a finite game, the *support* of a mixed strategy σ_i , $\text{supp}(\sigma_i)$ is the set of strategies to which σ_i has strictly positive probability:

$$\text{supp}(\sigma_i) = \{s_i \in S_i \mid \sigma_i(s_i) > 0\}$$

If σ^* is a mixed strategy Nash equilibrium, and $s'_i, s''_i \in \text{supp}(\sigma_i)$, then

$$v_i(s'_i, \sigma_i) = v_i(s''_i, \sigma_i)$$

Essentially, if a player is playing two strategies with positive probability, they have to be indifferent between the two strategies (or else they would play the one with a higher payoff).

Mixed Strategy Nash Equilibrium Example

		IRS	
		Audit (A)	Don't (D)
Taxpayer	Honest (H)	10, 9	10, 10
	Cheat (C)	-35, 10	15, 5

$$\sigma_1 = pH + (1 - p)C$$

$$\sigma_1 = qA + (1 - q)D$$

Player 1's Indifference:

$$v_1(H, \sigma_2) = 10$$

$$v_2(C, \sigma_2) = -35q + 15(1 - q)$$

$$10 = 15 - 50q$$

when taxpayer will be indifferent

$$q^* = \frac{1}{10}$$

Player 2's Indifference:

$$v_2(\sigma_1, A) = 9p + 10(1 - p)$$

$$v_2(\sigma_1, D) = 10p + 5(1 - p)$$

$$10 - p = 5 + 5p$$

$$p^* = \frac{5}{6}$$

The Nash equilibrium is where $p^* = 5/6$ and $q^* = 1/10$.

Mixed Strategy Nash Equilibrium: D-Day

Activity: D-Day
Econ 305

Brandon Lehr

Find *all* of the Nash equilibria of the following game:

	Defend Normandy (DN)	Defend Calais (DC)
Invade Normandy (IN)	-2, 2	1, -1
Invade Calais (IC)	3, -3	-1, 1

What is the probability of invading an undefended site (outcomes of (IN, DC) or (IC, DN))?
Let $p = \sigma_1(\text{IN})$ and $q = \sigma_2(\text{DN})$.

$$\sigma_1 \geq p(\text{IN}) + (1-p)(\text{IC})$$

$$\sigma_2 \geq q(\text{DN}) + (1-q)(\text{DC})$$

$$v_1(\text{IN}, \sigma_2) \geq -2(1) + 1(-3)$$

$$v_1(\text{IC}, \sigma_2) = 3(1) + (-1)(-3)$$

$$-2 + 1(-3) = 3 \Rightarrow -1 + 3$$

$$2 = 7$$

$$q^* = \frac{4}{7}$$

$$v_2(\sigma_1, \text{DN}) = 2p + (3)(1-p)$$

$$v_2(\sigma_1, \text{DC}) = -p + 1(1-p)$$

$$5p - 3 = 1 - 2p$$

$$p^* = \frac{4}{7}$$

$$\boxed{\left(\frac{4}{7}, \frac{2}{7}\right)}$$

Finding Mixed Strategy Nash Equilibria in Larger Games

In the 2×2 games, we did not have to worry about which strategies were in the support of the strategies played in Nash equilibrium, but we do in higher dimensional games.

	<i>L</i>	<i>C</i>	<i>R</i>
<i>U</i>	10, 9	10, 6	10, 10
<i>M</i>	-5, 9	15, 10	11, 12
<i>D</i>	-35, 10	10, 7	15, 5

Reducing Size of Larger Games

A strategy s'_i is *strictly dominated* if there exists a mixed strategy σ_i such that

$$v_i(\sigma_i, s_{-i}) > v_i(s'_i, s_{-i})$$

for every $s_{-i} \in S_{-i}$.

Essentially, if we can find a mixed strategy profile that is strictly better than the pure strategy, the pure strategy is strictly dominated.

In the previous game, we can use IESDS as follows:

- No strategies are strictly dominated by pure strategies.
- However, *C* is strictly dominated by $\frac{1}{2}L + \frac{1}{2}R$

	<i>L</i>	<i>C</i>	<i>R</i>
<i>U</i>	10, 9	10, 6	10, 10
<i>M</i>	-5, 9	15, 10	11, 12
<i>D</i>	-35, 10	10, 7	15, 5

- Additionally, *M* is strictly dominated by $\frac{3}{4}U + \frac{1}{4}D$

	<i>L</i>	<i>C</i>	<i>R</i>
<i>U</i>	10, 9	10, 6	10, 10
<i>M</i>	-5, 9	15, 10	11, 12
<i>D</i>	-35, 10	10, 7	15, 5

Since, from here, we cannot find any strictly dominated strategies, we have to use our method for finding mixed strategy Nash equilibria.

By using the method, we find that the solutions are $p = 5/6$ on *U* and $q = 1/10$ on *L*.

Note: After IESDS, the game is the same as the Tax Audit Game from earlier.

Mixed Strategy Nash Equilibria in Larger Game Example

Activity: MSNE in Larger Games
Econ 305

Brandon Lehr

1 MSNE in a 3-Pure Strategy Game

Find all of the Nash equilibria of the following game:

		L	C	R	
		U	3,10	9,15	7,10
		M	5,1	10,0	0,3
P	D	5,2	8,1	10,1	

U strictly dominated by $0.8D + 0.2M$

C strictly dominated by L

$$P < \frac{7}{8}$$

$$P > \frac{2}{10}$$

$$P = 0.8$$

$$v_1(M, \sigma_2) = 5_6 + 0(1-p)$$

$$v_2(U, L) = P + 2(1-P)$$

$$v_1(D, \sigma_2) = 5_6 + 10(1-p)$$

$$v_2(O, R) = 3P + (1-P)$$

$$-P + 2 = 2P + 1$$


$$5_6 = 5_6 + 10(1-p)$$

$$p = \frac{1}{3}$$

$$1 - p = \frac{2}{3}$$

$$p = \frac{1}{3}$$

Infinite NE: $0 \leq P \leq \frac{1}{3}$



2 Bonus: MSNE in a 3-Player Game

Consider the following three-player team production problem. Simultaneously and independently, each player chooses between exerting effort, E , or not exerting effort, N . Exerting effort imposes a cost of 2 on the player who exerts effort. If two or more players exert effort, each player receives a benefit of 4 regardless of whether she herself exerted effort. Otherwise, each player receives zero benefit. The payoff to each player is her realized benefit less the cost of her effort (if she exerted effort).

Find a symmetric mixed-strategy Nash equilibrium of this game. In particular, let the strategy for player i be denoted by $\sigma_i = pE + (1-p)N$ and determine p .

$$\begin{aligned}
 & \text{Given NE, } \sigma_i^* = pE + (1-p)N \neq ; \\
 & U_i(E, \sigma_{-i}^*) = U_i(N, \sigma_{-i}^*) \\
 & U_i(N, \sigma_{-i}^*) = 4p^2(6 - 4p +) \\
 & U_i(E, \sigma_{-i}^*) = (-2)(1 + 4(\text{at least one less effort})) \\
 & = -2 + 4(1 - (1-p)^2)(1 - p\text{cost 1 effort}) \\
 & 4p^2 = -2 + 4/(2p - p^2) \\
 & 8p^2 - 8p + 2 = 1 \\
 & \boxed{p = 1/2}
 \end{aligned}$$

Multiple Equilibria

Meet in New York: you and your friend have agreed to meet in New York at 12pm. Both of your phones have died. Where do you go?

There are multiple Nash equilibria to this game (essentially, basically anywhere).

Interpreting Nash Equilibria

IESDS is a constructive process to *predict* play in a game; it does not assume that players know the strategy choices of other players.

In a Nash equilibrium, players have self-fulfilling beliefs about the play of others. Essentially, Nash equilibria survive IESDS, and then players respond to *correct* beliefs.

We might ask where the beliefs come from:

Play Prescription: An outside party tells people how to play.

Pre-play Communication: Players communicate and agree on how to play the game.

Rational Introspection: A Nash equilibrium seems reasonable because my beliefs of what other players do are consistent with them being rational. This works in games with a unique Nash equilibrium.

Focal Point: Social norms lead players to prefer certain actions over others.

Learning: Players play many times, and learn what other people prioritize by doing so.

Evolution: Players are programmed to play a certain action; if they do not play a Nash equilibrium, they “mutate.” If this deviation is profitable, the players will “multiply” at a faster rate than other players and eventually take over. This system converges to a state where all players choose the Nash equilibrium.

Existence of Nash Equilibria

The set of strategies played in Nash equilibrium is a subset of the strategies that survive IESDS. The Nash equilibrium isn’t so strong such that there is no Nash equilibrium.

Nash Theorem: Every finite normal-form game has a mixed strategy Nash equilibrium.

Note: Pure strategy profiles are mixed strategy profiles with a degenerate probability distribution.

Intuition

Lemma: A mixed strategy profile σ^* is a Nash equilibrium if and only if it is a fixed point of the best response correspondence:

$$\sigma^* \in BR(\sigma^*)$$

where

$$BR(\sigma) = BR(\sigma_{-1}) \times BR(\sigma_{-2}) \times \cdots \times BR(\sigma_{-n})$$

If the mixed strategy profile is that which is the best response for every player in the mixed strategy profile, then that has to be a Nash equilibrium.

In one dimension, we know that every continuous function $f : [a, b] \rightarrow [a, b]$ must have a fixed point (by the Intermediate Value Theorem).

In \mathbb{R}^n , a continuous function from a compact (i.e., bounded and closed), convex (i.e., every two points in the set can be connected by a line) subset to itself must also have a fixed point (by Brouwer's Fixed Point Theorem).

Then, Shizuo Kakutani proved that Brouwer's result applied to particular types of correspondences.

A correspondence $r : X \rightarrow X$ has a fixed point such that $x \in r(x)$ if:

- X is a compact, convex, non-empty subset of \mathbb{R}^n
- $r(x)$ is nonempty for all x .
- $r(x)$ is convex for all x .
- r has a closed graph.

Nash showed that the best response correspondence satisfied these conditions.

Generic Properties

A property is *generic* if, given the number of players and strategies, the property is true with probability 1 for payoffs chosen at random.


For example, the property “In a Nash equilibrium players 1 and 2 obtain different payoffs” is generic (i.e., if you throw in random payoffs, players will almost certainly have different payoffs).

Additionally, the property “A finite strategic game has a finite and odd number of Nash equilibria.” is generic.


- When looking for (mixed strategy) Nash equilibria, if you find an even number, you probably missed one.

Extensive Form Games

Consider a variant of the Matching Pennies in which Player 2 observes the choice made by Player 1 before making their choice.



We can model the simultaneous move version by connecting the Player 2 nodes with a dashed line.



Definition A *finite horizon extensive form game* consists of

- (1) The set of players
- (2) A set of *decision nodes* where at each node it is specified:
 - (i) the player who moves
 - (ii) the set of possible actions
 - (iii) the successor node resulting from each action
- (3) Payoffs upon reaching a *terminal node*
- (4) What each player knows at each of the decision nodes, described by a collection of *information sets* that partition the set of decision nodes.

Definition A *information set* is a collection of decision nodes such that at every node in the set:

- (i) The same player has the move
- (ii) The same set of possible actions is available.

When the play of the game reaches a node in the information set, the player with the move does not know which node in the information set has or has not been reached.

A player can have multiple information sets, but each node must be in an information set.


Perfect Information

A game of perfect information is a game in which all the information sets are singletons (but a player can have multiple information sets):

- In a game of perfect information, a player knows every move made by players before them.
- Sequential Matching Pennies is a game of perfect information, but Matching Pennies is a game of imperfect information.
- All normal form games can be thought of as extensive games with imperfect information.

Pure Strategies in Extensive Form Games

A pure strategy for a player in an extensive form game is a complete set of contingent actions (even if they are never played or never able to be played) for each player at each information set. In the sequential Matching Pennies, we label each contingency:




Then, we can create the normal form game as follows:

	$\hat{H}h$	$\hat{H}t$	$\hat{T}h$	$\hat{T}t$
H	1, -1	1, -1	-1, 1	-1, 1
T	-1, 1	1, -1	-1, 1	1, -1

where we denote Player 2's strategies by xy , where $x = s_2(H)$ and $y = s_2(T)$.

The Entry game (in Industrial Organization) has the following extensive form:



and the normal form game is as follows:

	Out	In
Fight	(2, 0)	(-1, -1)
Acquiesce	(2, 0)	(1, 1)

Notice that Player 1 still has to include the payoffs for Fight and Acquiesce *even if Player 2 plays Out*.

Behavioral Strategies

A behavioral strategy for player i is a function that assigns a probability distribution over the actions available to player i at each information set where player i moves.

This is different from a mixed strategy since a mixed strategy is a mixture over all the pure strategies, rather than a mixture at each action.


Given perfect recall, the mixed strategy profile can be created by multiplying the behavioral strategies together.

Activity: Extensive Form Games

Activity: Extensive-Form Games

Econ 305

Brandon Lehr

1 Characterizing an Extensive-Form Game

- Is this a game of perfect or imperfect information? Why?
No, P2 has an information set at node 2, 3
- How many information sets does each player have in the above game?
P1: 2 information sets: 2 nodes, 3
P2: 2 information sets: 2 nodes, 3
- How many pure strategies does each player have in the above game?
P1: 2
P2: 6

2 Tic-Tac-Toe (Tadelis 7.3)

The extensive form representation of a game can be cumbersome even for very simple games. Consider the game of Tic-tac-toe where 2 players mark “X” or “O” in a 3×3 matrix. Player 1 moves first, then player 2, and so on. If a player gets three of his kind in a row, column, or one of the diagonals then he wins, and otherwise it is a tie. For this question assume that even after a winner is declared, the players *must completely* fill the matrix before the game ends.

- a. Is this a game of perfect or imperfect information? Why?
Perfect because players know their exact position in relation to every other player
- b. How many information sets does player 2 have after player 1's first move?
1
- c. How many information sets does player 1 have after player 2's first move?
72