

[← 返回文件列表](#)

API 手冊 — 火炭會聚會簽到系統 v3.3

基礎資訊

- **Base URL:** `https://fotan.techforliving.net/api` - **Content-Type:** `application/json` - **CORS:** 全部端點支援跨域

認證方式

API 類型	認證方式	適用對象
Skill API	<code>{"token": "lob_xxxx"}</code> 在 JSON body	OpenClaw / Claude Code / curl
後台 API	Cookie <code>fotan_auth</code> (登入取得)	SPA 後台

Part 1: Skill REST API

端點： `POST https://fotan.techforliving.net/api/skill` 驗證：所有請求必須帶 `token` 參數 (在後台「火炭會 Skill」頁面產生，90 天有效)

1.1 基礎格式

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_nt8r6aekwv1z8xcpvbnw5uag", "action": "list_meetings"}'
```

Token 過期回應

```
{"ok": false, "error": "invalid or expired token"}
```

1.2 人員管理

`import_guests` — 批次匯入來賓

自動用最新會議、跳過會員/來賓重複、如係會員自動更新 attendance 付款。

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{  
  "token": "lob_xxxx",  
  "action": "import_guests",  
  "guests": [  
    {"name": "陳大文", "professional": "律師", "payment": "paid"},  
    {"name": "李小華", "professional": "會計師", "payment": "unpaid"},  
    {"name": "張三", "professional": "工程師", "payment": "free"},  
    {"name": "黃師傅", "professional": "中醫師", "tel": "12345678", "invited_by": "Per
```

```
]
}'
```

參數	類型	必填	說明
guests	array	✓	來賓陣列
guests[].name	string	✓	姓名
guests[].professional	string	-	專業
guests[].payment	string	-	paid / unpaid / free
guests[].tel	string	-	電話
guests[].invited_by	string	-	邀請人

成功回應：

```
{
  "ok": true,
  "meeting_id": 10,
  "added": 3,
  "skipped": 1,
  "paid_count": 1,
  "unpaid_count": 1,
  "free_count": 1,
  "message": "已匯入 3 位來賓 (跳過 1 位重複), 1 已付 1 免費 1 未付",
  "results": [
    {"name": "陳大文", "status": "added", "payment": "paid", "guest_id": 123},
    {"name": "李小華", "status": "added", "payment": "unpaid", "guest_id": 124},
    {"name": "張三", "status": "added", "payment": "free", "guest_id": 125},
    {"name": "黃師傅", "status": "skipped", "reason": "duplicate"}
  ]
}
```

bulk_create_members 一 批次匯入會員

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{
  "token": "lob_xxxx",
  "action": "bulk_create_members",
  "members": [
    {"name": "陳大文", "tel": "12345678", "email": "chan@example.com", "professional":
    {"name": "李小華", "tel": "87654321", "email": "lee@example.com", "professional":
  ]
}'
```

參數	必填	說明
members[].name	✓	姓名
members[].tel	-	電話
members[].email	-	電郵

參數	必填	說明
<code>members[].professional</code>	-	專業
<code>members[].role</code>	-	角色 (預設「會員」)
<code>members[].fee_paid_date</code>	-	會費付費日

成功回應：

```
{
  "ok": true,
  "added": 2,
  "skipped": 0,
  "message": "已新增 2 位會員 (跳過 0 位重複) ",
  "results": [
    {"name": "陳大文", "status": "added", "member_id": 76},
    {"name": "李小華", "status": "added", "member_id": 77}
  ]
}
```

create_member — 新增單個會員

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{
  "token": "lob_xxxx",
  "action": "create_member",
  "name": "陳大文",
  "tel": "12345678",
  "email": "chan@example.com",
  "professional": "律師",
  "role": "委員"
}'
```

成功回應：

```
{"ok": true, "member_id": 76, "message": "已新增會員：陳大文"}
```

會員已存在：

```
{"ok": false, "error": "member already exists"}
```

update_member — 更新會員資料

只傳要更新嘅欄位即可。

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{
  "token": "lob_xxxx",
```

```
"action": "update_member",
"member_id": 35,
"tel": "99999999",
"professional": "大律師",
"role": "會長"
}'
```

參數	必填	說明
member_id	✓	會員 ID
name	-	姓名
tel	-	電話
email	-	電郵
professional	-	專業
role	-	角色
fee_paid_date	-	會費付費日
bio	-	簡介

成功回應：

```
{"ok": true, "message": "已更新會員 #35"}
```

update_guest — 更新來賓資料

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{
  "token": "lob_xxxx",
  "action": "update_guest",
  "guest_id": 15,
  "professional": "全港商會創會總會長",
  "invited_by": "會長"
}'
```

參數	必填	說明
guest_id	✓	來賓 ID
name	-	姓名
professional	-	專業
tel	-	電話
invited_by	-	邀請人
meeting_id	-	所屬聚會 ID

delete_person — 刪除人員

會員設 `active=0`，來賓設 `active=0` + 刪除 attendance。

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{
  "token": "lob_xxxx",
  "action": "delete_person",
  "person_type": "guest",
  "person_id": 15
}'
```

參數	必填	說明
person_type	✓	member 或 guest
person_id	✓	人員 ID

search — 搜尋會員+來賓

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "search", "q": "李"}'
```

參數	必填	說明
q	✓	搜尋關鍵字 (LIKE %q%)

回應：

```
{
  "ok": true,
  "results": [
    {"type": "member", "id": 35, "name": "李寶明", "tel": null, "professional": null},
    {"type": "guest", "id": 15, "name": "李小華", "tel": "12345678", "professional": "會"}
  ]
}
```

1.3 付款與出席

update_payment — 更新付款狀態

標記已付

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "update_payment", "attendance_id": 152, "payment": "paid"}'
```

標記免費

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "update_payment", "attendance_id": 152, "payment": "paid"}
```

改回未付

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "update_payment", "attendance_id": 152, "payment": "unpaid"}
```

參數	必填	說明
attendance_id	✓	出席記錄 ID
payment	✓	paid / free / unpaid

成功回應：

```
{"ok": true, "message": "已更新 attendance #152 付款為 paid"}
```

update_table — 更新枱號

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{
  "token": "lob_xxxx",
  "action": "update_table",
  "meeting_id": 10,
  "person_type": "member",
  "person_id": 35,
  "table_number": "5"
}'
```

參數	必填	說明
meeting_id	✓	會議 ID
person_type	✓	member 或 guest
person_id	✓	人員 ID
table_number	✓	枱號（傳空字串可清除）

mark_arrival — 標記簽到/缺席

簽到（設定時間）

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
```

```
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "mark_arrival", "attendance_id": 152, "arrival_t
```

標記缺席

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "mark_arrival", "attendance_id": 152, "arrival_t
```

參數	必填	說明
attendance_id	✓	出席記錄 ID
arrival_time	-	HH:MM 格式，或 absent 。不填預設 absent

1.4 查詢與統計

list_meetings — 會議列表

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "list_meetings"}'
```

回應：

```
{  
  "ok": true,  
  "meetings": [  
    {"id": 10, "date": "2026-06-20", "type": "anniversary", "collector": "", "guest_fe  
    {"id": 9, "date": "2026-05-15", "type": "regular", "collector": "Perry", "guest_fe  
  ]  
}
```

meeting_stats — 會議統計

最新會議

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "meeting_stats"}'
```

指定會議

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "meeting_stats", "meeting_id": 10}'
```

回應：

```
{
  "ok": true,
  "stats": {
    "id": 10,
    "date": "2026-06-20",
    "type": "anniversary",
    "guest_fee": 380,
    "total": 91,
    "members": 18,
    "guests": 73,
    "paid": 48,
    "free": 10,
    "unpaid": 33,
    "arrived": 0,
    "absent": 0
  }
}
```

payment_summary — 付款摘要

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "payment_summary", "meeting_id": 10}'
```

回應：

```
{
  "ok": true,
  "meeting_id": 10,
  "summary": [
    {"payment": "paid", "count": 48},
    {"payment": "free", "count": 10},
    {"payment": "unpaid", "count": 33}
  ]
}
```

list_attendance — 出席名單

最新會議

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "list_attendance"}'
```


指定會議

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "list_attendance", "meeting_id": 10}'
```

回應：

```
{  
  "ok": true,  
  "meeting_id": 10,  
  "attendance": [  
    {  
      "id": 230,  
      "person_type": "member",  
      "person_id": 35,  
      "name": "易龍師傅",  
      "professional": "風水師",  
      "arrival_time": "",  
      "payment": "paid",  
      "table_number": "7"  
    },  
    {  
      "id": 152,  
      "person_type": "guest",  
      "person_id": 15,  
      "name": "李寶明",  
      "professional": "全港商會創會總會會長",  
      "arrival_time": "",  
      "payment": "unpaid",  
      "table_number": "1"  
    }  
  ]  
}
```

get_settings — 系統設定

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "get_settings"}'
```

回應：

```
{  
  "ok": true,  
  "settings": {  
    "lunchFee": "388",  
    "tableNumber": "3",  
    "paymeLink": "https://payme.hsbc/fotan",  
  }  
}
```

```
"schedule": "11:30 交流 · 12:55 開場 · ...",
"chairmanMsg": "歡迎各位出席...",
"skipCheckin": "1",
"admin_password": "...
}
}
```

export_stats — 綜合統計匯出

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "export_stats"}'
```

回應：

```
{
  "ok": true,
  "member_count": 75,
  "guest_count": 73,
  "meetings": [
    {
      "id": 10, "date": "2026-06-20", "type": "anniversary",
      "total": 91, "members": 18, "guests": 73,
      "paid": 48, "free": 10, "unpaid": 33,
      "arrived": 0, "absent": 0
    }
  ]
}
```

1.5 圖片上傳

upload_image — 上傳圖片到 R2

用途：上傳 QR Code、設定圖片、簽到背景等。

先將圖片轉成 base64

```
BASE64=$(base64 -i qr-code.png)
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d "{
  \"token\": \"lob_xxxx\",
  \"action\": \"upload_image\",
  \"name\": \"qr-alipay\",
  \"data\": \"data:image/png;base64,$BASE64\",
}
```

```
\ "content_type\": \"image/png\"
}"
```

參數	必填	說明
name	✓	R2 檔名 (如 qr-alipay 、 qr-fps)
data	✓	Base64 圖片數據 (含 data:image/...;base64, 前綴)
content_type	-	image/png 或 image/jpeg (預設 png)

成功回應：

```
{"ok": true, "url": "/api/image?name=qr-alipay", "message": "已上傳圖片：qr-alipay"}
```

Part 2: 後台 REST API

驗證：全部需要 fotan_auth Cookie。先 POST /api/auth 登入取得。

2.1 認證 POST /api/auth

登入

```
curl -s -X POST "https://fotan.techforliving.net/api/auth" \
-H "Content-Type: application/json" \
-d '{"action": "login", "password": "admin888"}' \
-c cookies.txt
```

參數	必填	說明
action	✓	login / check / change_pwd
password	login 必填	管理密碼
old	change_pwd 必填	舊密碼
new	change_pwd 必填	新密碼

成功回應：

```
{"ok": true, "message": "登入成功"}
```

Cookie fotan_auth 自動設定 (HttpOnly, SameSite=Strict, Secure, 24h)。

登入失敗：

```
{"ok": false, "error": "密碼錯誤"}
```

防爆破：同一 IP 5 次失敗鎖 15 分鐘。

驗證登入狀態

```
curl -s -X POST "https://fotan.techforliving.net/api/auth" \
-H "Content-Type: application/json" \
```

```
-d '{"action": "check"}' \
-b cookies.txt
```

修改密碼

```
curl -s -X POST "https://fotan.techforliving.net/api/auth" \
-H "Content-Type: application/json" \
-d '{"action": "change_pwd", "old": "admin888", "new": "newpassword123"}' \
-b cookies.txt
```

2.2 會員 /api/members

GET — 列表

```
curl -s "https://fotan.techforliving.net/api/members" -b cookies.txt
curl -s "https://fotan.techforliving.net/api/members?all=1" -b cookies.txt # 含非活躍
```

回應：

```
[
  {"id": 1, "name": "陳大文", "tel": "12345678", "email": "chan@test.com", "professional": "專業"},
  {"id": 2, "name": "李小華", ...}
]
```

POST — 新增

```
curl -s -X POST "https://fotan.techforliving.net/api/members" \
-H "Content-Type: application/json" \
-b cookies.txt \
-d '{"name": "新會員", "tel": "11112222", "email": "new@test.com", "professional": "專業"}'
```

參數	必填	說明
name	✓	姓名
tel	-	電話
email	-	電郵
professional	-	專業
role	-	角色
fee_paid_date	-	會費付費日
bio	-	簡介

回應：

```
{"ok": true, "id": 76, "message": "已新增會員"}
```

PUT — 更新

```
curl -s -X PUT "https://fotan.techforliving.net/api/members" \
-H "Content-Type: application/json" \
```

```
-b cookies.txt \  
-d '{"id": 76, "tel": "99999999", "professional": "大律師"}'
```

DELETE — 刪除 (設 active=0)

```
curl -s -X DELETE "https://fotan.techforliving.net/api/members?id=76" -b cookies.txt
```

2.3 來賓 /api/guests

GET — 列表

```
curl -s "https://fotan.techforliving.net/api/guests" -b cookies.txt
```

POST — 新增

```
curl -s -X POST "https://fotan.techforliving.net/api/guests" \  
-H "Content-Type: application/json" \  
-b cookies.txt \  
-d '{"name": "新來賓", "professional": "律師", "tel": "12345678", "invited_by": "Perry"}
```

回應：

```
{"ok": true, "id": 100, "message": "已新增來賓"}
```

PUT — 更新

```
curl -s -X PUT "https://fotan.techforliving.net/api/guests" \  
-H "Content-Type: application/json" \  
-b cookies.txt \  
-d '{"id": 100, "professional": "會計師", "invited_by": "會長"}'
```

DELETE — 刪除 (設 active=0)

```
curl -s -X DELETE "https://fotan.techforliving.net/api/guests?id=100" -b cookies.txt
```

2.4 會議 /api/meetings

GET — 列表 (含統計)

```
curl -s "https://fotan.techforliving.net/api/meetings" -b cookies.txt
```

每筆會議含：total, members, guests, paid, free, unpaid 統計。

POST — 新增

```
curl -s -X POST "https://fotan.techforliving.net/api/meetings" \  
-H "Content-Type: application/json" \  

```

```
-b cookies.txt \  
-d '{"date": "2026-07-15", "type": "regular", "collector": "Perry", "guest_fee": 300}'
```

參數	必填	說明
date	✓	日期 YYYY-MM-DD
type	✓	regular / anniversary / special
collector	-	收款人
guest_fee	-	來賓費用

PUT — 更新

```
curl -s -X PUT "https://fotan.techforliving.net/api/meetings" \  
-H "Content-Type: application/json" \  
-b cookies.txt \  
-d '{"id": 11, "collector": "會長", "guest_fee": 350}'
```

DELETE — 刪除

```
curl -s -X DELETE "https://fotan.techforliving.net/api/meetings?id=11" -b cookies.txt
```

2.5 出席 /api/attendance

GET — 查詢

依會議

```
curl -s "https://fotan.techforliving.net/api/attendance?meeting_id=10" -b cookies.txt
```

依人員

```
curl -s "https://fotan.techforliving.net/api/attendance?person_type=member&person_id=3"
```

POST — 新增

```
curl -s -X POST "https://fotan.techforliving.net/api/attendance" \  
-H "Content-Type: application/json" \  
-b cookies.txt \  
-d '{"meeting_id": 10, "person_type": "guest", "person_id": 100, "arrival_time": "12:00"}'
```

參數	必填	說明
meeting_id	✓	會議 ID
person_type	✓	member / guest
person_id	✓	人員 ID
arrival_time	-	HH:MM / absent

參數	必填	說明
payment	-	paid / free / unpaid
table_number	-	枱號
substitute	-	代出席者
remark	-	備註

PUT — 更新

```
curl -s -X PUT "https://fotan.techforliving.net/api/attendance" \
-H "Content-Type: application/json" \
-b cookies.txt \
-d '{"id": 152, "payment": "paid", "arrival_time": "12:30", "table_number": "1"}'
```

DELETE — 刪除

```
curl -s -X DELETE "https://fotan.techforliving.net/api/attendance?id=152" -b cookies.txt
```

2.6 收據 /api/receipts

GET — 查詢

取圖片

```
curl -s "https://fotan.techforliving.net/api/receipts?id=1" -b cookies.txt > receipt.jpg
```

列出會員收據

```
curl -s "https://fotan.techforliving.net/api/receipts?member_id=35" -b cookies.txt
```

回應：

```
[
  {"id": 1, "filename": "receipt.jpg", "created_at": "2026-06-15 12:00:00"},
  {"id": 2, "filename": "receipt2.jpg", "created_at": "2026-06-15 12:01:00"}
]
```

POST — 上傳憑證

```
BASE64=$(base64 -i receipt.jpg)
curl -s -X POST "https://fotan.techforliving.net/api/receipts" \
-H "Content-Type: application/json" \
-b cookies.txt \
-d '{"member_id": 35, "filename": "receipt.jpg", "data": "data:image/jpeg;base64,'$BASE64'"}
```

回應：

```
{"ok": true, "id": 3, "url": "/api/receipts?id=3"}
```

DELETE — 刪除

```
curl -s -X DELETE "https://fotan.techforliving.net/api/receipts?id=1" -b cookies.txt
```

2.7 簽到憑證上傳 /api/checkin-upload

上傳憑證 → R2 儲存 + 自動標記 payment='paid' +
payment_method='receipt_uploaded'

```
curl -s -X POST "https://fotan.techforliving.net/api/checkin-upload" \  
-H "Content-Type: application/json" \  
-b cookies.txt \  
-d '{"attendance_id": 152, "data": "data:image/jpeg;base64,/9j/4AAQ..."}'
```

參數	必填	說明
attendance_id	✓	出席記錄 ID
data	✓	Base64 圖片數據

回應：

```
{"ok": true, "url": "/api/image?name=receipt-att-152"}
```

2.8 系統設定 /api/settings

GET — 所有設定

```
curl -s "https://fotan.techforliving.net/api/settings" -b cookies.txt
```

PUT — 更新設定

```
curl -s -X PUT "https://fotan.techforliving.net/api/settings" \  
-H "Content-Type: application/json" \  
-b cookies.txt \  
-d '{"key": "lunchFee", "value": "388"}'
```

常用 key：lunchFee, tableNumber, paymeLink, aliLink, fpsPhone, schedule, chairmanMsg, skipCheckin, admin_password, telegram_bot_token, telegram_whitelist, aliQrImg, fpsQrImg

2.9 統計 /api/stats

```
curl -s "https://fotan.techforliving.net/api/stats" -b cookies.txt
```


2.10 備份 `/api/backup`

```
curl -s "https://fotan.techforliving.net/api/backup" -b cookies.txt > backup.json
```

全資料庫 JSON 匯出 (members, guests, meetings, attendance, settings, receipts)。

2.11 Telegram `/api/telegram`

設定 Webhook

```
curl -s "https://fotan.techforliving.net/api/telegram?action=setup" -b cookies.txt
```

查看狀態

```
curl -s "https://fotan.techforliving.net/api/telegram?action=info" -b cookies.txt
```

對話列表

```
curl -s "https://fotan.techforliving.net/api/telegram?action=chats" -b cookies.txt
```

查看特定對話

```
curl -s "https://fotan.techforliving.net/api/telegram?action=messages&chat_id=12345" -
```

2.12 Skill Token `/api/skill-tokens`

列表

```
curl -s "https://fotan.techforliving.net/api/skill-tokens" -b cookies.txt
```

驗證

```
curl -s "https://fotan.techforliving.net/api/skill-tokens?action=verify&token=lob_XXXXX"
```

新增 (後台 Cookie 驗證)

```
curl -s -X POST "https://fotan.techforliving.net/api/skill-tokens" \
  -H "Content-Type: application/json" \
  -b cookies.txt \
  -d '{"name": "ADA 姐"}'
```

刪除

```
curl -s -X DELETE "https://fotan.techforliving.net/api/skill-tokens?id=1" -b cookies.txt
```

新增回應：

```
{"ok": true, "token": "lob_nt8r6aekwv1z8xcpvbnw5uag", "name": "ADA 姐", "expires_at":
```

2.13 Chatbot /api/chat

```
curl -s -X POST "https://fotan.techforliving.net/api/chat" \
-H "Content-Type: application/json" \
-b cookies.txt \
-d '{"messages": [{"role": "user", "content": "最新會議有幾多人參加？"}]}'
```

回應：

```
{"reply": "最新會議係 6月20號四週年聚餐，暫時有 91 人參加！18 位會員同 73 位來賓，48 位已付，33 位
```

2.14 圖片服務 /api/image

取 R2 圖片

```
curl -s "https://fotan.techforliving.net/api/image?name=receipt-att-152" > img.jpg
curl -s "https://fotan.techforliving.net/api/image?name=qr-alipay" > qr.png
```

Part 3: Chatbot Function Calling Tools (21 個)

POST /api/chat 時 AI 自動調用，亦可作 API 參考。

#	Tool	參數	範例
1	get_meetings	—	查詢所有會議
2	get_attendance	meeting_id	會議 #10 出席詳情
3	get_member_stats	—	會員/來賓統計
4	search_people	query	搜尋「陳」
5	get_member_detail	member_id	會員 #35 詳情+出席記錄
6	get_guest_list	—	所有來賓
7	get_payment_summary	meeting_id?	付款統計

#	Tool	參數	範例
8	get_industry_list	—	行業分類
9	add_guest	name , professional?, tel?, invited_by?, meeting_id?	新增來賓
10	bulk_add_guests	guests[] , meeting_id?	批次匯入來賓
11	add_meeting	date , type , collector?, guest_fee?	新增會議
12	update_payment	attendance_id , payment	更新付款為 paid
13	update_table	meeting_id , person_type , person_id , table_number	設枱號為 5
14	mark_arrival	attendance_id , arrival_time?	標記 12:30 簽到
15	get_settings	—	系統設定
16	delete_attendance	attendance_id	刪除出席記錄
17	get_receipts	member_id	會員 #35 憑證列表
18	create_member	name , tel?, email?, professional?, role?	新增會員
19	update_member	member_id , +任意欄位	更新會員資料
20	bulk_create_members	members[]	批次匯入會員
21	upload_image	name , data , content_type?	上傳 QR Code 圖片

Part 4: 常見流程範例

4.1 完整嘉賓匯入流程

```
TOKEN="lob_nt8r6aekwv1z8xcpvbnw5uag"
API="https://fotan.techforliving.net/api/skill"
```

Step 1: 確認最新會議

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
-d '{"token": "$TOKEN", "action": "list_meetings"}'
```

Step 2: 匯入嘉賓

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
-d '{"token": "$TOKEN", "action": "import_guests", "guests": [
  {"name": "陳大文", "professional": "律師", "payment": "paid"},
  {"name": "李小華", "professional": "會計師", "payment": "unpaid"}
]}'
```

Step 3: 檢查結果

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
-d '{"token": "$TOKEN", "action": "meeting_stats"}'
```

4.2 完整付款+簽到流程

```
TOKEN="lob_nt8r6aekwv1z8xcpvbnw5uag"
API="https://fotan.techforliving.net/api/skill"
```

Step 1: 查出席名單搵 attendance_id

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
  -d '{"token": "$TOKEN", "action": "list_attendance"}' | python3 -c "import s
```

Step 2: 標記已付

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
  -d '{"token": "$TOKEN", "action": "update_payment", "attendance_id": 152,
```

Step 3: 標記簽到

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
  -d '{"token": "$TOKEN", "action": "mark_arrival", "attendance_id": 152, \'
```

Step 4: 設枱號

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
  -d '{"token": "$TOKEN", "action": "update_table", "meeting_id": 10, \'pers
```

4.3 批量處理：標記全部已到場並設枱號

```
TOKEN="lob_nt8r6aekwv1z8xcpvbnw5uag"
API="https://fotan.techforliving.net/api/skill"
```

取得全部出席名單

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
  -d '{"token": "$TOKEN", "action": "list_attendance"}' > attendance.json
```

用 jq 批次標記（舉例）

```
cat attendance.json | python3 -c "
import json, subprocess, sys
data = json.load(sys.stdin)
for a in data['attendance'][:5]:
    subprocess.run(['curl', '-s', '-X', 'POST', '$API', '-H', 'Content-Type: application/json',
        '-d', f'{{"token": "$TOKEN", "action": "mark_arrival", "attendance_id": {a["id"]}}}]')
    print(f'{a["name"]} ✓')
"
```

Part 5: 錯誤碼

錯誤

```
{"ok": false, "error": "invalid or expired token"}
{"ok": false, "error": "token required"}
{"ok": false, "error": "guests array required"}
{"ok": false, "error": "no meeting found"}
{"ok": false, "error": "member already exists"}
{"ok": false, "error": "attendance_id required"}
{"ok": false, "error": "payment must be paid/free/unpaid"}
{"ok": false, "error": "unknown action: xxx"}
{"ok": false, "error": "密碼錯誤"}
```

說明

Skill token 無效或過期
未提供 token
import_guests 缺少 guests
未有會議記錄
會員已存在
缺少 attendance_id
付款值無效
action 名稱錯誤
登入密碼錯誤（防爆破）



截圖預覽

主頁

火炭會聚會 v3.0				
[即將舉行] 2026-06-20 週年聚餐				
未簽到嘉賓			90 / 90	
布	布老闆 冷氣工程	未付款	5號枱	
朱	朱鎮峰 利駿食品集團	已付款	6號枱	
江	江艷和 外勞服務	已付款	2號枱	
何	何紹倫會長 中國香港健美健身總會	已付款	1號枱	
李	李寶明 全港商會創會總會會長	未付款	1號枱	
沙	沙田工商聯1 沙田工商聯	已付款	6號枱	
沙	沙田工商聯2 沙田工商聯	已付款	6號枱	
沙	沙田工商聯3 沙田工商聯	已付款	6號枱	
沙	沙田工商聯4 沙田工商聯	已付款	7號枱	
周	周義 商業裝修	未付款	4號枱	
未簽到 (90) 已簽到 (0) 流程 委員 關於				

火炭會聚會 v3.0				
[即將舉行] 2026-06-20 週年聚餐				
未簽到嘉賓			90 / 90	
布	布老闆 冷氣工程	未付款	5號枱	
朱	朱鎮峰 利駿食品集團	已付款	6號枱	
江	江艷和 外勞服務	已付款	2號枱	
何	何紹倫會長 中國香港健美健身總會	已付款	1號枱	
李	李寶明 全港商會創會總會長	未付款	1號枱	
沙	沙田工商聯1 沙田工商聯	已付款	6號枱	
沙	沙田工商聯2 沙田工商聯	已付款	6號枱	
沙	沙田工商聯3 沙田工商聯	已付款	6號枱	
沙	沙田工商聯4 沙田工商聯	已付款	7號枱	
周	周義 商業裝修	未付款	4號枱	
未簽到 (90) 已簽到 (0) 流程 委員 關於				

未簽到 Tab

火炭會聚會 v3.0

[即將舉行] 2026-06-20 週年聚餐

布老闆

午餐費用

HK\$388

請完成付款後上傳憑證

PayMe

Alipay

FPS

上傳付款憑證

選擇檔案

未選擇任何檔案

確認上傳

未簽到 (90)

已簽到 (0)

流程

委員

關於

付款頁面

確認簽到

火炭會聚會 v3.0

[即將舉行] 2026-06-20 週年聚餐

朱鎮峰

來賓

確認簽到？

取消

✓ 確認

火炭會聚會 v3.0

[即將舉行] 2026-06-20 週年聚餐

朱鎮峰

16:37

簽到確認

多謝光臨

8 號枱

節目表

「火炭四載 聚力創新」《火炭會·4週年》

地點：沙田帝都酒店國穗軒1樓

10:45 主席團+執委到場佈置及禮品分發

11:15 會議前小結+拍照

11:30-12:45 自由交流/商務對接

12:45 主持人呼籲入座

12:55 會議正式開始

13:00-13:15 主席報告

13:15 鄧錦添會長致詞

13:20 梁子穎MH立法會議員分享

13:30 大合照+午餐開始

13:40 感恩環節

14:00 BINGO抽獎

未簽到 (90)

已簽到 (0)

流程

委員

關於

簽到完成

已簽到 Tab

火炭會聚會 v3.0

 [即將舉行] 2026-06-20 週年聚餐



布老闆

午餐費用

HK\$388

請完成付款後上傳憑證

PayMe

Alipay

FPS



上傳付款憑證

選擇檔案

未選擇任何檔案

確認上傳

 未簽到 (90)

 已簽到 (0)

 流程

 委員

 關於

個人資料卡

火炭會聚會 v3.0

 [即將舉行] 2026-06-20 週年聚餐



布老闆

午餐費用

HK\$388

請完成付款後上傳憑證

PayMe

Alipay

FPS



上傳付款憑證

選擇檔案

未選擇任何檔案

確認上傳


 未簽到 (89)





 已簽到 (1)

 流程



 委員

 關於





The screenshot displays the 'My Account' page of a web application. The page is divided into a sidebar on the left, a main content area, and a top bar. The sidebar contains navigation links for 'Home', 'My Account', 'My Orders', 'My Wishlist', 'My Cart', 'My Address', 'My Payment', 'My Profile', and 'My Settings'. The top bar shows the application name 'My Account' and the user's name 'John Doe'. The main content area is titled 'My Account' and contains a list of items. Each item is represented by a card with a green circle containing a number, the item name, the price, and the quantity. The items are: 1. Apple (1 unit, \$1.00), 2. Apple (1 unit, \$1.00), 3. Apple (1 unit, \$1.00), 4. Apple (1 unit, \$1.00), 5. Apple (1 unit, \$1.00), 6. Apple (1 unit, \$1.00), 7. Apple (1 unit, \$1.00), 8. Apple (1 unit, \$1.00), 9. Apple (1 unit, \$1.00), 10. Apple (1 unit, \$1.00). The page also includes a sidebar with navigation links and a top bar with the application name and user information.



來賓管理

系統設定

Skill 頁面