

[← 返回文件列表](#)

API 手冊 — 火炭會聚會簽到系統 v3.3

基礎資訊

- **Base URL:** `https://fotan.techforliving.net/api` - **Content-Type:** `application/json` - **CORS:** 全部端點支援跨域

認證方式

API 類型	認證方式	適用對象
Skill API	<code>{"token": "lob_xxxx"}</code> 在 JSON body	OpenClaw / Claude Code / curl
後台 API	Cookie <code>fotan_auth</code> (登入取得)	SPA 後台

Part 1: Skill REST API

端點： `POST https://fotan.techforliving.net/api/skill` 驗證：所有請求必須帶 `token` 參數 (在後台「火炭會 Skill」頁面產生，90 天有效)

1.1 基礎格式

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_nt8r6aekwv1z8xcpvbnw5uag", "action": "list_meetings"}'
```

Token 過期回應

```
{"ok": false, "error": "invalid or expired token"}
```

1.2 人員管理

`import_guests` — 批次匯入來賓

自動用最新會議、跳過會員/來賓重複、如係會員自動更新 attendance 付款。

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{  
  "token": "lob_xxxx",  
  "action": "import_guests",  
  "guests": [  
    {"name": "陳大文", "professional": "律師", "payment": "paid"},  
    {"name": "李小華", "professional": "會計師", "payment": "unpaid"},  
    {"name": "張三", "professional": "工程師", "payment": "free"},  
    {"name": "黃師傅", "professional": "中醫師", "tel": "12345678", "invited_by": "Per
```

```
]
}'
```

參數	類型	必填	說明
guests	array	✓	來賓陣列
guests[].name	string	✓	姓名
guests[].professional	string	-	專業
guests[].payment	string	-	paid / unpaid / free
guests[].tel	string	-	電話
guests[].invited_by	string	-	邀請人

成功回應：

```
{
  "ok": true,
  "meeting_id": 10,
  "added": 3,
  "skipped": 1,
  "paid_count": 1,
  "unpaid_count": 1,
  "free_count": 1,
  "message": "已匯入 3 位來賓 (跳過 1 位重複), 1 已付 1 免費 1 未付",
  "results": [
    {"name": "陳大文", "status": "added", "payment": "paid", "guest_id": 123},
    {"name": "李小華", "status": "added", "payment": "unpaid", "guest_id": 124},
    {"name": "張三", "status": "added", "payment": "free", "guest_id": 125},
    {"name": "黃師傅", "status": "skipped", "reason": "duplicate"}
  ]
}
```

bulk_create_members 一 批次匯入會員

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{
  "token": "lob_xxxx",
  "action": "bulk_create_members",
  "members": [
    {"name": "陳大文", "tel": "12345678", "email": "chan@example.com", "professional": "teacher"},
    {"name": "李小華", "tel": "87654321", "email": "lee@example.com", "professional": "teacher"}
  ]
}'
```

參數	必填	說明
members[].name	✓	姓名
members[].tel	-	電話
members[].email	-	電郵

參數	必填	說明
<code>members[].professional</code>	-	專業
<code>members[].role</code>	-	角色 (預設「會員」)
<code>members[].fee_paid_date</code>	-	會費付費日

成功回應：

```
{
  "ok": true,
  "added": 2,
  "skipped": 0,
  "message": "已新增 2 位會員 (跳過 0 位重複) ",
  "results": [
    {"name": "陳大文", "status": "added", "member_id": 76},
    {"name": "李小華", "status": "added", "member_id": 77}
  ]
}
```

create_member — 新增單個會員

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{
  "token": "lob_xxxx",
  "action": "create_member",
  "name": "陳大文",
  "tel": "12345678",
  "email": "chan@example.com",
  "professional": "律師",
  "role": "委員"
}'
```

成功回應：

```
{"ok": true, "member_id": 76, "message": "已新增會員：陳大文"}
```

會員已存在：

```
{"ok": false, "error": "member already exists"}
```

update_member — 更新會員資料

只傳要更新嘅欄位即可。

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{
  "token": "lob_xxxx",
```

```
"action": "update_member",
"member_id": 35,
"tel": "99999999",
"professional": "大律師",
"role": "會長"
}'
```

參數	必填	說明
member_id	✓	會員 ID
name	-	姓名
tel	-	電話
email	-	電郵
professional	-	專業
role	-	角色
fee_paid_date	-	會費付費日
bio	-	簡介

成功回應：

```
{"ok": true, "message": "已更新會員 #35"}
```

update_guest — 更新來賓資料

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{
  "token": "lob_xxxx",
  "action": "update_guest",
  "guest_id": 15,
  "professional": "全港商會創會總會長",
  "invited_by": "會長"
}'
```

參數	必填	說明
guest_id	✓	來賓 ID
name	-	姓名
professional	-	專業
tel	-	電話
invited_by	-	邀請人
meeting_id	-	所屬聚會 ID

delete_person — 刪除人員

會員設 `active=0`，來賓設 `active=0` + 刪除 attendance。

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{
  "token": "lob_xxxx",
  "action": "delete_person",
  "person_type": "guest",
  "person_id": 15
}'
```

參數	必填	說明
person_type	✓	member 或 guest
person_id	✓	人員 ID

search — 搜尋會員+來賓

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "search", "q": "李"}'
```

參數	必填	說明
q	✓	搜尋關鍵字 (LIKE %q%)

回應：

```
{
  "ok": true,
  "results": [
    {"type": "member", "id": 35, "name": "李寶明", "tel": null, "professional": null},
    {"type": "guest", "id": 15, "name": "李小華", "tel": "12345678", "professional": "會"}
  ]
}
```

1.3 付款與出席

update_payment — 更新付款狀態

標記已付

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "update_payment", "attendance_id": 152, "payment": "paid"}'
```

標記免費

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "update_payment", "attendance_id": 152, "payment": "paid"}
```

改回未付

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "update_payment", "attendance_id": 152, "payment": "unpaid"}
```

參數	必填	說明
attendance_id	✓	出席記錄 ID
payment	✓	paid / free / unpaid

成功回應：

```
{"ok": true, "message": "已更新 attendance #152 付款為 paid"}
```

update_table — 更新枱號

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{
  "token": "lob_xxxx",
  "action": "update_table",
  "meeting_id": 10,
  "person_type": "member",
  "person_id": 35,
  "table_number": "5"
}'
```

參數	必填	說明
meeting_id	✓	會議 ID
person_type	✓	member 或 guest
person_id	✓	人員 ID
table_number	✓	枱號（傳空字串可清除）

mark_arrival — 標記簽到/缺席

簽到（設定時間）

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
```

```
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "mark_arrival", "attendance_id": 152, "arrival_t
```

標記缺席

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "mark_arrival", "attendance_id": 152, "arrival_t
```

參數	必填	說明
attendance_id	✓	出席記錄 ID
arrival_time	-	HH:MM 格式，或 absent。不填預設 absent

1.4 查詢與統計

list_meetings — 會議列表

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "list_meetings"}'
```

回應：

```
{  
  "ok": true,  
  "meetings": [  
    {"id": 10, "date": "2026-06-20", "type": "anniversary", "collector": "", "guest_fe  
    {"id": 9, "date": "2026-05-15", "type": "regular", "collector": "Perry", "guest_fe  
  ]  
}
```

meeting_stats — 會議統計

最新會議

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "meeting_stats"}'
```

指定會議

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "meeting_stats", "meeting_id": 10}'
```

回應：

```
{
  "ok": true,
  "stats": {
    "id": 10,
    "date": "2026-06-20",
    "type": "anniversary",
    "guest_fee": 380,
    "total": 91,
    "members": 18,
    "guests": 73,
    "paid": 48,
    "free": 10,
    "unpaid": 33,
    "arrived": 0,
    "absent": 0
  }
}
```

payment_summary — 付款摘要

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "payment_summary", "meeting_id": 10}'
```

回應：

```
{
  "ok": true,
  "meeting_id": 10,
  "summary": [
    {"payment": "paid", "count": 48},
    {"payment": "free", "count": 10},
    {"payment": "unpaid", "count": 33}
  ]
}
```

list_attendance — 出席名單

最新會議

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "list_attendance"}'
```


指定會議

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "list_attendance", "meeting_id": 10}'
```

回應：

```
{  
  "ok": true,  
  "meeting_id": 10,  
  "attendance": [  
    {  
      "id": 230,  
      "person_type": "member",  
      "person_id": 35,  
      "name": "易龍師傅",  
      "professional": "風水師",  
      "arrival_time": "",  
      "payment": "paid",  
      "table_number": "7"  
    },  
    {  
      "id": 152,  
      "person_type": "guest",  
      "person_id": 15,  
      "name": "李寶明",  
      "professional": "全港商會創會總會會長",  
      "arrival_time": "",  
      "payment": "unpaid",  
      "table_number": "1"  
    }  
  ]  
}
```

get_settings — 系統設定

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \  
-H "Content-Type: application/json" \  
-d '{"token": "lob_xxxx", "action": "get_settings"}'
```

回應：

```
{  
  "ok": true,  
  "settings": {  
    "lunchFee": "388",  
    "tableNumber": "3",  
    "paymeLink": "https://payme.hsbc/fotan",  
  }  
}
```

```
"schedule": "11:30 交流 · 12:55 開場 · ...",
"chairmanMsg": "歡迎各位出席...",
"skipCheckin": "1",
"admin_password": "...
}
}
```

export_stats — 綜合統計匯出

```
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d '{"token": "lob_xxxx", "action": "export_stats"}'
```

回應：

```
{
  "ok": true,
  "member_count": 75,
  "guest_count": 73,
  "meetings": [
    {
      "id": 10, "date": "2026-06-20", "type": "anniversary",
      "total": 91, "members": 18, "guests": 73,
      "paid": 48, "free": 10, "unpaid": 33,
      "arrived": 0, "absent": 0
    }
  ]
}
```

1.5 圖片上傳

upload_image — 上傳圖片到 R2

用途：上傳 QR Code、設定圖片、簽到背景等。

先將圖片轉成 base64

```
BASE64=$(base64 -i qr-code.png)
curl -s -X POST "https://fotan.techforliving.net/api/skill" \
-H "Content-Type: application/json" \
-d "{
  \"token\": \"lob_xxxx\",
  \"action\": \"upload_image\",
  \"name\": \"qr-alipay\",
  \"data\": \"data:image/png;base64,$BASE64\",
}
```

```
\ "content_type\": \"image/png\"
}"
```

參數	必填	說明
name	✓	R2 檔名 (如 qr-alipay 、 qr-fps)
data	✓	Base64 圖片數據 (含 data:image/...;base64, 前綴)
content_type	-	image/png 或 image/jpeg (預設 png)

成功回應：

```
{"ok": true, "url": "/api/image?name=qr-alipay", "message": "已上傳圖片：qr-alipay"}
```

Part 2: 後台 REST API

驗證：全部需要 fotan_auth Cookie。先 POST /api/auth 登入取得。

2.1 認證 POST /api/auth

登入

```
curl -s -X POST "https://fotan.techforliving.net/api/auth" \
-H "Content-Type: application/json" \
-d '{"action": "login", "password": "admin888"}' \
-c cookies.txt
```

參數	必填	說明
action	✓	login / check / change_pwd
password	login 必填	管理密碼
old	change_pwd 必填	舊密碼
new	change_pwd 必填	新密碼

成功回應：

```
{"ok": true, "message": "登入成功"}
```

Cookie fotan_auth 自動設定 (HttpOnly, SameSite=Strict, Secure, 24h)。

登入失敗：

```
{"ok": false, "error": "密碼錯誤"}
```

防爆破：同一 IP 5 次失敗鎖 15 分鐘。

驗證登入狀態

```
curl -s -X POST "https://fotan.techforliving.net/api/auth" \
-H "Content-Type: application/json" \
```

```
-d '{"action": "check"}' \
-b cookies.txt
```

修改密碼

```
curl -s -X POST "https://fotan.techforliving.net/api/auth" \
-H "Content-Type: application/json" \
-d '{"action": "change_pwd", "old": "admin888", "new": "newpassword123"}' \
-b cookies.txt
```

2.2 會員 /api/members

GET — 列表

```
curl -s "https://fotan.techforliving.net/api/members" -b cookies.txt
curl -s "https://fotan.techforliving.net/api/members?all=1" -b cookies.txt # 含非活躍
```

回應：

```
[
  {"id": 1, "name": "陳大文", "tel": "12345678", "email": "chan@test.com", "professional": "專業"},
  {"id": 2, "name": "李小華", ...}
]
```

POST — 新增

```
curl -s -X POST "https://fotan.techforliving.net/api/members" \
-H "Content-Type: application/json" \
-b cookies.txt \
-d '{"name": "新會員", "tel": "11112222", "email": "new@test.com", "professional": "專業"}'
```

參數	必填	說明
name	✓	姓名
tel	-	電話
email	-	電郵
professional	-	專業
role	-	角色
fee_paid_date	-	會費付費日
bio	-	簡介

回應：

```
{"ok": true, "id": 76, "message": "已新增會員"}
```

PUT — 更新

```
curl -s -X PUT "https://fotan.techforliving.net/api/members" \
-H "Content-Type: application/json" \
```

```
-b cookies.txt \  
-d '{"id": 76, "tel": "99999999", "professional": "大律師"}'
```

DELETE — 刪除 (設 active=0)

```
curl -s -X DELETE "https://fotan.techforliving.net/api/members?id=76" -b cookies.txt
```

2.3 來賓 /api/guests

GET — 列表

```
curl -s "https://fotan.techforliving.net/api/guests" -b cookies.txt
```

POST — 新增

```
curl -s -X POST "https://fotan.techforliving.net/api/guests" \  
-H "Content-Type: application/json" \  
-b cookies.txt \  
-d '{"name": "新來賓", "professional": "律師", "tel": "12345678", "invited_by": "Perry"}
```

回應：

```
{"ok": true, "id": 100, "message": "已新增來賓"}
```

PUT — 更新

```
curl -s -X PUT "https://fotan.techforliving.net/api/guests" \  
-H "Content-Type: application/json" \  
-b cookies.txt \  
-d '{"id": 100, "professional": "會計師", "invited_by": "會長"}'
```

DELETE — 刪除 (設 active=0)

```
curl -s -X DELETE "https://fotan.techforliving.net/api/guests?id=100" -b cookies.txt
```

2.4 會議 /api/meetings

GET — 列表 (含統計)

```
curl -s "https://fotan.techforliving.net/api/meetings" -b cookies.txt
```

每筆會議含：total, members, guests, paid, free, unpaid 統計。

POST — 新增

```
curl -s -X POST "https://fotan.techforliving.net/api/meetings" \  
-H "Content-Type: application/json" \  
-d '{"name": "新會議", "start": "2023-01-01", "end": "2023-01-02", "invited_by": "會長"}'
```

```
-b cookies.txt \  
-d '{"date": "2026-07-15", "type": "regular", "collector": "Perry", "guest_fee": 300}'
```

參數	必填	說明
date	✓	日期 YYYY-MM-DD
type	✓	regular / anniversary / special
collector	-	收款人
guest_fee	-	來賓費用

PUT — 更新

```
curl -s -X PUT "https://fotan.techforliving.net/api/meetings" \  
-H "Content-Type: application/json" \  
-b cookies.txt \  
-d '{"id": 11, "collector": "會長", "guest_fee": 350}'
```

DELETE — 刪除

```
curl -s -X DELETE "https://fotan.techforliving.net/api/meetings?id=11" -b cookies.txt
```

2.5 出席 /api/attendance

GET — 查詢

依會議

```
curl -s "https://fotan.techforliving.net/api/attendance?meeting_id=10" -b cookies.txt
```

依人員

```
curl -s "https://fotan.techforliving.net/api/attendance?person_type=member&person_id=3"
```

POST — 新增

```
curl -s -X POST "https://fotan.techforliving.net/api/attendance" \  
-H "Content-Type: application/json" \  
-b cookies.txt \  
-d '{"meeting_id": 10, "person_type": "guest", "person_id": 100, "arrival_time": "12:00"}'
```

參數	必填	說明
meeting_id	✓	會議 ID
person_type	✓	member / guest
person_id	✓	人員 ID
arrival_time	-	HH:MM / absent

參數	必填	說明
payment	-	paid / free / unpaid
table_number	-	枱號
substitute	-	代出席者
remark	-	備註

PUT — 更新

```
curl -s -X PUT "https://fotan.techforliving.net/api/attendance" \
-H "Content-Type: application/json" \
-b cookies.txt \
-d '{"id": 152, "payment": "paid", "arrival_time": "12:30", "table_number": "1"}'
```

DELETE — 刪除

```
curl -s -X DELETE "https://fotan.techforliving.net/api/attendance?id=152" -b cookies.txt
```

2.6 收據 /api/receipts

GET — 查詢

取圖片

```
curl -s "https://fotan.techforliving.net/api/receipts?id=1" -b cookies.txt > receipt.jpg
```

列出會員收據

```
curl -s "https://fotan.techforliving.net/api/receipts?member_id=35" -b cookies.txt
```

回應：

```
[
  {"id": 1, "filename": "receipt.jpg", "created_at": "2026-06-15 12:00:00"},
  {"id": 2, "filename": "receipt2.jpg", "created_at": "2026-06-15 12:01:00"}
]
```

POST — 上傳憑證

```
BASE64=$(base64 -i receipt.jpg)
curl -s -X POST "https://fotan.techforliving.net/api/receipts" \
-H "Content-Type: application/json" \
-b cookies.txt \
-d '{"member_id": 35, "filename": "receipt.jpg", "data": "data:image/jpeg;base64,'$BASE64'"}
```

回應：

```
{"ok": true, "id": 3, "url": "/api/receipts?id=3"}
```

DELETE — 刪除

```
curl -s -X DELETE "https://fotan.techforliving.net/api/receipts?id=1" -b cookies.txt
```

2.7 簽到憑證上傳 /api/checkin-upload

上傳憑證 → R2 儲存 + 自動標記 payment='paid' +
payment_method='receipt_uploaded'

```
curl -s -X POST "https://fotan.techforliving.net/api/checkin-upload" \  
-H "Content-Type: application/json" \  
-b cookies.txt \  
-d '{"attendance_id": 152, "data": "data:image/jpeg;base64,/9j/4AAQ..."}'
```

參數	必填	說明
attendance_id	✓	出席記錄 ID
data	✓	Base64 圖片數據

回應：

```
{"ok": true, "url": "/api/image?name=receipt-att-152"}
```

2.8 系統設定 /api/settings

GET — 所有設定

```
curl -s "https://fotan.techforliving.net/api/settings" -b cookies.txt
```

PUT — 更新設定

```
curl -s -X PUT "https://fotan.techforliving.net/api/settings" \  
-H "Content-Type: application/json" \  
-b cookies.txt \  
-d '{"key": "lunchFee", "value": "388"}'
```

常用 key：lunchFee, tableNumber, paymeLink, aliLink, fpsPhone, schedule, chairmanMsg, skipCheckin, admin_password, telegram_bot_token, telegram_whitelist, aliQrImg, fpsQrImg

2.9 統計 /api/stats

```
curl -s "https://fotan.techforliving.net/api/stats" -b cookies.txt
```


2.10 備份 `/api/backup`

```
curl -s "https://fotan.techforliving.net/api/backup" -b cookies.txt > backup.json
```

全資料庫 JSON 匯出 (members, guests, meetings, attendance, settings, receipts)。

2.11 Telegram `/api/telegram`

設定 Webhook

```
curl -s "https://fotan.techforliving.net/api/telegram?action=setup" -b cookies.txt
```

查看狀態

```
curl -s "https://fotan.techforliving.net/api/telegram?action=info" -b cookies.txt
```

對話列表

```
curl -s "https://fotan.techforliving.net/api/telegram?action=chats" -b cookies.txt
```

查看特定對話

```
curl -s "https://fotan.techforliving.net/api/telegram?action=messages&chat_id=12345" -
```

2.12 Skill Token `/api/skill-tokens`

列表

```
curl -s "https://fotan.techforliving.net/api/skill-tokens" -b cookies.txt
```

驗證

```
curl -s "https://fotan.techforliving.net/api/skill-tokens?action=verify&token=lob_XXXXX"
```

新增 (後台 Cookie 驗證)

```
curl -s -X POST "https://fotan.techforliving.net/api/skill-tokens" \
  -H "Content-Type: application/json" \
  -b cookies.txt \
  -d '{"name": "ADA 姐"}'
```

刪除

```
curl -s -X DELETE "https://fotan.techforliving.net/api/skill-tokens?id=1" -b cookies.txt
```

新增回應：

```
{"ok": true, "token": "lob_nt8r6aekwv1z8xcpvbnw5uag", "name": "ADA 姐", "expires_at":
```

2.13 Chatbot /api/chat

```
curl -s -X POST "https://fotan.techforliving.net/api/chat" \
-H "Content-Type: application/json" \
-b cookies.txt \
-d '{"messages": [{"role": "user", "content": "最新會議有幾多人參加?"}]}'
```

回應：

```
{"reply": "最新會議係 6月20號四週年聚餐，暫時有 91 人參加！18 位會員同 73 位來賓，48 位已付，33 位
```

2.14 圖片服務 /api/image

取 R2 圖片

```
curl -s "https://fotan.techforliving.net/api/image?name=receipt-att-152" > img.jpg
curl -s "https://fotan.techforliving.net/api/image?name=qr-alipay" > qr.png
```

Part 3: Chatbot Function Calling Tools (21 個)

POST /api/chat 時 AI 自動調用，亦可作 API 參考。

#	Tool	參數	範例
1	get_meetings	—	查詢所有會議
2	get_attendance	meeting_id	會議 #10 出席詳情
3	get_member_stats	—	會員/來賓統計
4	search_people	query	搜尋「陳」
5	get_member_detail	member_id	會員 #35 詳情+出席記錄
6	get_guest_list	—	所有來賓
7	get_payment_summary	meeting_id?	付款統計

#	Tool	參數	範例
8	get_industry_list	—	行業分類
9	add_guest	name , professional?, tel?, invited_by?, meeting_id?	新增來賓
10	bulk_add_guests	guests[] , meeting_id?	批次匯入來賓
11	add_meeting	date , type , collector?, guest_fee?	新增會議
12	update_payment	attendance_id , payment	更新付款為 paid
13	update_table	meeting_id , person_type , person_id , table_number	設枱號為 5
14	mark_arrival	attendance_id , arrival_time?	標記 12:30 簽到
15	get_settings	—	系統設定
16	delete_attendance	attendance_id	刪除出席記錄
17	get_receipts	member_id	會員 #35 憑證列表
18	create_member	name , tel?, email?, professional?, role?	新增會員
19	update_member	member_id , +任意欄位	更新會員資料
20	bulk_create_members	members[]	批次匯入會員
21	upload_image	name , data , content_type?	上傳 QR Code 圖片

Part 4: 常見流程範例

4.1 完整嘉賓匯入流程

```
TOKEN="lob_nt8r6aekwv1z8xcpvbnw5uag"
API="https://fotan.techforliving.net/api/skill"
```

Step 1: 確認最新會議

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
-d '{"token": "$TOKEN", "action": "list_meetings"}'
```

Step 2: 匯入嘉賓

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
-d '{"token": "$TOKEN", "action": "import_guests", "guests": [
  {"name": "陳大文", "professional": "律師", "payment": "paid"},
  {"name": "李小華", "professional": "會計師", "payment": "unpaid"}
]}'
```

Step 3: 檢查結果

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
-d '{"token": "$TOKEN", "action": "meeting_stats"}'
```

4.2 完整付款+簽到流程

```
TOKEN="lob_nt8r6aekwv1z8xcpvbnw5uag"
API="https://fotan.techforliving.net/api/skill"
```

Step 1: 查出席名單搵 attendance_id

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
  -d '{"token": "$TOKEN", "action": "list_attendance"}' | python3 -c "import s
```

Step 2: 標記已付

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
  -d '{"token": "$TOKEN", "action": "update_payment", "attendance_id": 152,
```

Step 3: 標記簽到

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
  -d '{"token": "$TOKEN", "action": "mark_arrival", "attendance_id": 152, \'
```

Step 4: 設枱號

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
  -d '{"token": "$TOKEN", "action": "update_table", "meeting_id": 10, \'pers
```

4.3 批量處理：標記全部已到場並設枱號

```
TOKEN="lob_nt8r6aekwv1z8xcpvbnw5uag"
API="https://fotan.techforliving.net/api/skill"
```

取得全部出席名單

```
curl -s -X POST "$API" -H "Content-Type: application/json" \
  -d '{"token": "$TOKEN", "action": "list_attendance"}' > attendance.json
```

用 jq 批次標記（舉例）

```
cat attendance.json | python3 -c "
import json, subprocess, sys
data = json.load(sys.stdin)
for a in data['attendance'][:5]:
    subprocess.run(['curl', '-s', '-X', 'POST', '$API', '-H', 'Content-Type: application/json',
                    '-d', f'{{"token": "$TOKEN", "action": "mark_arrival", "attendance_id": {a["id"]}}}]')
    print(f'{a["name"]} ✓')
"
```

Part 5: 錯誤碼

錯誤

```
{"ok": false, "error": "invalid or expired token"}
{"ok": false, "error": "token required"}
{"ok": false, "error": "guests array required"}
{"ok": false, "error": "no meeting found"}
{"ok": false, "error": "member already exists"}
{"ok": false, "error": "attendance_id required"}
{"ok": false, "error": "payment must be paid/free/unpaid"}
{"ok": false, "error": "unknown action: xxx"}
{"ok": false, "error": "密碼錯誤"}
```

說明

Skill token 無效或過期
未提供 token
import_guests 缺少 guests
未有會議記錄
會員已存在
缺少 attendance_id
付款值無效
action 名稱錯誤
登入密碼錯誤（防爆破）



截圖預覽

主頁

火炭會聚會 v3.0

[即將舉行] 2026-06-20 週年聚餐

未簽到嘉賓

147 / 148

布	布老闆 冷氣工程	未付款	5號枱
江	江艷和 外勞服務	已付款	2號枱
何	何紹倫會長 中國香港健美健身總會	已付款	1號枱
李	李寶明 全港商會創會總會會長	已付款	1號枱
沙	沙田工商聯1 沙田工商聯	已付款	6號枱
沙	沙田工商聯2 沙田工商聯	已付款	6號枱
沙	沙田工商聯3 沙田工商聯	已付款	6號枱
沙	沙田工商聯4 沙田工商聯	已付款	7號枱
周	周義 商業裝修	未付款	4號枱
易	易龍 風水命理	已付款	

未簽到 (147)

已簽到 (1)

流程

委員

關於

火炭會聚會 v3.0

[即將舉行] 2026-06-20 週年聚餐

未簽到嘉賓

147 / 148

布	布老闆 冷氣工程	未付款	5號枱
江	江艷和 外勞服務	已付款	2號枱
何	何紹倫會長 中國香港健美健身總會	已付款	1號枱
李	李寶明 全港商會創會總會會長	已付款	1號枱
沙	沙田工商聯1 沙田工商聯	已付款	6號枱
沙	沙田工商聯2 沙田工商聯	已付款	6號枱
沙	沙田工商聯3 沙田工商聯	已付款	6號枱
沙	沙田工商聯4 沙田工商聯	已付款	7號枱
周	周義 商業裝修	未付款	4號枱
易	易龍 風水命理	已付款	

未簽到 (147)

已簽到 (1)

流程

委員

關於

未簽到 Tab

火炭會聚會 v3.0

[即將舉行] 2026-06-20 週年聚餐

布老闆

午餐費用 · 來賓價

HK\$380

請完成付款後上傳憑證

PayMe

Alipay

FPS

上傳付款憑證

選擇檔案

未選擇任何檔案

確認上傳

未簽到 (147)

已簽到 (1)

流程

委員

關於

付款頁面

確認簽到

火炭會聚會 v3.0

[即將舉行] 2026-06-20 週年聚餐

朱鎮峰

來賓

確認簽到？

取消

✓ 確認

火炭會聚會 v3.0

[即將舉行] 2026-06-20 週年聚餐

朱鎮峰

16:37

簽到確認

多謝光臨

8 號枱

節目表

「火炭四載 聚力創新」《火炭會·4週年》

地點：沙田帝都酒店國穗軒1樓

10:45 主席團+執委到場佈置及禮品分發

11:15 會議前小結+拍照

11:30-12:45 自由交流/商務對接

12:45 主持人呼籲入座

12:55 會議正式開始

13:00-13:15 主席報告

13:15 鄧錦添會長致詞

13:20 梁子穎MH立法會議員分享

13:30 大合照+午餐開始

13:40 感恩環節

14:00 BINGO抽獎

未簽到 (90)

已簽到 (0)

流程

委員

關於

簽到完成

已簽到 Tab

火炭會聚會 v3.0

[即將舉行] 2026-06-20 週年聚餐

布老闆

午餐費用 · 來賓價

HK\$380

請完成付款後上傳憑證

PayMe

Alipay

FPS

上傳付款憑證

選擇檔案

未選擇任何檔案

確認上傳

未簽到 (147)

已簽到 (1)

流程

委員

關於

個人資料卡

火炭會聚會 v3.0

[即將舉行] 2026-06-20 週年聚餐

布老闆

午餐費用

HK\$388

請完成付款後上傳憑證

PayMe

Alipay

FPS

上傳付款憑證

選擇檔案

未選擇任何檔案

確認上傳


未簽到 (89)

已簽到 (1)


流程

委員

關於





後台登入




總覽


簽到操作




付款模態頁



會議管理



會員管理



來賓管理

系統設定

Skill 頁面

Chatbot 面板