

AI 100 講 — 補充單元

# Google Workspace CLI

## 一個指令操作所有 Google 服務

gws — Drive • Gmail • Calendar • Sheets • Docs

按 → 或空白鍵開始

# 今天的旅程

AI 100 講 — 補充單元

## Google Workspace CLI

一個指令操作所有 Google 服務

gws — Drive • Gmail • Calendar • Sheets • Docs

按 → 或空白鍵開始

# gws 核心特色

# 安裝 gws

```
# 安裝 gcloud CLI
brew install --cask google-cloud-sdk
gcloud auth login

# 安裝 gws
npm install -g @googleworkspace/cli

# 設定
gcloud config set project <your-project-id>
gws auth setup
```

Part 2

# 使用範例

Drive • Gmail • Sheets • Calendar

# Drive 操作

```
# 列出 Drive 檔案
```

```
gws drive files list
```

```
# 查詢檔案
```

```
gws drive files list --query "name contains '??'"
```

```
# 上傳檔案
```

```
gws drive files upload --file ./report.pdf
```

```
# 將檔案移至回收站
```

```
gws drive files trash <fileId>
```

# Gmail & Sheets 操作

## Gmail

```
# 列出郵件
```

```
gws gmail messages list \  
  --query "from:boss@co.com"
```

```
# 發送郵件
```

```
gws gmail messages send \  
  --to "user@ex.com" \  
  --subject "Hello" \  
  --body "Hi there"
```

# Calendar 操作

Gmail

```
# 列出所有事件
```

```
gws calendar events list --calendar primary
```

```
# 新增事件
```

```
gws calendar events create \  
  --calendar primary \  
  --summary "會議" \  
  --start "2026-03-06T10:00:00"
```



讓 Claude Code 直接操作 Google Workspace

```
// ~/.claude/settings.json
{
  "mcpServers": {
    "google-workspace": {
      "command": "gws",
      "args": ["mcp", "start"]
    }
  }
}
```

讓 Claude Code 直接操作 Google Workspace

## clasp vs gws

```
// ~/.claude/settings.json  
{  
  "command": "gws",  
  "args": ["mcp", "start"]  
}
```

**clasp****gws**

```
"command": "gws",
```

```
"args": ["mcp", "start"]
```

```
}
```

```
}
```

```
}
```

# 注意事項

一句話記住這堂課

注意事項

一個 **gws** 指令

操作所有 Google 服務

還能讓 AI 自己呼叫

[github.com/googleworkspace/cli](https://github.com/googleworkspace/cli)