

AI 100 講 — 補充單元

# Google Workspace CLI

## 一個指令操作所有 Google 服務

gws — Drive • Gmail • Calendar • Sheets • Docs

按 → 或空白鍵開始

# 今天的旅程

AI 100 講 — 補充單元

## Google Workspace CLI

一個指令操作所有 Google 服務

gws — Drive • Gmail • Calendar • Sheets • Docs

按 → 或空白鍵開始

# gws 核心特色

# 安裝 gws

```
# 安裝 gcloud CLI  
brew install --cask google-cloud-sdk  
gcloud auth login  
  
# 安裝 gws  
npm install -g @googleworkspace/cli  
  
# 設定  
gcloud config set project <your-project-id>  
gws auth setup
```

Part 2

# 使用範例

Drive • Gmail • Sheets • Calendar

# Drive 操作

```
# 列出 Drive 檔案
```

```
gws drive files list
```

```
# 查詢檔案
```

```
gws drive files list --query "name contains '??'"
```

```
# 上傳檔案
```

```
gws drive files upload --file ./report.pdf
```

```
# 將檔案移至回收站
```

```
gws drive files trash <fileId>
```

# Gmail & Sheets 操作

## Gmail

```
# 列出訊息
gws gmail messages list \
  --query "from:boss@co.com"

# 發送訊息
gws gmail messages send \
  --to "user@ex.com" \
  --subject "Hello" \
  --body "Hi there"
```

# Calendar 操作

# 列出事件

```
gws calendar events list --calendar primary
```

# 新增事件

```
gws calendar events create \  
  --calendar primary \  
  --summary "???" \  
  --start "2026-03-06T10:00:00"
```



讓 Claude Code 直接操作 Google Workspace

```
// ~/.claude/settings.json
```

```
{
```

```
  "mcpServers": {
```

```
    "google-workspace": {
```

```
      "command": "gws",
```

```
      "args": ["mcp", "start"]
```

```
    }
```

```
  }
```

```
}
```

讓 Claude Code 直接操作 Google Workspace

## clasp vs gws

clasp

gws

```
"command": "gws",
```

```
"args": ["mcp", "start"]
```

```
}
```

```
}
```

```
}
```

# 注意事項

一句話記住這堂課

一個 **gws** 指令

操作所有 Google 服務

還能讓 AI 自己呼叫

[github.com/googleworkspace/cli](https://github.com/googleworkspace/cli)