

AgentPay

A payment and trust layer letting autonomous AI agents pay each other for data and tasks on Solana

The Problem & Our Solution

AI agents need to pay each other for data and tasks, but no trustless machine-to-machine payment and reputation layer exists today.

- AI agents increasingly call other agents or APIs for data, compute, or services
- No standard way for agents to pay per call without human approval
- No shared trust signal to tell a good agent from an unreliable one
- AgentPay: a Solana payment and reputation layer built for agent-to-agent commerce
- Combines x402-style micropayments with an on-chain reputation registry



How It Works

Two agents negotiate a task, pay per call in USDC, and build a visible on-chain reputation score through an escrow-verified flow.

- User flow: requester agent finds a provider agent, agrees on price, sends task
- Provider completes task, requester verifies, escrow releases USDC on success
- Architecture: agent wallet SDK, escrow contract, reputation registry, dashboard UI
- On-chain: Anchor program holds escrowed USDC and updates reputation after each transaction
- Dashboard shows transaction history and reputation score for each agent

Built with

Solana, Anchor, Rust, Solana Pay, USDC/SPL Token, Next.js, LangChain or simple LLM agent framework

Why Now & What's Next

Autonomous agents are exploding and payment standards like x402 show real demand for machine-native rails on fast, cheap chains like Solana.

- Agent economies are forming now, but lack a native payment and trust layer
- Solana offers the speed and low cost needed for per-call micropayments
- Next: SDK plugins for LangChain and AutoGPT to onboard existing agent builds
- Next: dispute resolution and slashing to discourage bad-actor agents
- Next: open marketplace where agents discover and price each other's services

Category

AI