
Correct-program compositions (count above bar); default in blue
T03 (BASE-DIVERSE, beta=0.43)
47 50 50 50 50 50
full_sort
size_k_heap
heapify_pop
quickselect
median_of_medians
counting_sort
non-catalogue
base
twin S1
twin S2
T1.0
MR1.0
XT1.0
T2 (BASE-DIVERSE, beta=0.41)
44 49 50 50 49 49
dijkstra
bf_sofa
bidijkstra
floyd
dial
non-catalogue
base
twin S1
twin S2
T0.25
MR0.25
XT0.25
T10 (BASE-DIVERSE, beta=0.65)
55 50 50 50 50 50
union_find
bfs
dfs
label_propagation
non-catalogue
base
twin S1
twin S2
T0.5
MR0.5
XT0.5
T1 (BASE-DIVERSE, beta=0.38)
14 43 44 38 47 43
bfs
dfs
bibfs
iddfs
astar_gbfs
dijkstra
non-catalogue
base
twin S1
twin S2
T0.25
MR0.25
XT0.25
T14 (BASE-DIVERSE, beta=0.35)
31 39 39 49 39 44 38
sort_by_count
heap
bucket_sort
quickselect_counts
non-catalogue
base
twin S1
twin S2
T1.0
MR1.0
XT1.0
MRP0.5
T05 (INTERMEDIATE, beta=0.16)
49 50 50 50 50 50
hash_map
sort_two_pointers
brute_force
sort_binary_search
non-catalogue
base
twin S1
twin S2
T0.25
MR0.25
XT0.25
T06 (INTERMEDIATE, beta=0.20)
51 50 50 50 50 50
hash_set
sort_adjacent
floyd
value_binary_search
index_marking
non-catalogue
base
twin S1
twin S2
T0.25
MR0.25
XT0.25
T04 (INTERMEDIATE, beta=0.12)
52 50 50 50 50 50
naive
kmp
rabin_karp
z_algorithm
bmh
builtin
non-catalogue
base
twin S1
twin S2
T0.25
MR0.25
XT0.25
T08 (INTERMEDIATE, beta=0.16)
37 50 50 50 50 50
iteration
memo_recursion
matrix_power
fast_doubling
non-catalogue
base
twin S1
twin S2
T0.25
MR0.25
XT0.25
T11 (INTERMEDIATE, beta=0.09)
43 50 50 50 50 50
quadratic_dp
patience_bisect
fenwick
non-catalogue
base
twin S1
twin S2
T0.25
MR0.25
XT0.25
R6 (INTERMEDIATE, beta=0.05)
40 45 38 39 40 28
binary_search
bisect_module
exponential_search
non-catalogue
base
twin S1
twin S2
T0.25
MR0.25
XT0.25
R2 (INTERMEDIATE, beta=0.16)
43 47 42 45 40 43
dfs_parent
bfs_parent
union_find
edge_count
non-catalogue
base
twin S1
twin S2
T0.25
MR0.25
XT0.25