Rockchip UFS Approved Vendor List

Ver 1.06

2026-06-05

The latest support list download from : https://redmine.rock-chips.com/documents/50

◆ Symbol

Symbol	Description
√	Fully Tested , Applicable and Mass Production
T/A	Fully Tested , Applicable and Ready for Mass Production
S/A	The Samples have Passed the Reliability Test. However, the Platform Compatibility Test was also required before Mass Production.
D/A	Datasheet Applicable,Need Sample to Test.
N/A	Not Applicable

◆ Note

◆ Revision History

Revision No.	History	Date
1.00	1. Add RK3576 2. Add THGJFGT2T85BAB5, THGJFGT1T45BAB8, THGJFGT0T25BAB8, THGJFGG9T15BAB8, THGJFGT1E45BAIL，THGJFGT2T85BAIR，MTFC64GAZAOTD-AIT，MTFC128GAZAOTD-AIT, MTFC256GAZAOTD-AIT, MTFC128GBCAVHF-WT， KLUDG4UHGC-B0E1, KLUCG2U1DC-B0F1, KLUDG2R1DE-B0F1, KLUEG4R1DE-B0F1, KLUCG4J1ZD-C0CQ, KLUDG8J1ZD-C0CQ, KLUDG4UHYB-B0EQ, KLUEG8UHYB-B0EQ, YMUS8B4TF1D1C1, YMUS9B4TF2D1C1, YMUSAB4TF3D1C1, YMUS7B2TE1A2C1, YMUS8B2TE2A2C1, YMUS9B2TE3A2C1, BWU3AKC26C128G, BWU3AKC46C256G, FEUDME064G-B8A19, FEUDME128G-B8A19, FEUDME256G-C8H09, FEUDNN064G-C2G07-P, FEUDNN128G-C2G07-P, FEUDNN256G-C2G07-O， BWU2A0526B128G，BWU2A0516B064G and HBE3-1280CHAA.	2024.06.20
1.01	1. Add UFS256-CY14，UFS128-CY14，UFS256-TY7B， UFS128-TY7B and SDINFDQ6-256G. 2. Change some devices status.	2024.10.12
1.02	1. Add FEUDNN512G-C2G07，MTFC128GBCAYAL-AAT，MTFC256GBCAYAL-AAT，PSUF22H17-B064SS，PSUF22H17-B128SS，PSUF22H17-B256SS，MTFC128GBCAVTC-AAT，MTFC256GBCAVTC-AAT，SM671PBF-C8V，SM671PBE-C8V，SM671PBD-C8V and MTFC256GBEAXHF-WT. 2. Change some devices status.	2025.3.14
1.03	1. Rename to "Rockchip UFS Approved Vendor List". 2. Add YMUSAB5TH3A1C1, YMUS9B5TH2A1C1 and YMUS8B5TH1A1C1. 3. Change some devices status.	2025.6.30
1.04	1. Add KLUCG1R1JF-C0F1, KLUDG2R1JF-C0F1，KLUEG2N1JB-C0F1, KLUFG4N1JB-C0F1, KLUDG2R1VF-B0FQ, KLUCG1R1VF-B0FQ, KLUBG1R1VF-B0FQ and RS80A64G4M05B. 2. Change some devices status.	2025.11.28
1.05	1. Add YXUEG2AX-AQ, YXUDG2AX-AQ, YXUCG2AX-AK, TEUFG154T30-A0SE and TEUEG154T30-A0SE. 2. Add RK3572.	2026.03.31
1.06	1. Add MT30AZZZEDA0TPWL-031， KLUDG2RHVF-B0EQ， KAUE9521 and KAUE8521.	2026.06.05

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
KIOXIA	THGJFGT2T85BAB5	512Gb TLC x 8	512GB	3D	3.1	2.5/3.3	1.2	-	-40/105	T/A	S/A		AUTO	
KIOXIA	THGJFGT1T45BAB8	512Gb TLC x 4	256GB	3D	3.1	2.5/3.3	1.2	-	-40/105	T/A	S/A		AUTO	
KIOXIA	THGJFGT0T25BAB8	512Gb TLC x 2	128GB	3D	3.1	2.5/3.3	1.2	-	-40/105	T/A	S/A		AUTO	
KIOXIA	THGJFGG9T15BAB8	512Gb TLC x 1	64GB	3D	3.1	2.5/3.3	1.2	-	-40/105	T/A	S/A		AUTO	
KIOXIA	THGJFGT1E45BAIL	512Gb TLC x 4	256GB	3D	3.1	2.5/3.3	1.2	-	-25/85	T/A	S/A			
KIOXIA	THGJFGT2T85BAIR	512Gb TLC x 8	512GB	3D	3.1	2.5/3.3	1.2	-	-25/85	T/A	S/A			

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
MICRON	MTFC64GAZAOTD-AIT	256Gb TLC x 2	64GB	3D	2.1	3.3	-	1.8	-40/105	T/A	S/A		AUTO	
MICRON	MTFC128GAZAOTD-AIT	256Gb TLC x 4	128GB	3D	2.1	3.3	-	1.8	-40/105	T/A	S/A		AUTO	
MICRON	MTFC256GAZAOTD-AIT	256Gb TLC x 8	256GB	3D	2.1	3.3	-	1.8	-40/105	T/A	S/A		AUTO	
MICRON	MTFC128GBCAVHF-WT	512Gb TLC x 2	128GB	3D	3.1	2.5	1.2	-	-25/85	T/A	S/A			
MICRON	MTFC128GBCAVTC-AAT	512Gb TLC x 2	128GB	3D	3.1	2.5	1.2	-	-40/105	T/A	S/A		AUTO	
MICRON	MTFC256GBCAVTC-AAT	512Gb TLC x 4	256GB	3D	3.1	2.5	1.2	-	-40/105	T/A	S/A		AUTO	
MICRON	MTFC256GBEAXHF-WT	512Gb TLC x 4	256GB	3D	4.0	2.5	1.2	-	-25/85	T/A	S/A			
MICRON	MTFC128GBCAYAL-AAT	512Gb TLC x 2	128GB	3D	2.2	3.3	-	1.8	-40/105	T/A	S/A		AUTO	
MICRON	MTFC256GBCAYAL-AAT	512Gb TLC x 4	256GB	3D	2.2	3.3	-	1.8	-40/105	T/A	S/A		AUTO	
MICRON	MT30AZZZEDA0TPWL-031	512Gb TLC x 4	256GB	3D	3.1	2.5	1.2	-	-25/85	T/A	S/A		UMCP	

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
SAMSUNG	KLUDG4UHGC-B0E1	512Gb TLC x 2	128GB	3D	3.1	2.5	1.2	-	-25/85	T/A	S/A			
SAMSUNG	KLUCG2U1DC-B0F1	512Gb TLC x 1	64GB	3D	2.2	3.3	-	1.8	-25/85	D/A	D/A			
SAMSUNG	KLUDG2R1DE-B0F1	512Gb TLC x 2	128GB	3D	2.2	3.3	-	1.8	-25/85	D/A	D/A			
SAMSUNG	KLUEG4R1DE-B0F1	512Gb TLC x 4	256GB	3D	2.2	3.3	-	1.8	-25/85	D/A	D/A			
SAMSUNG	KLUCG4J1ZD-C0CQ	128Gb MLC x 4	64GB	2D	2.1	3.3	-	1.8	-40/105	T/A	S/A		AUTO	
SAMSUNG	KLUDG8J1ZD-C0CQ	128Gb MLC x 8	128GB	2D	2.1	3.3	-	1.8	-40/105	T/A	S/A		AUTO	
SAMSUNG	KLUDG4UHYB-B0EQ	256Gb TLC x 4	128GB	3D	3.1	2.5	1.2	-	-40/105	T/A	S/A		AUTO	
SAMSUNG	KLUEG8UHYB-B0EQ	256Gb TLC 8 4	256GB	3D	3.1	2.5	1.2	-	-40/105	T/A	S/A		AUTO	
SAMSUNG	KLUCG1R1JF-C0F1	512Gb TLC x 1	64GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
SAMSUNG	KLUDG2R1JF-C0F1	512Gb TLC x 2	128GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
SAMSUNG	KLUEG2N1JB-C0F1	1Tb TLC x 2	256GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
SAMSUNG	KLUFG4N1JB-C0F1	1Tb TLC x 4	512GB	3D	2.2	3.3	-	1.8	-25/85	T/A	T/A			
SAMSUNG	KLUDG2R1VF-B0FQ	512Gb TLC x 2	128GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A		AUTO	
SAMSUNG	KLUCG1R1VF-B0FQ	512Gb TLC x 1	64GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A		AUTO	
SAMSUNG	KLUBG1R1VF-B0FQ	512Gb TLC x 1	32GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A		AUTO	
SAMSUNG	KLUDG2RHVF-B0EQ	512Gb TLC x 2	128GB	3D	3.1	2.5	1.2	-	-40/105	T/A	S/A		AUTO	

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
WD	SDINFDQ6-256G-ZA	512Gb TLC x 4	256GB	3D	3.1	2.5/3.3	1.2	-	-45/85	T/A	S/A		AUTO	

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
YMTC	YMUS8B4TF1D1C1	512Gb TLC x 2	128GB	3D	3.1	2.5	1.2	-	-25/85	D/A	D/A			
YMTC	YMUS9B4TF2D1C1	512Gb TLC x 4	256GB	3D	3.1	2.5	1.2	-	-25/85	T/A	S/A			
YMTC	YMUSAB4TF3D1C1	512Gb TLC x 8	512GB	3D	3.1	2.5	1.2	-	-25/85	T/A	S/A			
YMTC	YMUS7B2TE1A2C1	512Gb TLC x 1	64GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
YMTC	YMUS8B2TE2A2C1	512Gb TLC x 2	128GB	3D	2.2	3.3	-	1.8	-25/85	D/A	D/A			
YMTC	YMUS9B2TE3A2C1	512Gb TLC x 4	256GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
YMTC	YMUS8B5TH1A1C1	1Tb TLC x 1	128GB	3D	2.2	3.3	-	1.8	-25/85	T/A	T/A			
YMTC	YMUS9B5TH2A1C1	1Tb TLC x 2	256GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
YMTC	YMUSAB5TH3A1C1	1Tb TLC x 4	512GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
BIWIN	BWU3AKC26C128G	512Gb TLC x 2	128GB	3D	3.1	2.5	1.2	-	-25/85	T/A	S/A			
BIWIN	BWU3AKC46C256G	512Gb TLC x 4	256GB	3D	3.1	2.5	1.2	-	-25/85	T/A	S/A			
BIWIN	BWU2A0526B128G	512Gb TLC x 2	128GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
BIWIN	BWU2A0516B064G	512Gb TLC x 1	64GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
FORESEE	FEUDME064G-B8A19	512Gb TLC x 1	64GB	3D	2.1	3.3	-	1.8	-40/105	T/A	S/A		AUTO	
FORESEE	FEUDME128G-B8A19	512Gb TLC x 2	128GB	3D	2.1	3.3	-	1.8	-40/105	T/A	S/A		AUTO	
FORESEE	FEUDME256G-C8H09	512Gb TLC x 4	256GB	3D	3.1	2.5	1.2		-40/105	T/A	S/A		AUTO	
FORESEE	FEUDNN064G-C2G07	512Gb TLC x 1	64GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
FORESEE	FEUDNN128G-C2G07	512Gb TLC x 2	128GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
FORESEE	FEUDNN256G-C2G07	512Gb TLC x 4	256GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
FORESEE	FEUDNN512G-C2G07	512Gb TLC x 8	256GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
HOSIN	HBE3-1280CHAA	512Gb TLC x 2	128GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
Kingston	UFS256-CY14	512Gb TLC x 4	256GB	3D	3.1	2.5	1.2	-	-25/85	T/A	S/A			
Kingston	UFS128-CY14	512Gb TLC x 2	128GB	3D	3.1	2.5	1.2	-	-25/85	T/A	S/A			
Kingston	UFS256-TY7B	512Gb TLC x 4	256GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
Kingston	UFS128-TY7B	512Gb TLC x 2	128GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
KOWIN	KAUE9521	1Tb TLC x 2	256GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
KOWIN	KAUE8521	1Tb TLC x 1	128GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
PHISON	PSUF22H17-B064SS	512Gb TLC x 1	64GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
PHISON	PSUF22H17-B128SS	512Gb TLC x 2	128GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
PHISON	PSUF22H17-B256SS	512Gb TLC x 4	256GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
SMI	SM671PBD-C8V	1Tb TLC x 1	128GB	3D	3.1	2.5	1.2	-	-40/105	T/A	S/A		AUTO	
SMI	SM671PBE-C8V	1Tb TLC x 2	256GB	3D	3.1	2.5	1.2	-	-40/105	T/A	S/A		AUTO	
SMI	SM671PBF-C8V	1Tb TLC x 4	512GB	3D	3.1	2.5	1.2	-	-40/105	T/A	S/A		AUTO	

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
Rayson	RS80A64G4M05B	512Gb TLC x 1	64GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
TWSC	TEUFG154T30-A0SE	1Tb TLC x 2	256GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
TWSC	TEUEG154T30-A0SE	1Tb TLC x 1	128GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			

Manufacturer	Part Number	Device Size (bits)	Byte Size	Process	Version	VCC (V)	VCCQ (V)	VCCQ2 (V)	Temp. (°C)	RK3576	RK3572		Remark	
YXSC	YXUEG2AX-AQ	512Gb TLC x 4	256GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
YXSC	YXUDG2AX-AQ	512Gb TLC x 2	128GB	3D	2.2	3.3	-	1.8	-25/85	T/A	S/A			
YXSC	YXUCG2AX-AK	512Gb TLC x 1	64GB	3D	2.2	3.3	-	1.8	-25/85	S/A	S/A			