### 1.5.16

ai24btech11035 - V.Preethika

#### Question

Find the coordinates of a point A where AB is a diameter of the circle with center (3, -1) and the point B is (2, 6).

#### Solution I

Point	Value	Description
С	(3,-1)	Centre of the cicle
В	(2,6)	Given point B
А	(x,y)	Coordinates of A

Table: Variables Used

$$\mathbf{C} = \frac{\mathbf{A} + \mathbf{B}}{2} \tag{1}$$

$$=\frac{\binom{x}{y}+\binom{2}{6}}{2}\tag{2}$$

$$= \left(\frac{\frac{x+2}{2}}{\frac{y+6}{2}}\right) \tag{3}$$

#### Solution II

Given the centre of the circle  $\mathbf{C}$  is (3,-1), we can write

$$\begin{pmatrix} \frac{x+2}{2} \\ \frac{y+6}{2} \end{pmatrix} = \begin{pmatrix} 3 \\ -1 \end{pmatrix}$$
(4)

By solving this we get:

$$x = 4 \tag{5}$$

$$y = -8 \tag{6}$$

Therefore, the coordinates of point  $\mathbf{A}$  are (4, -8).

#### C Code I

```
1 #include <stdio.h>
2 #include <stdlib.h>
3 #include <math.h> // For cos, sin, sqrt, etc.
4 #include "libs/matfun.h"
5 #include "libs/geofun.h"
6
7 int main() {
      double **A = createMat(2, 1);
8
      double **B = createMat(2, 1);
      A[0][0] = 4;
      A[1][0] = -8;
12
13
      B[0][0] = 2;
14
      B[1][0] = 6;
15
16
      double **C = Matsec(A, B, 2, 1.0);
17
      printf("The center of the circle (midpoint of A and B) is: \n");
```

### C Code II

```
printMat(C, 2, 1);

free(A);
free(B);
free(C);

return 0;
}
```




Figure: Plot of y(x)

## Python Code I

```
1 import numpy as np
2 import matplotlib.pyplot as plt
3 from numpy import linalg as LA
5 # Define points A, B, and the center
A = \text{np.array}([4, -8]).\text{reshape}(-1, 1)
7 B = \text{np.array}([2, 6]).\text{reshape}(-1, 1)
8 C = np.array([3, -1]).reshape(-1,1) # center (midpoint of A and
      B)
# Calculate the radius (half of AB)
r = LA.norm(B - A) / 2
# Function to generate circle points
def circ_gen(C, r):
      theta = np.linspace(0, 2*np.pi, 100)
15
      x_{circ} = np.zeros((2,100))
16
```

# Python Code II

```
x_{circ}[0,:] = r * np.cos(theta)
      x_{circ}[1,:] = r * np.sin(theta)
18
      x_{circ} = (x_{circ}.T + C.T).T
19
      return x_circ
20
# Line generation between two points
def line_gen(A, B):
      len = 100
24
      dim = A.shape[0]
      x_AB = np.zeros((dim, len))
26
      lam_1 = np.linspace(0, 1, len)
      for i in range(len):
          temp = A + lam_1[i] * (B - A)
29
          x_AB[:, i] = temp.T
30
      return x_AB
31
# Generate the circle and line
```

## Python Code III

```
x_circ = circ_gen(C, r)
x_AB = line_gen(A, B)
# Plotting the circle and line
plt.plot(x_AB[0,:], x_AB[1,:], label='AB')
plt.plot(x_circ[0,:], x_circ[1,:], label='Circle')
# Scatter and label the points
tri_coords = np.block([A, B, C])
plt.scatter(tri_coords[0,:], tri_coords[1,:], color='black')
vert_labels = ['A', 'B', 'Center']
45 for i, txt in enumerate(vert_labels):
     plt.annotate(f'{txt}\n({tri_coords[0,i]:.0f},
46
     {tri_coords[1,i]:.0f})',
                   (tri_coords[0,i], tri_coords[1,i]),
                  textcoords="offset points",
48
                  xytext=(-20,5),
```

# Python Code IV

```
ha='center')
52 # Setting axis properties to match the diagram
plt.xlim(-5, 10)
54 plt.ylim(-10, 10)
plt.grid() # Minor grid
57 # Set equal scaling for x and y axes to ensure the circle
     doesn't appear as an ellipse
plt.gca().set_aspect('equal', adjustable='box')
# Removing the top and right spines
ax = plt.gca()
ax.spines['top'].set_color('none')
ax.spines['right'].set_color('none')
# Moving the left and bottom spines to the center
```

# Python Code V

```
ax.spines['left'].set_position('zero')
ax.spines['bottom'].set_position('zero')
68
# Add labels to the axes
plt.xlabel('X-axis')
71 plt.ylabel('Y-axis')
73 # Set the title and show the legend
74 plt.title('Circle with Diameter AB')
plt.legend(loc='best')
77 # Show the plot
plt.savefig('plot.png')
```