




Pipeline Agent = LLM + Harness + Tools



From biological data to scientific results



Bioinformatics pipelines



Supporting functions



Retrieve data & literature



Analyze files & documents



Search knowledge & explain findings



Coding support



Web UI + Website Bridge

- **Chat workspace.** Model selection, turn limits, uploads, conversations, and a session-owned Files panel.

- **Durable runs.** HTTP run IDs, resumable events, approvals, evidence, and output paths.

- **Bridge contract.** Signed ticket, page context, revision-aware table/figure reads, manuals, exports, and host actions.

Live proof: all → treated changed the revision, table (4 → 2 rows), and figure (6 → 3 values).



Basic bioinformatics

- Sequence length, GC content, base composition, validation, and reverse complement.

- ORF discovery on both strands and translation of selected ORFs.

- FASTA/GenBank feature reading and genome maps with reference and feature JSON.

Live example: PhiX174 analysis returned verified statistics, ORF features, and a rendered genome map.

Pipeline2Agent
Bioinformatics workspace

+ New chat

CONVERSATIONS
4 saved

- Analyze the uploaded...
Sep 26, 02:39 PM · 4 messages
- Download PDB struct...
Sep 26, 02:38 PM · 4 messages
- Analyze this DNA seq...
Sep 26, 02:38 PM · 3 messages
- Explain how overlapp...
Sep 26, 02:38 PM · 2 messages

Analyze the uploaded FASTA. Read its genome features, calculate sequence statistics, identify ORFs, render a genome map, and summarize the generated visualization artifacts.

I'll locate the uploaded FASTA, then compute features and ORFs.

The FASTA has no embedded feature annotations, so I'll map the detected ORFs and inspect the browser artifact.

Results

- FASTA contains 10 phiX174 records, each 5,386 bp.
- GC content ranges from 44.616-44.801%.
- ORF search (both strands, ≥ 90 nt) found 348 ORFs; 34 occur in `NC_001422.1`.
- Longest reference ORF: 1,284 nt at positions 1,001-2,284 (+ strand).
- FASTA cannot supply annotated genome features; GenBank/GFF is required. Predicted ORFs were used instead.

Visualization

- Interactive linear genome map displays all 34 reference ORFs across 5,386 bp, including overlapping forward/reverse-strand candidates.
- Map:
`outputs/genome_render_map/86ef87223da34966bc6bb3d60cc786f1/genome_map.json`
- Reference:
`outputs/genome_render_map/86ef87223da34966bc6bb3d60cc786f1/reference.fasta`
- Full ORF feature set:
`outputs/sequence_find_orfs/3047d9355cc94c8d975a8a856440bf96/features.json`

Ask Pipeline2Agent... (attach data when needed)

5 files att... MODEL **GPT-5.6 Sol (Premium)** TURNS 20 Enter to send · Shift + Enter fo... →

FILES
5 in this workspace **Upload**

Drop files here or choose Upload

150.6 KB · available to this chat and its tools

Find a file All files ▾

INPUTS 1

3013795d0278_phiX174_G.fa...
53.5 KB · Upload
uploads/3013795d0278_phiX174_G.fasta
Download Remove

OUTPUTS 4

genome_map.json
4.9 KB · Genome_map
outputs/genome_render_map/86ef8722...
Download Remove

reference.fasta
5.3 KB · Sequence
outputs/genome_render_map/86ef8722...
Download Remove


features.json
34.3 KB · Config
outputs/sequence_find_orfs/3047d9355...
Download Remove

reference.fasta
52.7 KB · Sequence
outputs/sequence_find_orfs/3047d9355...
Download Remove

Public databases + structures

- **NCBI + PubMed:** nucleotide records, literature, and evidence searches.
- **UniProt, InterPro, KEGG, QuickGO:** proteins, domains, pathways, and annotations.
- **PDB + AlphaFold DB:** experimental and predicted structures downloaded as workspace files.

Evidence output: source identifiers, URLs, paths, chain/residue/atom measurements, and structure summaries.



Retrieval → download → inspect → visualize → cite

Data analysis + Documents

- **Data:** inspect CSV, TSV, JSON, Markdown, and text; profile types, missingness, groups, and summaries.

- **Analysis:** create plots and grouped output files that remain in the active workspace.

- **Documents:** read selectable-text PDFs with page markers, methods, findings, and limitations.

- **Handoff:** keep uploads, generated files, manifests, and reports together for later turns.

Pipeline2Agent
Bionformatics workspace

+ New chat

CONVERSATIONS
5 saved

- Analyze the uploaded...
Sep 26, 02:39 PM · 6 messages
- Analyze the uploaded...
Sep 26, 02:39 PM · 4 messages
- Download PDB struct...
Sep 26, 02:38 PM · 3 messages
- Analyze this DNA seq...
Sep 26, 02:38 PM · 2 messages

You: Analyze the uploaded measurements CSV. Profile column values, compare control versus treated groups, create a grouped CSV with verified results.

AI: I'll locate the uploaded CSV, then profile, compare group

AI: Found the measurements file. I'm profiling its schema ar

AI: The data are complete and balanced. Now I'm generatin and the measurement plot.

AI: Summaries are ready; I'm verifying the saved grouped C

Results

- 4 rows; columns: `sample_id`, `cohort`, `measurement`
- No missing values; 2 control and 2 treated samples.
- Control mean/median: **0.365**; treated: **0.740**.
- Treated mean is **0.375 higher** (~103% increase). Safe for reliable inference.
- Verified grouped CSV:
outputs/table_group/e03b1d5daa4c49dba970bae93b8d
- Distribution plot:
outputs/table_plot/eeef8ac35691d4940be8058e1518da9

Ask Pipeline2Agent... (attach data when needed)

3 files att... MODEL **GPT-5.6 Sol (Premium)** TURNS 20 Enter to

Pipeline2Agent
Bionformatics workspace

+ New chat

CONVERSATIONS
6 saved

- Read the uploaded P...
Sep 26, 02:40 PM · 3 messages
- Analyze the uploaded...
Sep 26, 02:39 PM · 6 messages
- Analyze the uploaded...
Sep 26, 02:39 PM · 4 messages
- Download PDB struct...
Sep 26, 02:38 PM · 3 messages
- Analyze this DNA seq...
Sep 26, 02:38 PM · 2 messages

You: Read the uploaded PDF, summarize experimental limitat and preserve page markers for every claim.

AI: I'll read the uploaded PDF, then extract limitations and marked claims.

Experimental Limitations

- The small sample size limits statistical power. [Page 1

Discussion

- Future studies should validate the result in indepen

Ask Pipeline2Agent... (attach data when needed)

1 file att... MODEL **GPT-5.6 Sol (Premium)** TURNS 20 Enter to

Knowledge system

01 Ingest

Bounded public crawl with allowlists, page/depth limits, and a collection ID.

02 Status

Poll the asynchronous job and report fetched, indexed, chunks, skips, and errors.

03 Retrieve

Second-turn question against the existing collection, returning sources, excerpts, and evidence path.

Live proof: UniProt P0A7V8 — 1 page, 59 chunks, then a cited uS4 function/domain query.

The screenshot displays the Pipeline2Agent interface, which is a chat-based knowledge system. The interface is divided into three main sections: a sidebar on the left, a central chat area, and a right-hand panel.

Sidebar (Left): This section contains a list of conversations. The top conversation is titled "Research current e..." and has 111 saved messages. Below it are several other conversations, including "Build a session-ow...", "Introduce the curre...", "Introduce the curre...", "Introduce the curre...", "hello", "Read the annotatio...", "who are you?", "Download PDB stru...", "Read the PDF I upl...", "Use pipeline_shell t...", "Use coding speciali...", "Download PDB stru...", "Run the pipeline", "Design a pathogen ...", and "Analyze ACGT".

Central Chat Area: This section shows the chat history and the current conversation. The chat history includes messages from the user and the agent. The current conversation starts with the user asking: "Using the collection_id from the prior turn, call knowledge_retrieve only (do not run knowledge_ingest) for: What is the function of E. coli uS4/P0A7V8 and which conserved InterPro domains or sites are reported? Return the answer, each source URL or ID, an excerpt, and the evidence_path." The agent responds with: "I'll retrieve directly from the existing collection and summarize its evidence." The user then asks: "I'll retrieve directly from the existing collection and summarize its evidence." The agent responds with: "Answer E. coli uS4/P0A7V8:" followed by a list of bullet points:

- Initiates 30S ribosomal-subunit assembly by binding 16S rRNA.
- Supports translational accuracy with S5 and S12.
- Helps unwind mRNA during translation.
- Represses translation of the alpha operon.
- Belongs to the universal uS4 family.

The agent also reports conserved annotation: "S4 RNA-binding domain, residues 96-156. The retrieved excerpts did not include specific InterPro accession IDs or conserved site entries." The source is listed as: "URL/ID: https://rest.uniprot.org/uniprotkb/P0A7V8.txt — P0A7V8". The excerpt is: "One of two assembly initiator proteins for the 30S subunit... binds directly to 16S rRNA... plays an important role in translational accuracy... plays a role in mRNA unwinding... also a translational repressor protein." The domain excerpt is: "DOMAIN 96..156 /note='S4 RNA-binding'". The evidence path is: "outputs/knowledge_retrieve/b7e7074dc69442f7902ab12726404a95/knowledge_evidence.json".

Right-hand Panel: This section contains a "FILES" section with a "Drop files here or choose Upload" button. Below this is a "Find a file" input field and a "All files" dropdown menu. The "OUTPUTS" section shows a file named "knowledge_evidence.json" with a size of 11.4 KB and a configuration of "outputs/knowledge_retrieve/b7e7074dc69442f7902ab12726404a95/knowledge_evidence.json". There are "Download" and "Remove" buttons for this file.

Bottom Bar: This section contains a text input field for asking questions, a "1 file att..." button, a "MODEL" dropdown menu set to "GPT-5.6 Sol (Premium)", a "TURNS" dropdown menu set to "20", and a "Enter to send" button.

Research + reporting

- Search PubMed and trusted web sources; fetch records and retrieve evidence.

- Review study type, results, uncertainty, and limitations before synthesis.

- Write cited Markdown reports to the workspace with source paths and references.

- Use a second turn to display title, headings, evidence table, limitations, conclusion, and exact path.

Live proof: eight-source phage-therapy report plus full final-display follow-up.

Pipeline2Agent
Bioinformatics workspace

+ New chat

CONVERSATIONS
111 saved

- Research current e...
Sep 26, 10:18 PM · 10 messa...
- Build a session-ow...
Sep 26, 10:12 PM · 8 messa...
- Introduce the curre...
Sep 26, 10:07 PM · 8 messa...
- Introduce the curre...
Sep 26, 10:04 PM · 8 messa...
- Introduce the curre...
Sep 26, 10:02 PM · 5 messa...
- hello
Sep 26, 09:46 PM · 6 messa...
- Read the annotatio...
Sep 26, 09:03 PM · 33 messa...
- who are you?
Sep 26, 08:46 PM · 40 messa...
- Download PDB stru...
Sep 26, 08:37 PM · 4 messa...
- Read the PDF I upl...
Sep 26, 08:37 PM · 12 messa...
- Use pipeline_shell t...
Sep 26, 08:37 PM · 9 messa...
- Use coding speciali...
Sep 26, 08:37 PM · 26 messa...
- Download PDB stru...
Sep 26, 05:25 PM · 4 messa...
- Run the pipeline
Sep 26, 01:49 PM · 48 messa...
- Design a pathogen ...
Sep 26, 01:49 PM · 1 messa...
- Analyze ACGT
Sep 26, 01:49 PM · 0 messa...

Preclinical activity is substantial, and compassionate-use experience supports feasibility. However, neither uncontrolled cases nor preclinical studies establish efficacy. Controlled evidence is sparse and not convincingly positive.

PhagoBurn was inferior on its primary endpoint, although severe underdosing from titre decay also made it an inadequate test of a potent, stable formulation. Clinical adoption requires standardized manufacturing and susceptibility testing, reliable dose and formulation control, and well-powered comparative trials.

Limitations of this report

- The synthesis is restricted to eight PubMed abstracts; full texts, protocols, and supplementary data were unavailable.
- Reviews may contain overlapping primary studies, so the eight sources are not eight independent clinical datasets.
- Most evidence is preclinical or uncontrolled.
- MDR status was not consistently reported.
- Trusted web searches yielded no usable records; no claims from WHO, FDA, NIH, or ClinicalTrials.gov were included.

References

1. **PhagoBurn trial** — PMID 30292481
2. **Historical trial reassessment** — PMID 36069758
3. **Biofilm review** — PMID 37847552
4. **Resistant Gram-positive review** — PMID 40424685
5. **Oral-infection review** — PMID 39780179
6. **Staphylococcal-biofilm review** — PMID 40635020
7. ***S. maltophilia* meta-analysis** — PMID 42090589
8. **Hydrogel delivery review** — PMID 42700800

Exact workspace path

```
outputs/report_write/bbce0bb4de8f458687a93d6ee5a7510a/Current_Evidence_for_Phage_Therapy_Against_Multidrug-Resista.md
```

Ask Pipeline2Agent... (attach data when needed)

30 files att... MODEL **GPT-5.6 Sol (Premium)** TURNS **20** Enter to send · Shift + Enter fo... →

FILES
30 in this workspace

Drop files here
or choose Upload

326.2 KB · available to this chat and its tools

Find a file All files

OUTPUTS
30

- evidence.json**
41.2 KB · Config
outputs/evidence_retrieve/1a45ac7f...
Download Remove
- evidence.json**
38.3 KB · Config
outputs/evidence_retrieve/62d037af...
Download Remove
- evidence.json**
36 B · Config
outputs/pubmed_search/05e027ab2...
Download Remove
- evidence.json**
36 B · Config
outputs/pubmed_search/139119d1b...
Download Remove
- evidence.json**
36 B · Config
outputs/pubmed_search/216660790...
Download Remove
- evidence.json**
8.2 KB · Config
outputs/pubmed_search/25496f449...
Download Remove
- evidence.json**
8.8 KB · Config
outputs/pubmed_search/396bde495...
Download Remove
- evidence.json**
14.6 KB · Config
outputs/pubmed_search/4436d104c...
Download Remove

Pipelines: plan → run → verify

Discover

Catalogs, examples, typed inputs

Execute

Approval, submit once, bounded polling

Workflow styles: Shell · Snakemake · Nextflow · WDL
Live backends: local checks plus remote Cromwell/S3 transport.

Plan

Cores, memory, timeout, backend

Verify

Outputs, manifests, hashes, blockers

Pipeline2Agent
Bioinformatics workspace

[+ New chat](#)

CONVERSATIONS
4 saved

- You must perform an...
Sep 26, 07:07 PM · 8 messages
- Use metagenomic_re...
Sep 26, 07:01 PM · 8 messages
- Use metagenomic_de...
Sep 26, 07:00 PM · 8 messages
- Use the template_wd...
Sep 26, 06:59 PM · 8 messages

Plan/job: deda5f1716ea45a9ad5891c0ffd5343e

- Backend: cromwell; endpoint: http://192.168.164.39:39000; storage: S3
- Submitted exactly once; one ≤30-second poll; no retry/cancel
- Cromwell workflow e7677ed3-89b5-44b2-ab4f-200082a0cf4b: Succeeded
- Pipeline status: failed because Cromwell returned an empty output map; all three declared outputs were unavailable, so no output SHA-256 hashes could be verified
- Missing: report.md, metrics.json, normalized.fasta
- Upload manifest:
runs/deda5f1716ea45a9ad5891c0ffd5343e/outputs/cromwell.input_upload.s.json:1
- Input SHA-256:
3e1e6d3fc9ce5708c6356156dd8db2bb983628e80a0f2605511c7002beffc6fa
- Logs: runs/deda5f1716ea45a9ad5891c0ffd5343e/stderr.log:1, runs/deda5f1716ea45a9ad5891c0ffd5343e/stdout.log:1

Approved pipeline plan pipeline_shell

```
{
  "action": {
    "commands": [
      "agent-pipeline run --plan-id deda5f1716ea45a9ad5891c0ffd5343e"
    ],
    "max_output_length": 30000,
    "timeout_ms": 60000
  },
  "plan": {
    "pipeline_name": "template_wdl",
    "engine": "wdl",
    "inputs": {
      "sequence": [
        {
          "path": "uploads/examples/template_wdl-1653df57/example_sequence.fasta",
          "sha256": "3e1e6d3fc9ce5708c6356156dd8db2bb983628e80a0f2605511c7002beffc6fa"
        }
      ]
    }
  }
}
```

Ask Pipeline2Agent... (attach data when needed)

14 files att... MODEL GPT-5.6 Sol (Premium) TURNS 20 Enter to send · Shift + Enter fo...

FILES
14 in this workspace

[Upload](#)

Drop files here or choose Upload

17.1 KB · available to this chat and its tools

Find a file All files

INPUTS 1

example_sequence.fasta
89 B · Upload
uploads/examples/template_wdl-1653d...

[Download](#) [Remove](#)

OUTPUTS 13

inputs.json
180 B · Config
runs/deda5f1716ea45a9ad5891c0ffd53...

[Download](#) [Remove](#)

0_example_sequence.fasta
89 B · Sequence
runs/deda5f1716ea45a9ad5891c0ffd53...

[Download](#) [Remove](#)

job.json
2.7 KB · Config
runs/deda5f1716ea45a9ad5891c0ffd53...

[Download](#) [Remove](#)

config.runtime.yaml
1.2 KB · Config
runs/deda5f1716ea45a9ad5891c0ffd53...

[Download](#) [Remove](#)

cromwell.input_uploads.json
521 B · Config
runs/deda5f1716ea45a9ad5891c0ffd53...

[Download](#) [Remove](#)

cromwell_submission.json

Coding support

- Inspect source files and identify the smallest relevant change.
- Edit only within the requested scope and preserve repository conventions.
- Run a bounded test or targeted check and report the result.
- Return changed files, generated IDs, outputs, and failures clearly.

Live proof: code inspection + code test passed in the GPT-5.6-Sol run.

Pipeline2Agent
Bioinformatics workspace

+ New chat

CONVERSATIONS
16 saved

- Inspect the uploaded...
Sep 26, 02:46 PM · 7 messages
- Run rna_secondary_s...
Sep 26, 02:46 PM · 9 messages
- Run metagenomic_de...
Sep 26, 02:45 PM · 7 messages
- Run template_wdl wi...
Sep 26, 02:45 PM · 6 messages
- Run template_nextflo...
Sep 26, 02:44 PM · 5 messages
- Run template_snake...
Sep 26, 02:44 PM · 7 messages
- Run template_shell w...
Sep 26, 02:44 PM · 8 messages
- Run template_bio wit...
Sep 26, 02:43 PM · 9 messages
- Create a bounded se...
Sep 26, 02:42 PM · 5 messages
- Research current Phi...
Sep 26, 02:42 PM · 3 messages
- Read the uploaded P...
Sep 26, 02:40 PM · 3 messages
- Analyze the upload...
Sep 26, 02:39 PM · 6 messages
- Analyze the upload...
Sep 26, 02:39 PM · 4 messages
- Download PDB struct...
Sep 26, 02:38 PM · 4 messages
- Analyze this DNA seq...
Sep 26, 02:38 PM · 3 messages
- Explain how overlapp...
Sep 26, 02:38 PM · 2 messages

You

Inspect the uploaded Job model, add the smallest stable id field, run a bounded compile/test check, and show the changed file.

Pipeline2Agent

I'll locate the uploaded model and its local instructions first.

Found the model. I'll inspect it, add the minimal field, then compile-check it.

The model is intentionally tiny; I'm adding an immutable generated UUID without changing construction.

Change is in place. I'll run the bounded compile check now.

Compile passed. I'll show the final changed file with line numbers.

Added a generated UUID `id` without changing constructor usage.

```
uploads/87eaa311d99f_job_model.py:1

from uuid import uuid4

class Job:
    def __init__(self, name):
        self.id = uuid4()
        self.name = name

python -m compileall . passed.
```

Ask Pipeline2Agent... (attach data when needed)

2 files att... MODEL **GPT-5.6 Sol (Premium)** TURNS 20 Enter to send · Shift + Enter fo... →

FILES
2 in this workspace

Drop files here or choose Upload

642 B · available to this chat and its tools

Find a file All files

INPUTS
2

87eaa311d99f_job_model.cp...
525 B · Upload
uploads/_pycache_/87eaa311d99f_jo...
Download Remove

87eaa311d99f_job_model.py
117 B · Upload
uploads/87eaa311d99f_job_model.py
Download Remove

Guardrails + reliability

- Refuse actionable requests to increase pathogen harm.
- Validate arguments and enforce domain, page, resource, and turn limits.
- Scope files and knowledge collections to the active session; use approvals for selected actions.
- Preserve evidence, citations, paths, logs, status, and hashes.
- Distinguish passed, partial, blocked, failed, unavailable, and empty-output outcomes.

Principle: useful answers with bounded actions and honest uncertainty.

